

DAFTAR PUSTAKA

- Abrahams, V.M., Chamley, L.W., Salmon, J.E., 2017. 'Emerging treatment models in rheumatology: antiphospholipid syndrome and pregnancy: pathogenesis to translation', *Arthritis & Rheumatology*, 69(9), pp. 1710–1721. doi: 10.1002/art.40136.
- Aliyu, M. H., Luke, S., Kristensen, S., Alio, A. P., & Salihu, H. M., 2010. 'Joint effect of obesity and teenage pregnancy on the risk of preeclampsia: a population-based study', *Journal of Adolescent Health*, 46(1), 77–82. <https://doi.org/10.1016/j.jadohealth.2009.06.006>
- Almasi-Hashiani, A., Omani-Samani, R., Mohammadi, M., Amini, P., Navid, B., Alizadeh, A., Morasae, E.K., Maroufizadeh, S., 2019 'Assisted reproductive technology and the risk of preeclampsia: an updated systematic review and meta-analysis', *BMC Pregnancy and Childbirth*, 19(1), p. 149. doi: 10.1186/s12884-019-2291-x.
- Bartsch, E., Medcalf, K.E., Park, A.L., Ray, J.G., 2016. 'Clinical risk factors for pre-eclampsia determined in early pregnancy: systematic review and meta-analysis of large cohort studies', *BMJ*, p. i1753. doi: 10.1136/bmj.i1753.
- Bilano, V.L., Ota, E., Ganchimeg, T., Mori, R., Souza, J.P., 2014. 'Risk factors of pre-eclampsia/eclampsia and its adverse outcomes in low- and middle-income countries: a who secondary analysis', *PLoS ONE*. Edited by R. C. Young, 9(3), p. e91198. doi: 10.1371/journal.pone.0091198.
- Blázquez, A., García, D., Rodríguez, A., Vassena, R., Figueras, F., Vernaev, V., 2016. 'Is oocyte donation a risk factor for preeclampsia? A systematic review and meta-analysis', *Journal of Assisted Reproduction and Genetics*. *Journal of Assisted Reproduction and Genetics*, 33(7), pp. 855–863. doi: 10.1007/s10815-016-0701-9.
- Boyd, H.A., Tahir, H., Wohlfahrt, J., Melbye, M., 2013. 'Associations of personal and family preeclampsia history with the risk of early-, intermediate- and late-onset preeclampsia', *American Journal of Epidemiology*, 178(11), pp. 1611–1619. doi: 10.1093/aje/kwt189.
- Cormick, G., Betrán, A.P., Ciapponi, A., Hall, D.R., Hofmeyr, G.J., calcium and Pre-eclampsia Study Group, 2016. 'Inter-pregnancy interval and risk of recurrent pre-eclampsia: systematic review and meta-analysis', *Reproductive Health*. *Reproductive Health*. doi: 10.1186/s12978-016-0197-x.
- Dinas Kesehatan Provinsi Jawa Timur, 2017. 'Profil kesehatan Provinsi Jawa Timur tahun 2016. Bab 5: kesehatan keluarga'. *Dinas Kesehatan Provinsi Jawa Timur*.

- Dinas Kesehatan Provinsi Jawa Timur, 2018. 'Profil kesehatan Provinsi Jawa Timur tahun 2017. Bab 5: kesehatan keluarga'. *Dinas Kesehatan Provinsi Jawa Timur*.
- Duckitt, K., Harrington, D., 2005. 'Risk factors for pre-eclampsia at antenatal booking: systematic review of controlled studies', *British Medical Journal*, 330(7491), pp. 565–567. doi: 10.1136/bmj.38380.674340.E0.
- El-sayed, A.A.F., 2017. 'Taiwanese journal of obstetrics & gynecology preeclampsia: a review of the pathogenesis and possible management strategies based on its pathophysiological derangements', *Taiwanese Journal of Obstetrics & Gynecology*. Elsevier Taiwan LLC, 56(5), pp. 593–598. doi: 10.1016/j.tjog.2017.08.004.
- English, F., Kenny, L., McCarthy, F., 2015. 'Risk factors and effective management of preeclampsia', *Integrated Blood Pressure Control*, p. 7. doi: 10.2147/IBPC.S50641.
- Gathiram, P., Moodley, J., 2016. 'Review articles pre-eclampsia: its pathogenesis and pathophysiology', 27(2), pp. 71–78. doi: 10.5830/CVJA-2016-009.
- Ghassemzadeh S, Kang M., [Updated 2020 Jun 29]. 'Hydatidiform mole', In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2020 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK459155/?report=classic>
- Haavaldsen, C., Strøm-Roum, E.M., Eskild, A., 2019. 'Temporal changes in fetal death risk in pregnancies with preeclampsia: does offspring birthweight matter? A population study', *European Journal of Obstetrics and Gynecology and Reproductive Biology: X*. Elsevier Ireland Ltd, 2, p. 100009. doi: 10.1016/j.eurox.2019.100009.
- Hercus, A., Dekker, G., & Leemaqz, S., 2020. 'Primipaternity and birth interval; independent risk factors for preeclampsia', *Journal of Maternal-Fetal and Neonatal Medicine*, 33(2), 303–306. <https://doi.org/10.1080/14767058.2018.1489794>
- Huang, Q. T., Chen, J. H., Zhong, M., Hang, L. L., Wei, S. S., & Yu, Y. H., 2016. 'Chronic hepatitis b infection is associated with decreased risk of preeclampsia: A meta-analysis of observational studies', *Cellular Physiology and Biochemistry*, 38(5), 1860–1868. <https://doi.org/10.1159/000445548>
- Jeyabalan, A., 2013. 'Epidemiology of preeclampsia: impact of obesity', *Nutrition Reviews*, 71, pp. S18–S25. doi: 10.1111/nure.12055.
- Kemenkes RI, 2016. 'Profil kesehatan Indonesia tahun 2015'. Jakarta : Kementerian Kesehatan RI
- Kemenkes RI, 2018. 'Profil kesehatan Indonesia tahun 2017'. Jakarta : Kementerian Kesehatan RI

- Khader, Y. S., Batiha, A., Al-njadat, R. A., & Hijazi, S. S., 2018. 'Preeclampsia in Jordan: incidence, risk factors, and its associated maternal and neonatal outcomes', *Journal of Maternal-Fetal and Neonatal Medicine*, 31(6), 770–776. <https://doi.org/10.1080/14767058.2017.1297411>
- Kuo, Y., Chan, T., Wu, C., Ker, C., Tu, H., 2018. 'Taiwanese journal of obstetrics & gynecology preeclampsia-eclampsia and future cardiovascular risk among women in Taiwan', *Taiwanese Journal of Obstetrics & Gynecology*. Elsevier Ltd, 57(3), pp. 364–369. doi: 10.1016/j.tjog.2018.04.035.
- Liu, X., Ruan, Y., Liu, Y., Zhang, W., 2015. '[Relationship between maternal age and hypertensive disorders in pregnancy].', *Zhonghua yi xue za zhi*, 95(1), pp. 19–22. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/25876802>.
- Masoudian, P., Nasr, A., De Nanassy, J., Fung-Kee-Fung, K., Bainbridge, S. A., & El Demellawy, D., 2016. 'Oocyte donation pregnancies and the risk of preeclampsia or gestational hypertension: A systematic review and metaanalysis', *American Journal of Obstetrics and Gynecology*, 214(3), 328–339. <https://doi.org/10.1016/j.ajog.2015.11.020>
- Middleton, P., Crowther, C. A., & Simmonds, L., 2016. 'Different intensities of glycaemic control for pregnant women with pre-existing diabetes', *Cochrane Database of Systematic Reviews*, 2016(5). <https://doi.org/10.1002/14651858.CD008540.pub4>
- Miller, E. C., Gatollari, H. J., Too, G., Boehme, A. K., Leffert, L., Marshall, R. S., Elkind, M. S. V., & Willey, J. Z., 2017. 'Risk factors for pregnancy-associated stroke in women with preeclampsia', *Stroke*, 48(7), 1752–1759. <https://doi.org/10.1161/STROKEAHA.117.017374>
- Minassian, C., Thomas, S. L., Williams, D. J., Campbell, O., & Smeeth, L., 2013. 'Acute maternal infection and risk of pre-eclampsia: a population-based case-control study', *PLoS ONE*, 8(9). <https://doi.org/10.1371/journal.pone.0073047>
- Miyamoto, T., Hoshino, T., Hayashi, N., Oyama, R., Okunomiya, A., Kitamura, S., Ohtake, N., Suga, M., Miyamoto, K., Takaoka, A., Aoki, T., Imamura, Y., Nagano, S., Kita, M., 2015. 'Preeclampsia as a Manifestation of New-Onset Systemic Lupus Erythematosus during Pregnancy: A Case-Based Literature Review', *American Journal of Perinatology Reports*, 06(01), pp. e62–e67. doi: 10.1055/s-0035-1566245.
- Mrema, D., Lie, R.T., Østbye, T., Mahande, M.J., Daltveit, A.K., 2018. 'The association between pre pregnancy body mass index and risk of preeclampsia: a registry based study from Tanzania', *BMC Pregnancy and Childbirth*, 18(1), p. 56. doi: 10.1186/s12884-018-1687-3.
- Nomura, Y., Finik, J., Salzbank, J., Ly, J., Huynh, N., Davey, T., Dineva, M., Abelow, A., Flores, C., Daniel, R., Loudon, H., Stone, J., Pierre, P., Eglinton, G., Newcorn, J.H., 2014. 'The effects of preeclampsia on perinatal risks and infant temperaments among mothers with antenatal depression',

- Journal of Psychology Research*, 4(06). doi: 10.17265/2159-5542/2014.06.005.
- Novianti, H., 2016. 'Pengaruh usia dan paritas terhadap kejadian pre eklampsia di RSUD Sidoarjo', *Jurnal Ilmiah Kesehatan*, 9(1), p.25-31.
- Nursal, D.G.A., Tamela P., Fitrayeni, 2015. 'Faktor risiko kejadian preeklampsia pada ibu hamil di RSUP Dr. M. Djamil Padang tahun 2014' *Jurnal Kesehatan Masyarakat Andalas*, 10(1), p.38-44
- Ottanelli, S., Simeone, S., Serena, C., Rambaldi, M.P., Villanucci, A., Tavella, K., Amunni, G., Mecacci, F., Mello, G., 2012. 'PP120. Hydatidiform mole as a cause of eclampsia in the first trimester: a case report', *Pregnancy Hypertension: An International Journal of Women's Cardiovascular Health*, 2(3), p. 304. doi: 10.1016/j.preghy.2012.04.231.
- Paré, E., Parry, S., McElrath, T. F., Pucci, D., Newton, A., & Lim, K. H., 2014. 'Clinical risk factors for Preeclampsia in the 21st century', *Obstetrics and Gynecology*, 124(4), 763–770. <https://doi.org/10.1097/AOG.0000000000000451>
- Perkumpulan Obstetri dan Ginekologi Indonesia Himpunan Kedokteran Feto Maternal, 2016. 'Diagnosis dan tata laksana pre-eklampsia'.
- Petry, C.J., Ong, K.K., Hughes, I.A., Acerini, C.L., Dunger, D.B., 2017. 'Associations between bacterial infections and blood pressure in pregnancy', *Pregnancy Hypertension*. Elsevier, 10(August), pp. 202–206. doi: 10.1016/j.preghy.2017.09.004.
- Phipps, E., Prasanna, D., Brima, W., Jim, B., 2016. 'Preeclampsia: updates in pathogenesis, definitions, and guidelines', *Clinical Journal of the American Society of Nephrology*, 11(6), pp. 1102–1113. doi: 10.2215/CJN.12081115.
- Poon, L.C., Nicolaides, K.H., 2014. 'Early prediction of preeclampsia', *Obstetrics and Gynecology International*, 2014, pp. 1–11. doi: 10.1155/2014/297397.
- Sambas, E.K., Nurliawati, E., 2020. 'Overview of preeclampsia risk factors on pregnant women at Dr. Soekardjo hospital, Tasikmalaya, Indonesia', *Advance in Health Science Research*, vol. 26
- Sani, H.M., Vahed, S.Z., Ardalan, M., 2019. 'Preeclampsia: a close look at renal dysfunction', *Biomedicine and Pharmacotherapy*, 109(October 2018), pp. 408–416. doi: 10.1016/j.biopha.2018.10.082.
- Schwarze, J. E., Borda, P., Vásquez, P., Ortega, C., Villa, S., Crosby, J. A., & Pommer, R., 2018. 'Is the risk of preeclampsia higher in donor oocyte pregnancies? A systematic review and meta-analysis', *Jornal Brasileiro de Reproducao Assistida*, 22(1), 15–19. <https://doi.org/10.5935/1518-0557.20180001>

- Shamsi, U., Hatcher, J., Shamsi, A., Zuberi, N., Qadri, Z., & Saleem, S., 2010. 'A multicentre matched case control study of risk factors for Preeclampsia in healthy women in Pakistan', *BMC Women's Health*, 10. <https://doi.org/10.1186/1472-6874-10-14>
- Shiozaki, A., & Saito, S., 2018. 'Risk factors for preeclampsia', (pp. 3–25). https://doi.org/10.1007/978-981-10-5891-2_1
- Simard, J. F., Arkema, E. V., Nguyen, C., Svenungsson, E., Wikström, A.-K., Palmsten, K., & Salmon, J. E., 2017. 'Early-onset preeclampsia in lupus pregnancy', *Paediatric and Perinatal Epidemiology*, 31(1), 29–36. <https://doi.org/10.1111/ppe.12332>
- Tessema, G.A., Tekeste, A., Ayele, T.A., 2015. 'Preeclampsia and associated factors among pregnant women attending antenatal care in dessie referral hospital, Northeast Ethiopia: a hospital-based study', *BMC Pregnancy and Childbirth*, 15(1), p. 73. doi: 10.1186/s12884-015-0502-7.
- The American College of Obstetricians and Gynecologists, 2013. 'Hypertension in pregnancy'.
- Tranquilli, A.L., Dekker, G., Magee, L., 2014. 'The classification, diagnosis and management of the hypertensive disorders of pregnancy: a revised statement from the ISSHP', *Pregnancy Hypertension: An International Journal of Women's Cardiovascular Health*, 4(2), pp. 97–104. doi: 10.1016/j.preghy.2014.02.001.
- World Health Organization, 2011. 'WHO recommendation for prevention and treatment of pre-eclampsia and eclampsia', Geneva.
- World Health Organization, 2013. 'WHO recommendations for prevention and treatment of pre- eclampsia and eclampsia implications and actions'.
- World Health Organization, 2018. 'Maternal mortality'. Available at: <https://www.who.int/news-room/fact-sheets/detail/maternal-mortality>
- Wiles, K., Bramham, K., Seed, P.T., Kurlak, L.O., Mistry, H.D., Nelson-Piercy, C., Lightstone, L., Chappell, L.C., 2019. 'Diagnostic indicators of superimposed preeclampsia in women with CKD', *Kidney International Reports*, 4(6), pp. 842–853. doi: 10.1016/j.ekir.2019.03.012.
- Zhang, J.-J., Ma, X.-X., Hao, L., Liu, L.-J., Lv, J.-C., & Zhang, H., 2015. 'A systematic review and meta-analysis of outcomes of pregnancy in ckd and ckd outcomes in pregnancy', *Clinical Journal of the American Society of Nephrology*, 10(11), 1964–1978. <https://doi.org/10.2215/CJN.09250914>

Zhao, M., Yin, Y., Guo, F., Wang, J., Wang, K., & Chen, Q., 2013. 'Placental expression of VEGF is increased in pregnancies with hydatidiform mole: Possible association with developing very early onset preeclampsia', *Early Human Development*, 89(8), 583–588. <https://doi.org/10.1016/j.earlhumdev.2013.02.008>