

DAFTAR PUSTAKA

- Agoes, Goeswin. 2009. *Teknologi Bahan Alam (Serial Farmasi Industri - 2)*. Bandung : Penerbit ITB. hal 173 - 174.
- Al-Dhubiab, B.E. 2012. Pharmaceutical Applications and Phytochemical Profile of *Cinnamomum burmannii*. *Pharmacognosy Reviews* 6(12): 125–31.
- Almajano, M. P., Carbo, R., Jiménez, J.A.L., & Gordon, M.H. 2008. Antioxidant and Antimicrobial Activities of Tea Infusions. *Food Chemistry* 108(1): 55–63.
- Almeida, M.G., Chiari, B.G., Correa, M.A., Chung, M.C., & Isaac, V.L. 2013. Validation of an Alternative Analytical Method for the Quantification of Antioxidant Activity in Plant Extracts. *Latin American Journal of Pharmacy* 32(1): 90–95.
- Amić, D., Dušanka, D., Drago, B. dan Nenad, T. 2003. Structure-Radical Scavenging Activity Relationships of Flavonoids. *Croatica Chemica Acta* 76(1): 55–61.
- Anderson, R. A., Broadhurst, C. L., Polansky, M. M., Schmidt, W. F., Khan, A., Flanagan, V. P., Schoene, N.W. dan Graves, D. J. 2004. Isolation and Characterization of Polyphenol Type-A Polymers from Cinnamon with Insulin-like Biological Activity. *Journal of Agricultural and Food Chemistry* 52(1): 65–70.
- Anggriawan, M.B., Anna, P.R. dan Waras, N. 2015. Potensi Ekstrak Air Dan Etanol Kulit Batang Kayu Manis Padang (*Cinnamomum burmanii*) Terhadap Aktivitas Enzim α -Glukosidase. *Journal Kedokteran Yarsi*

23(2): 91–102.

Apak, R., Güçlü, K., Özyürek, M., Esin Karademir, S., & Erçağ, E. 2006. The Cupric Ion Reducing Antioxidant Capacity and Polyphenolic Content of Some Herbal Teas. *International Journal of Food Sciences and Nutrition* 57(5–6): 292–304.

Apak, R., Gorinstein, S., Böhm, V., Schaich, K. M., Özyürek, M. dan Güçlü, K. 2013. Methods of Measurement and Evaluation of Natural Antioxidant Capacity/Activity (IUPAC Technical Report). *Pure and Applied Chemistry* 85(5): 957–98.

Ayu, L., Indradewa, D. dan Ambarwati, E. 2010. Pertumbuhan, Hasil dan Kualitas Pucuk Teh (*Camellia sinensis* (L.) Kuntze) di Berbagai Tinggi Tempat. *Vegetalika*, 1(4), 78-89. X

Backer, C.A. dan Brink, V.D.R.B. 1968. *Flora of Java vol. III*. Groningen The Netherlands: Wolters-Noordhoff N.V. X

Badan Standarisasi Nasional. 2016. **SNI 3945:2016 Teh Hijau**. Badan Standarisasi Nasional : Jakarta. hal 6.

Banjarnahor, Sofna D.S. dan Nina, A. 2014. Antioxidant Properties of Flavonoids. *Medical Journal of Indonesia* 23(4): 239–44.

Bernardo, M.A., Silva, M.L., Santos, E., Moncada, M.M., Brito, J., Proença, L., Singh, J. and de Mesquita, M.F. 2015. Effect of cinnamon tea on postprandial glucose concentration. *Journal of diabetes research*, 2015.

Brodowska, K. M., Brodowska, A.J., Śmigielski, K. and Łodyga-Chruścińska, E. 2016. Antioxidant Profile of Essential Oils and Extracts of Cinnamon Bark (*Cinnamomum cassia*). *European Journal of Biological Research Research*. 6(4), pp. 310–316.

Büyükbacı, A. dan Sedef, N.E. 2008. Determination of in Vitro Antidiabetic Effects, Antioxidant Activities and Phenol Contents of Some Herbal Teas.

Plant Foods for Human Nutrition 63(1): 27–33.

- Cabrera, C., Reyes, A. dan Rafael, G. 2006. Beneficial Effects of Green Tea—A Review. ***Journal of the American College of Nutrition*** 25(2): 79–99.
- Cai, Y. Z., Sun., M., Xing., J., Luo., Q. and Corke., H. 2006. Structure-radical scavenging activity relationships of phenolic compounds from traditional Chinese medicinal plants. ***Life Sciences***, 78(25). pp. 2872–2888. doi: 10.1016/j.lfs.2005.11.004.
- Chacko, S.M., Priya T.T., Ramadasan, K. dan Ikuo, N. 2010. Beneficial Effects of Green Tea: A Literature Review. ***Chinese Medicine*** 5: 1–9.
- Chairunnisa, Hady, A.T. dan Arde, T.N. 2017. Gas Chromatography - Mass Spectrometry Analysis and Antibacterial Activity of *Cinnamomum burmanii* Essential Oil to Staphylococcus Aureus and Escherichia Coli by Gaseous Contact. ***AIP Conference Proceedings*** 1823.
- Chakrawarti, L., Agrawal, R., Dang, S., Gupta, S., & Gabrani, R. 2016. Therapeutic Effects of EGCG: A Patent Review. ***Expert Opinion on Therapeutic Patents*** 26(8): 907–16.
- Chen, L., Sun., P., Wang., T., Chen., K., Jia., Q., Wang., H. and Li., Y. 2012. Diverse Mechanisms of Antidiabetic Effects of the Different Procyanidin Oligomer Types of Two Different cinnamon species on db/db mice. ***Journal of Agricultural and Food Chemistry***. 60(36), pp. 9144–9150.
- Chen, P., Sun, J. and Ford, P. 2014. Differentiation of the four major species of cinnamons (*C. burmannii*, *C. verum*, *C. cassia*, and *C. loureiroi*) using a flow injection mass spectrometric (FIMS) fingerprinting method. ***Journal of Agricultural and Food Chemistry***. 62(12), pp. 2516–2521.
- Chen, Y.L., Duan, J., Jiang, Y.M., Shi, J., Peng, L., Xue, S. dan Kakuda, Y. 2011. Production, Quality, and Biological Effects of Oolong Tea (*Camellia sinensis*). ***Food Reviews International*** 27(1): 1–15.

- Colon., M. and Nerín., C. 2016. Synergistic, antagonistic and additive interactions of green tea polyphenols. ***European Food Research and Technology***. Springer Berlin Heidelberg, 242(2), pp.211 - 220.
- Dawodu, M.O., Samuel O.O. and Godwin, O.O. 2013. Trace Metal Concentrations in Some Tea Leaves Consumed in Ibadan, Nigeria. ***African Journal of Agricultural Research*** 8(46): 5771–75.
- Del Rio, D., Stewart, A. J., Mullen, W., Burns, J., Lean, M. E., Brighenti, F. and Crozier, A. 2004. HPLC-MSⁿ Analysis of Phenolic Compounds and Purine Alkaloids in Green and Black Tea. ***Journal of Agricultural and Food Chemistry*** 52(10): 2807–15.
- Departemen Kesehatan Republik Indonesia. 1977. ***Materia Medika Indonesia Jilid I***. Jakarta : Direktorat Pengawasan Obat dan Makanan.
- Demir, E., Gönül S., dan Münevver, S. 2016. Comparison of Some Extraction Methods for Isolation of Catechins and Caffeine from Turkish Green Tea. ***International Journal of Secondary Metabolite*** 2(2): 16–25.
- Devasagayam, T.P.A., Tilak, J.C., Bloor, K.K., Sane, K.S., Ghaskadbi, S.S. dan Lele, R.D., 2004. Free radicals and antioxidants in human health: current status and future prospects. ***Japi***, 52(794804), p.4.
- Dimitrios, B. 2006. Sources of natural phenolic antioxidants. ***Trends in Food Science & Technology***, 17(9), 505-512.
- El-Beltagi., H. S., El-Desouky., W. and Yousef., R. S. 2016. Synergistic Antioxidant Scavenging Activities of Grape Seed and Green Tea Extracts Against Oxidative Stress. ***Notulae Botanicae Horti Agrobotanici Cluj-Napoca***, 44(2), pp. 367–374.
- Embuscado, M. E. 2015. Spices and herbs: Natural sources of antioxidants - A mini review. ***Journal of Functional Foods***. Elsevier Ltd, 18, pp. 811–819.
- Eng., Q. Y., Thanikachalam., P. V. and Ramamurthy., S. 2018. Molecular

- Understanding of Epigallocatechin gallate (EGCG) in Cardiovascular and Metabolic Diseases. *Journal of Ethnopharmacology*. Elsevier Ireland Ltd, 210, pp. 296–310.
- Ervina, M., Nawu, Y.E. dan Esar, S.Y. 2016. Comparison of in Vitro Antioxidant Activity of Infusion, Extract and Fractions of Indonesian Cinnamon (*Cinnamomum burmannii*) Bark. *International Food Research Journal* 23(3): 1346–50.
- Ervina, M., Lie, H. S., Diva, J., Tewfik, S. dan Tewfik, I. 2019. Optimization of Water Extract of *Cinnamomum burmannii* Bark to Ascertain Its in Vitro Antidiabetic and Antioxidant Activities. *Biocatalysis and Agricultural Biotechnology* 19(May): 101152.
- Fuleki, T., and Da Silva, J. M. R. 1997. Catechin and Procyanidin Composition of Seeds from Grape Cultivars Grown in Ontario. *Journal of Agricultural and Food Chemistry*. 45(4), pp. 1156–1160.
- Foti, M. C. 2015. Use and Abuse of the DPPH• Radical. *Journal of Agricultural and Food Chemistry*, 63(40), pp. 8765–8776.
- Gandjar, I.G., dan Rohman, A., 2008. *Kimia Farmasi Analisis*. Yogyakarta: Pustaka Pelajar, hal. 463.
- Graham, Harold N. 1992. Green Tea Composition, Consumption, and Polyphenol Chemistry. *Preventive Medicine* 21(3): 334–50.
- Gawron-Gzella, A., Królikowska, A. and Pietrzak, M. 2018. Antioxidant Activity of Teas Obtained from Leaves of *Camellia sinensis* (L.) Kuntze in Course of Various Production Processes Available on Polish market. *Herba Polonica*. 64(2), pp. 60–67.
- Gulcin, I., Kaya, R., Goren, A.C., Akincioglu, H., Topal, M., Bingol, Z., Çakmak, K.C., Sarikaya, S.B.O., Durmaz, L. and Alwasel, S. 2019. Anticholinergic , Antidiabetic and Antioxidant Activities of Cinnamon

- (*cinnamomum verum*) Bark Extracts : Polyphenol Contents Analysis by LC-MS / MS. ***International Journal of Food Properties***. Taylor & Francis, 22(1), pp. 1511–1526.
- Gupta, A., Madhu, N., dan Vijay K. 2012. Modern Extraction Methods for Preparation of Bioactive Plant Extracts. ***International journal of applied and natural sciences*** 1(1): 8–26.
- Gupta, A., Naraniwal, M. and Kothari, V. 2012. Modern Extraction Methods for Preparation of Bioactive Plant Extracts. ***International journal of applied and natural sciences***. 1(1), pp. 8–26.
- Gupta, R. K., Chawla, P., Tripathi, M., Shukla, A. K., dan Pandey, A. 2014. Synergistic antioxidant activity of tea with ginger, black pepper and tulsi. ***International Journal of Pharmacy and Pharmaceutical Sciences***, 6(5), 477-479.
- Hamm, C. W., Bassand, J. P., Agewall, S., Bax, J., Boersma, E., Hector, B., Caso, P., Dudek, D., Gielen, S., Huber, K., Magnus, O., Petrie, M.C., Sonntag, F., Uva, M.S., Storey, R.F., William, W., Zahger, D. 2011. ESC Guidelines for the management of acute coronary syndromes in patients presenting without persistent ST-segment elevation: The Task Force for the management of acute coronary syndromes (ACS) in patients presenting without persistent ST-segment elevation of the European Society of Cardiology (ESC). ***European heart journal***, 32(23), 2999-3054.
- Handa, S. S., Suman, P.S.K., Gennonaro, L., dan Dev D. R., 2008. ***Extraction Technologies for Medical and Aromatic Plants***. Trieste: United Nations Industrial Development Organization and the International Centre for Science and High Technology.
- Harasstani, O. A., Moin, S., Tham, C. L., Liew, C. Y., Ismail, N., Rajajendram, R., Hanis, H.H., Zainul, A.Z., Azam, S.M., Mohammad, R.S. dan Israf, D.

- A. 2010. Flavonoid Combinations Cause Synergistic Inhibition of Proinflammatory Mediator Secretion from Lipopolysaccharide-Induced RAW 264.7 Cells. *Inflammation Research* 59(9): 711–21.
- Harmita. 2006. *Analisis Fisiko Kimia*. Jakarta : FMIPA UI.
- Hartoyo, Arif. 2003. *Teh dan Khasiatnya Bagi Kesehatan: Tinjauan Ilmiah*. Yogyakarta: Kanisius.
- Helal, A., Tagliazucchi., D., Verzelloni., E. and Conte., A. 2014. Bioaccessibility of polyphenols and cinnamaldehyde in cinnamon beverages subjected to in vitro gastro-pancreatic digestion. *Journal of Functional Foods*. Elsevier Ltd, 7(1), pp. 506–516.
- Herrero., M., Cifuentes., A., Ibañez., E. 2004. Sub- and supercritical fluid extraction of functional ingredients from different natural sources: plants, food-by- products, algae and microalgae. 5622900, pp. 1–34.
- Hidalgo, M., Sánchez-Moreno, C. and de Pascual-Teresa, S. 2010. Flavonoid-Flavonoid Interaction and Its Effect on Their Antioxidant Activity. *Food Chemistry*. Elsevier Ltd, 121(3), pp. 691–696.
- Indarti, K., Apriani., E.F., Wibowo., A.E. and Simanjuntak., P. 2019. Antioxidant Activity of Ethanolic Extract and Various Fractions from Green Tea (*Camellia sinensis* L.) Leaves '. *Pharmacognosy Journal*.11(4), pp. 771–776.
- Jain, D.P., Shyam, S.P., and Rakesh, P. 2011. Synergistic Antioxidant Activity of Green Tea with Some Herbs. *Journal of Advanced Pharmaceutical Technology & Research* 2(3): 177.
- Jeong., W.S. and Kong, A.N.T. 2004. Biological Properties of Monomeric and Polymeric Catechins: Green Tea Catechins and Procyanidins. *Pharmaceutical Biology*, 42(sup1), pp. 84–93.

- Kedare, S. B. dan Singh, R. P. 2011. Genesis and development of DPPH method of antioxidant assay. *Journal of food science and technology*, 48(4), 412-422.
- Khatib, A., Kim, M. Y. dan Chung, S. K. 2005. Anti-inflammatory activities of *Cinamomum burmanni* Bl. *Food Science and Biotechnology*, 14(2), 223-227. X
- Kim, Y., Goodner, K. L., Park, J. D., Choi, J., & Talcott, S. T. 2011. Changes in Antioxidant Phytochemicals and Volatile Composition of *Camellia Sinensis* by Oxidation during Tea Fermentation. *Food Chemistry* 129(4): 1331–42.
- Kristanti, A.N., Nanik, S.A., Mulyadi, T., Bambang Kurniadi. 2008. *Buku Ajar Fitokimia*. Surabaya : Airlangga University Press. hal 54 - 56. X
- Lassed., S., Amrani., A., Altun., M., Zama., D., Demirtas., I., Benayache., F. and Benayache., S. 2015. *In Vitro* Antioxidant, Inhibition of Oxidative DNA Damage and Antiproliferative Activities of Ethanolic Green Tea (*Camellia sinensis*) Extract. *International Journal of Pharmaceutical Sciences Review and Research*, 35(1), pp. 36–42.
- Latifi, Z., Biderooni., B.I., Ebrahimi., P., Moghadam., S.K., Azadi., R. and Nasiraie., L.R. 2020. Effect of Adding Cinnamon and Using Spray Drying Method on Antioxidant Properties of Instant Green Tea. *Archives of Pharmacy Practice*, 11, pp. 118–123.
- Li, F., Wang, Y., Li, D., Chen, Y., Qiao, X., Fardous, R., Ashton, L., Jinbao, L., Chan, T. dan Dou, Q. P.. 2018. Perspectives on the Recent Developments with Green Tea Polyphenols in Drug Discovery. *Expert Opinion on Drug Discovery* 13(7): 643–60.
- Li, Y. Q., Kong, D. X. and Wu, H. 2013. Analysis and evaluation of essential oil components of cinnamon barks using GC-MS and FTIR spectroscopy.

- Industrial Crops and Products***. Elsevier B.V., 41(1), pp. 269–278.
- Liang, Y., Li., Y., Sun., A and Liu., X. 2019. Chemical compound identification and antibacterial activity evaluation of cinnamon extracts obtained by subcritical n-butane and ethanol extraction. ***Food Science and Nutrition***. 7(6), pp. 2186–2193.
- Liu., S., Ai., Z., Qu., F., Chen., Q. and Ni., D. 2017. Effect of Steeping Temperature on Antioxidant and Inhibitory Activities of Green Tea Extracts Against α -amylase, α -glucosidase and Intestinal Glucose Uptake. ***Food Chemistry***, 234, pp. 168–173.
- Lobo, V., A. Patil, A. Phatak, dan N. Chandra. 2010. Free Radicals, Antioxidants and Functional Foods: Impact on Human Health. ***Pharmacognosy Reviews*** 4(8): 118–26.
- Luca., V. S., Stan., A., Trifan., A., Miron., A. and Aprotosoiaie., A.C. 2016. Catechins Profile, Caffeine Content and Antioxidant Activity of *Camellia Sinensis* Teas Commercialized in Romania. ***The Medical-Surgical Journal***. 120(2), pp. 457–463.
- Luís., Â., Duarte., A.P., Pereira., L and Domingues., F. 2018. Interactions Between The Major Bioactive Polyphenols of Berries: Effects on Antioxidant Properties. ***European Food Research and Technology***. Springer Berlin Heidelberg, 244(1), pp. 175–185.
- Malongane, F., Lyndy, J.M. dan Fhatuwani N.M. 2017. The Synergistic Potential of Various Teas, Herbs and Therapeutic Drugs in Health Improvement: A Review. ***Journal of the Science of Food and Agriculture*** 97(14): 4679–89.
- Martono, Syamsul, F., dan Eneng, N. 2016. Aktivitas Antioksidan Teh Varietas GMB 7 Pada Beberapa Ketinggian Tempat. ***Jurnal Tanaman Industri dan Penyegar*** 3(1): 53–60.

- Mathew., S. and Abraham, T. E. 2006. Food Chemistry Studies on the Antioxidant Activities of Cinnamon (*Cinnamomum verum*) Bark Extracts , Through Various *In Vitro* Models. ***Food Chemistry***, 94, pp. 520–528.
- Moharram, H.A. dan Youssef, M.M., 2014. Methods for determining the antioxidant activity: a review. ***Alexandria Journal of Food Science and Technology***, 11(1), pp.31-42.
- Molyneux, P. 2004. The Use of the Stable Free Radical Diphenylpicryl-Hydrazyl (DPPH) for Estimating Antioxidant Activity. ***Songklanakarin Journal of Science and Technology*** : 211–19.
- Muhammad., D. R. A., Praseptiangga., D., Van de Walle., D., Dewettinck., K. 2017. Interaction Between Natural Antioxidants Derived From Cinnamon and Cocoa in Binary and Complex Mixtures. ***Food Chemistry***, 231, pp. 356–364.
- Na., H.K. and Young J.S. 2008. Modulation of Nrf2-Mediated Antioxidant and Detoxifying Enzyme Induction by the Green Tea Polyphenol EGCG. ***Food and Chemical Toxicology*** 46(4): 1271–78.
- Namita, P., Rawat, M., and Kumar, J.V. 2012. Camellia Sinensis (Green Tea): A Review. ***Global Journal of Pharmacology*** 6(2): 52–59.
- Ng, K., Zi-Jun, C., Chen, H., Zhao, Z., Lin, Z., Tao, Y. 2018. Oolong Tea: A Critical Review of Processing Methods, Chemical Composition, Health Effects, and Risk. ***Critical Reviews in Food Science and Nutrition*** 58(17): 2957–80.
- Nn, Azwanida. 2015. A Review on the Extraction Methods Use in Medicinal Plants, Principle, Strength and Limitation. ***Medicinal & Aromatic Plants*** 04(03): 3–8.
- Ochanda, S.O., John K.W. dan Henrik K.R. 2015. Effect of Spices on Consumer Acceptability of Purple Tea. ***Food and Nutrition Sciences*** 06(08): 703–11.

- Olszowy-Tomczyk., M. 2020. Synergistic, Antagonistic and Additive Antioxidant Effects in the Binary Mixtures. *Phytochemistry Reviews*. Springer Netherlands.
- Osman., A.M. 2011. Multiple pathways of the reaction of 2,2-diphenyl-1-picrylhydrazyl radical (DPPH) with (+)-catechin: Evidence for the formation of a covalent adduct between DPPH and the oxidized form of the polyphenol. *Biochemical and Biophysical Research Communications*. Elsevier Inc., 412(3), pp. 473–478.
- Pham-Huy, L., Hua, H. dan Chuong, P. 2008. Free Radicals, Antioxidants in Disease and Health. *International Journal of Biomedical Science* 4(2): 89–96.
- Phan, M. A. T., Janet, P., Martin, B. dan Jayashree, A. 2018. Interactions between phytochemicals from fruits and vegetables: Effects on bioactivities and bioavailability. *Critical Reviews in Food Science and Nutrition*. Taylor & Francis, 58(8), pp. 1310–1329.
- Pooja, Bhardwaj dan Khanna Deepa. 2014. Green Tea Catechins: Defensive Role in Cardiovascular Disorders. *Chinese Journal of Natural Medicines* 11(4): 345–53.
- Prasanth, M.I., Bhagavathi, S.S., Chaiyavat, C. dan Tewin, T.. 2019. A Review of the Role of Green Tea (*Camellia Sinensis*) in Antiphotaging, Stress Resistance, Neuroprotection, and Autophagy. *Nutrients* 11(2).
- Procházková, D., I. Boušová dan N. Wilhelmová. 2011. Antioxidant and Prooxidant Properties of Flavonoids. *Fitoterapia* 82(4): 513–23.
- Quiñones, M., Marta, M. dan Amaya, A. 2013. Beneficial Effects of Polyphenols on Cardiovascular Disease. *Pharmacological Research* 68(1): 125–31.
- Raghavendra., H. L., Kumar., S.V.P., Kekuda., T.R.P., Ejeta., E., Molla., B.,

- Anilakumar., K.R. and Khanum., F. 2011. HPLC Method for Chemical Composition and In vitro Antioxidant Activity of *Camellia sinensis* Linn. *Analytical Chemistry Letters*, 1(5–6), pp. 361–369. doi: 10.1080/22297928.2011.10648239.
- Saini., R. K. and Keum., Y. S. 2018. Carotenoid extraction methods: A review of recent developments. *Food Chemistry*. Elsevier. 240(April 2017), pp. 90–103.
- Saito., S. T., Gosmann., G., Saffi., J., Presser., M., Richter., M.F. and Bergold., A.M. 2007. Characterization of the Constituents and Antioxidant Activity of Brazilian Green Tea (*Camellia sinensis* var. *assamica* IAC-259 Cultivar) Extracts. *Journal of Agricultural and Food Chemistry*. 55(23), pp. 9409–9414.
- Salamah, N. dan Erlinda, W. 2015. Aktivitas Antioksidan Ekstrak Metnaol Daun Kelengkeng (*Euphoria longan* (L) Steud.) Dengan Metode Penangkapan Radikal 2,2'-Difenil-1-Pikrilhidrazil. *Pharmaciana* 5(1): 25–34.
- Samadi., S. and Fard., F.R. 2020. Phytochemical Properties, Antioxidant Activity and Mineral Content (Fe, Zn and Cu) in Iranian Produced Black Tea, Green Tea and Roselle Calyces. *Biocatalysis and Agricultural Biotechnology*. Elsevier Ltd, 23(December 2019), p. 101472.
- Sangal, A. 2011. Role of Cinnamon as Beneficial Antidiabetic Food Adjunct : A Review. *Advances in applied science research* 2(4): 440–50.
- Shan, B., Yi Zhong, C., John, D.B. dan Harold, C. 2007. Antibacterial Properties and Major Bioactive Components of Cinnamon Stick (*Cinnamomum burmannii*): Activity against Foodborne Pathogenic Bacteria. *Journal of Agricultural and Food Chemistry* 55(14): 5484–90.
- Sharangi, A. B. 2009. Medicinal and Therapeutic Potentialities of Tea

- (*Camellia sinensis* L.) - A Review. ***Food Research International*** 42(5–6): 529–35.
- Sharma, Shivani, Swapnil Goyal, and Kalindi Chauhan. 2018. A Review on Analytical Method Development and Validation. ***International Journal of Applied Pharmaceutics*** 10(6): 8–15.X
- Shekhar, T. C., & Anju, G. 2014. Antioxidant activity by DPPH radical scavenging method of *Ageratum conyzoides* Linn. leaves. ***Am J Ethnomed***, 1(4), 244-249.
- Shi, J., Qin, Q., Yukio, K., Sophia, J.X., Yueming, J., Shoji, K., Youn-Young, S. 2007. Investigation of the antioxidant and synergistic activity of lycopene and other natural antioxidants using LAME and AMVN model systems. ***Journal of Food Composition and Analysis***, 20(7), pp. 603–608.
- Singh, G., Maurya., S., deLampasona., M.P. and Catalan., C.A.N. 2007. A Comparison of Chemical, Antioxidant and Antimicrobial Studies of Cinnamon Leaf and Bark Volatile Oils , Oleoresins and Their Constituents. ***Food and Chemical Toxicology***. 45, pp. 1650–1661.
- Singh., J., Parasuraman., S.. and Kathiresan., S. 2018. Antioxidant and Antidiabetic Activities of Methanolic Extract of *Cinnamomum cassia*. ***Pharmacognosy Research*** pp. 237–242.
- Singletary, K. 2008. Cinnamon: Overview of Health Benefits. ***Nutrition Today*** 43(6): 263–66.
- Skoog, D.A., F. James Holler, Stanley R. Crouch. 2016. ***Principles of Instrumental Analysis***. 7th Ed. Boston:Cengage Learning.
- Sunarni, T., Pramono, S. dan Asmah, R. 2007. Flavonoid antioksidan penangkap radikal dari daun kepel (*Stelechocarpus burahol* (Bl.) Hook f. & Th.). ***Majalah Farmasi Indonesia***, 18(3), 111-116.

- Tang, W., Di-Cai, L., Yang-Xiao, L., Jian-Guo, J. 2011. Concentration and Drying of Tea Polyphenols Extracted from Green Tea Using Molecular Distillation and Spray Drying. ***Drying Technology***, 29(5), pp. 584–590.
- Tariq, M., Akhtar, N., dan Ali. K.B. 2010. The Morphology, Characteristics, and Medicinal Properties of Camellia Sinensis Tea. ***Journal of Medicinal Plants Research*** 4(19): 2028–33.
- Tengse, D. D., Arun, Priya, B. dan Kumar, P.A.R. 2016. Optimization for encapsulation of green tea (*Camellia sinensis* L .) extract by spray drying technology. ***Journal of Food Measurement and Characterization***. USA : Springer.
- Torres de Pinedo., A., Peñalver., P. and Morales., J. C. 2007. Synthesis and Evaluation of New Phenolic-Based Antioxidants: Structure-Activity Relationship. ***Food Chemistry***, 103(1), pp. 55–61.
- Vallverdú-Queralt., A., Regueiro., J., Martínez-Huélamo., M., Alvarenga., J.F.R., Leal., L.N. and Lamuela-Raventos., R.M. 2014. A comprehensive study on the phenolic profile of widely used culinary herbs and spices: Rosemary, Thyme, Oregano, Cinnamon, Cumin and Bay. ***Food Chemistry***. Elsevier Ltd, 154(2014), pp. 299–307.
- Vetal, S., Subhash, L. Bodhankar, V.M. dan Prasad, A.T. 2013. Anti-Inflammatory and Anti-Arthritic Activity of Type-A Procyanidine Polyphenols from Bark of *Cinnamomum zeylanicum* in Rats. ***Food Science and Human Wellness*** 2(2): 59–67.
- Wang., C.Y., Wang., S. Y. and Chen., C. 2008. Increasing Antioxidant Activity and Reducing Decay of Blueberries by Essential Oils. ***Journal of Agricultural and Food Chemistry***. 56(10), pp. 3587–3592.
- Wang, Y., Shan., T., Yuan., Y. and Yue., T. 2016. Overall Quality Properties of Kiwifruit Treated by Cinnamaldehyde and Citral: Microbial,

- Antioxidant Capacity during Cold Storage. *Journal of Food Science*. 81(12), pp. H3043–H3051.
- Wen., B., Ren., S., Zhang., Y., Duan., Y., Shen., J., Zhu., X., Yuhua., W. 2020. Effects of Geographic Locations and Topographical Factors on Secondary Metabolites Distribution in Green Tea at a Regional Scale, *Food Control*. Elsevier Ltd, 110, p. 106979.
- Xu, D. P., Li, Y., Meng, X., Zhou, T., Zhou, Y., Zheng, J., Zhang, J.J. dan Li, H. B. 2017. Natural Antioxidants in Foods and Medicinal Plants: Extraction, Assessment and Resources. *International Journal of Molecular Sciences* 18(1): 20–31.
- Yang., C., Li., R., and Chuang., L. 2012. Antioxidant Activity of Various Parts of *Cinnamomum cassia* Extracted with Different Extraction Methods. *Molecules*. pp. 7294–7304.
- Yuliani., N.N. dan Dienina, D.P., 2015. Uji Aktivitas Antioksidan Infusa Daun Kelor (*Moringa Oleifera*, Lamk) dengan Metode 1, 1-Diphenyl-2-picrylhydrazyl (DPPH). *Jurnal info kesehatan*, 13(2), pp.1060-1082.
- Zeng, L. *et al.* 2017. Stability of tea polyphenols solution with different pH at different temperatures. *International Journal of Food Properties*, 20(1), pp. 1–18. Taylor & Francis.
- Zhang., C., Fan., L., Fan., S., Wang., J., Luo., T., Tang., Y., Chen., Z. and Yu., L. 2019. *Cinnamomum cassia* Presl: A review of its traditional uses, phytochemistry, pharmacology and toxicology, *Molecules*, 24(19).

