

DAFTAR PUSTAKA

- (1) Barton, L., Hodgman, J.E. and Pavlova, Z., 1999. Causes of death in the extremely low birth weight infant. *Pediatrics*, 103(2), pp.446-451.
- (2) Liu, L., Johnson, H.L., Cousens, S., Perin, J., Scott, S., Lawn, J.E., Rudan, I., Campbell, H., Cibulskis, R., Li, M. and Mathers, C., 2012. Global, regional, and national causes of child mortality: an updated systematic analysis for 2010 with time trends since 2000. *The Lancet*, 379(9832), pp.2151-2161.
- (3) Stoll, B.J., Hansen, N.I., Bell, E.F., Shankaran, S., Laptook, A.R., Walsh, M.C., Hale, E.C., Newman, N.S., Schibler, K., Carlo, W.A. and Kennedy, K.A., 2010. Neonatal outcomes of extremely preterm infants from the NICHD Neonatal Research Network. *Pediatrics*, 126(3), pp.443-456.
- (4) Bourne, G., 1962. The foetal membranes: a review of the anatomy of normal amnion and chorion and some aspects of their function. *Postgraduate medical journal*, 38(438), p.193.
- (5) UNICEF, 2015. Maternal and Newborn Health Disparities in Indonesia.
- (6) Kemenkes, R.I., 2014. Info Datin Ibu: Situasi Kesehatan Ibu. *Jakarta: Kementerian Kesehatan Republik Indonesia*.
- (7) BAPPENAS, R.I., 2018 ‘Jumlah Penduduk Indonesia’, *Bappenas*.
- (8) Wynn, J.L., 2016. Defining neonatal sepsis. *Current opinion in pediatrics*, 28(2), p.135.

- (9) Shah, B.A. and Padbury, J.F., 2014. Neonatal sepsis: an old problem with new insights. *Virulence*, 5(1), pp.170-178.
- (10) Ocviyanti, D. and Wahono, W.T., 2018. Risk factors for neonatal sepsis in pregnant women with premature rupture of the membrane. *Journal of pregnancy*, 2018.
- (11) Simonsen, K.A., Anderson-Berry, A.L., Delair, S.F. and Davies, H.D., 2014. Early-onset neonatal sepsis. *Clinical microbiology reviews*, 27(1), pp.21-47.
- (12) Stoll, B.J., Hansen, N.I., Sánchez, P.J., Faix, R.G., Poindexter, B.B., Van Meurs, K.P., Bizzarro, M.J., Goldberg, R.N., Frantz, I.D., Hale, E.C. and Shankaran, S., 2011. Early onset neonatal sepsis: the burden of group B Streptococcal and *E. coli* disease continues. *Pediatrics*, 127(5), pp.817-826.
- (13) Camacho-Gonzalez, A., Spearman, P.W. and Stoll, B.J., 2013. Neonatal infectious diseases: evaluation of neonatal sepsis. *Pediatric Clinics of North America*, 60(2), p.367.
- (14) Baker, C.J., Byington, C.L., Polin, R.A. and Committee on Infectious Diseases, 2011. Policy statement—Recommendations for the prevention of perinatal group B streptococcal (Group B Streptococcus) disease. *Pediatrics*, 128(3), pp.611-616.
- (15) Schrag, S.J., Zywicki, S., Farley, M.M., Reingold, A.L., Harrison, L.H., Lefkowitz, L.B., Hadler, J.L., Danila, R., Cieslak, P.R. and Schuchat, A., 2000. Group B streptococcal disease in the era of intrapartum

- antibiotic prophylaxis. *New England Journal of Medicine*, 342(1), pp.15-20.
- (16) Shane, A.L. and Stoll, B.J., 2013. Recent developments and current issues in the epidemiology, diagnosis, and management of bacterial and fungal neonatal sepsis. *American journal of perinatology*, 30(02), pp.131-142.
- (17) Hornik, C.P., Fort, P., Clark, R.H., Watt, K., Benjamin Jr, D.K., Smith, P.B., Manzoni, P., Jacqz-Aigrain, E., Kaguelidou, F. and Cohen-Wolkowiez, M., 2012. Early and late onset sepsis in very-low-birth-weight infants from a large group of neonatal intensive care units. *Early human development*, 88, pp.S69-S74.
- (18) Mercer, B.M., 2003. Preterm premature rupture of the membranes. *Obstetrics & Gynecology*, 101(1), pp.178-193.
- (19) Rifati, N.L. and Kristanto, H., 2018. *HUBUNGAN KORIOAMNIONITIS DENGAN ASFIKSIA NEONATUS PADA KEHAMILAN DENGAN KETUBAN PECAH DINI* (Doctoral dissertation, Faculty of Medicine).
- (20) Poma, P.A., 1996. Premature rupture of membranes. *Journal of the National Medical Association*, 88(1), p.27
- (21) Assefa, N.E., Berhe, H., Girma, F., Berhe, K., Berhe, Y.Z., Gebreheat, G., Werid, W.M., Berhe, A., Rufae, H.B. and Welu, G., 2018. Risk factors of premature rupture of membranes in public hospitals at

- Mekele city, Tigray, a case control study. *BMC pregnancy and childbirth*, 18(1), p.386.
- (22) Menon, R. and Richardson, L.S., 2017, November. Preterm prelabor rupture of the membranes: a disease of the fetal membranes. In *Seminars in perinatology* (Vol. 41, No. 7, pp. 409-419). WB Saunders.
- (23) Huda, N., Sulastri, S.K. and Kp, S.E.S., 2013. *Faktor-faktor yang Mempengaruhi Ketuban Pecah Dini di RS PKU Muhammadiyah Surakarta* (Doctoral dissertation, Universitas Muhammadiyah Surakarta).
- (24) Putra, I.W.A., ‘*Hubungan Ketuban Pecah Dini dengan Kejadian Infeksi Neonatorum di RSUD Abdul Wahab Sjahranie tahun 2016*’ (Doctoral dissertation, Universitas Mulawarman Samarinda)
- (25) Chasanah, S.U., 2017. Peran Petugas Kesehatan Masyarakat dalam Upaya Penurunan Angka Kematian Ibu Pasca MDGs 2015. *Jurnal kesehatan masyarakat Andalas*, 9(2), pp.73-79.
- (26) Goldenberg, R.L., Iams, J.D., Mercer, B.M., Meis, P.J., Moawad, A.H., Copper, R.L., Das, A., Thom, E., Johnson, F., McNellis, D. and Miodovnik, M., 1998. The preterm prediction study: the value of new vs standard risk factors in predicting early and all spontaneous preterm births. NICHD MFMU Network. *American journal of public health*, 88(2), pp.233-238.

- (27) Demiarti, M. and Utami, F.S., 2017. FAKTOR-FAKTOR YANG MEMPENGARUHI KETUBAN PECAH DINI DI RSU PKU MUHAMMADIYAH BANTUL TAHUN 2016.
- (28) Indrawarman, D., 2012. *Hubungan Antara Ketuban Pecah Dini dengan Terjadinya Sepsis Neonatorum di Rsud Dr Moewardi* (Doctoral dissertation, Universitas Muhammadiyah Surakarta).
- (29) Simbolon, D., 2009. Faktor risiko sepsis pada bayi baru lahir di RSUD Curup kabupaten Rejang Lebong. *Buletin Penelitian Kesehatan*, 36(3).
- (30) Alhubaishi, L.Y.A., 2019. Premature Rupture of Membrane and Neonatal Infection. *Open Journal of Obstetrics and Gynecology*, 9(10), pp.1388-1391.
- (31) Squire, E., Favara, B. and Todd, J., 1979. Diagnosis of neonatal bacterial infection: hematologic and pathologic findings in fatal and nonfatal cases. *Pediatrics*, 64(1), pp.60-64.
- (32) Ramesh, T.V., Panigrahi, B., Pranaya, P. and Bindu, P.H., 2018. Outcome of neonates born to mothers with premature rupture of membranes. *International Journal of Contemporary Pediatrics*, 5(4), p.1190.
- (33) Kumar, S., 2017. Outcome of neonates born to mothers with premature rupture of membranes. *Medical Science Journal*, 3(1), pp.66-70.
- (34) Wilar, R., Kumalasari, E., Suryanto, D.Y. and Gunawan, S., 2016. Faktor risiko sepsis awitan dini. *Sari pediatri*, 12(4), pp.265-9

- (35) Mahayani, I.A.M., 2019. Hubungan Antara Lama Ketuban Pecah Dini Aterm dengan Kejadian Infeksi Pada Neonatus Periode 1 Januari s/d 31 Desember 2010 di RSU Provinsi NTB. *JURNAL KEDOKTERAN*, 4(1), pp.671-678.
- (36) Ibrahim, K., 2017. Hubungan BBLR, KPD dan Persalinan Prematur dengan Kejadian Sepsis Neonatus Di Blud RS Benyamin Guluh Kabupaten Kolaka Tahun 2016. (*Jurnal Ilmiah Mahasiswa Kesehatan Masyarakat*), 1(3).
- (37) Yuliana, F., Mahpolah, M. and Nopariyanti, E., 2019, July. Faktor Risiko Ibu Dalam Meningkatkan Kejadian Sepsis Neonatorum Di RSUD Dr. H. Moch. Ansari Saleh Banjarmasin. In *Proceeding Of Sari Mulia University Midwifery National Seminars* (Vol. 1, No. 1, pp. 73-83).
- (38) Sari, E., 2016. ‘Faktor-faktor yang Berhubungan dengan Kejadian Sepsis pada Neonatorum di Rumah Sakit Moehammad Hoesin Palembang.’ *PROSIDING SEMINAR NASIONAL & INTERNASIONAL* (Vol. 1, No. 1).
- (39) Hasanah, N.M. and Lestari, H., 2017. Analisis Faktor Risiko Jenis Kelamin Bayi, Bblr, Persalinan Prematur, Ketuban Pecah Dini Dan Tindakan Persalinan Dengan Kejadian Sepsis Neonatus Di Rumah Sakit Bahteramas Provinsi Sulawesi Tenggara Tahun 2016. (*Jurnal Ilmiah Mahasiswa Kesehatan Masyarakat*), 1(3).

- (40) Yulia, R. and Surachmindari, S., 2018. HASIL PEMERIKSAAN DIPLOCOCCUS INTRASEL CERVIKS PADA KASUS KETUBAN PECAH DINI. *MIKIA: Mimbar Ilmiah Kesehatan Ibu dan Anak (Maternal and Neonatal Health Journal)*, 1(2).
- (41) Pinilih, A. and Ranto, H., 2019. PROFIL DAN FAKTOR RISIKO KEMATIAN SEPSIS NEONATUS DI RSUD SUKADANA LAMPUNG TIMUR. *Jurnal Ilmu Kedokteran dan Kesehatan*, 6(4), pp.290-295.
- (42) Alam, M.M., Saleem, A.F., Shaikh, A.S., Munir, O. and Qadir, M., 2014. Neonatal sepsis following prolonged rupture of membranes in a tertiary care hospital in Karachi, Pakistan. *The Journal of Infection in Developing Countries*, 8(01), pp.067-073.
- (43) Susanti, Y. and Gunarsih, A., 2017, December. The type of microorganisms in early-onset neonatal sepsis in the infant care unit. In *1st International Integrative Conference on Health, Life and Social Sciences (ICHLaS 2017)*. Atlantis Press.
- (44) Negara, N.S., Wandita, S. and Suryantoro, P., 2016. Ketuban Pecah Dini dan Demam Intrapartum Sebagai Faktor Risiko Sepsis Neonatorum Onset Dini. *Sari Pediatri*, 10(5), pp.351-6.
- (45) Tanir, H.M., Sener, T., Tekin, N., Aksit, A. and Ardic, N., 2003. Preterm premature rupture of membranes and neonatal outcome prior to 34 weeks of gestation. *International Journal of Gynecology & Obstetrics*, 82(2), pp.167-172.

- (46) Olorukooba, A.A., Ifusemu, W.R., Ibrahim, M.S., Jibril, M.B., Amadu, L. and Lawal, B.B., 2020. Prevalence and factors associated with neonatal sepsis in a tertiary hospital, North West Nigeria. *Nigerian Medical Journal*, 61(2), p.60.
- (47) Dannapaneni, N., Oleti, T., Surapaneni, T., Sharma, D. and Murki, S., 2017. Immediate neonatal outcomes of preterm infants born to mothers with preterm pre-labour rupture of membranes. *The Indian journal of medical research*, 146(4), p.476.
- (48) Lihawa, M.Y., 2014. HUBUNGAN JENIS PERSALINAN DENGAN KEJADIAN SEPSIS NEONATORUM DI RSUP PROF. DR. RD KANDOU MANADO. *e-CliniC*, 2(1).
- (49) Yang, L.C., Taylor, D.R., Kaufman, H.H., Hume, R. and Calhoun, B., 2004. Maternal and fetal outcomes of spontaneous preterm premature rupture of membranes. *The Journal of the American Osteopathic Association*, 104(12), pp.537-542.
- (50) Kristensen, J., Vestergaard, M., Wisborg, K., Kesmodel, U. and Secher, N.J., 2005. Pre-pregnancy weight and the risk of stillbirth and neonatal death. *BJOG: An International Journal of Obstetrics & Gynaecology*, 112(4), pp.403-408.
- (51) Cnattingius, S., Haglund, B. and Meirik, O., 1988. Cigarette smoking as risk factor for late fetal and early neonatal death. *British Medical Journal*, 297(6643), pp.258-261.

- (52) Clark, R.H., Bloom, B.T., Spitzer, A.R. and Gerstmann, D.R., 2006. Empiric use of ampicillin and cefotaxime, compared with ampicillin and gentamicin, for neonates at risk for sepsis is associated with an increased risk of neonatal death. *Pediatrics*, 117(1), pp.67-74.
- (53) Pineles, B.L., Hsu, S., Park, E. and Samet, J.M., 2016. Systematic review and meta-analyses of perinatal death and maternal exposure to tobacco smoke during pregnancy. *American journal of epidemiology*, 184(2), pp.87-97.
- (54) Waseem, R.I.Z.W.A.N., Shah, A.A., Khan, M.Q. and Qureshi, A.W., 2005. Indicators of early outcome in neonatal sepsis. *Biomedica*, 21, pp.117-20.
- (55) Chiesa, C., Panero, A., Osborn, J.F., Simonetti, A.F. and Pacifico, L., 2004. Diagnosis of neonatal sepsis: a clinical and laboratory challenge. *Clinical chemistry*, 50(2), pp.279-287.
- (56) Al-lawama, M., AlZaatreh, A., Elrajabi, R., Abdelhamid, S. and Badran, E., 2019. ‘Prolonged Rupture of Membranes, Neonatal Outcomes and Management Guidelines.’ *Journal of clinical medicine research*, vol. 11(5), p.360.
- (57) Stoll, B.J., Hansen, N., Fanaroff, A.A., Wright, L.L., Carlo, W.A., Ehrenkranz, R.A., Lemons, J.A., Donovan, E.F., Stark, A.R., Tyson, J.E. and Oh, W., 2002. ‘Changes in pathogens causing early-onset sepsis in very-low-birth-weight infants.’ *New England Journal of Medicine*, vol.347(4), pp.240-247.

- (58) Kaye, D. *Risk Factors for Preterm Premature Membranes at Mulago Hospital, Kampala*, vol. 78, no. 2, 2 Feb. 2001, pp. 65–70.
- (59) Gezer, A., Parafit-Yalciner, E., Guralp, O., Yedigoz, V., Altinok, T. and Madazli, R., 2013. Neonatal morbidity mortality outcomes in pre-term premature rupture of membranes. *Journal of Obstetrics and Gynaecology*, 33(1), pp.38-42.