

DAFTAR PUSTAKA

- Abaza, H., & Marschollek, M. (2017). SMS education for the promotion of diabetes self-management in low & middle income countries: a pilot randomized controlled trial in Egypt. *BMC Public Health*, *17*(962), 1–19. <https://doi.org/10.1186/s12889-017-4973-5>
- Adikusuma, W., & Qiyaam, N. (2017). The Effect of Education through Short Message Service (SMS) Messages on Diabetic Patients Adherence. <https://doi.org/10.3390/scipharm85020023>
- Agency for Healthcare Research and Quality. (2018). Mobile Health Applications for Self-Management of Diabetes, (31).
- Alanzi, T. M., Bah, S., Jaber, F., Alshammari, S., & Alzahrani, S. (2018). Evaluation of a Mobile Social Networking Application for Glycaemic Control and Diabetes Knowledge in Patients with Type 2 Diabetes: A Randomized Controlled Trial Using WhatsApp. *J. Comp. Eff. Res*, *10*(28). <https://doi.org/10.5339/qfarc.2016.hbpp2533>
- Ali-ahmed, F., & Halalau, A. (2016). The Impact of Personalized Telephone Reminders on Diabetes Core Measures and “ no-show ” Rates in a Resident Clinic ; A Cross-Sectional Study, *24*, 231–236.
- Amer, F. A., & Mohamed, M. S. (2018). Influence of self-efficacy management on adherence to self-care activities and treatment outcome among diabetes mellitus type 2 Sudanese patients, *16*(4), 1–7.
- Bin-Abbas B, Jabbari M, Al-Fares A, El-Dali A, Al-Orifi F. (2014). Effect of mobile phone short text messages on glycaemic control in children with type 1 diabetes. *J Telemed Telecare*;20:153-156.
- Blackstock S, Solomon S, Kumar P. (2015). Using WhatsApp messaging to improve engagement of young adolescents with Type 1 diabetes mellitus. *Endocrine J*. 39, <https://doi.org/10.1530/endoabs.39.OC8.2>.
- Crawford J, Larsen Cooper E, Jezman Z, Cunningham SC, B. E. (2014). SMS versus voice messaging to deliver MNCH communication in rural Malawi: assessment of delivery success and user experience. *Glob Health Sci Pract*, *2*(1), 35–46.
- Dobson R, Whittaker R, Jiang Y, Maddison R, Shepherd M, McNamara C, Cutfield R, Khanolkar M, Murphy R. (2018). Effectiveness Of Text Message Based, Diabetes Self Management Support Programme (SMS4BG): Two Arm, Parallel Randomised Controlled Trial. *BMJ*;361:k1959.
- Doger E, Bozbulut R, Acar A.S.S, Ercan S, Ugurlu A.K, Akbas E.D, Bideci, A, Aysun Bideci, Camurdan O, Cinaz P. (2018). Effect of Telehealth System on

- Glycemic Control in Children and Adolescents with Type 1 Diabetes. *J Clin Res Pediatr Endocrinol.* 11(1):70-75.
- Dong, Y., Wang, P., Dai, Z., Liu, K., Jin, Y., Li, A., ... Zheng, J. (2018). Increased self-care activities and glycemic control rate in relation to health education via Wechat among diabetes patients. *Medicine Journal*, 97(50), 1–5. <https://doi.org/doi.org/10.1097/MD.00000000000013632>
- Edwina, D. A., & Manaf, A. (2015). Penelitian Pola Komplikasi Kronis Penderita Diabetes Melitus Tipe 2 Rawat Inap di Bagian Penyakit Dalam RS . Dr . M . Djamil, 4(1), 102–106.
- Ekadinata N, Widyandana D. (2017). Health promotion using WhatsApp-based images and texts for voluntary primary health workers. *Berita Kedokteran Masyarakat.* 33(11), <https://doi.org/10.22146/bkm.26070>.
- Elsous, A., Radwan, M., Al-Sharif, H., & Mustafa, A. A. (2017). Medications adherence and associated Factors among Patients with Type 2 Diabetes Mellitus in the gaza strip , Palestine. *Frontiers in Endocrinology*, 8(June), 1–9. <https://doi.org/10.3389/fendo.2017.00100>.
- Frias, J., Viridi, N., Raja, P., Kim, Y., Savage, G., & Osterberg, L. (2017). Effectiveness of digital medicines to improve clinical outcomes in patients with uncontrolled hypertension and type 2 diabetes: Prospective, open-label, cluster-randomized pilot clinical trial. *Journal of Medical Internet Research*, 19(7). <https://doi.org/10.2196/jmir.7833>
- Gabarron, E., Arsand, E., & Wynn, R. (2018). Social Media Use in Interventions for Diabetes : Rapid Corresponding Author : *J Med Internet Res*, 20(8), 1–11. <https://doi.org/10.2196/10303>
- Ganiyu, A. B., Mabuza, L. H., Malete, N. H., Govender, I., Ogunbanjo, G. A., & Health, P. (2013). Non-adherence to diet and exercise recommendations amongst patients with type 2 diabetes mellitus attending Extension II Clinic in Botswana, 2–7. <https://doi.org/10.4102/phcfm.v5i1.457>
- Gatwood, J., Balkrishnan, R., Erickson, S. R., An, L. C., Piette, J. D., & Farris, K. B. (2016). The impact of tailored text messages on health beliefs and medication adherence in adults with diabetes: A randomized pilot study. *Research in Social and Administrative Pharmacy*, 12(1), 130–140. <https://doi.org/10.1016/j.sapharm.2015.04.007>
- Goruntla, N., Mallela, V., & Devanna, N. (2019). Impact of Pharmacist-directed Counseling and Message Reminder Services on Medication Adherence and Clinical Outcomes in Type 2 Diabetes Mellitus. *Journal of Pharmacy and Bioallied Sciences*, 11(19), 69–76. <https://doi.org/10.4103/jpbs.JPBS>
- Hall CS, Fottrell E, W. S. B. P. (2014). Assessing the impact of mHealth interventions in low- and middle-income countries - what has been shown to work? *Glob Health Action*, 7(25), 60–66.

- Hou C, Carter B, Hewitt J, Francisa T, M. S. (2016). Do Mobile Phone Applications Improve Glycemic Control (HbA1c) in the Self-management of Diabetes? A Systematic Review, Meta-analysis, and Randomized Trials. *Diabetes Care Journal*, 39(11). <https://doi.org/10.2337/dc16-0346>
- Huang, Z., Tan, E., Lum, E., Sloop, P., Boehm, B. O., & Car, J. (2019). A smartphone app to improve medication adherence in patients with type 2 diabetes in Asia: Feasibility randomized controlled trial. *Journal of Medical Internet Research*, 21(9). <https://doi.org/10.2196/14914>
- International Diabetes Federation. (2019). *IDF Diabetes Atlas Ninth edition 2019*.
- Ivatury, G., Jesse, M., & Alison, B. (2010). *A Doctor in Your Pocket : Health Hotlines in Developing Countries*. GSMA Development Fund.
- Jemal, A., Abdela, J., & Sisay, M. (2017). Adherence to Oral Antidiabetic Medications among Type 2 Diabetic (T2DM) Patients in Chronic Ambulatory Wards of Hiwot Fana Specialized University. *Journal of Diabetes and Metabolism Jemal*, 8(1), 1–8. <https://doi.org/10.4172/2155-6156.1000721>
- Kim, E. K., Kwak, S. H., Baek, S., Lee, S. L., Jang, H. C., Park, K. S., & Cho, Y. M. (2016). Feasibility of a patient-centered, smartphone-based, diabetes care system: A pilot study. *Diabetes and Metabolism Journal*, 40(3), 192–201. <https://doi.org/10.4093/dmj.2016.40.3.192>
- Kjos, A. L., Vaughan, A. G., & Bhargava, A. (2019). Impact of a mobile app on medication adherence and adherence-related beliefs in patients with type 2 diabetes. *Journal of the American Pharmacists Association*, 59(2), S44–S51.e3. <https://doi.org/10.1016/j.japh.2018.12.012>
- Kumar, D., Sujeet, R., Satya, B. S., Sunil, K. R., & Ashok, K. (2020). Effectiveness of Randomized Control Trial of Mobile Phone Messages on Control of Fasting Blood Glucose in Patients with Type-2 Diabetes Mellitus in a Northern State of India. *Indian Journal of Public Health*, 62(3), 2018–2020. <https://doi.org/10.4103/ijph.IJPH>
- Kusnanto, Widyanata, K. A. J., Suprajitno, & Arifin, H. (2019). DM-calendar app as a diabetes self-management education on adult type 2 diabetes mellitus: a randomized controlled trial. *Journal of Diabetes and Metabolic Disorders*, 18(2), 557–563. <https://doi.org/10.1007/s40200-019-00468-1>
- Lyons, I., Barber, N., Raynor, D. K., & Wei, L. (2017). The Medicines Advice Service Evaluation (MASE): A randomised controlled trial of a pharmacist-led telephone based intervention designed to improve medication adherence. *BMJ Quality Safety*, 25(10), 759–769. <https://doi.org/10.1136/bmjqs-2015-004670>
- Martinez, P. (2015). A qualitative study on patient perceptions towards mHealth technology among high risk, chronic disease patients. Harvard Medical School: Harvard Medical School. *Harvard Medical School*.

- Mayberry, L. S., Mulvaney, S. A., Johnson, K. B., & Osborn, C. Y. (2016). The MESSaging for Diabetes Intervention Reduced Barriers to Medication Adherence among Low-Income, Diverse Adults with Type 2. *Journal of Diabetes Science and Technology*, 11(1), 92–99. <https://doi.org/10.1177/1932296816668374>
- Miller EA. (2010). Solving the disjuncture between research and practice: Telehealth trends in the 21st century. *Health Policy Epub*;82:133-141.
- Moorhead, P., Zavala, A., Kim, Y., & Viridi, N. S. (2017). Efficacy and safety of a medication dose reminder feature in a digital health offering with the use of sensor-enabled medicines. *Journal of the American Pharmacists Association*, 57(2), 155–161.e1. <https://doi.org/10.1016/j.japh.2016.12.067>
- Muller, A. M., Alley, S., Schoeppe, S., & Vandelanotte, C. (2016). The effectiveness of e- & mHealth interventions to promote physical activity and healthy diets in developing countries: A systematic review. *International Journal of Behavioral Nutrition and Physical Activity*, 13(109). <https://doi.org/10.1186/s12966-016-0434-2>
- Nelson, L. A., Mulvaney, S. A., & Osborn, C. Y. (2017). The MESSaging for Diabetes (MED) Intervention Improves Short- Term Medication Adherence among Low-Income Adults with Type 2 Diabetes. *J Behav Med*, 39(6), 995–1000. <https://doi.org/10.1007/s10865-016-9774-2>.
- Ngwatu, B. K., Nsengiyumva, N. P., Oxlade, O., Mappin-kasirer, B., Nguyen, N. L., & Jaramillo, E. (2018). The impact of digital health technologies on tuberculosis treatment: a systematic review. <https://doi.org/10.1183/13993003.01596-2017>
- Omar, M. Al, Hasan, S., Palaian, S., & Mahameed, S. (2020). The impact of a self-management educational program coordinated through whatsapp on diabetes control. *Pharmacy Practice*, 18(2), 1–9. <https://doi.org/10.18549/PharmPract.2020.2.1841>
- Owolabi, E. O., Goon, D. Ter, & Ajayi, A. I. (2020). Impact of mobile phone text messaging intervention on adherence among patients with diabetes in a rural setting: A randomized controlled trial. *Medicine*, 99(12), e18953. <https://doi.org/10.1097/MD.00000000000018953>
- Pal, S. K., Kudupudi, R. B., Sunny, M. R., & Datta, R. (2018). Pal et al-2018- Journal of Marine Science and Application Numerical Investigation of Green Water Loading on Flexible Structures Using Three-Step CFD-BEM-FEM Approach, (September).
- Peimani, M., Rambod, C., Omidvar, M., Larijani, B., Ghodssi-Ghassemabadi, R., Tootee, A., & Esfahani, E. N. (2016). Effectiveness of short message service-based intervention (SMS) on self-care in type 2 diabetes: A feasibility study. *Primary Care Diabetes*, 10(4), 251–258. <https://doi.org/10.1016/j.pcd.2015.11.001>

- Perez, L. E. G., Alvarez, M., Dilla, T., Gullen, V. G., & Beltran, D. O. (2013). Adherence to Therapies in Patients with Type 2 Diabetes, *4*(1), 175–194. <https://doi.org/10.1007/s13300-013-0034-y>
- Perkeni. (2015). *Pengelolaan dan pencegahan diabetes melitus tipe 2 di Indonesia 2015* (1st ed.). Pengurus Besar Perkumpulan Endokrinologi Indonesia (PB Perkeni).
- Polonsky, W. H., & Henry, R. R. (2016). Poor medication adherence in type 2 diabetes : recognizing the scope of the problem and its key contributors, 1299–1307.
- Puspitasari, A. . (2014). Analisis Efektifitas Pemberian Booklet Obat terhadap Tingkat Kepatuhan Ditinjau dari Kadar Hemoglobin Terглиkasi (HbA1c) dan Morisky Medication Adherence Scale (MMAS)-8 pada Pasien Diabetes Mellitus Tipe 2 di Puskesmas Bakti Jaya Kota Depok.
- Rasoul, A. M., Jalali, R., Abdi, A., Salari, N., & Rahimi, M. (2019). The effect of self-management education through weblogs on the quality of life of diabetic patients, *6*, 1–12.
- Sarayani, A., Mashayekhi, M., Nosrati, M., Jahangard-Rafsanjani, Z., Javadi, M., Saadat, N., ... Gholami, K. (2018). Efficacy of a telephone-based intervention among patients with type-2 diabetes; a randomized controlled trial in pharmacy practice. *International Journal of Clinical Pharmacy*, *40*(2), 345–353. <https://doi.org/10.1007/s11096-018-0593-0>.
- Sartori, A. C., Tiago, F. R. L., Camila, T. L., Marcelo, P. B., & Mirian, U. Y. (2019). Educational Intervention Using WhatsApp on Medication Adherence in Hypertension and Diabetes Patients: A Randomized Clinical Trial. *Telemedicine and E-Health*, *3*(5), 1–7. <https://doi.org/10.1089/tmj.2019.0305>
- Saavedra J. (2015). Social networks as a means of monitoring patients with hypertension and diabetes success story. *Int. J. Integr. Care*. *15*, 74–77.
- Sugita, H., Shinohara, R., Yokomichi, H., Suzuki, K., & Yamagata, Z. (2017). Effect of text messages to improve health literacy on medication adherence in patients with type 2 diabetes mellitus : A randomized controlled pilot trial, 1–5. <https://doi.org/10.18999/nagjms.79.3.313>
- Tufanaru C, Munn Z, Aromataris E, Campbell J, Hopp L. (2017). Chapter 3: The Joanna Briggs Institute Critical Appraisal tools for use in JBI Systematic Reviews Checklist. Joanna Briggs Institute Reviewer's Manual. <https://doi.org/10.1371/journal.pgen.1000960>.<https://joannabriggs.org/research/critical-appraisal-tools.html>.
- Turkan, A. G., & Gulhan, C. (2020). The effect of diabetes education and short message service reminders on metabolic control and disease management in patients with type 2 diabetes mellitus. *Primary Care Diabetes*, 2–7. <https://doi.org/10.1016/j.pcd.2020.04.007>

- Ventola, C. L. (2014). Social Media and Health Care Professionals : Benefits , Risks , and Best Practices, *39*(7), 491–500.
- Vervloet M, L. van Dijk, J.Santen Reestman, B. Van Vlijmen, P. Van Wingerden, M.L Bouvy, D. . de bekker. (2012). SMS Reminders Improve Adherence to Oral Medication in Type 2 Diabetes Patients Who Are Real Time Electronically Monitored. *Int Journal of Medical Informatics*, *81*, 594–604. <https://doi.org/10.1016/j.ijmedinf.2012.05.005>
- Watterson, J. L., Rodriguez, H. P., & Shortell, S. M. (2018). Improved Diabetes Care Management Through a Text-Message Intervention for Low-Income Patients : Mixed-Methods Pilot Study Corresponding Author :, *3*(4), 1–15. <https://doi.org/10.2196/diabetes.8645>
- Welch, V., Petkovic, J., Simeon, R., Presseau, J., Gagnon, D., Hossain, A., ... Desmeules, M. (2018). Interactive social media interventions for health behaviour change , health outcomes , and health equity in the adult population (Protocol), (2). <https://doi.org/10.1002/14651858.CD012932.www.cochranelibrary.com>
- World Health Organization. (2016). *Global Report On Diabetes*.
- World Health Organization. (2018). *Noncommunicable Disease Country Profiles 2018*.
- Yasmin, F., Nahar, N., Banu, B., Ali, L., Sauerborn, R., & Souares, A. (2020). The influence of mobile phone-based health reminders on patient adherence to medications and healthy lifestyle recommendations for effective management of diabetes type 2: a randomized control trial in Dhaka, Bangladesh. *BMC Health Services Research*, *20*(1), 520. <https://doi.org/10.1186/s12913-020-05387-z>
- Yu, K., Wu, S., Lee, P. J., Wu, D. A., Hsiao, H. Y., Tseng, Y. C., ... Chi, I. (2020). Longitudinal Effects of an Intergenerational mHealth Program for Older Type 2 Diabetes Patients in Rural Taiwan. *Diabetes Educator*, *46*(2), 206–216. <https://doi.org/10.1177/0145721720907301>
- Zhou, W., Chen, M., Yuan, J., & Sun, Y. (2016). Welltang – A smart phone-based diabetes management application – Improves blood glucose control in Chinese people with diabetes. *Diabetes Research and Clinical Practice*, *116*, 105–110. <https://doi.org/10.1016/j.diabres.2016.03.018>