

**DAFTAR PUSTAKA**

Ang LP, Ang LP. Current understanding of the treatment and outcome of acute primary angle-closure glaucoma: an Asian perspective. *Ann Acad Med Singapore*. 2008;37:210–5.

Arthur SN, Mason J, Roberts B, Girkin CA. Secondary acute angle-closure glaucoma associated with vitreous hemorrhage after ruptured retinal arterial macroaneurysm. *Am J Ophthalmol*. 2004; 138:682–3.

Aung T, Ang LP, Chan SP, Chew PT. Acute primary angle-closure: long-term intraocular pressure outcome in Asian eyes. *Am J Ophthalmol*. 2001;131:7–12.

Aung T, Friedman DS, Chew PT et al. Long-term outcomes in Asians after acute primary angle closure. *Ophthalmology* 2004; 111: 1464–9.

Aung T, Friedman DS, Chew PT, Ang LP, Gazzard G, Lai YF, et al. Long-term outcomes in asians after acute primary angle closure. *Ophthalmology*. 2004;111:14649.

Aung T, Tow SL, Yap EY, Chan SP, Seah SK. Trabeculectomy for acute primary angle closure. *Ophthalmology*. 2000;107:1298–

Baek, S., Kim, K., Lee, J. and Lee, K., 2018. Long-term Intraocular Pressure Elevation after Primary Angle Closure Treated with Early Phacoemulsification. *Korean Journal of Ophthalmology*, 32(2), p.108.

Baig N, Kam KW, Tham CC. Managing primary angle closure glaucoma - the role of lens extraction in this era. *Open Ophthalmol J*. 2016;10:86–93.

Boey PY, Singhal S, Perera SA, Aung T. Conventional and emerging treatments in the management of acute primary angle closure. *Clin Ophthalmol*. 2012;6:417–24.

Buckley SA, Reeves B, Burdon M, Moorman C, Wheatcroft S, Edelsten C, et al. Acute angle closure glaucoma: relative failure of YAG iridotomy in affected eyes and factors influencing outcome. *Br J Ophthalmol*. 1994;78:529–33.

Chan EW, Li X, Tham YC, et al. Glaucoma in Asia: regional prevalence variations and future projections. *Br J Ophthalmol*. 2016;100:78e85

Chan, E., Li, X., Tham, Y., Liao, J., Wong, T., Aung, T. and Cheng, C., 2015. Glaucoma in Asia: regional prevalence variations and future projections. *British Journal of Ophthalmology*, 100(1), pp.78-85.

Chan, P., Pang, J. and Tham, C., 2018. Acute primary angle closure–treatment strategies, evidences and economical considerations. *Eye*, 33(1), pp.110-119.

Chan, P., Pang, J. and Tham, C., 2018. Acute primary angle closure–treatment strategies, evidences and economical considerations. *Eye*, 33(1), pp.110-119.

Chapron, D. J., Gomolin, I. H. and Sweeney, K. R. (1989) ‘Acetazolamide blood concentrations are excessive in the elderly: propensity for acidosis and relationship to renal function’, *Journal of clinical pharmacology*, 29(4), pp. 348–353.

Chen PP, Lin SC, Junk AK, Radhakrishnan S, Singh K, Chen TC. The effect of phacoemulsification on intraocular pressure in glaucoma patients: a report by the american academy of ophthalmology. *Ophthalmology*. 2015;122:1294–307.

Choong YF, Irfan S, Menage MJ. Acute angle closure glaucoma: an evaluation of a protocol for acute treatment. *Eye*. 1999;13(Pt 5):613–6.

Cowan, R. A. *et al.* (1984) ‘Metabolic acidosis induced by carbonic anhydrase inhibitors and salicylates in patients with normal renal function’, *British medical journal*, 289(6441), pp. 347–348.

D’Alena, P. and Ferguson, W. (1966) ‘Adverse effects after glycerol orally and mannitol parenterally’, *Archives of ophthalmology*, 75(2), pp. 201–203.

Enkhzul, D., Enkhтуул, S., Burenjargal, P., Tuvshuntugs, B., Gantsooj, N., Bolortungalag, P. and Sainbileg, D., 2018. PRIMARY PHACOEMULSIFICATION WITH INTRAOCULAR LENS IMPLANTATION FOR ACUTE PRIMARY ANGLE-CLOSURE GLAUCOMA. *Innovation*, 12(3), pp.6-10.

Fang, A., Wang, P., He, R. and Qu, J., 2018. Surgical peripheral iridectomy via a clear-cornea phacoemulsification incision for pupillary block following cataract surgery in acute angle closure. *BMC Ophthalmology*, 18(1).

Fang, A., Wang, P., He, R. and Qu, J., 2018. Surgical peripheral iridectomy via a clear-cornea phacoemulsification incision for pupillary block following cataract surgery in acute angle closure. *BMC Ophthalmology*, 18(1).

Fleck BW, Wright E, Fairley EA. A randomised prospective comparison of operative peripheral iridectomy and Nd:YAG laser iridotomy treatment of acute angle closure glaucoma: 3 year visual acuity and intraocular pressure control outcome. *Br J Ophthalmol*. 1997;81:884–8.

Harasymowycz PJ, Papamatheakis DG, Ahmed I, Assalian A, Lesk M, Al-Zafiri Y, et al. Phacoemulsification and goniosynechialysis in the management of unresponsive primary angle closure. *J Glaucoma*. 2005;14:186–9.

Ho T, Fan R. Sequential argon-YAG laser iridotomies in dark irides. *Br J Ophthalmol*. 1992;76:329–31.

Hollander DA, Pennesi ME, Alvarado JA. Management of plateau iris syndrome with cataract extraction and endoscopic cyclophotocoagulation. *Exp Eye Res*. 2017;158:190–4.

Hou, X., Hu, D., Cui, Z., Zhou, J., Cai, L., & Wang, Y. (2015). Small-incision phacotrabeculectomy versus phacoemulsification in refractory acute primary angle closure with cataract. *BMC ophthalmology*, 15(1), 88.

Husain R, Gazzard G, Aung T, Chen Y, Padmanabhan V, Oen FT, et al. Initial management of acute primary angle closure: a randomized trial comparing phacoemulsification with laser peripheral iridotomy. *Ophthalmology*. 2012;119:2274–81.

Imaizumi M, Takaki Y, Yamashita H. Phacoemulsification and intraocular lens implantation for acute angle closure not treated or previously treated by laser iridotomy. *J Cataract Refract Surg*. 2006;32:85–90.

Ivanisevic M, Erceg M, Smoljanovic A, Trosic Z. The incidence and seasonal variations of acute primary angle-closure glaucoma. *Coll Antropol*. 2002;26:41–5.

Jacobi PC, Dietlein TS, Luke C, Engels B, Krieglstein GK. Primary phacoemulsification and intraocular lens implantation for acute angle-closure glaucoma. *Ophthalmology*. 2002;109: 1597–603.

Krupin T, Mitchell KB, Johnson MF, Becker B. The long-term effects of iridectomy for primary acute angle-closure glaucoma. *Am J Ophthalmol*. 1978;86:506–9.

Lai JS, Tham CC, Chan JC. The clinical outcomes of cataract extraction by phacoemulsification in eyes with primary angle- closure glaucoma (PACG) and co-existing cataract: a prospective case series. *J Glaucoma*. 2006;15:47–52.

Lai JS, Tham CC, Chua JK, Lam DS. Efficacy and safety of inferior 180 degrees goniosynechialysis followed by diode laser peripheral iridoplasty in the treatment of chronic angle-closure glaucoma. *J Glaucoma*. 2000;9:388–91.

Lai JS, Tham CC, Chua JK, Lam DS. Immediate diode laser peripheral iridoplasty as treatment of acute attack of primary angle closure glaucoma: a preliminary study. *J Glaucoma*. 2001; 10:89–94.

Lai JS, Tham CC, Chua JK, Poon AS, Chan JC, Lam SW, et al. To compare argon laser peripheral iridoplasty (ALPI) against systemic medications in treatment of acute primary angle-closure: mid-term results. *Eye*. 2006;20:309–14.

Lai JS, Tham CC, Lam DS. Limited argon laser peripheral iridoplasty as immediate treatment for an acute attack of primary angle closure glaucoma: a preliminary study. *Eye*. 1999; 13(Pt 1):26–30.

Lai JS, Tham CC, Lam DS. The efficacy and safety of combined phacoemulsification, intraocular lens implantation, and limited goniosynechialysis, followed by diode laser peripheral iridoplasty, in the treatment of cataract and chronic angle-closure glaucoma. *J Glaucoma*. 2001;10:309–15.

Lai JS. Epidemiology of acute primary angle-closure glaucoma in the Hong Kong Chinese population: prospective study. *Hong Kong Med J*. 2001;7:118–23.

Lam DS, Chua JK, Tham CC, Lai JS. Efficacy and safety of immediate anterior chamber paracentesis in the treatment of acute primary angle-closure glaucoma: a pilot study. *Ophthalmology*. 2002;109:64–70.

Lam DS, Lai JS, Tham CC, Chua JK, Poon AS. Argon laser peripheral iridoplasty versus conventional systemic medical therapy in treatment of acute primary angle-closure glaucoma: a prospective, randomized, controlled trial. *Ophthalmology*. 2002; 109:1591–6.

Lam DS, Lai JS, Tham CC. Immediate argon laser peripheral iridoplasty as treatment for acute attack of primary angle-closure glaucoma: a preliminary study. *Ophthalmology*. 1998; 105:2231–6.

Lam DS, Leung DY, Tham CC, Li FC, Kwong YY, Chiu TY, et al. Randomized trial of early phacoemulsification versus peripheral iridotomy to prevent intraocular pressure rise after acute primary angle closure. *Ophthalmology*. 2008;115:1134–40.

Lam DS, Tham CC, Lai JS, Leung DY. Current approaches to the management of acute primary angle closure. *Curr Opin Ophthalmol*. 2007;18:146–51.

Lam, D. S. C. *et al.* (2007) ‘Current approaches to the management of acute primary angle closure’, *Current opinion in ophthalmology*, 18(2), pp. 146–151.

Lee YJ, Kang SM, Kang IB. Acute angle-closure glaucoma from spontaneous massive hemorrhagic retinal detachment. *Korean J Ophthalmol*. 2007;21:61–4.

Lim LS, Aung T, Husain R, Wu YJ, Gazzard G, Seah SK. Acute primary angle closure: configuration of the drainage angle in the first year after laser peripheral iridotomy. *Ophthalmology*. 2004;111:1470–4.

Lin, Y.H., Wu, C.H., Huang, S.M., Hsieh, C., Chen, H.S.L., Ku, W.C., Sun, M.H. and Su, W.W., 2020. Early versus Delayed Phacoemulsification and Intraocular Lens Implantation for Acute Primary Angle-Closure. *Journal of Ophthalmology*, 2020.

Liu W, Chen Y, Lv Y, Wang L, Xing X, Liu A, et al. Diode laser transscleral cyclophotocoagulation followed by phacotrabeculectomy on medically unresponsive acute primary angle closure eyes: the long-term result. *BMC Ophthalmol*. 2014;14:26.

Liu YC, Lau LI, Lee FL, Ko YC, Hsu WM. Recurrent acute angle-closure attacks in age-related macular degeneration- associated massive posterior segment hemorrhage. *Jpn J Oph- thalmol.* 2009;53:190–1.

Luo L, Li M, Zhong Y, Cheng B, Liu X. Evaluation of secondary glaucoma associated with subluxated lens misdiagnosed as acute primary angle-closure glaucoma. *J Glaucoma.* 2013;22:307–10.

Ming Zhi Z, Lim AS, Yin Wong T. A pilot study of lens extraction in the management of acute primary angle-closure glaucoma. *Am J Ophthalmol.* 2003;135:534–6.

Moghimi S, Hashemian H, Chen R, Johari M, Mohammadi M, Lin SC. Early phacoemulsification in patients with acute primary angle closure. *J Curr Ophthalmol.* 2015;27:70–5.

Moghimi, S., Bijani, F., Chen, R., Yasseri, M., He, M., Lin, S. and Weinreb, R., 2018. Anterior Segment Dimensions Following Laser Iridotomy in Acute Primary Angle Closure and Fellow Eyes. *American Journal of Ophthalmology*, 186, pp.59-68.

Moghimi, S., Chen, R., Johari, M., Bijani, F., Mohammadi, M., Khodabandeh, A., He, M. and Lin, S., 2020. *Changes In Anterior Segment Morphology After Laser Peripheral Iridotomy In Acute Primary Angle Closure.*

Moghimi, S., Hashemian, H., Chen, R., Johari, M., Mohammadi, M. and Lin, S., 2020. *Early Phacoemulsification In Patients With Acute Primary Angle Closure.*

Palmberg P. Slit lamp procedures in postoperative glaucoma management. In: Eye on the Bayou, New Concepts in Glaucoma, Cataract and Neuro-Ophthalmology. In: Nussdorf JD, editors. The Hague, The Netherlands: Kugler Publications; 2006.

Patthanathamrongkasem, T., Patanakanog, S., Makornwattana, M., Prutthipongsit, A., Srisamran, N. and Yodmuang, T., 2017. Refractive Outcome after Cataract Surgery in Acute Primary Angle Closure and Primary Angle Closure Patients. *J Med Assoc Thai*, 100(5), pp.S119-S128.

Pesin SR, Katz LJ, Augsburger JJ, Chien AM, Eagle RC Jr. Acute angle-closure glaucoma from spontaneous massive hemorrhagic retinal or choroidal detachment. *Ophthalmology*. 1990;97:76–84.

Playfair TJ, Watson PG. Management of acute primary angle- closure glaucoma: a long-term follow-up of the results of peripheral iridectomy used as an initial procedure. *Br J Ophthalmol*. 1979;63:17–22.

Prum BE Jr, Herndon LW Jr, Moroi SE et al. Primary angle closure Preferred Practice Pattern® guidelines. *Ophthalmology* 2016; 123: P1–P40.

Radhakrishnan S, Chen PP, Junk AK, Nouri-Mahdavi K, Chen TC. Laser peripheral iridotomy in primary angle closure: a report by the American Academy of Ophthalmology. *Ophthalmology*. 2018;125:1110–20.

Ramesh S, Maw C, Sutton CJ, Gandhewar JR, Kelly SP. Ethnic aspects of acute primary angle closure in a UK multicultural conurbation. *Eye*. 2005;19:1271–5.

Ramli, N. *et al.* (2010) ‘Efficacy of medical therapy in the initial management of acute primary angle closure in Asians’, *Eye*, 24(10), pp. 1599–1602.



Ritch R, Liebmann JM. Argon laser peripheral iridoplasty. *Ophthalmic Surg Lasers*. 1996;27:289–300.

Ritch R. Argon laser treatment for medically unresponsive attacks of angle-closure glaucoma. *Am J Ophthalmol*. 1982;94:197–204.

Römkens, H., Beckers, H.J., Schouten, J.S., Nuijts, R.M., Berendschot, T.T., Breusegem, C.M. and Webers, C.A., 2018. Early phacoemulsification after acute angle closure in patients with coexisting cataract. *Journal of glaucoma*, 27(8), pp.711-716.

S. Radhakrishnan, P. P. Chen, A. K. Junk, K. Nouri-Mahdavi, and T. C. Chen, “Laser peripheral iridotomy in primary angle closure,” *Ophthalmology*, vol. 125, no. 7, pp. 1110–1120, 2018.

Sakai, H., Yonahara, M. and Sakai, M., 2017. Recurrent Uveal Effusion after Laser Iridotomy. *Case Reports in Ophthalmology*, 8(1), pp.26-30.

Saunders DC. Acute closed-angle glaucoma and Nd-YAG laser iridotomy. *Br J Ophthalmol*. 1990;74:523–5.

Seah SK, Foster PJ, Chew PT, Jap A, Oen F, Fam HB, et al. Incidence of acute primary angle-closure glaucoma in Singapore. An island-wide survey. *Arch Ophthalmol*. 1997;115: 1436–40.

Shingleton BJ, Chang MA, Bellows AR, Thomas JV. Surgical goniosynechialysis for angle-closure glaucoma. *Ophthalmology*. 1990;97:551–6.

Sihota R, Goyal A, Kaur J, Gupta V, Nag TC. Scanning electron microscopy of the trabecular meshwork: understanding the pathogenesis of primary angle closure glaucoma. *Indian J Ophthalmol*. 2012;60:183–8.

Spaeth, G. L. *et al.* (1967) ‘Anaphylactic reaction to mannitol’, *Archives of ophthalmology*, 78(5), pp. 583–584.

Su, C. W., & Chen, H. Y. (2016). Acute angle closure in the setting of high axial myopia: A case report. *American journal of ophthalmology case reports*, 1, 31-33.

Su, W., 2018. Acute primary angle-closure in Sturge-Weber syndrome. *American Journal of Ophthalmology Case Reports*, 10, pp.101-104.

Tan AM, Chockalingam M, Aquino MC, Lim ZI, See JL, Chew PT. Micropulse transscleral diode laser cyclophotocoagulation in the treatment of refractory glaucoma. *Clin Exp Ophthalmol*. 2010;38:266–72.

Tan AM, Loon SC, Chew PT. Outcomes following acute primary angle closure in an Asian population. *Clin Exp Ophthalmol*. 2009;37:467–72.

Teekhasaene C, Ritch R. Combined phacoemulsification and goniosynechialysis for uncontrolled chronic angle-closure glaucoma after acute angle-closure glaucoma. *Ophthalmology*. 1999;106:669–74. discussion674-665.

Teikari J, Raivio I, Nurminen M. Incidence of acute glaucoma in Finland from 1973 to 1982. *Graefes Arch Clin Exp Ophthalmol*. 1987;225:357–60.

Tham CC, Kwong YY, Baig N, Leung DY, Li FC, Lam DS. Phacoemulsification versus trabeculectomy in medically uncontrolled chronic angle-closure glaucoma without cataract. *Oph- thalmology*. 2013;120:62–7.

Tham CC, Kwong YY, Leung DY, Lam SW, Li FC, Chiu TY, et al. Phacoemulsification versus combined phacotrabeculectomy in medically uncontrolled chronic angle closure glaucoma with cataracts. *Ophthalmology*. 2009;116:725–31. 731 e721–3

Tham CC, Lai JS, Lam DS. Immediate argon laser peripheral iridoplasty for acute attack of PACG (addendum to previous report). *Ophthalmology*. 1999;106:1042–3.

Tham YC, Li X, Wong TY, et al. Global prevalence of glaucoma and projections of glaucoma burden through 2040: a systematic review and meta-analysis. *Ophthalmology*. 2014;121:2081e90

Tian, T., Li, M., Pan, Y., Cai, Y. and Fang, Y., 2019. The effect of phacoemulsification plus goniosynechialysis in acute and chronic angle closure patients with extensive goniosynechia. *BMC ophthalmology*, 19(1), p.65.

Tomey KF, Traverso CE, Shamma IV. Neodymium-YAG laser iridotomy in the treatment and prevention of angle closure glaucoma. A review of 373 eyes. *Arch Ophthalmol*. 1987;105: 476–81.

Williams AL, Moster MR, Rahmatnejad K, Resende AF, Horan T, Reynolds M, et al. Clinical efficacy and safety profile of micro-pulse transscleral cyclophotocoagulation in refractory glaucoma. *J Glaucoma*. 2018;27:445–9.

Williams GS, Anderson L, Eddyshaw D. Macular hemorrhage as a cause of acute angle closure. *Indian J Ophthalmol.* 2013;61: 683–4.

Yun, S., Hong, J., Sung, K. and Lee, J., 2015. Effects of Laser Peripheral Iridotomy in Subgroups of Primary Angle Closure Based on Iris Insertion. *Journal of Ophthalmology*, 2015, pp.1-7.

Yusuf IH, Shah M, Shaikh A, James CB. Transscleral cyclophotocoagulation in refractory acute and chronic angle closure glaucoma. *BMJ Case Rep.* 2015;2015:bcr2015209552.

Zhang, C., Zhang, M., Zhang, B., Wang, S. and Wang, Y., 2020. Comparison of the Stability of Two Intraocular Lenses in Primary Angle-Closure Glaucoma after Phacoemulsification. *Journal of Ophthalmology*, 2020, pp.1-5.