

DAFTAR PUSTAKA

- Abdel-Rahman, E. H., Taylor, P. J., Contrafatto, G., Lamb, J. M., Bloomer, P., dan Chimimba, C. T. 2008. Geometric Craniometric Analysis of Sexual Dimorphism and Ontogenetic Variation: A Case Study Based on Two Geographically Disparate species, *Aethomys ineptus* from Southern Africa and *Arvicanthis niloticus* from Sudan (Rodentia: Muridae). *Mammalian Biology* 74(5):361–373.
- Adams, D. C., Rohlf, J., Slice, D. E. 2004. Geometric Morphometrics Ten Years of Progress Following The Revolution. *J Zool.* 171:5-16.
- Adams, D. C., Rohlf, F. J. 2004. A Field Comes of Age: Geometric Morphometrics in the 21st Century. *The Italian Journal of Mammalogy* 24(1):7–14.
- Adnyana, I. B. W. dan Hitipeuw, C. 2009. Panduan Melakukan Pemantauan Populasi Penyu di Pantai Peneluran di Indonesia. WWF-Indonesia Marine Program. Jakarta.
- Baruah, C. P. dan Sharma, D. K. 2006. Comparative Morphometry and Biogeography of the Freshwater Turtles of Genus *Pangshura* (*Testudines: Geoemydidae: Pangshura*). *International Journal of Pure and Applied Zoology* 4: 107-123.
- Bernal, V. 2007. Size and Shape Analysis of Human Molars: Comparing Traditional and Geometric Morphometric Techniques. *Journal of Comparative Human Biology* 58(4):279–296.
- Blanco, M. B. dan Godfrey, L. R. 2006. Craniofacial Sexual Dimorphism in *Alouatta palliata*, the Mantled Howling Monkey. *Journal of Zoology* 270 (2):268– 276.
- Bookstein, F. L. 1989. Principal warps: thin-plate splines and the decomposition of deformations. *IEEE Trans. Patt. Anal. Mach. Intell.* 11:567–585.
- Boaz, K., and Gupta, C. 2009. Dimorphism in human maxillary and mandibular canines in establishment of gender. *J Forensic Dent Sci.* 1:42
- Bookstein, F. L. 1991. *Morphometric Tools for Landmark Data: Geometry and Biology*. Cambridge: Cambridge University Press.
- Braun-McNeill, J., S.P. Epperly, D.W. Owens, L. Avens, E. Williams dan C.A. Harms. 2007. Seasonal reliability of testosterone radioimmunoassay (RIA) for predicting sex ratios of juvenile loggerhead (*Caretta caretta*) turtles. *Herpetologica* 63:275-284.

- Bulmer, M. 1994. Theoretical Evolutionary Ecology. Sinauer Associates, Inc., Sunderland, MA.
- Cardini, A. and Elton, S. 2007. Sample size and sampling error in geometric morphometric studies of size and shape. *Zoomorphology*, 126, 121-134.
- Casthologe, V. D., dos Santos, M. R. D., and de Castilhos, J. C. 2018. Pivotal Temperature and Hatchling Sex Ratio of Olive Ridley Sea Turtles *Lepidochelys olivacea* from the South Atlantic Coast of Brazil. *Herpetological Conservation and Biology* 13(2): 488-496.
- Ceballos, C. P. and Valenzuela, N. 2011. The role of sex-specific plasticity in shaping sexual dimorphism in a long-lived vertebrate, the snapping turtle *Chelydra serpentina*. *Evolutionary Biology*, 38, 163–181.
- Ceballos, C.P., O.E. Hernández dan N. Valenzuela. 2014. Divergent sex-specific plasticity in long-lived vertebrates with contrasting sexual dimorphism. *Evolutionary Biology* 41: 81-98.
- Ceriani, S. A., Wyneken, J. 2008. Comparative morphology and sex identification of the reproductive system in formalin-preserved sea turtle specimens. *Zoology*. 111:179 – 187 .
- Cervino, S. 2014. Estimating growth from sex ratio-at-length data in species with sexual size dimorphism. *Fisheries Research*, 160, 112-119.
- Cornelius, S.E., R. Arauz., J. Fretey., M.H.Godfrey., R. Marquez., and K. Shanker. 2007. Effect of and based harvest of *Lepidochelys*. In: Plotkin, P.T. (Ed.). *The Biology and Conservation of Ridley SeaTurtles*. Baltimore: Johns Hopkins University Press, pp. 231–251.
- Delgado, C., Canario, A. V. M. dan Dellinger, T. 2010. Sex ratios of loggerhead sea turtles *Caretta caretta* during the juvenile pelagic stage. *Marine Biology*, 157:979–990.
- Dermawan, A., Nuitja, I. N. S., Soedharma., Halim, M. H., Kusrini, M. D., Lubis, S. B., Alhanif, R., Khazali, M., Murdiah, M., Wahjuhardini, P. L., Setiabudiningsih., dan Mashar, A. 2009. Pedoman Teknis Pengelolaan Konservasi Penyu. Direktorat Konservasi dan Taman Nasional Laut. Direktorat Konservasi dan Taman Nasional Laut, Direktorat Jenderal Kelautan, Pesisir dan Pulau-Pulau Kecil, Departemen Kelautan dan Perikanan RI. Jakarta. 123.
- Dinata, A. M., Murdyastuti, A., dan Azhari, A. K. 2018. Kolaborasi Pengembangan Destinasi Wisata Pantai Boom Banyuwangi. Pengembangan Pariwisata Yang Berkelanjutan: Inovasi, Teknologi dan Kearifan Lokal. Jember University Press. p.19-34 .

- Ernst C. H., and Barbour, R. W. 1989. Turtles of the world. Smithsonian Institution Press, Washington, DC.
- Ferreira Junior, P. D., Treichei, R. L., Scaramussa, T. L. and Scalfoni, J. T. 2011. Morphometric pattern in *Caretta caretta* (Linnaeus, 1758) (*Cheloniidae*) hatchlings from nests with different embryo development rates. Brazilian Journal of Biology, 71(1), 151-156.
- Forbes, T. R. 1964. Intersexuality in reptiles. In C. N. Armstrong (ed.), Intersexuality in Vertebrates Including Man, Academic Press, London. pp. 273–283.
- Fuentes, M.M.P.B., C.J. Limpus, dan M. Hamann. 2011. Vulnerability of sea turtle nesting grounds to climate change. Global Change Biology 17: 140-153.
- Fuentes, M.M.P.B., M. Hamann dan C.J. Limpus. 2010. Past, current and future thermal profiles of green turtle nesting grounds: implications from climate change. Journal of Experimental Marine Biology and Ecology 383: 56-64.
- Glen, F., Broderick, A. C., Godley, B. J. & Hays, G. C. 2003. Incubation environment affects phenotype of naturally incubated green turtle hatchlings. Journal of the Marine Biological Association of the UK, 83, 1183-1186.
- Godfrey, M. H. and Mrosovsky, N. 2006. Pivotal temperature for green sea turtles, *Chelonia mydas*, nesting in Suriname. Herpetological Journal, 16, 55-61.
- Gross, T. S., Crain, D. A., Bjorndal, K. A., Bolten, A. B. and Carthy, R. R. 1995. Identification of sex in hatchling loggerhead turtles (*Caretta caretta*) by analysis of steroid concentrations in chorioallantoic/amniotic fluid. General and Comparative Endocrinology, 99, 204-210.
- Hawkes, L.A., A.C. Broderick, M.H. Godfrey dan B.J. Godley. 2007. Investigating the potential impacts of climate change on a marine turtle population. Global Change Biology 13: 923-923.
- Hays, G.C., A.C. Broderick, F. Glen dan B.J. Godley. 2003. Climate change and sea turtles: a 150-year reconstruction of incubation temperatures at a major marine turtle rookery. Global Change Biology 9: 642-646.
- Hüssy, K., Coad, J.O., Farrell, E.D., Clausen, L.W., and Clarke, MW. 2012. Sexual dimorphism in size, age, maturation, and growth characteristics of boarfish (*Capros aper*) in the Northeast Atlantic. ICES Journal of Marine Science, 69(10), 1729-1735.
- Ikonomopoulou, M. P., Aland, R. C., Ibrahim, K., Gosden, E. dan Whittier, J. M. 2012. Quantitative sex identification of hatchling green sea turtles. Journal of Herpetology, 46(3), 331-332.

- Janzen, F.J. 1994 Climate change and temperature-dependent sex determination in reptiles. *Proc. Nat. Acad. Sci. USA*. 91: 7487-7490.
- Janzen, F.J. and P. C. Phillips. 2006. Exploring the evolution of environmental sex determination, especially in reptiles. *Journal of Evolutionary Biology* 19: 1775-1784.
- Kaska Y., Downie JR., Tippet R., Furness R., 1998. Natural temperature regimes for loggerhead and green turtle nests in the eastern Mediterranean. *Can. J. Zool.* 76:723 – 729.
- Klingenberg, C. P. 2011. MorphoJ: an integrated software package for geometric morphometrics. *Molecular Ecology Resources*, 11:353-357.
- Larios, H.M. 1999. Determining Hatchling Sex. In: *Research and Management Techniques for the Conservation of Sea Turtles*. Publ No. 4. K.L Eckert. IUCN/SSC Marine Turtle.
- Lovich, J.E. 1996. Possible demographic and ecological consequences of sex ratio manipulation in turtles. *Chelonian Conservation and Biology* 2(1): 114-117.
- Lubiana, A. and Ferreira-Junior, P. D. 2009. Pivotal temperature and sexual dimorphism of *Podocnemis expansa* hatchlings (Testudines: Podocnemididae) from Banana Island, Brazil. *Zoologia*, 26: 527-533.
- Maderbacher, M., Bauer, C., Herler, J., Postl, L., Makasa, L., Sturmbauer, C. 2008. Assessment of Traditional Versus Geometric Morphometrics for Discriminating Populations of the *Tropheus moorii* Species Complex (Teleostei: Cichlidae), a Lake Tanganyika Model for Allopatric Speciation. *Journal of Zoological System Evolutionary Research* 46 (2):153–161.
- McCoy, C. J., Vogt, R. C. and Censky, E. J. 1983. Temperature-controlled sex determination in the sea turtle *Lepidochelys olivacea*. *Journal of Herpetology*, 17, 404-406.
- Merchant-Larios H., 1999. Determining Hatchling Sex . In: Eckert KL , Bjorndal KA , Abreu-Grobois FA , Donnelly M , Eds., *Research and Management Techniques for the Conservation of Sea Turtles*. Publ. no. 4, IUCN/SSC Marine Turtle Specialist Group, Washington, DC. pp. 130 – 135 .
- Michel-Morfin, J. E., Gomez M., V. dan Navarro R., C. 2001. Morphometric model for sex assessment in hatchling olive ridley sea turtles. *Chelonian Conservation and Biology*, 4, 53-58.
- Miller J.D., Limpus C.J., 2003. Ontogeny of Marine Turtle Gonads. In: Lutz PL., Musick J.A., Wyneken J., Eds., *The Biology of Sea Turtles*. Vol. 2. CRC Press, Boca Raton, FL. pp. 199 – 224 .

- Mitchell, N.J. dan F.J. Janzen. 2010. Temperature Dependent Sex Determination and Contemporary Climate Change. *Sexual Development* 4: 129-140.
- Mrosovsky, N. 1994. Sex Ratios of Sea Turtles. *J. Exp. Zool.* 270:16–27.
- Mrosovsky, N. and Pieau, C. 1991. Transitional Range of Temperature, Pivotal Temperatures and Thermosensitive Stages for Sex Determination in Reptiles. *Amphibia-Reptilia*, 12, 169-179.
- Nuitja, I.N.S., 1992, Biologi dan ekologi pelestarian Penyu Laut, IPB Press, Bogor.
- Pancaka, R. H. 2000. Studi Perilaku Bertelur Penyu Lekang (*Lepidochelys olivacea*) di Taman Nasional Alas Purwo, Banyuwangi, Jawa Timur [Skripsi]. Fakultas Biologi. Universitas Atma Jaya Yogyakarta.
- Petit, R., Aven, L., Castilhos, J. C., Kinas, P. G., and Bugoni, L. 2015. Age and Growth of Olive Ridley Sea Turtles *Lepidochelys Olivacea* in the Main Brazilian Nesting Ground. *Marine Ecology Progress Series* 541: 205-218.
- Polovina, J. J., Balazs, G. H., Howell, E. A., Parker, D. M., Seki, M. P., and Dutton, P. H. 2004. Forage and Migration Habitat of Loggerhead (*Caretta caretta*) and Olive Ridley (*Lepidochelys olivacea*) Sea Turtles in the Central North Pacific Ocean. *Fisheries Oceanography* 13(1): 36-51.
- Praja, R. N., Yudhana, A, dan Haditanojo, W. 2018. Isolasi dan Identifikasi Jamur pada Cangkang Telur Penyu Lekang (*Lepidochelys olivacea*) Gagal Menetas di Pantai Boom Banyuwangi. *Jurnal Medik Veteriner* 1(2): 11–15.
- Prihanta, W., Syarifuddin, A., dan Zainuri, A. M. 2016. Upaya Konservasi dan Penegelolaan Habitat Penyu Laut melalui Pengembangan Ekowisata Berbasis Masyarakat. *Research Report dalam UMM Senaspro* 17 - 18 Oktober 2016 : 68-80.
- Reece, S. E., Broderick, A. C., Godley, B. J., and West, S. A. 2002. The effects of incubation environment, sex and pedigree on the hatchling phenotype in a natural population of loggerhead turtles. *Evolutionary Ecology Research*, 4, 737 – 748.
- Reichert, H. A. 1993. Synopsis of Biological Data on the Olive Ridley Sea Turtle *Lepidochelys olivacea* (Eschscholtz, 1829) in the Western Atlantic. National Oceanic and Atmospheric Administration, National Marine Fisheries service.
- Rohlf F. J. and Leslie F. M. 1993. A revolution in morphometrics. *Tree*. 8(4): 129-132.
- Rohlf, F. J. 2003. Bias and error in estimates of mean shape in geometric morphometrics. *J. Hum. Evol.* 44:665–683.

- Rohlf, F. J. 2006a. TPS Utility Program. Ver. 1.38. Stony Brook, NY: Department of Ecology and Evolution, State University of New York.
- Rohlf, F. J. 2015. The tps series of software. *Hystrix, Italian Journal of Mammalogy*, 26, 9-12.
- Samanya, R. 2015. Biologi Konservasi Penyu Laut dalam Seminar Biokoservasi Dies Natalis Ke-28 Fakultas Bioteknologi, Universitas Kristen Duta Wacana 23: 1-10.
- Samosir, S. H., Hernawati, T., dan Yudhana, A. 2018. Perbedaan Sarang Alami dengan Semi Alami Mempengaruhi Masa Inkubasi dan Keberhasilan Menetas Telur Penyu Lekang (*Lepidochelys olivacea*) Pantai Boom Banyuwangi. *Jurnal Medik Veteriner* 1(2): 1-5.
- Santos, K. C., Livesey, M., Fish, M., and Lorences, A. C. 2017. Climate Change Implications for the Nest Site Selection Process and Subsequent Hatching Success of A Green Turtle Population. *Mitigation and Adaptation Strategies For Global Change* 22(1): 121-135.
- Sarahaizad, M. S., Shahrul A, M. S., and Mansor, Y. 2012. Nest Site Selection and Digging Attempts of Green Turtles (*Chelonia mydas*, Fam. *Cheloniidae*) at Pantai Kerachut and Telok Kampi, Penang Island, Peninsular Malaysia. *Malaysia Applied Biology Journal* 41(2): 31-39.
- Shertzer Sulaiman, K. W., Avens, L., McNeill, J. B., Hall, A. G., and Harms, C. A. 2018. Characterizing Sex Ratios of Sea Turtle Populations: A Bayesian Mixture Modeling Approach Applied to Juvenile Loggerheads (*Caretta caretta*). *Journal of Experimental Marine Biology and Ecology* 504: 10-19.
- Slice, D. E., 2007. Geometric Morphometrics. Vienna: *The Annual Review of Anthropology* 36 (1):261-281.
- Sönmez, B., Bağda, E., Candan, O., Yilmaz, E. H., 2019. Sex determination in Green Turtle Hatchling: Geometric Morphometry and Molecular Sex Markers. *NEsciences*. 4(1), 45-54
- Sönmez, B., Turan, C., Yalçın Özdilek, Ş. dan Turan, F. 2016. Sex determination of green sea turtle (*Chelonia mydas*) hatchlings on the bases of morphological characters. *Journal of Black Sea/Mediterranean Environment* 22(1), 93-102.
- Stamps, J.A. 1993. Sexual size dimorphism in species with asymptotic growth after maturity. *Biological Journal of Linnean Society*, 50(2), 123-145.
- Suatika, P., Adnyana, I. B.W., Suprpti, D. 2012. Profil Seks Rasio Tukik Penyu Hijay (*Chelonia mydas* L) pada Penetasan Alami dan Non-alami di Pantai Sukamade Kabupaten Banyuwangi. *Buletin Veteriner Udayana*. 4(2):47-53

- Sukamto, Muryanto, T., dan Sarbini, R. 2016. Teknik Penetasan Telur Penyu Hijau (*Chelonia mydas*) di Kawasan Konservasi, Pantai Pangumbahan, Kabupaten Sukabumi, Jawa Barat. Buletin Teknik Litkayasa (BTL) Sumber Daya Dan Penangkapan 14(1): 29-32.
- Sulaiman, P. S., and Wiadnyana, N. N. 2009. the Increasing of Olive Ridley (*Lepidochelys Olivacea*) Population and its Correlation With Conservation Activity in Alas Purwo National Park Banyuwangi-East Java. Ind.Fish Res.J 15(2): 59-63.
- Syaiful, N. B., Nurdin, J., dan Zakaria. I. J. 2013. Penetasan Telur Penyu Lekang (*Lepidochelys olivacea* Eschscholtz, 1829) pada Lokasi Berbeda di Kawasan Konservasi Penyu Kota Pariaman. Jurnal Biologi Universitas Andalas 2(3): 175-180.
- TEWG (Turtle Expert Working Group). 2009. An assessment of the loggerhead turtle population in the western northern Atlantic Ocean. NOAA Tech Memo NMFS-SEFSC-575, Miami, Florida. 131p.
- Türkecan, O. 2010. Yeşil deniz kaplumbağalarının (*Chelonia mydas*, Linnaeus, 1758) biyo-ekolojik özellikleri üzerine incelemeler. [Ph.D Thesis]. Hacettepe University. 177 pp.
- Umama, A. R. Restiadi, T. I., Prastiya R. A. 2019. Tingkat Keberhasilan Penetasan Telur Penyu Lekang (*Lepidochelys olivacea*) Pada Sarang Semi Alami Di Pantai Boom Banyuwangi Periode Tahun 2018. Jurnal Medik Veteriner 3(1) : 17-24.
- Valenzuela, N., Adams, D. C., Bowden, R. M., and Gauger, A.C. 2004. Geometric morphometric sex estimation for hatchling turtles: a powerful alternative for detecting subtle sexual shape dimorphism. Copeia, 4, 735-742.
- Van der Heiden, A. M., Briseno, R. and Rios-Olmeda, D. 1985. A simplified method for determining sex in hatchling sea turtles. Copeia, 1985, 779-782.
- Vogt, R.C 1994. Temperature controlled sex detemlnation as a tool forturtle conservation. Chelonian Conservation and Biology 2: 159-162.
- Wallace, B. P., P. R. Sotherland, P. Santidrian Tomillo, R. D. Reina, J. R. Spotila, and F.V. Paladino. 2007. Maternal Investment in Reproduction and its Consequences in Leatherback Turtles. Oecologia. 152: 37-47.
- Wibbels T., 2003. Critical approaches to sex determination in sea turtles. In: Lutz P.L., Musick J.A., Wyneken J., Eds., The Biology of Sea Turtles.Vol. 2 . CRC Press, Boca Raton, FL. p.103 – 134.
- Witt, M.J., L.A. Hawkes, M.H. Godfrey, B.J. Godley dan A.C. Broderick. 2010. Predicting the impacts of climate change on a globally distributed species: the case of the loggerhead turtle. The Journal of Experimental Biology 213: 901-911.
- SKRIPSI DIMORFISME TUKIK PENYU... DWIKY R. HIDAYATULLOH

- Wyneken, J. 2001. The Anatomy of Sea Turtles. U.S. Department of Commerce NOAA Technical. Memorandum NMFS-SEFSC-470, 1-172 pp.
- Wyneken, J., Epperly, S. P., Crowder, L. B., Vaughan, J. and Esper, K. B. 2007. Determining sex in post-hatchling loggerhead sea turtles using multiple gonadal and accessory duct characteristics. *Herpetologica*, 63,19-30.
- Yntema CL, Mrosovsky N., 1980. Sexual differentiation in hatchling loggerheads (*Caretta caretta*) incubated at different controlled temperatures. *Herpetologica* 36:33 – 36 .
- Zarkasi, M., T, Efrizal dan L.W. Zen. 2013. Analisis Distribusi Sarang Penyu Berdasarkan Karakteristik Fisik Pantai Pulau Wie Kecamatan Tambelan Kabupaten Bintan. Fakultas Ilmu Kelautan dan Perikanan. Universitas Maritim Raja Ali Haji.
- Zelditch L. M., Swiderski D. L., Sheet H. D., and Fink W. L. 2004. Geometric Morphometrics for Biologist: A primer. Elsevier Academic Press (US): Elsevier.
- Zollikofer, C. P. E., de Leon, M. S. P., 2004. Virtual Reconstruction: A Primer in Computer-Assisted Paleontology and Biomedicine. Zurich: Wiley.