

DAFTAR PUSTAKA

- Ali, A. O. A., & Prins, M. H. (2019). Mobile health to improve adherence to tuberculosis treatment in khartoum state, sudan. *Journal of Public Health in Africa*, 10(2). <https://doi.org/10.4081/jphia.2019.1101>
- Alotaibi, N. N. (2019). *Effect of Using Mobile Phone Messaging Reminders in Improving Adherence to Treatment of Pulmonary Tuberculosis Patients in Jeddah , During 2016-2017 : A Randomized Control Study*. 3(1).
- Bediang, G., Stoll, B., Elia, N., Abena, J. L., & Geissbuhler, A. (2018). SMS reminders to improve adherence and cure of tuberculosis patients in Cameroon (TB-SMS Cameroon): A randomised controlled trial. *BMC Public Health*, 18(1), 1–14. <https://doi.org/10.1186/s12889-018-5502-x>
- Browne, S. H., Peloquin, C., Santillo, F., Haubrich, R., Muttera, L., Moser, K., Savage, G., Benson, C., & Blaschke, T. (2017). *Digitizing Medicines for remote capture of oral medication adherence using Co- encapsulation*. <https://doi.org/doi:10.1002/cpt.760>
- Browne, S. H., Umlauf, A., Tucker, A. J., Id, J. L., Moser, K., Garcia, J. G., Id, C. A. P., Blaschke, T., Vaida, F., & Benson, C. A. (2019). Wirelessly observed therapy compared to directly observed therapy to confirm and support tuberculosis treatment adherence : A randomized controlled trial. *PLoS Med*, Ci, 1–19. [https://doi.org/https://doi.org/10.1371/journal.pmed.1002891 Academic](https://doi.org/https://doi.org/10.1371/journal.pmed.1002891)
- Chuck, C., Robinson, E., Macaraig, M., Alexander, M., & Burzynski, J. (2016). Enhancing management of tuberculosis treatment with video directly observed therapy in New York City. *International Journal of Tuberculosis and Lung Disease*, 20(5), 588–593. <https://doi.org/10.5588/ijtld.15.0738>
- Düsing, R., Lottermoser, K., & Mengden, T. (2001). Compliance with drug therapy - New answers to an old question. *Nephrology Dialysis Transplantation*, 16(7), 1317–1321. <https://doi.org/10.1093/ndt/16.7.1317>
- Efendi, D., Sari, D., Ilmu, F., & Universitas, K. (2017). *APLIKASI MOBILE - HEALTH SEBAGAI UPAYA MENINGKATAN KUALITAS PELAYANAN KEPERAWATAN ANAK DENGAN PENYAKIT KRONIS PADA SETTING HOME HOSPITAL : KAJIAN LITERATUR*. 20(1), 1–8. <https://doi.org/10.7454/jki.v20i1.447>

- Fang, X. H., Guan, S. Y., Tang, L., Tao, F. B., Zou, Z., Wang, J. X., Kan, X. H., Wang, Q. Z., Zhang, Z. P., Cao, H., Ma, D. C., & Pan, H. F. (2017). Effect of short message service on management of pulmonary tuberculosis patients in Anhui Province, China: A prospective, randomized, controlled study. *Medical Science Monitor*, 23, 2465–2469. <https://doi.org/10.12659/MSM.904957>
- Farooqi, R. J., Ashraf, S., & Zaman, M. (2017). The role of mobile SMS-reminders in improving drugs compliance in patients receiving anti-TB treatment from DOTS program. *Journal of Postgraduate Medical Institute*, 31(2), 156–162.
- Garfein, R S, Collins, K., Moser, K., Raab, F., Rios, P., Flick, A., Liang, K., Rangel, G., Burgos, J. L., Rodwell, T. C., & Patrick, K. (2015). *Feasibility of tuberculosis treatment monitoring by video directly observed therapy : a binational pilot study*. 19(December 2014), 1057–1064.
- Garfein, Richard S, Liu, L., Cuevas-mota, J., Collins, K., Muñoz, F., Catanzaro, D. G., Moser, K., Higashi, J., Al-samarrai, T., Kriner, P., Vaishampayan, J., Cepeda, J., Bulterys, M. A., Martin, N. K., Rios, P., & Raab, F. (2018). *Tuberculosis Treatment Monitoring by Video Directly Observed Therapy in 5 Health Districts, California, USA*. 24(10). [https://doi.org/https://doi.org/10.3201/eid2410.180459](https://doi.org/10.3201/eid2410.180459)
- Gashu, K. D., Gelaye, K. A., Lester, R., & Tilahun, B. (2019). Combined effect of pill refilling and self-medication reminder system on patients' adherence to tuberculosis treatment during continuation phase in Northwest Ethiopia: A study protocol for randomised controlled trial. *BMJ Health and Care Informatics*, 26(1), 1–4. <https://doi.org/10.1136/bmjhci-2019-100050>
- Gund, A., Sjöqvist, B. A., Wigert, H., Hentz, E., Lindecrantz, K., & Bry, K. (2013). A randomized controlled study about the use of eHealth in the home health care of premature infants. *BMC Medical Informatics and Decision Making*, 13(1). <https://doi.org/10.1186/1472-6947-13-22>
- Guo, P., Qiao, W., & Sun, Y. (2019). *Telemedicine Technologies and Tuberculosis Management: A Randomized Controlled Trial*. 00(00), 1–7. <https://doi.org/10.1089/tmj.2019.0190>
- Haji, H. A., Rivett, U., & Suleman, H. (2016). Improving Compliance to Tuberculosis Treatment : Supporting Patients through Mobile Graphic-based Reminders. *Journal of Public Health in Developing Countries*, 2(3), 235–247.
- Haynes, R. B., Taylor, D. W., & Sackett, D. L. (1979). *Compliance in Health Care*. Baltimore Johns Hopkins University Press.

- Hermans, S. M., Elbirer, S., Hoefman, B. J., & Manabe, Y. C. (2017). *Text messaging to decrease tuberculosis treatment attrition in TB-HIV coinfection in Uganda*. 1479–1487.
- Huang, H., Li, Y. J., Chou, Y., Hsieh, Y., Kuo, F., Tsai, W., Chai, S. D., Lin, B. Y., Kung, P., & Chuang, C. (2013). *Effects of and satisfaction with short message service reminders for patient medication adherence : a randomized controlled study*.
- Kumboyono. (2017). Short message service as an alternative in the drug consumption evaluation of persons with tuberculosis in Malang, Indonesia. *Japan Journal of Nursing Science*, 14(2), 112–116. <https://doi.org/10.1111/jjns.12140>
- Liu, X., Lewis, J. J., Zhang, H., Lu, W., Zhang, S., Zheng, G., Bai, L., Li, J., Li, X., Chen, H., Liu, M., Chen, R., Chi, J., Lu, J., Huan, S., Cheng, S., Wang, L., Jiang, S., Chin, D. P., & Fielding, K. L. (2015). Effectiveness of Electronic Reminders to Improve Medication Adherence in Tuberculosis Patients: A Cluster-Randomised Trial. *PLoS Medicine*, 12(9), 1–18. <https://doi.org/10.1371/journal.pmed.1001876>
- Matteelli, A., Rendon, A., Tiberi, S., Al-abri, S., Voniatis, C., Carvalho, A. C. C., Centis, R., Ambrosio, L. D., Visca, D., Spanevello, A., & Migliori, G. B. (2018). Tuberculosis elimination : where are we now ? *European Respiratory Journal*, 1–15. <https://doi.org/10.1183/16000617.0035-2018>
- Mohammed, S., Glennerster, R., & Khan, A. J. (2016). Impact of a daily SMS medication reminder system on tuberculosis treatment outcomes: A randomized controlled trial. *PLoS ONE*, 11(11), 1–13. <https://doi.org/10.1371/journal.pone.0162944>
- Nagaraja, S. B., Kotur, N., & Murthy, N. (2020). “ Kill-TB ” Drug Reminder Mobile Application for Tuberculosis Patients at Bengaluru , India : Effectiveness and Challenges. *Journal of Tuberculosis Research*, January. <https://doi.org/10.4236/jtr.2020.81001>
- Nguyen, T. A., Pham, M. T., Nguyen, T. L., Nguyen, V. N., Pham, D. C., Nguyen, B. H., & Fox, G. J. (2017). Video Directly Observed Therapy to support adherence with treatment for tuberculosis in Vietnam: A prospective cohort study. *International Journal of Infectious Diseases*, 65, 85–89. <https://doi.org/10.1016/j.ijid.2017.09.029>
- Nhavoto, J. A., Grönlund, Å., & Klein, G. O. (2017). Mobile health treatment support intervention for HIV and tuberculosis in Mozambique: Perspectives of patients

- and healthcare workers. *PLoS ONE*, 12(4), 1–13. <https://doi.org/10.1371/journal.pone.0176051>
- Pampalia, N., & Walyuo, A. (2019). MHEALTH UNTUK KEPATUHAN PASIEN TB DALAM PENGOBATAN: SEBUAH TINJAUAN LITERATUR MHEALTH FOR ADHERANCE TB PATIENTS IN TREATMENT : A. *Jurnal Wacana Kesehatan*, 4(1).
- Park, S., Sentissi, I., Gil, S. J., Park, W., Oh, B., Son, A. R., Kong, Y. J., Park, S., Paek, E., Park, Y. J., & Lee, S. H. (2019). Medication Event Monitoring System for Infectious Tuberculosis Treatment in Morocco : A Retrospective Cohort Study. *International Journal Of Environmental Research and Public Health*, 16(412). <https://doi.org/10.3390/ijerph16030412>
- Parmelia, M., Duarsa, D. P., & Sari, A. K. (2019). *TUBERKULOSIS PARU DI PUSKESMAS KOTA DENPASAR penganggulangan TB . Ketidakuntasan pengobatan TB meningkatkan risiko terjadinya multi-drug resistance Treatment default among pulmonary tuberculosis (TB) patients is one of the problems in overcoming tuberc.* 8(9).
- Ratchakit-Nedsuwan, R., Nedsuwan, S., Sawadna, V., Chaiyasirinroje, B., Bupachat, S., Ngamwithayapong-Yanai, J., Kantima, T., Luangjina, S., Boonyamanonukul, P., Wongyai, J., Thawthong, S., Losuphakarn, Y., Akkarakittimongkol, K., Yasui, Y., & Mahasirimongkol, S. (2020). Ensuring tuberculosis treatment adherence with a mobile-based CARE-call system in Thailand: a pilot study. *Infectious Diseases*, 52(2), 121–129. <https://doi.org/10.1080/23744235.2019.1688862>
- Ravenscroft, L., Kettle, S., Persian, R., Ruda, S., Severin, L., Doltu, S., Schenck, B., & Loewenstein, G. (2020). Video observed therapy (VOT) and medication adherence for TB patients: RCT in Moldova. *European Respiratory Journal*, 2000493. <https://doi.org/10.1183/13993003.00493-2020>
- Sabatee, E. (2003). *Adherence to long-term therapies: evidence for action*. WHO.
- Sekandi, J. N., Buregyeya, E., Zalwango, S., Dobbin, K. K., Atuyambe, L., Nakonde, D., Turinawe, J., Tucker, E. G., Olowookere, S., Turyahabwe, S., & Garfein, R. S. (2020). *Video directly observed therapy for supporting and monitoring adherence to tuberculosis treatment in Uganda : a pilot cohort study. July 2019*. <https://doi.org/10.1183/23120541.00175-2019>
- Seray Öney Doganyigit & Elgiz Yilmaz (2015). Mobile Health Applications User Trends in Turkey. *Journalism and Mass Communication*, 5(1), 44–49. <https://doi.org/10.17265/2160-6579/2015.01.006>

- Story, A., Aldridge, R. W., Smith, C. M., Garber, E., Hall, J., Ferenando, G., Possas, L., Hemming, S., Wurie, F., Luchenski, S., Abubakar, I., McHugh, T. D., White, P. J., Watson, J. M., Lipman, M., Garfein, R., & Hayward, A. C. (2019). Articles Smartphone-enabled video-observed versus directly observed treatment for tuberculosis : a multicentre , analyst-blinded , randomised , controlled superiority trial. *The Lancet*, 6736(18), 1–9.[https://doi.org/10.1016/S0140-6736\(18\)32993-3](https://doi.org/10.1016/S0140-6736(18)32993-3)
- Story, A., Aldridge, R. W., Smith, C. M., Garber, E., Hall, J., Ferenando, G., Possas, L., Hemming, S., Wurie, F., Luchenski, S., Abubakar, I., McHugh, T. D., White, P. J., Watson, J. M., Lipman, M., Garfein, R., & Hayward, A. C. (2019). Smartphone-enabled video-observed versus directly observed treatment for tuberculosis: a multicentre, analyst-blinded, randomised, controlled superiority trial. *The Lancet*, 393(10177), 1216–1224. [https://doi.org/10.1016/S0140-6736\(18\)32993-3](https://doi.org/10.1016/S0140-6736(18)32993-3)
- Sumari-De Boer, M., Pima, F. M., Ngowi, K. M., Chelangwa, G. M., Mtesha, B. A., Minja, L. M., Semvua, H. H., Mpagama, S., Mmbaga, B. T., Nieuwkerk, P. T., & Aarnoutse, R. E. (2019). Implementation and effectiveness of evriMED with short messages service (SMS) reminders and tailored feedback compared to standard care on adherence to treatment among tuberculosis patients in Kilimanjaro, Tanzania: Proposal for a cluster randomized contr. *Trials*, 20(1), 1–10. <https://doi.org/10.1186/s13063-019-3483-4>
- Tola, H. H., Karimi, M., & Yekaninejad, M. S. (2017). *Effects of sociodemographic characteristics and patients' health beliefs on tuberculosis treatment adherence in Ethiopia: a structural equation modelling approach.* 1–10. <https://doi.org/10.1186/s40249-017-0380-5>
- Wagstaff, A., van Doorslaer, E., & Burger, R. (2019). SMS nudges as a tool to reduce tuberculosis treatment delay and pretreatment loss to follow-up. A randomized controlled trial. *PLoS ONE*, 14(6), 1–14. <https://doi.org/10.1371/journal.pone.0218527>
- WHO. (2010). *Treatment of tuberculosis Guidelines- 4th ed.* (4th ed.). WHO.
- WHO. (2011). *mHealth New horizons for health through mobile technologies: second global survey on eHealth.* World Health Organization. <https://doi.org/10.1109/CBMI.2010.5529886>
- WHO. (2015). *Global Tuberculosis Report 2015.*
- WHO Global Tuberculosis Report. (2019). Global Tuberculosis Report 2019. In WHO.

Yasmin, F., Nahar, N., Banu, B., Ali, L., Sauerborn, R., & Souares, A. (2020). *The influence of mobile phone-based health reminders on patient adherence to medications and healthy lifestyle recommendations for effective management of diabetes type 2 : a randomized control trial in Dhaka , Bangladesh.* 1–13.