

## DAFTAR PUSTAKA

- ADA (2017) “Standards Of Medical Care In Diabetes 2017,” *Diabetes Care*, 40, hal. 511–534.
- Adachi, M., Yamaoka, K., Watanabe, M., Nishikawa, M., Kobayashi, I. dan Hida, E. (2013) “Effects of lifestyle education program for type 2 diabetes patients in clinics : a cluster randomized controlled trial,” hal. 2–11.
- Adachi, M., Yamaoka, K., Watanabe, M., Nishikawa, M., Kobayashi, I., Hida, E., *et al.* (2013) “Effects of lifestyle education program for type 2 diabetes patients in clinics: A cluster randomized controlled trial,” *BMC Public Health*, 13(1), hal. 2–11. doi: 10.1186/1471-2458-13-467.
- Alligood, R. M. (2017) *Pakar Teori keperawatan*. 8 ed. Diedit oleh A. Y. S. Hamid dan K. Ibrahim. Singapore: Elsevier Inc.
- Amendezo, E. *et al.* (2017) “Effects of a lifestyle education program on glycemic control among patients with diabetes at Kigali University Hospital, Rwanda: A randomized controlled trial,” *Diabetes Research and Clinical Practice*. Elsevier B.V., 126, hal. 129–137. doi: 10.1016/j.diabres.2017.02.001.
- American Diabetes Association (2018) “Improving Care and Promoting Health in Populations : Standards of Medical Care in Diabetes d 2018,” *Diabetes Care*, 41(January), hal. 7–12. doi: 10.2337/dc18-S001.
- Aminuddin, H. B. *et al.* (2019) “Effectiveness of smartphone-based self-management interventions on self-efficacy, self-care activities, health-related quality of life and clinical outcomes in patients with type 2 diabetes: A systematic review and meta-analysis,” *International Journal of Nursing Studies*. Elsevier Ltd. doi: 10.1016/j.ijnurstu.2019.02.003.
- Andry, H. (2015) “Terapi Gizi & Diet Rumah Sakit,” in Ester, M. (ed.). Jakarta: EGC, hal. 146.
- Assah, F. K. *et al.* (2015) “Short Report : Care Delivery Community-based peer support significantly improves metabolic control in people with Type 2 diabetes in Yaound e,” hal. 886–889. doi: 10.1111/dme.12720.
- Azami, G. *et al.* (2018) “Effect of a Nurse-Led Diabetes Self-Management Education Program on Glycosylated Hemoglobin among Adults with Type 2 Diabetes,” *Journal of Diabetes Research*, 2018. doi: 10.1155/2018/4930157.
- Aziz, Z. *et al.* (2018) “Peer support to improve diabetes care : an implementation evaluation of the Australasian Peers for Progress Diabetes Program.” *BMC Public Health*, hal. 1–13.
- Barreira, E. *et al.* (2017) “Atención Primaria Dietary program and physical activity impact on biochemical markers in patients with type 2 diabetes : A systematic review,” *Atención Primaria*. Elsevier España, S.L.U., (xx). doi: 10.1016/j.aprim.2017.06.012.
- Bourne, R. *et al.* (2013) “Causes of vision loss worldwide, 1990–2010: a systematic analysis,” *Lancet Global Health*, 1(6), hal. e339–e349.
- Choi, T. S. T. *et al.* (2016) “Diabetes education for Chinese adults with type 2 diabetes: A systematic review and meta-analysis of the effect on glycemic control,” *Diabetes Research and Clinical Practice*, 116, hal. 218–229. doi: 10.1016/j.diabres.2016.04.001.

- Deng, K. *et al.* (2016) “Peer support training improved the glycemic control, insulin management, and diabetic behaviors of patients with type 2 diabetes in rural communities of Central China: A randomized controlled trial,” *Medical Science Monitor*, 22, hal. 267–275. doi: 10.12659/MSM.895593.
- Etienne, A. *et al.* (2017) “EFFECTS OF A LIFESTYLE EDUCATION PROGRAM ON GLYCEMIC CONTROL AMONG PATIENTS WITH DIABETES AT KIGALI UNIVERSITY HOSPITAL ,” *Diabetes Research and Clinical Practice*. Elsevier B.V. doi: 10.1016/j.diabres.2017.02.001.
- Farrel, M. *et al.* (2014) *Textbook of Medical-Surgical Nursing*. 3 ed. Dedit oleh K. Enkelaar *et al.* Philadelphia: Penny Martin.
- Ferrer-García, J. C. *et al.* (2011) “Benefits of a home-based physical exercise program in elderly subjects with type 2 diabetes mellitus,” *Endocrinología y Nutrición*, 58(8), hal. 387–394. doi: 10.1016/j.endonu.2011.05.010.
- Fisher, B. E. *et al.* (2012) “Peer support for self-management of diabetes improved outcomes in international settings,” *Health Affairs*, 31(1), hal. 130–139. doi: 10.1377/hlthaff.2011.0914.
- Fisher, E. B. *et al.* (2017) “Peer support of complex health behaviors in prevention and disease management with special reference to diabetes: systematic reviews,” *Clinical Diabetes and Endocrinology*. *Clinical Diabetes and Endocrinology*, 3(1), hal. 1–23. doi: 10.1186/s40842-017-0042-3.
- De Fronzo, R. A. *et al.* (2015) *International Textbook of Diabetes Mellitus*. 4 ed. New York: John Wiley and Sons, Incorporated.
- Fuente, M. C. De, Cruz-cobo, C. dan Santi-cano, M. J. (2019) “International Journal of Nursing Studies Effectiveness of a primary care nurse delivered educational intervention for patients with type 2 diabetes mellitus in promoting metabolic control and compliance with long-term therapeutic targets : Randomise d con,” *International Journal of Nursing Studies*. Elsevier Ltd, 101, hal. 103417. doi: 10.1016/j.ijnurstu.2019.103417.
- Gagliardino, J. J. *et al.* (2013) “Clinical, metabolic and psychological outcomes and treatment costs of a prospective randomized trial based on different educational strategies to improve diabetes care (PRODIACOR),” *Diabetic Medicine*, 30(9), hal. 1102–1111. doi: 10.1111/dme.12230.
- Galle, F. *et al.* (2017) “Improving Self-Management of Type 2 Diabetes in Overweight and Inactive Patients Through an Educational and Motivational Intervention Addressing Diet and Physical Activity : A Prospective Study in Naples , South Italy.” doi: 10.1007/s13300-017-0283-2.
- Gebreyes, Y. F. *et al.* (2018) “Prevalence of high bloodpressure, hyperglycemia, dyslipidemia, metabolic syndrome and their determinants in Ethiopia: Evidences from the National NCDs STEPS Survey, 2015,” *PLoS ONE*, 13(5), hal. 1–18. doi: 10.1371/journal.pone.0194819.
- Gorina, M., Limonero, J. T. dan Álvarez, M. (2018) “Effectiveness of primary healthcare educational interventions undertaken by nurses to improve chronic disease management in patients with diabetes mellitus, hypertension and hypercholesterolemia: A systematic review,” *International Journal of Nursing Studies*. Elsevier, 86(June), hal. 139–150. doi: 10.1016/j.ijnurstu.2018.06.016.
- Gyawali, B. *et al.* (2018) “Diabetes management training for female community health volunteers in Western Nepal : an implementation experience.” *BMC Public Health*, hal. 1–10.

- Ibrahim, N. *et al.* (2016) “Effects of a Community-Based Healthy Lifestyle Intervention Program ( Co-HELP ) among Adults with Prediabetes in a Developing Country: A Quasi-Experimental Study,” hal. 1–21. doi: 10.1371/journal.pone.0167123.
- Id, J. D. M. *et al.* (2019) “Diabetes self-management in three different income settings : Cross-learning of barriers and opportunities,” hal. 1–22.
- IDF (2017) *Diabetes Atlas*. South-East Asia: International Diabetes Federation.
- Imam, S. K. (2014) “Diabetes : A New Horizon and Approach to Management,” in Watson, R. dan Dokken, B. (ed.) *Glucose Intake and Utilization in Pre-Diabetes and Diabetes*. Elsevier Inc., hal. 29–44. doi: 10.1016/B978-0-12-800093-9.00003-X.
- International Diabetes Federation (2017) *IDF DIABETES ATLAS*. Eighth edi. Diedit oleh S. Karuranga *et al.* International Diabetes Federation.
- Jutterström, L. *et al.* (2016) “Nurse-led patient-centered self-management support improves HbA1c in patients with type 2 diabetes—A randomized study,” *Patient Education and Counseling*, 99(11), hal. 1821–1829. doi: 10.1016/j.pec.2016.06.016.
- Kahleova, H. *et al.* (2011) “Vegetarian diet improves insulin resistance and oxidative stress markers more than conventional diet in subjects with Type2 diabetes,” *Diabetic Medicine*, 28(5), hal. 549–559. doi: 10.1111/j.1464-5491.2010.03209.x.
- Kazeminezhad, B. *et al.* (2018) “The effect of self-care on glycosylated hemoglobin and fasting blood sugar levels on adolescents with diabetes,” *Journal of Comprehensive Pediatrics*, 9(2). doi: 10.5812/compreped.62661.
- Kemkes (2019) *STANDAR TEKNIK PEMENUHAN MUTU PELAYANAN DASAR PADA STANDAR PELAYANAN MINIMAL BIDANG KESEHATAN*. Indonesia: PERATURAN MENTERI KESEHATAN REPUBLIK INDONESIA NOMOR 4 TAHUN 2019.
- Kementrian Kesehatan RI (2018) *Hasil utama riskesdas 2018 provinsi jawa timur*. Jakarta.
- Krishnamoorthy, Y. *et al.* (2019) “Effectiveness of peer led intervention in improvement of clinical outcomes among diabetes mellitus and hypertension patients—A systematic review and meta-analysis,” *Primary Care Diabetes*. Primary Care Diabetes Europe, 13(2), hal. 158–169. doi: 10.1016/j.pcd.2018.11.007.
- Landim, C. A. P. *et al.* (2011) “Self-care competence in the case of Brazilian patients with diabetes mellitus in a multiprofessional educational programme,” *Journal of Clinical Nursing*, 20(23–24), hal. 3394–3403. doi: 10.1111/j.1365-2702.2011.03883.x.
- Lemone, P. *et al.* (2014) “Critical Thinking For Person-Centered Care,” in *Medical-Surgical Nursing*. Pearson Australia Group, hal. 577–611.
- Lin, A. *et al.* (2014) “Community-Based Lifestyle Intervention for Reducing Blood Pressure and Glucose among Middle-Aged and Older Adults in China : A Pilot Study,” hal. 11645–11663. doi: 10.3390/ijerph11111645.
- Mikhael, E. M. *et al.* (2019) “Self-management knowledge and practice of type 2 diabetes mellitus patients in Baghdad, Iraq: A qualitative study,” *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy*, 12, hal. 1–17. doi: 10.2147/DMSO.S183776.

- Moore, A. P. *et al.* (2019) “Designing the Healthy Eating and Active Lifestyles for Diabetes (HEAL-D) self-management and support programme for UK African and Caribbean communities: A culturally tailored, complex intervention underpinned by behaviour change theory,” *BMC Public Health*. *BMC Public Health*, 19(1), hal. 1–14. doi: 10.1186/s12889-019-7411-z.
- Morris, E. *et al.* (2020) “A food-based low-energy, low-carbohydrate diet for people with type 2 diabetes in primary care: a randomised controlled feasibility trial,” *Diabetes, Obesity and Metabolism*, 22(4), hal. 512–520. doi: 10.1111/dom.13915.
- Motahari-tabari, N., Shirvani, M. A. dan Shirzad-e-ahoodashty, M. (2015) “The Effect of 8 Weeks Aerobic Exercise on Insulin Resistance in Type 2 Diabetes : A Randomized Clinical Trial,” 7(1), hal. 115–121. doi: 10.5539/gjhs.v7n1p115.
- Nejhaddadgar, N. *et al.* (2019) “Diabetes & Metabolic Syndrome : Clinical Research & Reviews The effectiveness of self-management program for people with type 2 diabetes mellitus based on PRECEDE-PROCEDE model,” 13, hal. 440–443.
- Nursalam (2015) *Metodologi Penelitian Ilmu Keperawatan : Pendekatan Praktis*. 4 ed. Diedit oleh P. P. Lestari. Jakarta Selatan: Salemba Medika.
- Oggers-Jewell, K. *et al.* (2017) “Effectiveness of group-based self-management education for individuals with Type 2 diabetes: a systematic review with meta-analyses and meta-regression,” *Diabetic Medicine*, 34(8), hal. 1027–1039. doi: 10.1111/dme.13340.
- Patton, L. L. (2015) *The ADA Practical Guide to Patients with Medical Conditions*. 2 ed. Diedit oleh M. Glick. John Wiley and Sons, Incorporated.
- Peimani, M. *et al.* (2018) “A peer support intervention in improving glycemic control in patients with type 2 diabetes,” *Patient Education and Counseling*. Elsevier Ireland Ltd, 101(3), hal. 460–466. doi: 10.1016/j.pec.2017.10.007.
- Perkeni (2012) *Konsensus Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia*. Jakarta: PERKENI.
- Perkeni (2015a) *Pengelolaan dan pencegahan diabetes melitus di Indonesia*. Pengurus Besar Perkumpulan Endokrinologi Indonesia.
- Perkeni (2015b) *Pengelolaan dan pencegahan diabetes melitus tipe di Indonesia*. Pengurus Besar Perkumpulan Endokrinologi Indonesia.
- Perkeni (2015c) *Pengelolaan dan pencegahan diabetes melitus tipe di Indonesia*. Diedit oleh Pengurus Besar Perkumpulan Endokrinologi Indonesia.
- Perry, H. B., Zulliger, R. dan Rogers, M. M. (2014) “Community Health Workers in Low-, Middle-, and High-Income Countries: An Overview of Their History, Recent Evolution, and Current Effectiveness,” *Annual Review of Public Health*, 35(1), hal. 399–421. doi: 10.1146/annurev-publhealth-032013-182354.
- Powers, M. A. *et al.* (2015) “Diabetes Self-management Education and Support in Type 2 Diabetes: A Joint Position Statement of the American Diabetes Association, the American Association of Diabetes Educators, and the Academy of Nutrition and Dietetics,” *Journal of the Academy of Nutrition and Dietetics*, (May), hal. 70–80. doi: 10.1016/j.jand.2015.05.012.
- Radhakrishnan, K. (2012) “The efficacy of tailored interventions for self-management outcomes of type 2 diabetes, hypertension or heart disease: A

- systematic review,” *Journal of Advanced Nursing*, 68(3), hal. 496–510. doi: 10.1111/j.1365-2648.2011.05860.x.
- Ress, T. (2016) “The ADA Practical Guide to Patients with Medical Conditions,” in Glick, M. (ed.) *Endocrine and Metabolic Disorder*. Second. John Wiley & Sons, hal. 74.
- RI Kesehatan, K. (2018) *Hasil utama Riset Kesehatan dasar*. Jakarta.
- Saghir, S. A. M. *et al.* (2019) “Factors associated with poor glycemic control among type-2 diabetes mellitus patients in Yemen,” *Tropical Journal of Pharmaceutical Research*, 18(7), hal. 1539–1546. doi: 10.4314/tjpr.v18i7.26.
- Scobie, I. N. dan Samaras, K. (2014) *fast facts : Diabetes Mellitus*. 5 ed. Health Press Limited.
- Shomaker, A. L. B. *et al.* (2017) “Pilot randomized controlled trial of a mindfulness-based group intervention in adolescent girls at risk for type 2 diabetes with depressive symptoms,” *Complementary Therapies in Medicine*. Elsevier Ltd. doi: 10.1016/j.ctim.2017.04.003.
- Shrivastava, S. R., Shrivastava, P. S. dan Ramasamy, J. (2013) “Role of self-care in management of diabetes mellitus,” hal. 1–5.
- Singh, G. *et al.* (2013) “The age-specific quantitative effects of metabolic risk factors on cardiovascular diseases and diabetes: a pooled analysis,” *PLoS ONE*, 8(7), hal. e65174.
- Tang, T. S. *et al.* (2014) “Comparative effectiveness of peer leaders and community health workers in diabetes selfmanagement support: Results of a randomized controlled trial,” *Diabetes Care*, 37(6), hal. 1525–1534. doi: 10.2337/dc13-2161.
- Thom, D. H. *et al.* (2013) “Impact of Peer Health Coaching on Glycemic Control in Low-Income Patients With,” *Annals of Family Medicine*, 11(2), hal. 137–144. doi: 10.1370/afm.1443.INTRODUCTION.
- United States Renal Data System (2014) *2014 USRDS annual data report: Epidemiology of kidney disease in the United States*.
- WHO (2016) *Profil of non-communicable and communicable diseases in Indonesia*. Tersedia pada: [http://www.indonesia.go.id/id/index.php?option=com\\_content&task=view&id=112&Itemid=1722](http://www.indonesia.go.id/id/index.php?option=com_content&task=view&id=112&Itemid=1722).
- World Health Organization (2016) *GLOBAL REPORT ON DIABETES*.
- Yau, J. *et al.* (2012) “Global prevalence and major risk factors of diabetic retinopathy,” *Diabetes Care*, 35(3), hal. 556–564.
- Zhang, X., Yang, S., Sun, K., Fisher, Edwin B., *et al.* (2016) “How to achieve better effect of peer support among adults with type 2 diabetes: A meta-analysis of randomized clinical trials,” *Patient Education and Counseling*. Elsevier Ireland Ltd, 99(2), hal. 186–197. doi: 10.1016/j.pec.2015.09.006.
- Zhang, X., Yang, S., Sun, K., Fisher, Edwin B., *et al.* (2016) “Patient Education and Counseling How to achieve better effect of peer support among adults with type 2 diabetes: A meta-analysis of randomized clinical trials,” *Patient Education and Counseling*. Elsevier Ireland Ltd, 99(2), hal. 186–197. doi: 10.1016/j.pec.2015.09.006.