

DAFTAR PUSTAKA

- Acker, K. Van, Bouhassira, D., Bacquer, D. De, Weiss, S., Matthys, K., Raemen, H., ... Colin, I. M. (2009). Prevalence and impact on quality of life of peripheral neuropathy with or without neuropathic pain in type 1 and type 2 diabetic patients attending hospital outpatients clinics. *Diabetes and Metabolism*, 35(3), 206–213. <https://doi.org/10.1016/j.diabet.2008.11.004>
- Akinci, B., Yeldan, I., Satman, I., Dirican, A., & Ozdincler, A. R. (2018). The effects of Internet-based exercise compared with supervised group exercise in people with type 2 diabetes: a randomized controlled study. *Clinical Rehabilitation*, 32(6), 799–810. <https://doi.org/10.1177/0269215518757052>
- AL-Aboudi, I. S., Hassali, M. A., Shafie, A. A., Hassan, A., & Alrasheedy, A. A. (2015). A cross-sectional assessment of health-related quality of life among type 2 diabetes patients in Riyadh, Saudi Arabia. *SAGE Open Medicine*, 3, 205031211561012. <https://doi.org/10.1177/2050312115610129>
- American Association of Clinical Endocrinologists, Handelsman, Y., Mechanick, J. I., Blonde, L., Grunberger, G., Bloomgarden, Z. T., ... Plan, A. T. F. for D. D. C. C. (2015). American Association of Clinical Endocrinologists Medical Guidelines for Clinical Practice for developing a diabetes mellitus comprehensive care plan. *Endocrine Practice: Official Journal of the American College of Endocrinology and the American Association of Clinical Endocrinologists*, 17 Suppl 2(February 2015), 1–53. <https://doi.org/10.4158/EP.17.S2.1>
- American College of Sports Medicine, Pescatello, L. S., Arena, R., Riebe, D., & D., T. P. (2014). *ACSM's Guidelines for Exercise Testing and Prescription. Medicine & Science in Sports & Exercise* (Ninth Edit, Vol. 34). American College of Sports Medicine. <https://doi.org/10.1097/00005768-200209000-00024>
- American Diabetes Association (ADA). (2011). Diagnosis and Classification of Diabetes Mellitus. *Diabetes Care*, 34(Supplement 1), 62–69. <https://doi.org/10.2337/diacare.27.2007.S5>
- American Diabetes Association (ADA). (2018). Updates to the Standards of Medical Care in Diabetes-2018. *Diabetes Care*, 41(9), 2045–2047. <https://doi.org/10.2337/dc18-su09>
- American Diabetes Association (ADA). (2019). American Diabetes Association. Standards of Medical Care in Diabetes-2019. *The Journal of Clinical and Applied Research and Education*, 42(1).
- Bennett, W. L., Ouyang, P., Wu, A. W., Barone, B. B., & Stewart, K. J. (2008).

- Fatness and fitness: How do they influence health-related quality of life in type 2 diabetes mellitus? *Health and Quality of Life Outcomes*, 6, 1–7. <https://doi.org/10.1186/1477-7525-6-110>
- Cai, H., Li, G., Zhang, P., Xu, D., & Chen, L. (2017). Effect of exercise on the quality of life in type 2 diabetes mellitus: a systematic review. *Quality of Life Research*, 26(3), 515–530. <https://doi.org/10.1007/s11136-016-1481-5>
- Chen, L., Pei, J. H., Kuang, J., Chen, H. M., Chen, Z., Li, Z. W., & Yang, H. Z. (2015). Effect of lifestyle intervention in patients with type 2 diabetes: A meta-analysis. *Metabolism: Clinical and Experimental*, 64(2), 338–347. <https://doi.org/10.1016/j.metabol.2014.10.018>
- Cho, N. H., Shaw, J. E., Karuranga, S., Huang, Y., da Rocha Fernandes, J. D., Ohlrogge, A. W., & Malanda, B. (2018). IDF Diabetes Atlas: Global estimates of diabetes prevalence for 2017 and projections for 2045. *Diabetes Research and Clinical Practice*, 138, 271–281. <https://doi.org/10.1016/j.diabres.2018.02.023>
- Cnar, Y., Demirci, H., & Satm, I. (2013). Principles of Exercise and Its Role in the Management of Diabetes Mellitus. *Diabetes Mellitus - Insights and Perspectives*, (November). <https://doi.org/10.5772/50503>
- Çolak, T. K., Acar, G., Elçin Dereli, E., Özgül, B., Demirbüken, İ., Alkaç, Ç., & Polat, M. G. (2016). Association between the physical activity level and the quality of life of patients with type 2 diabetes mellitus. *Journal of Physical Therapy Science*, 28(1), 142–147. <https://doi.org/10.1589/jpts.28.142>
- Colberg, S. R., Sigal, R. J., Fernhall, B., Regensteiner, J. G., Blissmer, B. J., Rubin, R. R., ... Braun, B. (2010). Exercise and type 2 diabetes: The American College of Sports Medicine and the American Diabetes Association: Joint position statement. *Diabetes Care*, 33(12). <https://doi.org/10.2337/dc10-9990>
- Colberg, S. R., Sigal, R. J., Yardley, J. E., Riddell, M. C., Dunstan, D. W., Dempsey, P. C., ... Tate, D. F. (2016). Physical activity/exercise and diabetes: A position statement of the American Diabetes Association. *Diabetes Care*, 39(11), 2065–2079. <https://doi.org/10.2337/dc16-1728>
- Conners, R. T., Caputo, J. L., Coons, J. M., Fuller, D. K., & Morgan, D. W. (2019). Impact of underwater treadmill training on glycemic control, blood lipids, and health-related fitness in adults with type 2 diabetes. *Clinical Diabetes*, 37(1), 36–43. <https://doi.org/10.2337/cd17-0066>
- Crews, R. T., Yalla, S. V., Fleischer, A. E., & Wu, S. C. (2013). A growing troubling triad: Diabetes, aging, and falls. *Journal of Aging Research*, 2013. <https://doi.org/10.1155/2013/342650>

- Cugusi, L., Cadeddu, C., Nocco, S., Orrù, F., Bandino, S., Deidda, M., ... Mercuro, G. (2015). Effects of an Aquatic-Based Exercise Program to Improve Cardiometabolic Profile, Quality of Life, and Physical Activity Levels in Men With Type 2 Diabetes Mellitus. *PM and R*, 7(2), 141–148. <https://doi.org/10.1016/j.pmrj.2014.09.004>
- Dadgostar, H., Firouzinezhad, S., Ansari, M., Younespour, S., Mahmoudpour, A., & Khamseh, M. E. (2016). Supervised group-exercise therapy versus home-based exercise therapy: Their effects on Quality of Life and cardiovascular risk factors in women with type 2 diabetes. *Diabetes and Metabolic Syndrome: Clinical Research and Reviews*, 10(2), S30–S36. <https://doi.org/10.1016/j.dsx.2016.01.016>
- De Rekeneire, N., Resnick, H. E., Schwartz, A. V., Shorr, R. I., Kuller, L. H., Simonsick, E. M., ... Harris, T. B. (2003). Diabetes Is Associated with Subclinical Functional Limitation in Nondisabled Older Individuals: The Health, Aging, and Body Composition Study. *Diabetes Care*, 26(12), 3257–3263. <https://doi.org/10.2337/diacare.26.12.3257>
- Dede, N. D., İpekci, S. H., Kebapçılar, L., Arslan, M., Kurban, S., Yıldız, M., & Gönen, M. S. (2015). Influence of exercise on leptin, adiponectin and quality of life in type 2 diabetics. *Turkish Journal of Endocrinology and Metabolism*, 19(1), 7–13. <https://doi.org/10.4274/tjem.2564>
- Delevatti, R. S., Kanitz, A. C., Alberton, C. L., Marson, E. C., Lisboa, S. C., Pinho, C. D. F., ... Kruehl, L. F. M. (2016). Glucose control can be similarly improved after aquatic or dry-land aerobic training in patients with type 2 diabetes: A randomized clinical trial. *Journal of Science and Medicine in Sport*, 19(8), 688–693. <https://doi.org/10.1016/j.jsams.2015.10.008>
- Dincer, S., Mengi, M., Yakal, S., Sofyali, S. A., Altan, M., Karsidag, K., & Metin, G. (2017). Effects Of A Regular Exercise Program On Life Quality Of Patients With Type 2 Diabetes Mellitus. *Turkish Journal of Sports Medicine*, 51(3), 83–93. <https://doi.org/10.5152/tjsm.2016.009>
- Dixit, S., Maiya, A. G., & Shastry, B. A. (2014). Journal of Diabetes and Its Complications Effect of aerobic exercise on peripheral nerve functions of population with diabetic peripheral neuropathy in type 2 diabetes : A single blind , parallel group randomized controlled trial. *Journal of Diabetes and Its Complications*, 28(3), 332–339. <https://doi.org/10.1016/j.jdiacomp.2013.12.006>
- dos Anjos, D. M. da C., Moreira, B. de S., Kirkwood, R. N., Dias, R. C., Pereira, D. S., & Pereira, L. S. M. (2017). Effects of aerobic exercise on functional capacity, anthropometric measurements and inflammatory markers in diabetic elderly women. *Journal of Bodywork and Movement Therapies*, 21(3), 509–

516. <https://doi.org/10.1016/j.jbmt.2016.07.012>

Gallé, F., Di Onofrio, V., Miele, A., Belfiore, P., & Liguori, G. (2019). Effects of a community-based exercise and motivational intervention on physical fitness of subjects with type 2 diabetes. *European Journal of Public Health*, 29(2), 281–286. <https://doi.org/10.1093/eurpub/cky140>

Garber, C. E., Blissmer, B., Deschenes, M. R., Franklin, B. A., Lamonte, M. J., Lee, I. M., ... Swain, D. P. (2011). Quantity and Quality of Exercise for Developing and Maintaining Cardiorespiratory, Musculoskeletal, and Neuromotor Fitness in Apparently Healthy Adults: Guidance for Prescribing Exercise. *Medicine and Science in Sports and Exercise*, 43(7), 1334–1359. <https://doi.org/10.1249/MSS.0b013e318213fefb>

Garvey, W. T., Maianu, L., Zhu, J. H., Brechtel-Hook, G., Wallace, P., & Baron, A. D. (1998). Evidence for defects in the trafficking and translocation of GLUT4 glucose transporters in skeletal muscle as a cause of human insulin resistance. *Journal of Clinical Investigation*, 101(11), 2377–2386. <https://doi.org/10.1172/JCI1557>

Gilani, S. R. M., & Feizabad, A. K. (2019). The effects of aerobic exercise training on mental health and self-esteem of type 2 diabetes mellitus patients. *Health Psychology Research*, 7(1), 10–14. <https://doi.org/10.4081/hpr.2019.6576>

Gordon, B. A., Benson, A. C., Bird, S. R., & Fraser, S. F. (2009). Resistance training improves metabolic health in type 2 diabetes: A systematic review. *Diabetes Research and Clinical Practice*, 83(2), 157–175. <https://doi.org/10.1016/j.diabres.2008.11.024>

Gregg, E. W., & Al, E. (2002). Diabetes and Incidence of Functional. *Diabetes Care*, 25(1).

Hopps, E., Canino, B., & Caimi, G. (2011). Effects of exercise on inflammation markers in type 2 diabetic subjects. *Acta Diabetologica*, 48, 183–189. <https://doi.org/10.1007/s00592-011-0278-9>

Huang, E. S., Brown, S. E. S., Ewigman, B. G., Foley, E. C., & Meltzer, D. O. (2007). Patient perceptions of quality of life with diabetes-related complications and treatments. *Diabetes Care*, 30(10), 2478–2483. <https://doi.org/10.2337/dc07-0499>

Hwang, C. L., Lim, J., Yoo, J. K., Kim, H. K., Hwang, M. H., Handberg, E. M., ... Christou, D. D. (2019). Effect of all-extremity high-intensity interval training vs. moderate-intensity continuous training on aerobic fitness in middle-aged and older adults with type 2 diabetes: A randomized controlled trial. *Experimental Gerontology*, 116(August 2018), 46–53.

<https://doi.org/10.1016/j.exger.2018.12.013>

Hwang, C., Lim, J., Yoo, J., Kim, H., Hwang, M., Handberg, E. M., ... Christou, D. D. (2019). Effect of all-extremity high-intensity interval training vs . moderate-intensity continuous training on aerobic fi tness in middle-aged and older adults with type 2 diabetes : A randomized controlled trial. *Experimental Gerontology*, 116(December 2018), 46–53. <https://doi.org/10.1016/j.exger.2018.12.013>

Jolleyman, C., Yates, T., O'Donovan, G., Gray, L. J., King, J. A., Khunti, K., & Davies, M. J. (2015). The effects of high-intensity interval training on glucose regulation and insulin resistance: A meta-analysis. *Obesity Reviews*, 16(11), 942–961. <https://doi.org/10.1111/obr.12317>

Kaka, B., & Maharaj, S. S. (2018). Effect of rebound exercises and circuit training on complications associated with type 2 diabetes: Protocol for a randomized controlled trial. *Journal of Medical Internet Research*, 20(5), 1–9. <https://doi.org/10.2196/resprot.8827>

Kang, S. J., Ko, K. J., & Baek, U. H. (2016). Effects of 12 weeks combined aerobic and resistance exercise on heart rate variability in type 2 diabetes mellitus patients. *Journal of Physical Therapy Science*, 28(7), 2088–2093. <https://doi.org/10.1589/jpts.28.2088>

Kementerian Kesehatan RI. (2018). Hasil Utama Riset Kesehatan Dasar Jawa Timur 2018. Jakarta: Badan Penelitian Dan Pengembangan Kesehatan, Kementerian Kesehatan Republik Indonesia, 1–82.

Kluding, P. M., Pasnoor, M., Singh, R., D'Silva, L. J., Yoo, M., Billinger, S. A., ... Wright, D. E. (2015). Safety of Aerobic Exercise in People With Diabetic Peripheral Neuropathy: Single-Group Clinical Trial. *Physical Therapy*, 95(2), 223–234. <https://doi.org/10.2522/ptj.20140108>

Kluding, P. M., Singleton, J. R., Pasnoor, M., Dimachkie, M. M., Barohn, R. J., Smith, A. G., & Marcus, R. L. (2017). Activity for Diabetic Polyneuropathy Activity for Diabetic Polyneuropathy (ADAPT): Study Design and (ADAPT): Study Design and Protocol Protocol for a 2-Site Randomized for a 2-Site Randomized Controlled Controlled Trial, 97(1).

Korat, A. V. A., Willett, W. C., Hu, F. B., & Hu, F. (2014). Diet, lifestyle, and genetic risk factors for type 2 diabetes: a review from the Nurses' Health Study, Nurses' Health Study 2, and Health Professionals' Follow-up Study Compliance with Ethics Guidelines Human and Animal Rights and Informed Consent, 3(4), 345–354. <https://doi.org/10.1007/s13668-014-0103-5>

Kour, H., Kothiwale, V. A., & Goudar, S. S. (2019). Effects of the six months of

programmed exercise therapy on cardio-respiratory endurance and neurophysiological variables in asymptomatic young adults diagnosed newly with type 2 diabetes mellitus – a randomized controlled trial. *Indian Journal of Physiology and Pharmacology*, 63(4), 283–293.

- Lin, C.-H., Ho, C.-W., Chen, L.-C., Chang, C.-C., Wang, Y.-W., Chiou, C.-P., & Chiang, S.-L. (2017). Effects of a 12-week Exercise Training on Insulin Sensitivity, Quality of Life, and Depression Status in Patients with Type 2 Diabetes. *Journal of Medical Sciences*, 37(6), 227–236. https://doi.org/10.4103/jmedsci.jmedsci_68_17 ORIGINAL
- Liu, S. X., Yue, X. W., Liu, E. P., Wu, Y., & Lin, J. J. (2017). Effect of square aerobic exercise on cardiovascular risk factors and health-related quality of life in Chinese women with type 2 diabetes. *International Journal of Diabetes in Developing Countries*, 37(2), 183–189. <https://doi.org/10.1007/s13410-016-0474-9>
- Liubaoerjin, Y., Terada, T., Fletcher, K., & Boule, N. G. (2016). Effect of aerobic exercise intensity on glycemic control in type 2 diabetes : a meta-analysis of head-to-head randomized trials. <https://doi.org/10.1007/s00592-016-0870-0>
- Maharaj, S. S., & Nuhu, J. M. (2015). The effect of rebound exercise and treadmill walking on the quality of life for patients with non-insulin-dependent type 2 diabetes. *International Journal of Diabetes in Developing Countries*, 35, 223–229. <https://doi.org/10.1007/s13410-015-0350-z>
- McArdle, W. D., Katch, F. I., & Katch, V. L. (2010). Exercise physiology : nutrition, energy and human performance / William D. McArdle, Frank I. Katch, Victor L. Katch. In *Exercise Physiological aspects*. (source)lcsh Nutrition. (source)lcsh (7th ed). London: Philadelphia, Pa. ; London : Wolters Kluwer/Lippincott Williams & Wilkins, c2010.
- McKay, H. G., King, D., Eakin, E. G., Seeley, J. R., & Glasgow, R. E. (2001). The Diabetes Network Internet-based physical activity intervention. *Diabetes Care*, 24, 1328–1334.
- Nursalam. (2020). *Penulis Literature Review Dan Systematic Review Pada Pendidikan Kesehatan (Contoh)*.
- Özdirenç, M., Biberoğlu, S., & Özcan, A. (2003). Evaluation of physical fitness in patients with Type 2 diabetes mellitus. *Diabetes Research and Clinical Practice*, 60(3), 171–176. [https://doi.org/10.1016/S0168-8227\(03\)00064-0](https://doi.org/10.1016/S0168-8227(03)00064-0)
- Paul, J., & Mary, M. A. (2014). A comparative study on the effectiveness of combined aerobic and resistance training to improve quality of life in type II diabetes. *International Journal of Pharma and Bio Sciences*, 5(1).

- Perkeni, Soelististijo, S. A., Hermina, N., Achmad, R., Ketut, S. P., Asman, M., ... Hendra, Z. (2015). *Konsensus Pengelolaan dan Pencegahan Diabetes melitus Tipe 2 di Indonesia2015* (Pertama). Pengurus Besar Perkumpulan Endokrinologi Indonesia (PB PERKENI).
- Perkumpulan Endokrinologi Indonesia. (2015). Konsensus Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2. *Dissertation Abstracts International Section A: Humanities and Social Sciences*, 71(2-A), 730. <https://doi.org/10.1017/CBO9781107415324.004>
- Physical Activity Guidelines Advisory Committee. (2008). Physical Activity Guidelines Advisory Committee Report, 2008. In *Medicine and Science in Sports and Exercise* (Vol. 33, p. 683). Washington, DC, U.S.: Department of Health and Human Services. <https://doi.org/10.1097/00005768-200110000-00027>
- Ponizovskiy, M. (2016). Role of Krebs Cycle in the Mechanism of Stability Internal Medium and Internal Energy in an Organism in Norm and in Mechanisms of Cancer Pathology. *Modern Chemistry & Applications*, 04(04). <https://doi.org/10.4172/2329-6798.1000191>
- Purwanto, B. (2016). *Kontraksi Eksentrik Respon Fisiologis Otot Mencegah Kerusakan*. In: *Kontraksi Eksentrik Respon Fisiologis Otot Mencegah Kerusakan*. Surabaya, Indonesia: PT. Revka Petra Media, Fakultas Kedokteran Unair.
- Richter, E. A., & Hargreaves, M. (2013). Exercise, GLUT4, and skeletal muscle glucose uptake. *Physiological Reviews*, 93(3), 993–1017. <https://doi.org/10.1152/physrev.00038.2012>
- Röhling, M., Herder, C., Stemper, T., & Müssig, K. (2016). Influence of Acute and Chronic Exercise on Glucose Uptake. *Journal of Diabetes Research*, 2016. <https://doi.org/10.1155/2016/2868652>
- S. Delevatti, R., Schuch, F. B., Kanitz, A. C., Alberton, C. L., Marson, E. C., Lisboa, S. C., ... Kruel, L. F. M. (2018). Quality of life and sleep quality are similarly improved after aquatic or dry-land aerobic training in patients with type 2 diabetes: A randomized clinical trial. *Journal of Science and Medicine in Sport*, 21(5), 483–488. <https://doi.org/10.1016/j.jsams.2017.08.024>
- Scheer, A. S., Naylor, L. H., Gan, S. K., Charlesworth, J., Benjanuvatra, N. A. T., Green, D. J., & Maiorana, A. J. (2020). *The Effects of Water-based Exercise Training in People with Type 2 Diabetes*. *Medicine and Science in Sports and Exercise* (Vol. 52). <https://doi.org/10.1249/MSS.0000000000002133>
- Shaw, J. E., Sicree, R. A., & Zimmet, P. Z. (2010). Global estimates of the prevalence of diabetes for 2010 and 2030. *Diabetes Research and Clinical*

Practice, 87(1), 4–14. <https://doi.org/10.1016/j.diabres.2009.10.007>

Sigal, R. J., Armstrong, M. J., Bacon, S. L., Boulé, N. G., Dasgupta, K., Kenny, G. P., & Riddell, M. C. (2018). Physical Activity and Diabetes. *Canadian Journal of Diabetes*, 42, S54–S63. <https://doi.org/10.1016/j.jcjd.2017.10.008>

Sigal, R. J., Armstrong, M. J., Colby, P., Kenny, G. P., Plotnikoff, R. C., Reichert, S. M., & Riddell, M. C. (2013). Physical Activity and Diabetes. *Canadian Journal of Diabetes*, 37(SUPPL.1), S40–S44. <https://doi.org/10.1016/j.jcjd.2013.01.018>

Sigal, R. J., Kenny, G. P., Boulé, N. G., Wells, G. A., Prud'homme, D., Fortier, M., ... Jaffey, J. (2007). Effects of aerobic training, resistance training, or both on glycemic control in type 2 diabetes: A randomized trial. *Annals of Internal Medicine*, 147(6), 357–369. <https://doi.org/10.7326/0003-4819-147-6-200709180-00005>

Snowling, N. J., & Hopkins, W. G. (2006). Effects of different modes of exercise training on glucose control and risk factors for complications in type 2 diabetic patients: A meta-analysis. *Diabetes Care*, 29(11), 2518–2527. <https://doi.org/10.2337/dc06-1317>

Sousa, N., Mendes, R., Silva, A., & Oliveira, J. (2017). Combined exercise is more effective than aerobic exercise in the improvement of fall risk factors: A randomized controlled trial in community-dwelling older men. *Clinical Rehabilitation*, 31(4), 478–486. <https://doi.org/10.1177/0269215516655857>

Spasić, A., Radovanović, R. V., Dordević, A. C., Stefanović, N., & Cvetković, T. (2014). Quality of life in type 2 diabetic patients. *Acta Facultatis Medicae Naissensis*, 31(3), 193–200. <https://doi.org/10.2478/afmnai-2014-0024>

Stocchi, Vi., Feo, P. De, & Hood, D. A. (2007). Role of Physical Exercise in Preventing Disease and Improving the Quality of Life - 2007. In *Professional book : Medicine & Public Health*. Italy: Springer. <https://doi.org/10.1007/978-88-470-0376-7>

Suntraluck, S., Tanaka, H., & Suksom, D. (2017). The Relative Efficacy of Land-Based and Water-Based Exercise Training on Macro- and Micro-Vascular Functions in Older Patients With Type 2 Diabetes. *Journal of Aging and Physical Activity*, 3.

Suryanto. (2009). Peran Senam Diabetes Indonesia Bagi Penderita Diabetes Mellitus. *Medikora*, 5(2), 173–184.

Tapehsari, B. S., Mohammad, M. A., Khamseh, E., Seifouri, S., & Nojomi, M. (2020). Physical Activity and Quality of Life in People with Type 2 Diabetes

Mellitus: A Randomized Controlled Trial Abstract. *International Journal of Preventive Medicine*, 11(9), 1–6. <https://doi.org/10.4103/ijpvm.IJPVM>

Taylor, J. D., Fletcher, J. P., Mathis, R. A., & Cade, W. T. (2014a). Effects of Moderate- Versus High- Intensity Exercise Training on Physical Fitness and Physical Function in People With Type 2 Diabetes: A Randomized Clinical Trial. *Physical Therapy*, 94(12), 1720–1731.

Taylor, J. D., Fletcher, J. P., Mathis, R. A., & Cade, W. T. (2014b). Effects of Moderate- Versus High-Intensity Exercise Training on Physical Fitness and Physical Function in People With Type 2 Diabetes: A Randomized Clinical Trial. *Physical Therapy*, 94(12), 1720–1730. <https://doi.org/10.2522/ptj.20140097>

Taylor, J. D., Fletcher, J. P., & Tiarks, J. (2009). Impact of Physical Therapist-Directed Exercise Counseling Combined With Fitness Center-Based Exercise Training on Muscular Strength and Exercise Capacity in People With Type 2 Diabetes: A Randomized Clinical Trial. *Physical Therapy*, 89(9), 884–892. <https://doi.org/10.2522/ptj.20080253>

Tokmakidis, S. P., Touvra, A. M., Douda, H. T., Smilios, I., Kotsa, K., & Volaklis, K. A. (2014). Training, detraining, and retraining effects on glycemic control and physical fitness in women with type 2 diabetes. *Hormone and Metabolic Research*, 46(13), 974–979. <https://doi.org/10.1055/s-0034-1390483>

Tomas-Carus, P., Ortega-Alonso, A., Pietiläinen, K. H., Santos, V., Gonçalves, H., Ramos, J., & Raimundo, A. (2016). A randomized controlled trial on the effects of combined aerobic- resistance exercise on muscle strength and fatigue, glycemic control and health- related quality of life of type 2 diabetes patients Paper. *The Journal of Sports Medicine and Physical Fitness Abstract*, 56(5), 572–578.

Ucok, K., Yalcinkaya, H., Acay, A., Coban, N. F., Aslanalp, S., Akkan, G., ... Ahsen, A. (2015). Do patients with newly diagnosed type 2 diabetes have impaired physical fitness, and energy expenditures? *Netherlands Journal of Medicine*, 73(6), 276–283.

Van Der Heijden, M. M. P., Van Dooren, F. E. P., Pop, V. J. M., & Pouwer, F. (2013). Effects of exercise training on quality of life, symptoms of depression, symptoms of anxiety and emotional well-being in type 2 diabetes mellitus: A systematic review. *Diabetologia*, 56(6), 1210–1225. <https://doi.org/10.1007/s00125-013-2871-7>

Volpato, S., Blaum, C., Resnick, H., Ferrucci, L., Fried, L. P., & Guralnik, J. M. (2002). Comorbidities and impairments explaining the association between diabetes and lower extremity disability: The women's health and aging study.

Diabetes Care, 25(4), 678–683. <https://doi.org/10.2337/diacare.25.4.678>

Wilmot, E. G., Edwardson, C. L., Achana, F. A., Davies, M. J., Gorely, T., Gray, L. J., ... Biddle, S. J. H. (2012). Sedentary time in adults and the association with diabetes, cardiovascular disease and death: Systematic review and meta-analysis. *Diabetologia*, 55(11), 2895–2905. <https://doi.org/10.1007/s00125-012-2677-z>

World Health Organization. (2016). Global Report on Diabetes. *GLOBAL REPORT ON DIABETES*.

Yardley, J. E., Kenny, G. P., Perkins, B. A., Riddell, M. C., Malcolm, J., Boulay, P., ... Sigal, R. J. (2012). Effects of performing resistance exercise before versus after aerobic exercise on glycemia in type 1 diabetes. *Diabetes Care*, 35(4), 669–675. <https://doi.org/10.2337/dc11-1844>

Youssef, M. K. (2019). Effect of walking and aerobic exercise on physical performance and depression in cases of type 2 diabetes mellitus. *The Egyptian Journal of Internal Medicine*, 31(2), 142–148. <https://doi.org/10.4103/ejim.ejim>