

DAFTAR PUSTAKA

- Abdelrahman, M. (2020) ‘Personality Traits, Risk Perception, and Protective Behaviors of Arab Residents of Qatar During the COVID-19 Pandemic’, *International Journal of Mental Health and Addiction*. doi: 10.1007/s11469-020-00352-7.
- Achan, J. (2020) ‘Children Worst Hit By The Covid 19 Lockdown In Uganda’, *New Vision*. Available at: <https://www.newvision.co.ug/news/1520911/children-worst-hit-covid-19-lockdown-uganda>.
- Adhikari, S. P. *et al.* (2020) ‘Epidemiology, causes, clinical manifestation and diagnosis, prevention and control of coronavirus disease (COVID-19) during the early outbreak period: a scoping review.’, *Infectious diseases of poverty*, 9(1), p. 29. doi: 10.1186/s40249-020-00646-x.
- Adom, D. and Adu Mensah, J. (2020) ‘The Psychological Distress and Mental Health Disorders from COVID-19 Stigmatization in Ghana’, *SSRN Electronic Journal*. doi: 10.2139/ssrn.3599756.
- Aid, F. *et al.* (2009) ‘NCCTS Leadership: Psychological First Aid’, pp. 1–3. Available at: www.nctsn.org.
- Akoury-Dirani, L. *et al.* (2015) ‘Psychological first aid training for Lebanese field workers in the emergency context of the Syrian refugees in Lebanon’, *Psychological Trauma: Theory, Research, Practice, and Policy*, 7(6), pp. 533–538. doi: 10.1037/tra0000028.
- Ali, S. *et al.* (2020) ‘Risk assessment of healthcare workers at the frontline against COVID-19’, *Pakistan Journal of Medical Sciences*, 36(COVID19-S4), pp. S99–S103. doi: 10.12669/pjms.36.COVID19-S4.2790.
- Alkhamees, A. A. *et al.* (2020) ‘The psychological impact of COVID-19 pandemic on the general population of Saudi Arabia’, *Comprehensive Psychiatry*, 102. doi: 10.1016/j.comppsy.2020.152192.
- Almuttaqi, A. I. (2020) ‘Kekacauan Respons terhadap COVID-19 di Indonesia’, *The Insights*, 1(13), pp. 1–7.
- American Psychological Association (2016) *Stress in America: The impact of discrimination, Stress in America Survey*. Available at: www.stressinamerica.org.
- Anderson, D. (2017) ‘Crisis intervention handbook: assessment, treatment, and research’, *European Journal of Social Work*, 20(5), pp. 786–788. doi: 10.1080/13691457.2017.1345171.
- Angeletti, S. *et al.* (2020) ‘COVID-2019: The role of the nsp2 and nsp3 in its pathogenesis’, *Journal of Medical Virology*. doi: 10.1002/jmv.25719.
- Armitage, C. J. *et al.* (2017) ‘Preliminary support for a brief psychological

- intervention to improve first-time hearing aid use among adults’, *British Journal of Health Psychology*, 22(4), pp. 686–700. doi: 10.1111/bjhp.12244.
- Azzollini, S. C. *et al.* (2018) ‘Applications of Psychological First Aid in Disaster and Emergency Situations: Its Relationship with Decision-Making’, *Athens Journal of Social Sciences*, 5(2), pp. 201–214. doi: 10.30958/ajss.5-2-5.
- Bagcchi, S. (2020) ‘Stigma during the COVID-19 pandemic’, *The Lancet. Infectious diseases*, 20(7), p. 782. doi: 10.1016/S1473-3099(20)30498-9.
- Baloran, E. T. (2020) ‘Knowledge, Attitudes, Anxiety, and Coping Strategies of Students during COVID-19 Pandemic’, *Journal of Loss and Trauma*, 25(8), pp. 635–642. doi: 10.1080/15325024.2020.1769300.
- Brennaman, L. (2012) ‘Crisis Emergencies for Individuals With Severe, Persistent Mental Illnesses: A Situation-Specific Theory’, *Archives of Psychiatric Nursing*. Elsevier Inc., 26(4), pp. 251–260. doi: 10.1016/j.apnu.2011.11.001.
- Brondani, M. A., Alan, R. and Donnelly, L. (2017) ‘Stigma of addiction and mental illness in healthcare: The case of patients’ experiences in dental settings’, *PLoS ONE*, 12(5). doi: 10.1371/journal.pone.0177388.
- Bruns, D. P., Kraguljac, N. V. and Bruns, T. R. (2020) ‘COVID-19: Facts, Cultural Considerations, and Risk of Stigmatization’, *Journal of Transcultural Nursing*, 31(4), pp. 326–332. doi: 10.1177/1043659620917724.
- Buana, D. R. (2020) ‘Analisis Perilaku Masyarakat Indonesia dalam Menghadapi Pandemi Virus Corona (Covid-19) dan Kiat Menjaga Kesejahteraan Jiwa’, *SALAM: Jurnal Sosial dan Budaya Syar-i*. doi: 10.15408/sjsbs.v7i3.15082.
- Busby Grant, J., Bruce, C. P. and Batterham, P. J. (2016) ‘Predictors of personal, perceived and self-stigma towards anxiety and depression’, *Epidemiology and Psychiatric Sciences*, 25(3), pp. 247–254. doi: 10.1017/S2045796015000220.
- Cai, H. *et al.* (2020) ‘Psychological impact and coping strategies of frontline medical staff in Hunan between January and March 2020 during the outbreak of coronavirus disease 2019 (COVID) in Hubei, China’, *Medical Science Monitor*, 26. doi: 10.12659/MSM.924171.
- Chan, A. K. M. *et al.* (2020) ‘Rapid cycle system improvement for COVID-19 readiness: integrating deliberate practice, psychological safety and vicarious learning’, *BMJ Simulation and Technology Enhanced Learning*, p. bmjstel-2020-000635. doi: 10.1136/bmjstel-2020-000635.
- Chen, H. *et al.* (2020) ‘Clinical characteristics and intrauterine vertical transmission potential of COVID-19 infection in nine pregnant women: a retrospective review of medical records’, *The Lancet*. doi:

10.1016/S0140-6736(20)30360-3.

- Cheng, P. *et al.* (2020) ‘COVID-19 Epidemic Peer Support and Crisis Intervention Via Social Media’, *Community Mental Health Journal*, 56(5), pp. 786–792. doi: 10.1007/s10597-020-00624-5.
- Chopra, K. K. and Arora, V. K. (2020) ‘Covid-19 and social stigma: Role of scientific community’, *Indian Journal of Tuberculosis*, pp. 284–285. doi: 10.1016/j.ijtb.2020.07.012.
- Clement, S. *et al.* (2015) ‘What is the impact of mental health-related stigma on help-seeking? A systematic review of quantitative and qualitative studies’, *Psychological Medicine*, pp. 11–27. doi: 10.1017/S0033291714000129.
- Crowe, A., Averett, P. and Glass, J. S. (2016) ‘Mental illness stigma, psychological resilience, and help seeking: What are the relationships?’, *Mental Health and Prevention*, 4(2), pp. 63–68. doi: 10.1016/j.mhp.2015.12.001.
- Dewi, W. P., Lidiawati, K. R. and Pratiwi, P. C. (2019) ‘Pelayanan Trauma Healing Bagi Korban Gempa Lombok’, *Prosiding Konferensi Nasional Pengabdian Kepada Masyarakat dan Corporate Social Responsibility (PKM-CSR)*, 2, pp. 610–617. doi: 10.37695/pkmcsr.v2i0.341.
- Dieltjens, T. *et al.* (2014a) ‘A systematic literature search on psychological first aid: Lack of evidence to develop guidelines’, *PLoS ONE*. doi: 10.1371/journal.pone.0114714.
- Dieltjens, T. *et al.* (2014b) ‘A systematic literature search on psychological first aid: Lack of evidence to develop guidelines’, *PLoS ONE*. doi: 10.1371/journal.pone.0114714.
- Duan, L. and Zhu, G. (2020) ‘Psychological interventions for people affected by the COVID-19 epidemic’, *The Lancet Psychiatry*, 7(4), pp. 300–302. doi: 10.1016/S2215-0366(20)30073-0.
- Duff, E. (2020) ‘Global health emergency declared by WHO’, *Midwifery*, 83(PG-102668), p. 102668. doi: <https://doi.org/10.1016/j.midw.2020.102668>.
- Edwards-Stewart, A. *et al.* (2012) ‘Introducing Embedded Indigenous Psychological Support Teams: A Suggested Addition to Psychological First Aid in an International Context’, *International Journal of Emergency Mental Health*.
- Elam-Evans, L. D. *et al.* (2020) ‘National, Regional, State, and Selected Local Area Vaccination Coverage Among Adolescents Aged 13–17 Years — United States, 2019’, *MMWR. Morbidity and Mortality Weekly Report*, 69(33), pp. 1109–1116. doi: 10.15585/mmwr.mm6933a1.
- Everly, G. S. *et al.* (2010) ‘The use of psychological first aid (PFA) training among nurses to enhance population resiliency’, *International Journal of Emergency Mental Health*.

- Everly, G. S. *et al.* (2014) ‘The development of a model of psychological first aid for non-mental health trained public health personnel: The Johns Hopkins RAPID-PFA’, *Journal of Public Health Management and Practice*, 20(SUPPL. 5). doi: 10.1097/PHH.0000000000000065.
- Everly, G. S., Barnett, D. J. and Links, J. M. (2012) ‘The Johns Hopkins model of psychological first aid (RAPID - PFA): Curriculum development and content validation’, *International Journal of Emergency Mental Health*.
- Expert Team of Chinese Medical Association Nephrology (2020) ‘Expert consensus on diagnosis and treatment of 2019 novel coronavirus (2019-nCoV) infection with acute kidney injury’, *Chinese Journal of Nephrology*, 36(00), pp. E005–E005. doi: 10.3760/CMA.J.CN441217-20200222-00035.
- Fitzpatrick, K. M., Harris, C. and Drawve, G. (2020) ‘Fear of COVID-19 and the Mental Health Consequences in America’, *Psychological Trauma: Theory, Research, Practice, and Policy*. doi: 10.1037/tra0000924.
- Forbes, D. *et al.* (2011) ‘Psychological first aid following Trauma: Implementation and evaluation framework for high-risk organizations’, *Psychiatry*, 74(3), pp. 224–239. doi: 10.1521/psyc.2011.74.3.224.
- Fox, J. H. *et al.* (2012) ‘The effectiveness of psychological first aid as a disaster intervention tool: Research analysis of peer-reviewed literature from 1990-2010’, *Disaster Medicine and Public Health Preparedness*, pp. 247–252. doi: 10.1001/dmp.2012.39.
- Gao, Y. *et al.* (2020) ‘Diagnostic Utility of Clinical Laboratory Data Determinations for Patients with the Severe COVID-19.’, *Journal of medical virology*. doi: 10.1002/jmv.25770.
- Garg, S. *et al.* (2020) ‘Primary Health Care Facility Preparedness for Outpatient Service Provision During the COVID-19 Pandemic in India: Cross-Sectional Study’, *JMIR Public Health and Surveillance*, 6(2), p. e19927. doi: 10.2196/19927.
- Goni, M. D. *et al.* (2019) ‘Assessment of knowledge, attitude and practice towards prevention of respiratory tract infections among hajj and umrah pilgrims from Malaysia in 2018’, *International Journal of Environmental Research and Public Health*, 16(22), pp. 1–11. doi: 10.3390/ijerph16224569.
- González-Sanguino, C. *et al.* (2020) ‘Mental health consequences during the initial stage of the 2020 Coronavirus pandemic (COVID-19) in Spain’, *Brain, Behavior, and Immunity*, 87, pp. 172–176. doi: 10.1016/j.bbi.2020.05.040.
- Guo, Y.-R. *et al.* (2020) ‘The origin, transmission and clinical therapies on coronavirus disease 2019 (COVID-19) outbreak – an update on the status’, *Military Medical Research*, 7(1). doi: 10.1186/s40779-020-00240-0.

- Hall, K. S. *et al.* (2018) ‘Factors associated with sexual and reproductive health stigma among adolescent girls in Ghana’, *PLoS ONE*, 13(4). doi: 10.1371/journal.pone.0195163.
- Hambrick, E. P. *et al.* (2014) ‘Towards successful Dissemination of Psychological First Aid: A study of provider training preferences’, *Journal of Behavioral Health Services and Research*, 41(2), pp. 203–215. doi: 10.1007/s11414-013-9362-y.
- Hart, J. L. *et al.* (2020) ‘Family-Centered Care During the COVID-19 Era’, *Journal of Pain and Symptom Management*, 60(2), pp. e93–e97. doi: 10.1016/j.jpainsymman.2020.04.017.
- Health Ministry of Indonesia (2020) ‘Guideline to Prevent Coronavirus Disease (COVID-19) in Indonesia’, *GERMAS*.
- Hill, J. W. (2013) ‘A Psychological First Aid Guide for Ohio Colleges and Universities’, pp. 1–2.
- Ho, C. S., Chee, C. Y. and Ho, R. C. (2020a) ‘Mental Health Strategies to Combat the Psychological Impact of COVID-19 Beyond Paranoia and Panic.’, *Annals of the Academy of Medicine, Singapore*, 49(1), pp. 1–3. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/32200399>.
- Ho, C. S., Chee, C. Y. and Ho, R. C. (2020b) ‘Mental Health Strategies to Combat the Psychological Impact of COVID-19 Beyond Paranoia and Panic.’, *Annals of the Academy of Medicine, Singapore*, 49(1), pp. 1–3.
- Huang, L., Xu, F. M. and Liu, H. R. (2020) ‘Emotional responses and coping strategies of nurses and nursing college students during COVID-19 outbreak’, *medRxiv*, p. 2020.03.05.20031898. doi: 10.1101/2020.03.05.20031898.
- Huang, Y. and Zhao, N. (2020) ‘Mental health burden for the public affected by the COVID-19 outbreak in China: Who will be the high-risk group?’, *Psychology, Health and Medicine*. doi: 10.1080/13548506.2020.1754438.
- Inchausti, F., Salud, R., *et al.* (2020) ‘Psychological intervention and COVID-19: What we know so far and what we can do’, *Preprint*. Springer US, (April), pp. 1–21. doi: 10.31234/osf.io/8svfa.
- Inchausti, F., MacBeth, A., *et al.* (2020) ‘Psychological Intervention and COVID-19: What We Know So Far and What We Can Do’, *Journal of Contemporary Psychotherapy*. doi: 10.1007/s10879-020-09460-w.
- Islam, M. S. *et al.* (2020) ‘COVID-19–Related Infodemic and Its Impact on Public Health: A Global Social Media Analysis’, *The American Journal of Tropical Medicine and Hygiene*. doi: 10.4269/ajtmh.20-0812.
- Jacobs, G. A. *et al.* (2016) ‘Disaster Mental Health and Community-Based Psychological First Aid: Concepts and Education/Training’, *Journal of Clinical Psychology*. doi: 10.1002/jclp.22316.
- Jelahut, F. E. *et al.* (2020) ‘Human security , social stigma , and global health : the

- COVID-19 pandemic in Indonesia’, *Jambura Journal of Health Sciences and Research*, 2(1), pp. 72–79. doi: <https://doi.org/10.24252/jurnalisa.v6i1.13921>.
- Jia, H. (2020) ‘Diagnosing COVID-19’, *CHEMICAL & ENGINEERING NEWS*.
- Jiang, R. *et al.* (2020) ‘The Lancet Mental health status of doctors and nurses during COVID-19 epidemic in China Title page Mental health status of doctors and nurses during COVID-19 epidemic in China’, *The Lancet*.
- Jin, J. M. *et al.* (2020) ‘Gender Differences in Patients With COVID-19: Focus on Severity and Mortality’, *Frontiers in Public Health*, 8. doi: 10.3389/fpubh.2020.00152.
- jin Zhang, J. *et al.* (2020) ‘Clinical characteristics of 140 patients infected with SARS-CoV-2 in Wuhan, China’, *Allergy: European Journal of Allergy and Clinical Immunology*. doi: 10.1111/all.14238.
- Jung, S. J. and Jun, J. Y. (2020) ‘Mental Health and Psychological Intervention Amid COVID-19 Outbreak: Perspectives from South Korea.’, *Yonsei medical journal*, 61(4), pp. 271–272. doi: 10.3349/ymj.2020.61.4.271.
- Kang, L. *et al.* (2020) ‘Impact on mental health and perceptions of psychological care among medical and nursing staff in Wuhan during the 2019 novel coronavirus disease outbreak : A cross-sectional study’, *Brain , Behavior , and Immunity*, (March), pp. 1–7. doi: 10.1016/j.bbi.2020.03.028.
- Kannan, S. *et al.* (2020) ‘COVID-19 (Novel Coronavirus 2019) - recent trends’, *European Review for Medical and Pharmacological Sciences*. doi: 10.26355/eurrev_202002_20378.
- Kar, S. K. *et al.* (2020) ‘Coping with Mental Health Challenges During COVID-19’, in, pp. 199–213. doi: 10.1007/978-981-15-4814-7_16.
- Kartono, D. T. (2020) ‘Pentingnya Solidaritas untuk Mendukung Social Distancing’, *Www.Inews.Id*. Available at: <https://www.inews.id/news/nasional/pentingnya-solidaritas-untuk-mendukung-social-distancing>.
- Kemenkes RI (2020) *PEDOMAN KESIAPSIAGAAN MENGHADAPI CORONAVIRUS DISEASE (COVID-19)*, *Pedoman kesiapan menghadapi COVID-19*. Jakarta: Kementerian Kesehatan RI.
- Kim, J.-H. *et al.* (2020) ‘How South Korea Responded to the Covid-19 Outbreak in Daegu’, *NEJM Catalyst*, 1(4). doi: 10.1056/cat.20.0159.
- Kirrane, M. *et al.* (2017) ‘Linking perceived management support with employees’ readiness for change: the mediating role of psychological capital’, *Journal of Change Management*, 17(1), pp. 47–66. doi: 10.1080/14697017.2016.1214615.
- Kılıç, N. (2017) ‘Psychological first aid and nursing’, *Journal of Psychiatric Nursing*. doi: 10.14744/phd.2017.76376.

- Kılıç, N. and Şimşek, N. (2019) 'The effects of psychological first aid training on disaster preparedness perception and self-efficacy', *Nurse Education Today*, 83. doi: 10.1016/j.nedt.2019.104203.
- Kobayashi, T. *et al.* (2020) 'Communicating the Risk of Death from Novel Coronavirus Disease (COVID-19)', *Journal of Clinical Medicine*, 9(2), p. 580. doi: 10.3390/jcm9020580.
- Kumar, S., Poonam and Rathi, B. (2020) 'Coronavirus Disease COVID-19: A New Threat to Public Health', *Current topics in medicinal chemistry*, (PG-), p. 10.2174/1568026620999200305144319. doi: 10.2174/1568026620999200305144319.
- Kupferschmidt, K. and Cohen, J. (2020) 'Can China's COVID-19 strategy work elsewhere?', *Science*, 367(6482), pp. 1061–1062. doi: 10.1126/science.367.6482.1061.
- L. Williams, J., Gonzalez-Medina, D. J. and Vu Le, Q. (2011) 'Infectious diseases and social stigma', *Medical and Health Science Journal*, 7, pp. 2–14. doi: 10.15208/mhsj.2011.127.
- Lai, J. *et al.* (2020) 'Factors Associated With Mental Health Outcomes Among Health Care Workers Exposed to Coronavirus Disease 2019', *JAMA network open*, 3(3), p. e203976. doi: 10.1001/jamanetworkopen.2020.3976.
- Lamb, L. E. *et al.* (2020) 'Rapid Detection of Novel Coronavirus (COVID-19) by Reverse Transcription-Loop-Mediated Isothermal Amplification', *medRxiv*, p. 2020.02.19.20025155. doi: 10.1101/2020.02.19.20025155.
- Lawlor, C. *et al.* (2012) 'Ethnic variations in pathways to acute care and compulsory detention for women experiencing a mental health crisis', *International Journal of Social Psychiatry*, 58(1), pp. 3–15. doi: 10.1177/0020764010382369.
- Lei, L. *et al.* (2020) 'Clinical characteristics of 51 patients discharged from hospital with COVID-19 in Chongqing, China', *medRxiv*. doi: 10.1101/2020.02.20.20025536.
- Lewis, V. *et al.* (2014a) 'Organizational implementation of psychological first aid (PFA): Training for managers and peers', *Psychological Trauma: Theory, Research, Practice, and Policy*. doi: 10.1037/a0032556.
- Lewis, V. *et al.* (2014b) 'Organizational implementation of psychological first aid (PFA): Training for managers and peers', *Psychological Trauma: Theory, Research, Practice, and Policy*, 6(6), pp. 619–623. doi: 10.1037/a0032556.
- Li, S. *et al.* (2020) 'The impact of covid-19 epidemic declaration on psychological consequences: A study on active weibo users', *International Journal of Environmental Research and Public Health*, 17(6). doi: 10.3390/ijerph17062032.

- Li, W. *et al.* (2020) ‘Progression of Mental Health Services during the COVID-19 Outbreak in China’, *International journal of biological sciences*, 16(10), pp. 1732–1738. doi: 10.7150/ijbs.45120.
- Li, X. *et al.* (2020) ‘Molecular immune pathogenesis and diagnosis of COVID-19’, *Journal of Pharmaceutical Analysis*. doi: 10.1016/j.jpha.2020.03.001.
- Li, Z. (2020) ‘The Lancet Coping style , social support and psychological distress in the general Chinese population in the early stages of the COVID-2019 epidemic Click here to access / download Necessary additional data Title page-submit . docx’, *The Lancet*.
- Li, Z. *et al.* (2020) ‘Vicarious traumatization in the general public, members, and non-members of medical teams aiding in COVID-19 control’, *Brain, Behavior, and Immunity*. Elsevier, (March), pp. 0–1. doi: 10.1016/j.bbi.2020.03.007.
- Liu, C. *et al.* (2020) ‘The prevalence and influencing factors for anxiety in medical workers fighting COVID-19 in China: A cross-sectional survey’, *medRxiv*, p. 2020.03.05.20032003. doi: 10.1101/2020.03.05.20032003.
- Liu, D. and Liu, D. (2020) ‘The Lancet Psychiatry Psychological impact and predisposing factors of the coronavirus disease 2019 (COVID-19) pandemic on general public in China’, *The Lancet*, 2019.
- LU, X. *et al.* (2020) ‘Clinical analysis of 2019 coronavirus disease (COVID-19) on one case with living-related kidney transplantation’, *Chinese Journal of Organ Transplantation*, 41(0 PG-6–6), pp. E006–E006. Available at: NS -.
- Manderson, L. and Levine, S. (2020) ‘COVID-19, Risk, Fear, and Fall-out’, *Medical Anthropology*. Routledge, 00(00), pp. 1–4. doi: 10.1080/01459740.2020.1746301.
- Martín-Aragón-Gelabert, M. and Terol-Cantero, M. C. (2020) ‘Post-COVID-19 psychosocial intervention in healthcare professionals (Intervención psicosocial postCOVID-19 en personal sanitario)’, *Revista de Psicología Social*, 35(3), pp. 664–669. doi: 10.1080/02134748.2020.1783854.
- McCabe, O. L. *et al.* (2011) ‘Psychological first-aid training for paraprofessionals: A systems-based model for enhancing capacity of rural emergency responses’, *Prehospital and Disaster Medicine*. doi: 10.1017/S1049023X11006297.
- McElroy, E. *et al.* (2020) ‘Demographic and health factors associated with pandemic anxiety in the context of COVID-19’, *British Journal of Health Psychology*. doi: 10.1111/bjhp.12470.
- Mengcen Qian, Qianhui Wu, Peng Wu, Zhiyuan Hou, Yuxia Liang, Benjamin J. Cowling, H. Y. (2013) ‘Psychological responses, behavioral changes and public perceptions during the early phase of the COVID-19 outbreak in China: a population based cross-sectional survey’, *Journal of Chemical*

- Information and Modeling*, 53(9), pp. 1689–1699. doi: 10.1017/CBO9781107415324.004.
- Minihan, E. *et al.* (2020) ‘Covid-19, Mental Health and Psychological First Aid’, *Irish Journal of Psychological Medicine*. doi: 10.1017/ipm.2020.41.
- Mitzel, L. D. *et al.* (2015) ‘Depressive Symptoms Mediate the Effect of HIV-Related Stigmatization on Medication Adherence Among HIV-Infected Men Who Have Sex with Men’, *AIDS and Behavior*, 19(8), pp. 1454–1459. doi: 10.1007/s10461-015-1038-6.
- Mukhtar, S. (2020) ‘Mental Health and Psychosocial Aspects of Coronavirus Outbreak in Pakistan: Psychological’, *Asian Journal of Psychiatry*, 51(January), p. 102069. doi: 10.1016/j.ajp.2020.102069.
- Myer, R. A. and Conte, C. (2006) ‘Assessment for crisis intervention’, in *Journal of Clinical Psychology*, pp. 959–970. doi: 10.1002/jclp.20282.
- Myer, R. A. and Moore, H. B. (2006) ‘Crisis in context theory: An ecological model’, *Journal of Counseling and Development*, 84(2), pp. 139–147. doi: 10.1002/j.1556-6678.2006.tb00389.x.
- Mykhalchuk, N. *et al.* (2020) ‘The empirical research of the professional reliability of 550 doctors during the COVID-19 pandemic in Ukraine (March-June, 2020)’, *Balneo Research Journal*. doi: 10.12680/balneo.2020.368.
- Nemati, M., Ebrahimi, B. and Nemati, F. (2020) ‘Assessment of Iranian nurses’ knowledge and anxiety toward covid-19 during the current outbreak in Iran’, *Archives of Clinical Infectious Diseases*, 15(COVID-19). doi: 10.5812/archcid.102848.
- Nguyen, H. C. *et al.* (2020) ‘People with Suspected COVID-19 Symptoms Were More Likely Depressed and Had Lower Health-Related Quality of Life: The Potential Benefit of Health Literacy’, *Journal of Clinical Medicine*, 9(4), p. 965. doi: 10.3390/jcm9040965.
- Nursalam, N. *et al.* (2020) ‘Risk factors for psychological impact and social stigma among people facing COVID 19: A systematic review’, *Systematic Reviews in Pharmacy*, pp. 1022–1028. doi: 10.31838/srp.2020.6.146.
- Oh, J. *et al.* (2020) ‘National Response to COVID-19 in the Republic of Korea and Lessons Learned for Other Countries’, *Health Systems and Reform*. doi: 10.1080/23288604.2020.1753464.
- Ornell, F. *et al.* (2020) ‘“Pandemic fear” and COVID-19: mental health burden and strategies.’, *Revista brasileira de psiquiatria (Sao Paulo, Brazil: 1999)*, 00(00), pp. 10–13. doi: 10.1590/1516-4446-2020-0008.
- Orrù, G. *et al.* (2020) ‘Psychological intervention measures during the COVID-19 pandemic’, *Clinical Neuropsychiatry*, 17(2), pp. 76–79. doi: 10.36131/CN20200208.

- Papish, A. *et al.* (2013) ‘Reducing the stigma of mental illness in undergraduate medical education: A randomized controlled trial’, *BMC Medical Education*. *BMC Medical Education*, 13(1), p. 1. doi: 10.1186/1472-6920-13-141.
- PDPI (2020) *PNEUMONIA Covid-19 DIAGNOSIS & PENATALAKSANAAN DI INDONESIA*.
- Pedersen, E. R. and Paves, A. P. (2014) ‘Comparing perceived public stigma and personal stigma of mental health treatment seeking in a young adult sample’, *Psychiatry Research*, 219(1), pp. 143–150. doi: 10.1016/j.psychres.2014.05.017.
- Phelan, J. C. *et al.* (2014) ‘Stigma, status, and population health’, *Social Science and Medicine*, 103, pp. 15–23. doi: 10.1016/j.socscimed.2013.10.004.
- Prime, H., Wade, M. and Browne, D. T. (2020) ‘Risk and resilience in family well-being during the COVID-19 pandemic’, *American Psychologist*. doi: 10.1037/amp0000660.
- Puhl, R. and Suh, Y. (2015) ‘Health Consequences of Weight Stigma: Implications for Obesity Prevention and Treatment’, *Current obesity reports*, pp. 182–190. doi: 10.1007/s13679-015-0153-z.
- Qiu, J. *et al.* (2020a) ‘A nationwide survey of psychological distress among Chinese people in the COVID-19 epidemic: Implications and policy recommendations’, *General Psychiatry*, 33(2), pp. 19–21. doi: 10.1136/gpsych-2020-100213.
- Qiu, J. *et al.* (2020b) ‘A nationwide survey of psychological distress among Chinese people in the COVID-19 epidemic: Implications and policy recommendations’, *General Psychiatry*. doi: 10.1136/gpsych-2020-100213.
- Ramaci, T. *et al.* (2020) ‘Social stigma during COVID-19 and its impact on HCWs outcomes’, *Sustainability (Switzerland)*, 12(9). doi: 10.3390/su12093834.
- Roberts, A. R. (1990) ‘An overview of crisis theory and crisis intervention’, in *Crisis intervention handbook: Assessment, treatment and research BT - Crisis intervention handbook: Assessment, treatment and research*.
- Roberts, A. R. (2002) ‘Assessment, Crisis Intervention, and Trauma Treatment: The Integrative ACT Intervention Model’, *Brief Treatment and Crisis Intervention*, 2(1), pp. 1–22. doi: 10.1093/brief-treatment/2.1.1.
- Rochmyaningsih, D. (2020) ‘Indonesia finally reports two coronavirus cases. Scientists worry it has many more’, *Science*. doi: 10.1126/science.abb5653.
- Rodriguez-Morales, A. J. *et al.* (2020) ‘COVID-19 in Latin America: The implications of the first confirmed case in Brazil’, *Travel Medicine and Infectious Disease*. doi: 10.1016/j.tmaid.2020.101613.

- Rose, S. C. *et al.* (2002) 'Psychological debriefing for preventing post traumatic stress disorder (PTSD)', *Cochrane Database of Systematic Reviews*. doi: 10.1002/14651858.cd000560.
- Rothan, H. A. and Byrareddy, S. N. (2020) 'The epidemiology and pathogenesis of coronavirus disease (COVID-19) outbreak', *Journal of Autoimmunity*. doi: 10.1016/j.jaut.2020.102433.
- Roy, D. *et al.* (2020) 'Study of knowledge, attitude, anxiety & perceived mental healthcare need in Indian population during COVID-19 pandemic', *Asian Journal of Psychiatry*, 51. doi: 10.1016/j.ajp.2020.102083.
- Rozenberg, S., Vandromme, J. and Charlotte, M. (2020) 'Are we equal in adversity? Does Covid-19 affect women and men differently?', *Maturitas*, pp. 62–68. doi: 10.1016/j.maturitas.2020.05.009.
- Rüsch, N. *et al.* (2014) 'Longitudinal course of self-labeling, stigma stress and well-being among young people at risk of psychosis', *Schizophrenia Research*, 158(1–3), pp. 82–84. doi: 10.1016/j.schres.2014.07.016.
- Saltzman, L. Y., Hansel, T. C. and Bordnick, P. S. (2020) 'Loneliness, Isolation, and Social Support Factors in Post-COVID-19 Mental Health', *Psychological Trauma: Theory, Research, Practice, and Policy*. doi: 10.1037/tra0000703.
- Schnyder, N. *et al.* (2017) 'Association between mental health-related stigma and active help-seeking: Systematic review and meta-analysis', *British Journal of Psychiatry*, pp. 261–268. doi: 10.1192/bjp.bp.116.189464.
- Shechter, A. *et al.* (2020) 'Psychological distress, coping behaviors, and preferences for support among New York healthcare workers during the COVID-19 pandemic', *General Hospital Psychiatry*, 66, pp. 1–8. doi: 10.1016/j.genhosppsy.2020.06.007.
- Shultz, J. and Forbes, D. (2014) 'Psychological First Aid: Rapid proliferation and the search for evidence', *Disaster Health*. doi: 10.4161/dish.26006.
- Singaravelu, V. (2012) 'Psychological First Aid: Field Worker's Guide', pp. 1–27. doi: 10.1111/j.1746-1561.1963.tb00427.x.
- Smith, R. A. (2012) 'An Experimental Test of Stigma Communication Content with a Hypothetical Infectious Disease Alert', *Communication Monographs*, 79(4), pp. 522–538. doi: 10.1080/03637751.2012.723811.
- Staines, A. *et al.* (2020) 'COVID-19: patient safety and quality improvement skills to deploy during the surge', *International Journal for Quality in Health Care*. doi: 10.1093/intqhc/mzaa050.
- Stybel, L. J. (1994) 'Crisis Intervention Strategies', *American Journal of Psychotherapy*, 48(1), pp. 165–166. doi: 10.1176/appi.psychotherapy.1994.48.1.165a.
- Sun, K., Chen, J. and Viboud, C. (2020) 'Early epidemiological analysis of the coronavirus disease 2019 outbreak based on crowdsourced data: a

- population-level observational study’, *The Lancet Digital Health*. doi: 10.1016/S2589-7500(20)30026-1.
- Sun, L. *et al.* (2020) ‘Prevalence and Risk Factors of Acute Posttraumatic Stress Symptoms during the COVID-19 Outbreak in Wuhan, China’, *medRxiv*. doi: 10.1101/2020.03.06.20032425.
- Sun, N. *et al.* (2020) ‘A qualitative study on the psychological experience of caregivers of COVID-19 patients’, *American Journal of Infection Control*, 48(6), pp. 592–598. doi: 10.1016/j.ajic.2020.03.018.
- Susilo, A. *et al.* (2020) ‘Coronavirus Disease 2019 : Tinjauan Literatur Terkini Coronavirus Disease 2019 : Review of Current Literatures’, *Jurnal Penyakit Dalam Indonesia*, 7(1), pp. 45–67.
- Thornicroft, G. *et al.* (2016) ‘Evidence for effective interventions to reduce mental-health-related stigma and discrimination’, *The Lancet*, pp. 1123–1132. doi: 10.1016/S0140-6736(15)00298-6.
- Tian, S. *et al.* (2020) ‘Characteristics of COVID-19 infection in Beijing’, *Journal of Infection*. doi: 10.1016/j.jinf.2020.02.018.
- Tirintica, A. R. *et al.* (2018) ‘Factors that influence access to mental health services in South-Eastern Europe 11 Medical and Health Sciences 1117 Public Health and Health Services’, *International Journal of Mental Health Systems*. BioMed Central, 12(1). doi: 10.1186/s13033-018-0255-6.
- Torales, J. *et al.* (2020) ‘The outbreak of COVID-19 coronavirus and its impact on global mental health.’, *The International journal of social psychiatry*. doi: 10.1177/0020764020915212.
- Tran, U. S., Glück, T. M. and Lueger-Schuster, B. (2013) ‘Influence of personal and environmental factors on mental health in a sample of Austrian survivors of World War II with regard to PTSD: Is it resilience?’, *BMC Psychiatry*, 13. doi: 10.1186/1471-244X-13-47.
- Vagni, M. *et al.* (2020) ‘Coping With COVID-19: Emergency Stress, Secondary Trauma and Self-Efficacy in Healthcare and Emergency Workers in Italy’, *Frontiers in Psychology*, 11. doi: 10.3389/fpsyg.2020.566912.
- Wang, C., Pan, R., Wan, X., Tan, Y., Xu, L., McIntyre, R. S., *et al.* (2020) ‘A longitudinal study on the mental health of general population during the COVID-19 epidemic in China’, *Brain, Behavior, and Immunity*, 87, pp. 40–48. doi: 10.1016/j.bbi.2020.04.028.
- Wang, C., Pan, R., Wan, X., Tan, Y., Xu, L., Ho, C. S., *et al.* (2020) ‘Immediate psychological responses and associated factors during the initial stage of the 2019 coronavirus disease (COVID-19) epidemic among the general population in China’, *International Journal of Environmental Research and Public Health*, 17(5). doi: 10.3390/ijerph17051729.
- Wang, J. *et al.* (2020) ‘[Dynamic changes of chest CT imaging in patients with

- corona virus disease-19 (COVID-19)].', *Zhejiang da xue xue bao. Yi xue ban = Journal of Zhejiang University. Medical sciences*, 49(1), p. 0. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/32096366>.
- Werner, S. and Shulman, C. (2015) 'Does type of disability make a difference in affiliate stigma among family caregivers of individuals with autism, intellectual disability or physical disability?', *Journal of Intellectual Disability Research*, 59(3), pp. 272–283. doi: 10.1111/jir.12136.
- Whitley, R. and Denise Campbell, R. (2014) 'Stigma, agency and recovery amongst people with severe mental illness', *Social Science and Medicine*, 107, pp. 1–8. doi: 10.1016/j.socscimed.2014.02.010.
- WHO (2020) *Events as they happen. Rolling updates on coronavirus disease (COVID-19)*, *Who*. Available at: <https://www.who.int/emergencies/diseases/novel-coronavirus-2019/events-as-they-happen>.
- World Health Organization (2011) 'Psychological First Aid - Guide for field workers', *Who*, 44(8), p. 813. doi: 10.2307/3416674.
- World Health Organization (2020a) 'Mental Health and Psychosocial Considerations During COVID-19 Outbreak', *World Health Organization*, (January), pp. 1–6.
- World Health Organization (2020b) 'The COVID-19 Risk Communication Package For Healthcare Facilities', *Who*, pp. 1–11.
- WHO (2020) 'Modes of transmission of virus causing COVID-19: implications for IPC precaution recommendations', *Geneva: World Health Organization*, Available. Available at: <https://www.who.int/publications-detail/modes-of-transmission-of-virus-causing-covid-19-implications-for-ipc-precaution-recommendations>.
- Wu, W. *et al.* (2020) 'Psychological stress of medical staffs during outbreak of COVID-19 and adjustment strategy', *Journal of Medical Virology*, 92(10), pp. 1962–1970. doi: 10.1002/jmv.25914.
- Xiao, X. *et al.* (2020) 'Psychological impact of healthcare workers in China during COVID-19 pneumonia epidemic: A multi-center cross-sectional survey investigation', *Journal of Affective Disorders*, 274, pp. 405–410. doi: 10.1016/j.jad.2020.05.081.
- Xifra, J. (2020) 'Corporate communication, public relations and reputational risk management in the days of covid-19', *Profesional de la Informacion*, 29(2). doi: 10.3145/epi.2020.mar.20.
- Xu, X. *et al.* (2017) 'Factors Predicting Internalized Stigma Among Men Who Have Sex with Men Living with HIV in Beijing, China', *Journal of the Association of Nurses in AIDS Care*, 28(1), pp. 142–153. doi: 10.1016/j.jana.2016.08.004.
- Yang, J. *et al.* (2020) 'Characteristics and challenges of psychological first aid in

- China during the COVID-19 outbreak’, *Brain, Behavior, and Immunity*, pp. 113–114. doi: 10.1016/j.bbi.2020.04.075.
- Yeen Huang, N. Z. (2020) ‘Generalized anxiety disorder, depressive symptoms and sleep quality during COVID-19 epidemic in China: a web-based cross-sectional survey’, *medRxiv preprint*, pp. 1–19. doi: <https://doi.org/10.1101/2020.02.19.20025395>.
- Ying, Y. *et al.* (2020) ‘Mental health status among family members of health care workers in Ningbo, China during the Coronavirus Disease 2019 (COVID-19) outbreak: a Cross-sectional Study’, *medRxiv*, p. 2020.03.13.20033290. doi: 10.1101/2020.03.13.20033290.
- Zahrotunnimah, Z. (2020) ‘Langkah Taktis Pemerintah Daerah Dalam Pencegahan Penyebaran Virus Corona Covid-19 di Indonesia’, *SALAM: Jurnal Sosial dan Budaya Syar-i*, 7(3). doi: 10.15408/sjsbs.v7i3.15103.
- Zhang, J. *et al.* (2020) ‘Recommended psychological crisis intervention response to the 2019 novel coronavirus pneumonia outbreak in China: a model of West China Hospital’, *Precision Clinical Medicine*. doi: 10.1093/pcmedi/pbaa006.
- Zhang, Y. and Ma, Z. F. (2020) ‘Impact of the COVID-19 pandemic on mental health and quality of life among local residents in Liaoning Province, China: A cross-sectional study’, *International Journal of Environmental Research and Public Health*, 17(7). doi: 10.3390/ijerph17072381.
- Zhou, X. *et al.* (2020) ‘The Role of Telehealth in Reducing the Mental Health Burden from COVID-19’, *Telemedicine and e-Health*. doi: 10.1089/tmj.2020.0068.
- Zhu, H. D. *et al.* (2020) ‘COVID-19: What Should Interventional Radiologists Know and What Can They Do?’, *Journal of Vascular and Interventional Radiology*, pp. 876–881. doi: 10.1016/j.jvir.2020.03.022.
- ZHU, W. *et al.* (2020) ‘The differential diagnosis of pulmonary infiltrates in cancer patients during the outbreak of the 2019 novel coronavirus disease’, *Chinese Journal of Oncology*, 42(0 PG-8–8), pp. E008–E008. Available at: NS -.