

## DAFTAR PUSTAKA

- Adisakwattana, S., Roengsamran, S., Hsu, W. H., & Yibchok-anun, S. 2005. **Mechanisms of antihyperglycemic effect of p - methoxycinnamic acid in normal and streptozotocin-induced diabetic rats.** 78, 406–412. <https://doi.org/10.1016/j.lfs.2005.04.073>
- Almansa, C., Mercè, R., Tesson, N., Farran, J., Tomàs, J., & Plata-Salamán, C. R. 2017. Co-crystal of Tramadol Hydrochloride-Celecoxib (ctc): A Novel API-API Co-crystal for the Treatment of Pain. *Crystal Growth and Design*, 17(4), 1884–1892. <https://doi.org/10.1021/acs.cgd.6b01848>
- Ali G., Subhan F., Wadood A., Khan A., Ullah N., UI Islam N., Khan I. 2013. Pharmacological evaluation, molecular docking and dynamics simulation studies of salicyl alcohol nitrogen containing derivatives. **African J. of Pharmacy and Pharmacology** 7(11), pp. 585-596.
- Ansel HC, 1989. **Pengantar Bentuk Sediaan Farmasi.** Edisi keempat, Jakarta : UI-Press, hal 490-492
- Ansari, 2014. **Improved Physicochemical Characteristics Of Artemisinin Using Succinic Acid.** Multan : The Polish Pharmaceutical Society
- Asam, M., Ekowati, J. dan Diyah, N. W. 2013. ‘**Antinociceptiv in Silico Cyclooxygenase Dari Asam P -Metoksisinamat Dan**’, 1, pp. 33–40.
- Bavishi, D. D. dan Borkhataria, C. H. 2016. ‘Spring and parachute: How cocrystals enhance solubility’, **Progress in Crystal Growth and Characterization of Materials.** Elsevier Ltd, 62(3), pp. 1–8. doi: 10.1016/j.pcrysgrow.2016.07.001.
- Babu, N.J., dan Nangia, A., 2011. Solubility Advantage of Amorphous

- Drugs Pharmaceutical Cocrystal. **Crystal Growth and Design**.  
[dx.doi.org/10.1021/cg200492w](https://doi.org/10.1021/cg200492w), pp. 2662–2679.
- Bashir, Sajid dan Liu, Jingbo., 2015. Nanocharacterization. **Advanced Nanomaterials and Their Renewable Energy**. Elsevier Inc, pp. 153. <http://dx.doi.org/10.1016/B978-0-12-801528-5.00003-8>
- Batisai, Eustina., Ayamine, Alban., Kilinkissa, Ornella E.Y., dan Bathori, Nikoletta B., 2014. Melting Point Solubility Structure Correlation in Multicomponent Crystals Containing Fumaric or Adipic Acid. **CrystEngComm**. Royal Society Of Chemistry. DOI: 10.1039/c4ce01298d
- Blagden, N. 2007. ‘Crystal engineering of active pharmaceutical ingredients to improve solubility and dissolution rates’, **Advanced Drug Delivery Reviews**, 59(7), pp. 617–630. doi: 10.1016/j.addr.2007.05.011.
- Brunner, Henri., T, Tsuno., M, Bodensteiner., S, Gartner., C, Miyahara., S, Ito., T, Kurosawa., K, Koyama., 2016. Co-Crystallization of Half-Sandwich (RM,RC)/(SM,RC) Diastereomers in Single Crystals, Diastereomers Imitate Enantiomers. **European Journal of Inorganic Chemistry**. DOI: 10.1002/ejic.201600962
- Issa, Nizar., Karamertzanis, Panagiotis G., Welch, Gareth W.A., dan Price, Sarah L., 2008. Can the Formation of Pharmaceutical Cocrystals Be Computationally Predicted? I. Comparison of Lattice Energies. **American Chemical Society**. DOI: 10.1021/cg800685z
- Chadha, Renu., Bhalla, Y., Vashist, M.K., Chadha, K., 2015. Cocrystallization in Nutraceuticals. **Web of Science** Chapter 5. <http://dx.doi.org/10.5772/59365>
- Duggirala, N. K.. 2016 ‘Pharmaceutical cocrystals: Along the path to improved medicines’, **Chemical Communications**. Royal Society of Chemistry, 52(4), pp. 640–655. doi: 10.1039/c5cc08216a.

- Ekowati, Juni., Diyah, Nuzul W., 2013. Aktivitas Antinociceptiv Dan Uji In Silico Terhadap Cyclooxygenase Dari Asam P-Metoksisinamat Dan Asam M-Metoksisinamat. *Berkala Ilmiah Kimia Farmasi*, Vol.2 No. 1 Juni 2013
- FDA, 2004. Dissolution Methods. Available online at:[http://www.accessdata.fda.gov/scripts/cder/dissolution/dsp\\_SearchResults\\_Dissolutions.cfm](http://www.accessdata.fda.gov/scripts/cder/dissolution/dsp_SearchResults_Dissolutions.cfm) [November 12, 2019].
- Flanagan, T. dan Mann, J. 2019 ‘Dissolution Universal Strategy Tool (DUST): A Tool to Guide Dissolution Method Development Strategy’, *Dissolution Technologies*, 26(3), pp. 6–16. doi: 10.14227/dt260319p6.
- Fulias, A., Vlase, G. dan Vlase, T. 2015. ‘**Screening and characterization of cocrystal formation between carbamazepine and succinic acid**’. doi: 10.1007/s10973-015-4473-8.
- Kakran, M., Sahoo, N. G., Li, L. 2012. Fabrication of Quercetin Nanoparticles by Anti-Solvent Precipitation Method for Enhanced Dissolution. *Powder Technology*, Vol 223, pp. 59-64
- Karagianni, A., Malamatari, M. dan Kachrimanis, K. 2018. ‘Pharmaceutical cocrystals: New solid phase modification approaches for the formulation of APIs’, *Pharmaceutics*, 10(1), pp. 1–30. doi: 10.3390/pharmaceutics10010018.
- Kendre, P. N., Vishal, V. D., Kishori, M. C., 2014. Novel Formulation Strategy of Enhance Solubility of Quercetin. *Pharmacophore An International Research Journal*, Vol 5, pp. 358-370
- Kumar, S. dan Nanda, A. 2017 .Pharmaceutical cocrystals: An overview. *Indian Journal of Pharmaceutical Sciences*. Elsevier B.V., 79(6), pp. 858–871. doi: 10.4172/pharmaceutical-sciences.1000302.
- Limwikrant, W. 2012. Formation mechanism of a new carbamazepine/malonic acid cocrystal polymorph, *International*

- Journal of Phamaceutics.** Elsevier B.V., 431(1-2), PP. 237-240
- Martin, A., Swarbick, J., dan Cammarata, A., 1990. **Farmasi Fisik: Dasar-dasar Kimia Fisik dalam Ilmu Farmasetik** (Terjemahan Yoshita), edisi ke-3 Jilid I. Jakarta: UI-Press.
- Mukherjee, S. 2011. **Crystal Engineering of Pharmaceutical Cocrystals.** 144. Retrieved from <https://scholarcommons.usf.edu/etd/3258/>
- Permatasari, Eva Desy. 2012. Skripsi. Penentuan Kelarutan APMS (Asam *p*-metoksisinamat) Pada Berbagai pH Sebagai Studi Praformulasi. Surabaya: Departemen Farmasetika Fakultas Farmasi Universitas Airlangga
- Sadono, Hasmono D. 2000. Ketersediaan Hayati/ Profil Farmakokinetik Kristal APMS (Isolat Bahan Aktif Serbuk Rimpang Kencur) pada Hewan Coba Kelinci. **Laporan Penelitian**, Lemlit UNAIR.
- Sathisaran, Indumathi dan Dalvi, Sameer Vishvanath., 2018. Enginerring Cocrystals of Poorly Water-Soluble Drugs to Enhance Dissolution in Aqueous Medium. **Pharnaceutics.** MDPI. doi:10.3390/pharmaceutics10030108
- Savjani Ketan T., Anuradha K. Gajjar, dan Jignasa K. Savjani. Drug Solubility: Importance and Enhancement Techniques. **ISRN Pharmaceutics** 2012;(2012): 195727.
- Segneanu, A. E. 2013. ‘We are IntechOpen , the first native scientific publisher of Open Access books TOP 1 % Waste Water Treatment Methods’, **Web of science**, p. 29. doi: <http://dx.doi.org/10.5772/46845>.
- Setyawan, Andhi. 2012. Skripsi. **Studi Praformulasi Pengaruh Suhu Terhadap Stabilitas Kimia Asam *p*-metoksisinamat.** Surabaya: Departemen Farmasetika Fakultas Farmasi Universitas Airlangga.
- Setyawan, D. Sari, Retno., Yusuf, Helmy., dan P, Riesta. 2017. ‘Çözücü Buharlaştırma İle Hazırlanan Kersetin-Süksinik Asit Ko-Kristalinin

- in Vitro Çözünme Testi Ve Fizikokimyasal Karakterizasyonu’, **Turkish Journal of Pharmaceutical Sciences**, 14(3), pp. 280–284. doi: 10.4274/tjps.16362.
- Setyawan, Dwi., Sari, Retno., Yusuf, Helmy., dan P, Riesta. 2014. Preparation and Characterization of Artesunate-Nicotinamide Cocrystal by Solvent Evaporation and Slurry Method. **Asian Journal of Pharmaceutical and Clinical Research**, Vol. 7, pp. 62.
- Shargel, L., Wu, Susanna., dan Yu, A., alih bahasa Fasich, Budi Suprapti. 2012. **Biofarmasetika dan Farmakokinetika**, Edisi Kelima. Surabaya: Pusat Penerbitan dan Percetakan Universitas Airlangga
- Shekunov, B. dan Montgomery, E. R. 2016. ‘Theoretical Analysis of Drug Dissolution : I . Solubility and Intrinsic Dissolution Rate’, **Journal of Pharmaceutical Sciences**. Elsevier Ltd, pp. 1–13. doi: 10.1016/j.xphs .2015.12.006
- Siswandi, S., Rusdiana, Taofik., dan Levita, Jutti. 2015. Virtual Screening Of Co-Formers For Ketoprofen Co-Crystallization And The Molecular Properties Of The Co-Crystal. **Journal of Applied Pharmaceutical Science** 5 (06); 2015; 078-082
- Smith, J. Adam, Kavuru Padmini, Wojtas Lukasz, Zaworotko J. Michael, dan Shtle Douglas. 2011. Cocrystals of Quercetin with Improved Solubility and Oral Bioavailability. **Molecular Pharmaceutics**, pp. 1-10
- Steed, J. W. 2013. ‘The role of co-crystals in pharmaceutical design’, **Trends in Pharmacological Sciences**. Elsevier Ltd, 34(3), pp. 185–193. doi: 10.1016/j.tips.2012.12.003.
- Thakuria, R. 2013. ‘Pharmaceutical cocrystals and poorly soluble drugs’, **International Journal of Pharmaceutics**. Elsevier B.V., 453(1), pp. 101–125. doi: 10.1016/j.ijpharm.2012.10.043.
- Tiwari, R., Tiwari G., Srivastava., dan B., Rai,A. K. 2009. Solid

dispersions: An overview to modify bioavailability of poorly water soluble drug. *Int. J. PharmTech Res.*, vol 1, pp.1338-1349

Wicaksono, Yudi., Setyawan, Dwi., Siswandono., Siswoyo, Tri Agus., Preparation and Characterization of a Novel Cocrystal of Atorvastatin Calcium with Succinic Acid Coformer. **Indonesia Journal Chemistry**, 2019, 19 (3), 660-667

Wishart DS, Feunang YD, Marcu A, Guo AC, Liang K, et al., HMDB 4.0 — The Human Metabolome Database for 2018. *Nucleic Acids Res.* 2018. Jan 4;46(D1):D608-17. 29140435. diakses dari [www.pubchem.ncbi.nlm.nih.gov](http://www.pubchem.ncbi.nlm.nih.gov) pada tanggal 20 November 2019

Zaini, E., Halim, A., Soewandhi, S. N., & Dwi Setyawan. (2011). Peningkatan Laju Pelarutan Trimetoprim Melalui Metode Ko-Kristalisasi dengan Nikotinamida. *Jurnal Farmasi Indonesia*, 5(July), 206-212.