

DAFTAR PUSTAKA

- Abebe, Z., Haki, G. D. and Baye, K. (2016) 'Health Extension Workers' Knowledge and Knowledge-Sharing Effectiveness of Optimal Infant and Young Child Feeding Are Associated with Mothers' Knowledge and Child Stunting in Rural Ethiopia', *Food and Nutrition Bulletin*, 37(3), pp. 353–363. doi: 10.1177/0379572116651209.
- Agho, K. E. *et al.* (2019) 'Moderate and severe household food insecurity predict stunting and severe stunting among Rwanda children aged 6-59 months residing in Gicumbi district', *Maternal and Child Nutrition*, 15(3). doi: 10.1111/mcn.12767.
- Awuuh, V. A., Appiah, C. A. and Mensah, F. O. (2019) 'Impact of nutrition education intervention on nutritional status of undernourished children (6-24 months) in East Mamprusi district of Ghana', *Nutrition and Food Science*, 49(2), pp. 262–272. doi: 10.1108/NFS-05-2018-0134.
- Casale, D., Espi, G. and Norris, S. A. (2018) 'Estimating the pathways through which maternal education affects stunting: Evidence from an urban cohort in South Africa', *Public Health Nutrition*, 21(10), pp. 1810–1818. doi: 10.1017/S1368980018000125.
- Chirande, L. *et al.* (2015) 'Determinants of stunting and severe stunting among under-fives in Tanzania: Evidence from the 2010 cross-sectional household survey', *BMC Pediatrics*. *BMC Pediatrics*, 15(1), pp. 2004–2011. doi: 10.1186/s12887-015-0482-9.
- Controlled, R. (no date) 'Smartphone-Based Maternal Education for the Complementary Feeding of Undernourished Children', pp. 1–12.
- Dewi, Maryati; Aminah, M. (2016) 'Pengaruh Edukasi Gizi terhadap Feeding Practice Ibu Balita Stunting Usia 6-24 Bulan', *Indonesia Journal of Human Nutrition*, 3(1), pp. 1–8. Available at: kalteng.litbang.pertanian.go.id.
- Doak, C. M. *et al.* (2016) 'The stunted child with an overweight mother as a growing public health concern in resource-poor environments: A case study from Guatemala', *Annals of Human Biology*, 43(2), pp. 122–130. doi: 10.3109/03014460.2015.1136356.
- Fink, G. *et al.* (2017) 'Home- and community-based growth monitoring to reduce early life growth faltering: An open-label, cluster-randomized controlled trial', *American Journal of Clinical Nutrition*, 106(4), pp. 1070–1077. doi: 10.3945/ajcn.117.157545.
- Gope, R. K. *et al.* (2019) 'Effects of participatory learning and action with women's groups, counselling through home visits and crèches on undernutrition among children under three years in eastern India: a quasi-experimental study', *BMC public health*. *BMC Public Health*, 19(1), p. 962. doi: 10.1186/s12889-019-7274-3.
- Gregory, J. E., Paxton, S. J. and Brozovic, A. M. (2010) 'Pressure to eat and restriction are associated with child eating behaviours and maternal concern about child weight, but not child body mass index, in 2- to 4-year-old children', *Appetite*. Elsevier Ltd, 54(3), pp. 550–556. doi:

- 10.1016/j.appet.2010.02.013.
- Hall, C. *et al.* (2018) 'Maternal Knowledge of Stunting in Rural Indonesia', *International Journal of Child Health and Nutrition*, 7(4), pp. 139–145.
- Hasan, M. *et al.* (2019) 'Mother's dietary diversity and association with stunting among children <2 years old in a low socio-economic environment: A case-control study in an urban care setting in Dhaka, Bangladesh', *Maternal and Child Nutrition*, 15(2), pp. 1–8. doi: 10.1111/mcn.12665.
- Hossain, M. *et al.* (2018) 'Caregiver perceptions of children's linear growth in Bangladesh: a qualitative analysis', *Public Health Nutrition*, 21(10), pp. 1800–1809. doi: 10.1017/S136898001700427X.
- Huffman, M. (2007) 'Health Coaching: A New and Exciting Technique to Enhance Patient Self-Management and Improve Outcomes', 25(4), pp. 271–274.
- Humphrey, J. H. *et al.* (2019) 'Independent and combined effects of improved water, sanitation, and hygiene, and improved complementary feeding, on child stunting and anaemia in rural Zimbabwe: a cluster-randomised trial', *The Lancet Global Health*, 7(1), pp. e132–e147. doi: 10.1016/S2214-109X(18)30374-7.
- IDAI (2015) 'Rekomendasi Praktik Pemberian Makan Berbasis Bukti Pada Bayi dan Balita di Indonesia Untuk Mencegah Malnutrisi', *Rekomendasi Praktik Pemberian Makan Berbasis Bukti Pada Bayi dan Balita di Indonesia Untuk Mencegah Malnutrisi*.
- Jayalakshmi, R. and Kannan, S. (2019) 'The double burden of malnutrition: an assessment of "stunted child and overweight/obese mother (SCOWT) pairs" in Kerala households', *Journal of Public Health Policy*. Palgrave Macmillan UK, 40(3), pp. 342–350. doi: 10.1057/s41271-019-00172-7.
- Kamiya, Y. *et al.* (2018) 'Mothers' autonomy and childhood stunting: Evidence from semi-urban communities in Lao PDR', *BMC Women's Health*. BMC Women's Health, 18(1), pp. 1–9. doi: 10.1186/s12905-018-0567-3.
- Kang, Y. *et al.* (2017) 'Effectiveness of a community-based nutrition programme to improve child growth in rural Ethiopia: a cluster randomized trial', *Maternal and Child Nutrition*, 13(1), pp. 1–15. doi: 10.1111/mcn.12349.
- Kemntrian Kesehatan Republik Indonesia (2018) 'No Title'.
- Kim, R. *et al.* (2017) 'Relative importance of 13 correlates of child stunting in South Asia: Insights from nationally representative data from Afghanistan, Bangladesh, India, Nepal, and Pakistan', *Social Science & Medicine*. Elsevier Ltd. doi: 10.1016/j.socscimed.2017.06.017.
- Kim, S. S. *et al.* (2019) 'Behavior change interventions delivered through interpersonal communication, agricultural activities, community mobilization, and mass media increase complementary feeding practices and reduce child stunting in Ethiopia', *Journal of Nutrition*. Oxford University Press, 149(8), pp. 1470–1481. doi: 10.1093/jn/nxz087.
- El Kishawi, R. R. *et al.* (2016) 'Prevalence and associated factors for dual form of malnutrition in mother-child pairs at the same household in the Gaza strip-palestine', *PLoS ONE*, 11(3), pp. 1–14. doi: 10.1371/journal.pone.0151494.
- Leroy, J. L. *et al.* (2014) 'Maternal Education Mitigates the Negative Effects of

- Higher Income on the Double Burden of Child Stunting and Maternal Overweight in Rural Mexico', *The Journal of Nutrition*, 144(5), pp. 765–770. doi: 10.3945/jn.113.188474.
- Mahmudiono, T. *et al.* (2016) 'The effectiveness of nutrition education for overweight/obese mothers with stunted children (NEO-MOM) in reducing the double burden of malnutrition in Indonesia: Study protocol for a randomized controlled trial', *BMC Public Health*. BMC Public Health, 16(1). doi: 10.1186/s12889-016-3155-1.
- Mahmudiono, T. *et al.* (2018) 'The effectiveness of nutrition education for overweight/obese mother with stunted children (NEO-MOM) in reducing the double burden of malnutrition', *Nutrients*, 10(12), pp. 1–16. doi: 10.3390/nu10121910.
- Manggala, A. K. *et al.* (2018) 'Paediatrica Indonesiana', 58(5), pp. 205–212.
- MCA Indonesia (2013) 'Stunting dan Masa Depan Indonesia', *Millennium Challenge Account - Indonesia*, 2010, pp. 2–5. Available at: www.mca-indonesia.go.id.
- Nair, N. *et al.* (2017) 'Effect of participatory women's groups and counselling through home visits on children's linear growth in rural eastern India (CARING trial): a cluster-randomised controlled trial', *The Lancet Global Health*. The Author(s). Published by Elsevier Ltd. This is an Open Access article under the CC BY 4.0 license, 5(10), pp. e1004–e1016. doi: 10.1016/S2214-109X(17)30339-X.
- Nambile Cumber, S. (2016) 'Mothers' Knowledge on the Effects of Malnutrition in Children 0-5 Years in Muea Health Area Cameroon', *Journal of Family Medicine and Health Care*, 2(4), p. 36. doi: 10.11648/j.jfmhc.20160204.13.
- Ogourtova, T. *et al.* (2019) 'Health coaching for parents of children with developmental disabilities: a systematic review', *Developmental Medicine and Child Neurology*, 61(11), pp. 1259–1265. doi: 10.1111/dmcn.14206.
- de Onis, M. and Branca, F. (2016) 'Childhood stunting: A global perspective', *Maternal and Child Nutrition*, 12, pp. 12–26. doi: 10.1111/mcn.12231.
- Osendarp, S. J. M. and Roche, M. L. (2016) 'Behavioral change strategies for improving complementary feeding and breastfeeding', *World Review of Nutrition and Dietetics*, 115, pp. 184–192. doi: 10.1159/000442104.
- Prendergast, A. J. *et al.* (2014) 'Stunting is characterized by chronic inflammation in zimbabwean infants', *PLoS ONE*, 9(2). doi: 10.1371/journal.pone.0086928.
- Reifsnider, E. *et al.* (2016) 'How Did They Grow: An Intervention to Reduce Stunted Growth in Low-Income Mexican-American Children', *Research in Nursing and Health*, 39(2), pp. 105–120. doi: 10.1002/nur.21714.
- Sofiyya, I. *et al.* (2019) 'Pengaruh Edukasi Stunting Menggunakan Metode Brainstorming dan Audiovisual Terhadap Pengetahuan Ibu dengan Anak Stunting', *Ilmu Gizi Indonesia*, 02(02), pp. 141–146.
- Svefors, P. *et al.* (2018) 'Cost-effectiveness of prenatal food and micronutrient interventions on under-five mortality and stunting: Analysis of data from the MINIMat randomized trial, Bangladesh', *PLoS ONE*, 13(2), pp. 1–15. doi: 10.1371/journal.pone.0191260.