

DAFTAR PUSTAKA

- Alford, T. J., Roberts, W. E., Hartsfield, J. K., Eckert, G. J. and Snyder, R. J. (2011) ‘Clinical outcomes for patients finished with the SureSmile™ method compared with conventional fixed orthodontic therapy’, *Angle Orthodontist*, 81(3), pp. 383–388. DOI: 10.2319/071810-413.1.
- Alhammadi, M. S., Halboub, E., Fayed, M. S., Labib, A. and El-Saaidi, C. (2018) ‘Global distribution of malocclusion traits: A systematic review’, *Dental Press Journal of Orthodontics*, 23(6), pp. 40.e1–10. DOI: 10.1590/2177-6709.23.6.40.e1-10.onl.
- Aljehani, D. and Baeshen, H. A. (2018) ‘Effectiveness of the American Board of Orthodontics discrepancy index in predicting treatment time’, *Journal of Contemporary Dental Practice*, 19(6), pp. 647–650. DOI: 10.5005/jp-journals-10024-2313.
- Alsaeed, S. A., Kennedy, D. B., Aleksejuniene, J., Yen, E. H., Pliska, B. T. and Flanagan, D. C. (2020) ‘Outcomes of orthodontic treatment performed by individual orthodontists vs 2 orthodontists collaborating on treatment’, *American Journal of Orthodontics and Dentofacial Orthopedics*. American Association of Orthodontists, 158(1), pp. 59–67. DOI: 10.1016/j.ajodo.2019.07.015.
- Andrews, L. F. S. (1972) ‘The six keys to normal occlusion’, *American Journal of Orthodontics and Dentofacial Orthopedics*, pp. 296–309
- Ardhana, W. (2013) ‘Identifikasi Perawatan Ortodontik Spesialistik dan Umum’, *Majalah Kedokteran Gigi Indonesia*, 20(1), pp. 1–8. DOI: 10.22146/majkedgiind.8193.
- Assad Abbas, Iffat Batoool Syed, Hasnain Abbas, F. M. (2015) ‘Prevalence of Malocclusion and Its Relationship With’, 35(2), pp. 216–219
- Batarse, A. P., English, J. D., Frey, G. N., Piazza, J. M. and Akyalcin, S. (2019) ‘Referral patterns of pediatric dentists and general practitioners to orthodontists based on case complexity’, *American Journal of Orthodontics and Dentofacial Orthopedics*. American Association of Orthodontists, 156(1), pp. 61–66. DOI: 10.1016/j.ajodo.2018.07.025.
- Bhati, N. and Jabin, Z. (2017) ‘Management of Class I Type 3 malocclusion using simple removable appliances’, *Journal of Interdisciplinary Dentistry*, 7, pp. 72–75. DOI: 10.4103/jid.jid_79_16.
- Bishara, S. E. (2001) *Textbook of Orthodontics 1st ed.*, Saunders. DOI: 10.1017/CBO9781107415324.004.

- Brown, P. N., Kulbersh, R. and Kaczynski, R. (2011) 'Clinical outcomes assessment of consecutively finished patients in a 24-month orthodontic residency: A 5-year perspective', *American Journal of Orthodontics and Dentofacial Orthopedics*. American Association of Orthodontists, 139(5), pp. 665–668. DOI: 10.1016/j.ajodo.2009.06.036.
- Campbell, C. L., Roberts, W. E., Hartsfield, J. K. and Qi, R. (2007) 'Treatment outcomes in a graduate orthodontic clinic for cases defined by the American Board of Orthodontics malocclusion categories', *American Journal of Orthodontics and Dentofacial Orthopedics*, 132(6), pp. 822–829. DOI: 10.1016/j.ajodo.2006.05.036.
- Cangialosi, T. J., Riolo, M. L., Owens, S. E., Dykhouse, V. J., Moffitt, A. H., Grubb, J. E., Greco, P. M., English, J. D. and James, R. D. (2004) 'The ABO discrepancy index: A measure of case complexity', *American Journal of Orthodontics and Dentofacial Orthopedics*, 125(3), pp. 270–278. DOI: 10.1016/j.ajodo.2004.01.005.
- Cansunar, H. A. and Uysal, T. (2014) 'Relationship between pretreatment case complexity and orthodontic clinical outcomes determined by the American Board of Orthodontics criteria', *Angle Orthodontist*, 78(4). DOI: 10.2319/010114-001.1.
- Carvajal-Flórez, A., Barbosa-Lis, D. M., Zapata-Noreña, O. A., Marín-Velásquez, J. A. and Afanador-Bayona, S. A. (2015) 'Orthodontic treatment outcomes obtained by application of a finishing protocol', *Dental Press Journal of Orthodontics*, 21(2), pp. 88–94. DOI: 10.1590/2177-6709.21.2.088-094.oar.
- Chaison, E. T., Liu, X. and Tuncay, O. C. (2011) 'The quality of treatment in the adult orthodontic patient as judged by orthodontists and measured by the Objective Grading System', *American Journal of Orthodontics and Dentofacial Orthopedics*. American Association of Orthodontists, 139(4 SUPPL.), pp. S69–S75. DOI: 10.1016/j.ajodo.2009.07.018.
- Chalabi, O., Preston, C. B. ria., Al-Jewair, T. S. and Tabbaa, S. (2015) 'A comparison of orthodontic treatment outcomes using the Objective Grading System (OGS) and the Peer Assessment Rating (PAR) index', *Australian orthodontic journal*, 31(2), pp. 157–164
- Charalampakis, V. (2015) 'EFFECTS OF EXTRACTION VS NON-EXTRACTION ORTHODONTIC TREATMENT ON VERTICAL SKELETAL AND DENTAL MEASUREMENTS', *Saint Lous University*. DOI: 10.13140/RG.2.1.5172.3685.
- Darwis, S. R. and Vininingtyas, L. (2018) 'Serial Ekstraksi: Prosedur Interseptif terhadap Penanganan Masalah Maloklusi Dental', *Insisiva Dental Journal: Majalah Kedokteran Gigi Insisiva*, 7(1), pp. 2–3. DOI: 10.18196/di.7191.

- Deguchi, T., Honjo, T., Fukunaga, T., Miyawaki, S., Roberts, W. E. and Takano-Yamamoto, T. (2005) 'Clinical assessment of orthodontic outcomes with the peer assessment rating, discrepancy index, objective grading system, and comprehensive clinical assessment', *American Journal of Orthodontics and Dentofacial Orthopedics*. DOI: 10.1016/j.ajodo.2004.03.030.
- Detterline, D. A., Isikbay, S. C., Brizendine, E. J. and Kula, K. S. (2010) 'Clinical outcomes of 0.018-inch and 0.022-inch bracket slot using the ABO objective grading system', *Angle Orthodontist*, 80(3), pp. 528–532. DOI: 10.2319/060309-315.1.
- Drew, J. M. (2018) 'Measuring a Sample of Orthodontic Models/Panographs at LLUSD Using the CR-Eval', *ProQuest Dissertations and Theses*, p. 59
- Dudnik, O. V., Mamedov, A. A., Dybov, A. M. and Kharke, V. V. (2017) 'Clinical and diagnostic rationale for the final stage of orthodontic treatment', *Stomatologiya*. DOI: 10.17116/stomat201796243-50.
- Fitriani, Kusuma, F., Kurniawan, D. and Wibowo, D. (2018) 'DENTIN PERBANDINGAN NILAI INDIKATOR MALOKLUSI RINGAN DENGAN MALOKLUSI BERAT BERDASARKAN INDEKS HMAR (Handicapping Malocclusion Assessment Record)', *Dentin Kedokteran Gigi*, II(1), pp. 91–96
- Hariyanti, S. R. J., Triwardhani, A. and Rusdiana, E. (2011) 'Gambaran tingkat keparahan maloklusi dan keberhasilan perawatan menggunakan Index of Complexity , Outcome and Need (ICON) di RSGM-P FKG Unair (Severity assessment and treatment outcome of malocclusion using Index of Complexity , Outcome and Need (ICON', *Orthodontic Dental Journal*, 2(1), pp. 26–32
- Hong, M., Kook, Y.-A., Baek, S.-H. and Kim, M.-K. (2014) 'Comparison of Treatment Outcome Assessment for Class I Malocclusion Patients: Peer Assessment Rating versus American Board of Orthodontics-Objective Grading System', *Journal of Korean Dental Science*, 7(1), pp. 6–15. DOI: 10.5856/jkds.2014.7.1.6.
- Hoybjerg, A. J., Currier, G. F. and Kadioglu, O. (2013) 'Evaluation of 3 retention protocols using the American Board of Orthodontics cast and radiograph evaluation', *American Journal of Orthodontics and Dentofacial Orthopedics*, 144(1), pp. 16–22. DOI: 10.1016/j.ajodo.2013.02.022.
- Jain, M., Varghese, J., Mascarenhas, R., Mogra, S., Shetty, S. and Dhakar, N. (2013) 'Assessment of clinical outcomes of Roth and MBT bracket prescription using the American Board of Orthodontics Objective Grading System', *Contemporary Clinical Dentistry*, 4(3), p. 307. DOI: 10.4103/0976-237x.118361.

- Kamal, A. T., Shaikh, A. and Fida, M. (2016) 'Occlusal Outcome Of Non-Extraction And All First Premolars Extraction Treatment In Patients With Class-I Malocclusion', *Journal of Ayub Medical College, Abbottabad: JAMC*, 28(4), pp. 664–668
- Kementerian Kesehatan RI Badan Penelitian dan Pengembangan (2013) 'Hasil Utama Riset Kesehatan Dasar', *Kemertrian Kesehatan Republik Indonesia*
- Khanum, A., Prashantha, G. S., Mathew, S., Naidu, M. and Kumar, A. (2018) 'Extraction vs Non Extraction Controversy : A Review', *Journal of Dental & Oro-facial Research*, 14(01), pp. 41–48
- Knierim, K., Roberts, W. E. and Hartsfield, J. (2006) 'Assessing treatment outcomes for a graduate orthodontics program: Follow-up study for the classes of 2001-2003', *American Journal of Orthodontics and Dentofacial Orthopedics*, 130(5), pp. 648.e1-648.e11. DOI: 10.1016/j.ajodo.2006.07.014.
- Laguhi, V. A., Anindita, P. S. and Gunawan, P. N. (2014) 'GAMBARAN MALOKLUSI DENGAN MENGGUNAKAN HMAR PADA PASIEN DI RUMAH SAKIT GIGI DAN MULUT UNIVERSITAS SAM RATULANGI MANADO', *e-GIGI*. DOI: 10.35790/eg.2.2.2014.5829.
- Li, W., Wang, S. and Zhang, Y. (2015) 'The effectiveness of the invisalign appliance in extraction cases using the the ABO model grading system: A multicenter randomized controlled trial', *International Journal of Clinical and Experimental Medicine*, 8(5), pp. 8276–8282
- Liu, S., Oh, H., Chambers, D. W., Baumrind, S. and Xu, T. (2017) 'Validity of the American Board of Orthodontics Discrepancy Index and the Peer Assessment Rating Index for comprehensive evaluation of malocclusion severity', *Orthodontics and Craniofacial Research*, 20, pp. 140–145. DOI: 10.1111/ocr.12195.
- Lubis, M. M., Utami, A. R., Ortodonti, D., Gigi, F. K. and Utara, U. S. (2015) 'Distributor Maloklusi', 18, pp. 257–261
- Minick, G., Mecham, S., Shaikh, A., Shin, S., Carey, C. M., Newman, S. M., Tilliss, T. and Shellhart, W. C. (2019) 'A Study of the Quality of Finish of Lingual versus Labial Bracket Systems As Measured By the Objective Grading System: A Retrospective Study in a University Orthodontic Clinic', *Journal of Oral & Dental Health*, 3(2), pp. 1–8. DOI: 10.33140/jodh.03.02.11.
- Mitchell, L. and Littlewood, S. J. (2019) *An Introduction to Orthodontics*. 5th edn. London, UK.: Oxford University Press. DOI: 10.1093/ejo/cjt018.

- Nett, B. C. and Huang, G. J. (2005) 'Long-term posttreatment changes measured by the American Board of Orthodontics objective grading system', *American Journal of Orthodontics and Dentofacial Orthopedics*. DOI: 10.1016/j.ajodo.2004.03.029.
- Onyeaso, C. O. and Begole, E. A. (2007) 'Relationship between index of complexity, outcome and need, dental aesthetic index, peer assessment rating index, and American Board of Orthodontics objective grading system', *American Journal of Orthodontics and Dentofacial Orthopedics*, 131(2), pp. 248–252. DOI: 10.1016/j.ajodo.2005.04.045.
- Parrish, L. D., Roberts, W. E., Maupome, G., Stewart, K. T., Bandy, R. W. and Kula, K. S. (2011) 'The relationship between the ABO discrepancy index and treatment duration in a graduate orthodontic clinic', *Angle Orthodontist*, 81(2), pp. 192–197. DOI: 10.2319/062210-341.1.
- Phulari, B. and Phulari, B. (2013) 'Introduction to Orthodontics', in *History of Orthodontics*. DOI: 10.5005/jp/books/12065_2.
- Premkumar, S. (2015) *Textbook of Orthodontics*. 1st edn. New Delhi: Elsevier Inc
- Proffit, W., Fields, H. W., Brent, J., Larson, E. and Sarver, D. M. (2019) *CONTEMPORARY ORTHODONTICS: Sixth Edition*. 6th Editio. Philadelphia, PA.: ELSEVIER
- Pulfer, R. M., Drake, C. T., Maupome, G., Eckert, G. J. and Roberts, W. E. (2009) 'The association of malocclusion complexity and orthodontic treatment outcomes', *Angle Orthodontist*. DOI: 10.2319/042308-227.1.
- Quartana, I. R. P. P. S. P. (2010) 'Hubungan Antara Perubahan Kecembungan Profil Skeletal dan Jaringan Lunak Wajah pada Pasien Bimaksilar Protrusif (Kajian Sefalometri Setelah Perawatan Ortodonti Teknik Begg)', *Gadjah Mada University Press*
- Santiago, J. J. and Martínez, C. J. (2012) 'Use of the objective grading system of the American Board of Orthodontics to evaluate treatment outcomes at the Orthodontic Graduate Program Clinic, University of Puerto Rico, 2007-2008', *Puerto Rico Health Sciences Journal*, 31(1), pp. 29–34
- Shenoy, R. P., Panchmal, G., Shenai, K. P., Kotian, M. S., T. A., A. S. and Chadha, G. (2014) 'Malocclusion and Orthodontic Treatment Need among High School Students in Mangalore City, India', *JMED Research*. DOI: 10.5171/2014.517175.
- Singh, G. (2007) *Textbook of orthodontics*. 2nd edn. New Delhi: Jaypee Brothers Medical Publishers (P) Ltd
- Singh, S. P., Kumar, V. and Narboo, P. (2015) 'iMedPub Journals Prevalence of Malocclusion among Children and Adolescents in Various School of Leh Region', *Journal of Orthodontics & Endodontics*

- Struble, B. H. and Huang, G. J. (2010) 'Comparison of prospectively and retrospectively selected American Board of Orthodontics cases', *American Journal of Orthodontics and Dentofacial Orthopedics*. American Association of Orthodontists, 137(1), pp. 6.e1-6.e8. DOI: 10.1016/j.ajodo.2009.05.016.
- Syada, A. N., Kurniawan, F. K. D. W. and Wibowo, D. (2017) 'Tinjauan pada Sekolah Menengah Pertama yang memiliki Unit Kesehatan Sekolah dan Sekolah Menengah Pertama yang Tidak Memiliki UKS', *Dentino jurnal kedokteran gigi*, II(1), pp. 78–83
- Umrani, S., Mathew, P., Hemant, A. V, Tiwari, R. and Dixit, H. (2017) 'A review on Extraction versus Non-extraction on Facial and Smile Esthetics', *International Journal of Oral Health and Medical Research*, 4(3), pp. 83–86. Available at: www.ijohmr.com.
- Utari, T. R. and Putri, M. K. (2019) 'Orthodontic Treatment Needs in Adolescents Aged 13-15 Years Using Orthodontic Treatment Needs Indicators', *Journal of Indonesian Dental Association*, 2(2), p. 49. DOI: 10.32793/jida.v2i2.402.
- Uysal, T., Baysal, A., Yagci, A., Sigler, L. M. and McNamara, J. A. (2012) 'Ethnic differences in the soft tissue profiles of Turkish and European-American young adults with normal occlusions and well-balanced faces', *European Journal of Orthodontics*. DOI: 10.1093/ejo/cjq165.
- Viwattanatipa, N., Buapuean, W. and Komoltri, C. (2016) 'Relationship between Discrepancy Index and the Objective Grading System in Thai board of orthodontics Patients', *Orthodontic Waves*. DOI: 10.1016/j.odw.2016.08.001.
- Vu, C. Q., Roberts, W. E., Hartsfield, J. K. and Ofner, S. (2008) 'Treatment complexity index for assessing the relationship of treatment duration and outcomes in a graduate orthodontics clinic', *American Journal of Orthodontics and Dentofacial Orthopedics*, 133(1), pp. 9.e1-9.e13. DOI: 10.1016/j.ajodo.2007.08.012.