

ANNALS OF MEDICINE & SURGERY



www.annalsjournal.com

ScienceDirect



Annals of Medicine and Surgery Editorial Board

Editor-in-Chief

Riaz Agha, London, England, UK

Assistant Managing and Executive Editor

Maliha Agha, London, England, UK

Assistant Editors

Adam Frampton, London, England, UK Jorg Kleef, Munich, Germany Deepthi Mani, Washington, USA David Rosin, Bridgetown, Barbados Peter Schemmer, Heidelberg, Germany

Social Media Editor

Riaz Agha, London, UK

Managing Editor

Alexander James Fowler, London, England, UK

Statistical Editor

Lai-Chu See, Taoyuan, Taiwan

Associate Staff Editors

Sergio Acuna, Toronto, Canada Guido Alsfasser, Rostock, Germany Fernando Angarita, Toronto, Canada James Clark, Plymouth, England, UK Terry Evans, London, England, UK Shivani Garg, Wisconsin, USA

Assistant Commissioning Editors

Ahmed Al-Jabir, London, UK Zaid Alsafi, London, UK Thomas Franchi, Sheffield, UK Christos Iosifides, London, UK Ahmed Kerwan, London, UK Mehdi Khan, London, UK Ginimol Mathew, London, UK Maria Nicola, London, UK Niamh O'Neill, London, UK Catrin Sohrabi, London, UK

Junior Staff Editors

Sumita Agrawal, Jodhpur, India Bakir Al-Dulaimy, London, UK Mohammed Anwar, London, UK Martinique Vella Baldacchino, Glasgow, UK Maria Borrelli, London, UK Kerry Anne Burke, Manchester, England, UK Adam Cristaudo, Cairns, Australia Buket Gundogan, London, UK Adam Gwozdz, London, England, UK

Sir Graeme Catto, Aberdeen, Scotland, UK Sir Barry Jackson, London, England, UK Mike Hu, California, USA Tobin Joseph, London, UK Kiron Koshy, London, UK Seon-Young Lee, Southamption, England, UK Chris Limb, London, England, UK Yasser Al Omran, London, England, UK Karishma Shah, Oxford, UK Rachel Thavayogan, London, UK

Executive Committee

David Rosin, Bridgetown, Barbados

Editorial Board

Xiao-Ping Chen, Wuhan, China Marc Cohen, Victoria, Australia David Green, London, England, UK Saeed Sadiq Hamid, Karachi, Pakistan Peter Hutchinson, Cambridge, England, UK Peter Littlejohns, London, England, UK Ashok Mahapatra, New Delhi, India Judy McKimm, Swansea, Wales, UK Dattatraya Muzumdar, Mumbai, India Ashish Nabar, Mumbai, India Fabio Nicoli, London, UK John Norcini, Philadelphia, PA, USA Christoph Paasch, Berlin, Germany Daniel Sokol, London, England, UK Jamsheer Talati, Karachi, Pakistan John V. Thomas, Birmingham, AL, USA Tim Gabe Williams, Kent, England, UK Zhao-Fan Xia, Shanghai, China

Executive Publisher

Allan Ross, New York, USA


Administrative Editor Joanne Frankland, Oxford, UK

Marketing Manager Wendy Montalvo, New York, USA Journal Manager

Tamsyn Hopkins, Exeter, UK Senior Business Development Executive (Reprints) Emma Steel, London, UK **Advertising Sales Manager** Robert Bayliss, London, UK

Account Manager (Supplements) Evelina Euren, The Netherlands

Table of content



Pages 5-8

🗠 Download PDF 🛛 Article preview 🗸


```
Research article . Open access
Thoracoscopic esophagectomy in total pharyngolaryngoesophagectomy for esophageal cancer; A case
series
Yasue Kimura, Hiroshi Saeki, Qingjiang Hu, Yuichi Hisamatsu, ... Masaki Mori
Pages 9-13
📥 Download PDF
                    Article preview 🗸
Research article 
    Open access

Reported burnout among U.S. general surgery residents: A survey of the association of program
directors in surgery members
Kyle Kinslow, Mason Sutherland, Mark McKenney, Adel Elkbuli
Pages 14-19
🕹 Download PDF
                    Article preview 🗸
Research article . Open access
Fibromyalgia in Iraqi patients with asthma and its impact on asthma severity and control
Faiq I. Gorial, Manal Abbas Allawerdi, Mustafa Neeama Abd Ali
Pages 22-26
                                                                                        Help improve this page 📿
▲ Download PDF
                    Article preview 🗸
Research article . Open access
Effects of vonoprazan on gastric PH and clinical course after gastric ESD: A retrospective and
prospective study
Daisuke Suto, Masashi Yoshida, Takaaki Otake, Eiichiro Ichiishi, ... Yutaka Kohgo
Pages 27-30
🕹 Download PDF
                    Article preview 🗸
Research article 
    Open access
Role of MLC901 in increasing neurogenesis in rats with traumatic brain injury
Rohadi Muhammad Rosyidi, Bambang Priyanto, Andi Asadul Islam, Mochammad Hatta, ... Lale Maulin Prihatina
Pages 36-40

▲ Download PDF

                    Article preview 🗸
Research article . Open access
Assessment and comparison of mortality and short-term outcomes among premature infants before
and after 32-week gestation: A cross-sectional analysis
Wasim Khasawneh, Wadah Khriesat
Pages 44-49
🕹 Download PDF
                    Article preview 🗸
                                                                                        Help improve this page 💭
```

```
Research article 
    Open access
 Nevirapine and tuberculosis predict first-line treatment failure in HIV patients in Indonesia: Case-
 control study
 Yanri Wijayanti Subronto, Nur Aini Kusmayanti, Albarisa Shobry Abdalla, Prenaly Dwisthi Sattwika
 Pages 56-60
 📥 Download PDF
                     Article preview 🗸
Research article . Open access
The influence of stone size on spontaneous passage of common bile duct stones in patients with
 acute cholangitis: A retrospective cohort study
 Sarat Sanguanlosit, Vichit Viriyaroj, Hariruk Yodying, Thammanij Rookkachart, ... Thana Boonsinsukh
 Pages 72-75
 ▲ Download PDF
                     Article preview 🗸
  Research article 
Open access
The survival analysis of tunnel-cuffed central venous catheter versus arteriovenous hemodialysis
  access among elderly patients: A retrospective single center study
  Sukit Raksasuk, Thanet Chaisathaphol, Chayanis Kositamongkol, Wittawat Chokvanich, ... Thatsaphan Srithongkul
  Pages 76-80
  🕹 Download PDF
                      Article preview 🗸
  Research article . Open access
  Clinical, radiological, and electroencephalographic features of HHV-6 encephalitis following
  hematopoietic stem cell transplantation
  Ahmed Yassin, Abdel-Hameed Al-Mistarehi, Khalid El-Salem, Aiman Momani, ... Sudhakar Tummala
  Pages 81-86
  ▲ Download PDF
                      Article preview 🗸
  Research article . Open access
  Does elective orthopaedic surgery in pandemic era increase risk of developing COVID-19? A
  combined analysis of retrospective and prospective study at Cipto Mangunkusumo Hospital, Jal
  Indonesia
  A.F. Kamal, W. Widodo, M.W. Kuncoro, I.W.A.M. Karda, ... A.H.R. Sitanggang
                                                                                         Help improve this page
                                                                                                              Pages 87-91
```




📥 Download PDF Article preview 🗸 Help improve this page 💭

```
Research article 
    Open access
 Variations in surgical peer-reviewed publications among editorial board members, associate editors
 and their respective journal: Towards maintaining academic integrity
 Brendon Sen-Crowe, Mason Sutherland, Adam Shir, Kyle Kinslow, ... Adel Elkbuli
 Pages 140-145
 🕹 Download PDF
                      Article preview 🗸
 Research article 
    Open access
 Observational study of the suspected or confirmed cases of sars COV-2 infection needing emergency
 surgical intervention during the first months of the pandemic in a third level hospital: Case series
 Dra Mariel González-Calatayud, Dr Benito Vargas-Ábrego, Dra Gabriela E. Gutiérrez-Uvalle, Dra Sandra C. López-Romero, ... Dr Noé I.
 Gracida-Mancilla
 Pages 149-154
 业 Download PDF
                      Article preview 🗸
 Research article 
    Open access
 Enterobius vermicularis in appendectomy specimens; Clinicopathological assessment: Cross
 sectional study
 Abdulkarim Hasan, Khalid Nafie, Samar El-Sayed, Mohamed Nasr, ... Osama Abbadi
                                                                                           Help improve this page 💭
 Pages 168-172
Research article 
Open access
  Quality of life among patients on levothyroxine: A cross-sectional study
  Thekraiat Al Quran, Ziad Bataineh, Abdel-Hameed Al-Mistarehi, Abdulhakeem Okour, ... Anood Al qura'an
  Pages 182-187

▲ Download PDF

                      Article preview 🗸
  Research article 
    Open access
  Epidemiology and pathology of oral squamous cell carcinoma in a multi-ethnic population:
  Retrospective study of 154 cases over 7 years in Qatar
  Orwa Elaiwy, Walid El Ansari, Moustafa AlKhalil, Adham Ammar
  Pages 195-200
  业 Download PDF
                      Article preview 🗸
  Research article 
    Open access
  Adipose-derived stromal vascular fraction prevent bone bridge formation on growth plate injury in
  rat (in vivo studies) an experimental research
  Panji Sananta, Rahaditya I Gede Made Oka, Prof Respati Suryanto Dradjat, Heri Suroto, ... Sri Andarini
  Pages 211-217
  📥 Download PDF
                      Article preview 🗸
                                                                                          Help improve this page 📿
```

Research article ● Open access DNA methylation profiling of CD04 ⁺ /CD08 ⁺ T cells reveals pathogenic mechanisms in increasing hyperglycemia: PIRAMIDE pilot study Giuditta Benincasa, Monica Franzese, Concetta Schiano, Raffaele Marfella, Claudio Napoli Pages 218-226 ▲ Download PDF Article preview ✓
Research article • Open access Asymptomatic abdominal wall and incisional hernias: Is therapeutic decision consensual? An international survey Romain Jaquet, Benjamin Darnis, Pierre Emmanuel Bonnot, Kayvan Mohkam, Guillaume Passot Pages 227-231
Research article Open access A comparative study between Ki67 positive versus Ki67 negative females with breast cancer: Cross sectional study Mowafak Masoud Bahaddin Pages 232-235
Research article ● <i>Open access</i> Cross-sectional study on hearing loss and auditory reaction time before and after spinal anesthesia with marcaine 0.5% in patients undergoing elective surgery Sepideh Vahabi, Parvin Veiskarami, Mehdi Roozbahani, Shahrzad Lashani, Behrouz Farzan Pages 236-240 ▲ Download PDF Article preview ✓
Research article • Open access Quality of life assessment in patients treated with nasal corticotherapy for allergic rhinitis: A cohort study A. Chaouki, A. Mkhatri, K. El Bouhmadi, S. Rouadi, M. Mahtar Pages 249-254
▲ Download PDF Article preview
Research article • Open access Evaluation of ultrasonic axillary dissection in preservation of intercostobrachial nerve and lymphatic sealing in breast cancer patients: Randomized controlled trial Ahmed M.F. Salama, Ahmed M. Nawar, Mohamed E. Zayed, Mohamed S. Essa Pages 255-260



```
Research article . Open access
 Relationship of spot urine oxalate to creatinine ratio and 24 hours urinary oxalate excretion in
 patients with urolithiasis
 Syed Bilal Hashmi, Lena Jafri, Hafsa Majid, Jamsheer Talati, ... Aysha Habib Khan
 Pages 330-333
 ▲ Download PDF
                     Article preview 🗸
 Research article . Open access
 Neuroendocrine apendicopathy in morphologically normal appendices of patients with diagnosis of
 acute appendicitis: Diagnostic study
 Andy Petroianu, Thiago Vinicius Villar Barroso, Marcelo Araújo Buzelin, Bárbara De Melo Theobaldo, Luciene Simões De Assis Tafuri
 Pages 344-351
 ▲ Download PDF
                     Article preview 🗸
Research article 
    Open access
 Outpatient breast-conserving surgery for breast cancer: Use of local and intravenous anesthesia
 and/or sedation may reduce recurrence and improve survival
 Ryungsa Kim, Ami Kawai, Megumi Wakisaka, Sayaka Sawada, ... Koji Arihiro
 Pages 365-371
                                                                                         Help improve this page
Research article 
Open access
  P2X3 receptor expression in dorsal horn of spinal cord and pain threshold after estrogen therapy for
  prevention therapy in neuropathic pain
  Rohadi Muhammad Rosyidi, Bambang Priyanto, Dewa Putu Wisnu Wardhana, Krisna Tsaniadi Prihastomo, ... Rozikin
  Pages 389-395
  业 Download PDF
                      Article preview 🗸
  Research article 
    Open access

  Potential anticancer activity of Mn (II) complexes containing arginine dithiocarbamate ligand on
  MCF-7 breast cancer cell lines
  Prihantono, Rizal Irfandi, Indah Raya, Warsinggih
  Pages 396-402
  📥 Download PDF
                      Article preview 🗸
  Research article 
    Open access
  Predictive factors of cervical nodal metastases in N0 squamous cell carcinomas of the mobile tongue
  – A cohort study
  Yassir Hammouda, Khadija El Bouhmadi, Omar Iziki, Youssef Oukessou, ... Mohamed Mahtar
```


Pages 403-407

Research article • Open access Minimally invasive plate osteosynthesis (MIPO) for mid-shaft fracture of the tibia (AO/OTA classification 42): A retrospective study Hyunseong Kang, Jung-Kook Song, Joseph Y. Rho, Jaehwang Lee, Sungwook Choi Pages 408-412
Lownload PDF Article preview マ
Research article • Open access Comparison of efficacy of dexamethasone and methylprednisolone in moderate to severe covid 19 disease Syeda Arzinda Fatima, Mohsin Asif, Khurshid A. Khan, Nasir Siddique, Aijaz Zeeshan Khan Pages 413-416
Research article • Open access Tocilizumab in the treatment of rapidly evolving COVID-19 pneumonia and multifaceted critical illness: A retrospective case series Ahmed Mady, Waleed Aletreby, Basheer Abdulrahman, Mohammed Lhmdi, Ziad A. Memish Pages 417-424 Help improve this page \bigcirc
Research article • Open access Unexpected histopathology results following routine examination of cholecystectomy specimens: How big and how significant? Abdulkarim Hasan, Khalid Nafie, Mohammed Yousef Aldossary, Amal Ismail, Adel A. Ibrahim Pages 425-430
Research article • Open access "The psychological impact of COVID-19 on medical education of final year students in Pakistan: A cross-sectional study" Adeel Abbas Dhahri, Sohail Yousuf Arain, Ayesha Majeed Memon, Ahsan Rao, Muhammad Amer Mian Pages 445-450 Download PDF Article preview V
Research article • Open access A cross-sectional study of basic education influence on the clinical training: Attitudes and perception among Jordanian medical students Emad Aborajooh, Raed Al-Taher, Nafez Abu Tarboush, Abdallah Al-Ani, Amina Bucheeri Pages 456-461

```
Research article . Open access
    Vitamin D level and endogenous DNA damage in patients with cancers in Duhok city, KRG-Iraq
    Hishyar Azo Najeeb, Ramadhan Othman, Sherwan F. Salih, Ayad Ahmad Mohammed, Qais Al Ismaeel
    Pages 462-467
     🕹 Download PDF
                         Article preview 🗸
    Research article 
    Open access
    Indian endocrine surgery websites are they comparable?
    Vnssvams Mahalakshmi D, Mayilvaganan Sabaretnam, Dabeer Warsi, P.R.K. Bhargav, ... Amit Agarwal
    Pages 487-490
     🕹 Download PDF
                         Article preview 🗸
  Research article 
Open access
    The use of Thulium-Doped Fiber Laser (TDFL) 1940 nm as an energy device in liver parenchyma
    resection, a-pilot-study in Indonesia
    Michael Tendean, Toar D.B. Mambu, Ferdinand Tjandra, Jimmy Panelewen
    Pages 491-497
     🕁 Download PDF
                         Article preview 🗸
  Research article 
    Open access
  The association between surgical duration and venous thromboembolism in outpatient surgery: A
  propensity score adjusted prospective cohort study
  Kristi Pence, Daniel Fullin, Mark C. Kendall, Patricia Apruzzese, Gildasio De Oliveira
  Pages 498-503
  🕹 Download PDF
                      Article preview 🗸
Research article 
Open access
  Change in the spectrum of orthopedic trauma: Effects of COVID-19 pandemic in a developing
  nation during the upsurge; a cross-sectional study
  Pervaiz Mahmood Hashmi, Marij Zahid, Arif Ali, Hammad Naqi, ... Shahryar Noordin
  Pages 504-508
  📥 Download PDF
                      Article preview 🗸
  Research article . Open access
  Comparison of functional outcome between bone quadriceps tendon (BQT) and single-bundle
  hamstring tendon (SBHT) autograft in arthroscopic-assisted anterior cruciate ligament
  reconstruction cases: a prospective cohort study
  Andri MT Lubis, Demy Faheem Dasril
                                                                                        Help improve this page 💭
  Pages 509-514
```

Research article
Open access Large vessel thrombosis in patient with COVID-19, a case series Aram Baram, Fahmi H. Kakamad, Hadi M. Abdullah, Dana H. Mohammed-Saeed, ... Abdulwahid M. Salih Pages 526-530 🕹 Download PDF Article preview 🗸 Research article
Open access Impact of HIV status and predictors of successful treatment outcomes among tuberculosis patients: A six-year retrospective cohort study Ginenus Fekadu, Ebisa Turi, Tinsae Kasu, Firomsa Bekele, ... Dereje Chala Diriba Pages 531-541 🕹 Download PDF Article preview 🗸 Research article
Open access The effect of deferoxamine injection on composite graft survival in rabbits Rianto Noviady Ramli, Agus Santoso Budi, Sitti Rizaliyana, Aditya Rifqi Fauzi Pages 542-545 ▲ Download PDF Article preview 🗸 Down-regulation of RB1 and TP53 as potential predicting biomarkers for castration-resistant prostate cancer (CRPC): Indonesian retrospective cohort study Indrawarman Soerohardjo, Irianiwati Widodo, Didik Setyo Heriyanto, Andy Zulfiqqar, Sumadi Lukman Anwar Pages 549-554 🕹 Download PDF Article preview 🗸 Research article . Open access The use of cardiac valve procedures for rheumatic heart disease in Australia; a cross-sectional study 2002-2017 Pamela J. Bradshaw, Hideo Tohira, James Marangou, Mark Newman, ... Judith M. Katzenellenbogen Pages 557-565 ▲ Download PDF Article preview 🗸 Research article
Open access Impact of COVID-19 pandemic on the continuity of care for dermatologic patients on systemic therapy during the period of strict lockdown Diala M. Alshiyab, Firas A. Al-qarqaz, Jihan M. Muhaidat Pages 571-574 Help improve this page 📿 🕹 Download PDF Article preview 🗸

```
Research article Open access
   Management of cancer pain with analgetic adjuvant and weak opioid in prostate cancer bone
   metastases: A case series
   Jufriady Ismy, Dessy Rakhmawati Emril, Rizkidawati
   Pages 575-578
    📥 Download PDF
                        Article preview 🗸
 Research article 
Open access
   Prevalence of rheumatoid arthritis among hospital workers in the north of Jordan: Preliminary
   report of a hospital-based cohort study
   Khaldoon M. Alawneh, Wafa Y. Madanat, Diala Alawneh, Mahmoud S. Smadi
   Pages 579-582
    📥 Download PDF
                        Article preview 🗸
   Research article . Open access
   Two-phase amputation among critically ill patients with ischemic gangrene of lower limbs as a way
   to improve treatment outcome. Cohort study
   Vitaly O. Tsvetkov, Elena M. Gorshunova, Olga V. Kolovanova, Jury A. Kozlov, Vakhtang V. Gobegishvili
   Pages 587-591
   Research article 
    Open access
   Best evidence topic: Is ileocolic anastomotic leak rate higher in handsewn or stapler's anastomosis?
   Sabry Abounozha, Adel Kheder, Talal Alshahri, Rashid Ibrahim
   Pages 619-622
   🕹 Download PDF
                       Article preview 🗸
 Research article 
Open access
   Caudal block with rectal diclofenac and paracetamol for pediatrics infra umbilical surgery at a
   comprehensive specialized teaching hospital in Ethiopia
   Dereje Zewdu, Misrak WoldeYohannis, Fissiha Fentie, Abdisa Aga, ... Diriba Teshome
   Pages 634-638
   🕹 Download PDF
                       Article preview 🗸
 Research article 
Open access
   The combined effects of alcohol and marijuana use prior to traumatic brain injury on mortality
   John J. Leskovan, Puja D. Patel, John Pederson, Aaron Moore, ... Laura R. Brown
   Pages 639-643
   🕹 Download PDF
                       Article preview 🗸
```



	Research article • Open access Combination of platelet-rich plasma and stromal vascular fraction on the le growth factor- β in rat subjects experiencing deep dermal burn injury Sachraswaty Rachman Laidding, Fonny Josh, Francisca, Muhammad Faruk, Andi Asadul Islam Pages 737-742	vel of transforming
	▲ Download PDF Article preview ✓	
Rei	view Articles	
	Review article • Open access Anterior cruciate ligament studies in south-east asia over the past 10 years: A Sholahuddin Rhatomy, Riky Setyawan Pages 61-65	A systematic review
	▲ Download PDF Article preview ✓	
	Review article • Open access Covid-19 and surgery: Challenging issues in the face of new normal – A narr Farhanul Huda, Praveen Kumar, Sudhir K. Singh, Saumya Agrawal, Somprakas Basu Pages 162-167	rative review
	Review article ● Open access FAST accuracy in major pelvic fractures for decision-making of abdominal ereview and meta-analysis Chunlaches Chaijareenont, Chonlada Krutsri, Preeda Sumpritpradit, Pongsasit Singhatas, Napaph Pages 175-181	
	Review article • Open access Optic neuropathy as a presenting feature of vitamin B-12 deficiency: A syste and a case report Fateen Ata, Ammara Bint I Bilal, Saad Javed, Hammad Shabir Chaudhry, Anand Bhaskaran Kartha Pages 316-322	matic review of literature
	Review article ● Open access Soft tissue coverage of the upper limb: A flap reconstruction overview Elisa Benanti, Giorgio De Santis, Andrea Leti Acciaro, Giulia Colzani, Marta Starnoni Pages 338-343 → Download PDF Article preview ~	^
		Help improve this page

```
Review article 
    Open access
    Outcome of GORE® ACUSEAL graft for brachial-axillary vascular access in chronic haemodialysis
    patients: Cohort retrospective single-centre study
    Tamer Sayed, Mahmoud Montasser, Yasser Ashoor, Ahmed Saad
    Pages 471-474

▲ Download PDF

                        Article preview 🗸
    Review article 

Open access
    Use of natural anti-oxidants in experimental animal models of hepatic ischemia-reperfusion injury
    Georgios Kyriakopoulos, Georgia Valsami, Christos Tsalikidis, Michail Pitiakoudis, Alexandra K. Tsaroucha
    Pages 592-599

▲ Download PDF

                        Article preview 🗸
   Review article 
Open access
    Do penalty-based pay-for-performance programs improve surgical care more effectively than other
    payment strategies? A systematic review
    Kyung Mi Kim, Wendy Max, Justin S. White, Susan A. Chapman, Ulrike Muench
    Pages 623-630

▲ Download PDF


                        Article preview 🗸
                                                                                          Help improve this page 💭
    Review article . Open access
    Is Desarda technique suitable to emergency inguinal hernia surgery? A systematic review and meta-
    analysis
    Abdourahmane Ndong, Jacques Noel Tendeng, Adja Coumba Diallo, Mohamed Lamine Diao, ... Ibrahima Konaté
    Pages 664-668
     🕹 Download PDF
                         Article preview 🗸
    Review article 
    Open access
    Hierarchical regression of ASA prediction model in predicting mortality prior to performing
     emergency laparotomy a systematic review
     Muzina Akhtar, Douglas J. Donnachie, Zohaib Siddiqui, Norman Ali, Mallikarjuna Uppara
    Pages 743-749


▲ Download PDF

                         Article preview 🗸
Case Reports
 Case report 
Open access
   Pembrolizumab plus platinum-based chemotherapy for unfavorable cancer of unknown primary site:
   Case report
   Teppei Kamada, Hiroshi Ishiguro, Shinya Okada, Hideyuki Takeuchi, ... Yutaka Suzuki
   Pages 31-35
   🕹 Download PDF
                        Article preview 🗸
 Case report 
Open access
   Penile hair coil strangulation in a 9-year-old patient: Surgical management and review of the
   literature
   Khaireddine Bouassida, Khaled Ben Ahmed, Mouna Ben Othmen, Mehdi Jaidane
   Pages 50-55
```

Case report
 Open access Treatment of prosthetic vascular graft infection in the groin with ultrasound debridement: A case report Makoto Haga, Hidenori Inoue, Shunya Shindo Pages 68-71 🕹 Download PDF Article preview 🗸 Case report
 Open access Myxofibrosarcoma metastasis to the pterygopalatine fossa: A case report Haya Deeb, Afaf Ahmad, Areej AlAssaf Pages 102-105 🕹 Download PDF Article preview 🗸 Case report
Open access A cavernous hemangioma of the tongue base presenting as an ectopic thyroid: A case report Dr M. Beghdad, Dr K. Choukry, Dr A. Mkhatri, Dr Z. El Krimi, ... Pr M. Mahtar Pages 115-120 🕹 Download PDF Article preview 🗸 Case report
 Open access Laparoscopic removal of a giant middle ureteral stone: A case report and review of literature Alimohammad Fakhr Yasseri, Seyed Naser Seyed Esmaili, Mahboobe Asadi, Seyed Mohammad kazem Aghamir Pages 126-129 ▲ Download PDF Article preview 🗸 Case report
Open access Prolapsed epiploica of bowel after robotic hysterectomy: A case report Han-Ying Chen, Bor-Ching Sheu, Wen-Chun Chang Pages 146-148 😃 Download PDF Article preview 🗸 Case report
 Open access Hyperbaric oxygen therapy in managing systemic inflammatory response syndrome caused by ischemia-reperfusion injury following hand replantation and long-term outcomes: A report of two cases Mendy Hatibie Oley, Maximillian Christian Oley, Andi Asadul Islam, Mochammad Hatta, ... Marcella Tirza Tulong Pages 155-161 🕹 Download PDF Article preview 🗸 Help improve this page

Case report • Open access Gardner Wells tongs modification in pre-operative management for cervical facet dislocation: A case report S.Dohar AL. Tobing, Aryo Winartomo Pages 188-194
★ Download PDF Article preview ∨
Case report • Open access Sclerosing angiomatoid nodular transformation presenting with thrombocytopenia after laparoscopic splenectomy - Case report and systematic review of 230 patients Mehmet Aziret, Fahri Yılmaz, Yasin Kalpakçı, Özkan Subaşı, Metin Ercan Pages 201-210
✓ Download PDF Article preview ∨
Case report • Open access Endoscopic preaponeurotic access for complex ventral hernia repair with sublay mesh and bilateral anterior component separation: A case report Salvatore Cuccomarino, Luca Domenico Bonomo, Silvia Rosa Romoli, Alberto Jannaci Pages 241-244
Case report ● Open access Penile strangulation and amputation in schizophrenic patients: A reports of two cases Issam Jandou, Adnan Ettanji, Adil Kbirou, Mustapha Rkik, Rachid Aboutaieb Pages 263-265 ▲ Download PDF Article preview ↓
Case report • Open access Caution against precaution: A case report on silent hypoxia in COVID-19 Ali Lari, Mohammad Alherz, Abdullah Nouri, Lotfi Botras, Salah Taqi Pages 301-303
🗠 Download PDF 🛛 Article preview 🥆





] 	Case report • Open access Diffuse idiopathic skeletal hyperostosis (DISH) with ossification of the posterior longitudinal ligament (OPLL) in the cervical spine without neurological deficit – A Case report Fahmi Anshori, Witantra Dhamar Hutami, S.Dohar A.L. Tobing Pages 451-455
L H F	Case report ● <i>Open access</i> Lamotrigine induced toxic epidermal necrolysis: A case report Kiran Kumar KC, Trishant Limbu, Shirish Shakti Maskay, Anil Bhasima, Subhash Prasad Acharya Pages 468-470 ★ Download PDF Article preview ~
E F	Case report • Open access A new anterior approach to parastomal hernia repair (PHR) with linear stapler suture: A case report Serra Francesco, Isabella Bonaduce, Francesca Cabry, Lorena Sorrentino, Gelmini Roberta Pages 475-479 & Download PDF Article preview ~
	Case report ● Open access Primary extra-gastrointestinal stromal tumor (EGIST) of the mesentery: Case report and review of literature Gregorio Arellano-Gutiérrez, Luis Francisco Martínez-Aldrete, Abraham Pérez-Fabián, Edwin Leopoldo Maldonado-García Pages 480-483 ▲ Download PDF Article preview ✓
	Case report ● Open access Zenker's diverticulum misinterpreted as a thyroid mass: Case report Fatemeh Salimi, Jerocin Vishani Loyala, Arbaaz Perviaz, Stuart Winter Pages 515-517 ▲ Download PDF Article preview ↓
	Case report ● Open access Idiopathic spontaneous cecal perforation: A rare pathology with high mortality Hamzeh Al-Balas, Mahmoud Al-Balas, Mohammad Al-Wiswasy Pages 518-521 ▲ Download PDF Article preview ✓

Case report
Open access A case of multiple serous cystadenoma of pancreas Naoko Sekiguchi, Shinsuke Nakashima, Masahiro Koh, Masami Ueda, ... Terumasa Yamada Pages 566-570 ▲ Download PDF Article preview 🗸 Case report
Open access Possible silent hypoxemia in a COVID-19 patient: A case report Siswanto, Munawar Gani, Aditya Rifqi Fauzi, Ririn Enggy Yuliyanti, ... Gunadi Pages 583-586 🕹 Download PDF Article preview 🗸 Case report

Open access A successful breastfeeding after vertical scar reduction mammaplasty with superior pedicle: A case report Rosadi Seswandhana, Sharfan Anzhari, Ishandono Dachlan Pages 600-603 Case report • Open access Indolent keratitis due to fungus of Malbranchea species. A case report Ashjan Yousef Bamahfouz, Abdulrahman Ali Alsaidi, Ibrahim Jameel Alharbi, Eman Abdulraheem Elsebaei, ... Renad Turki Alhazmi Pages 606-609 🕹 Download PDF Article preview 🗸 Case report
Open access A 44 years-old male patient surviving total occlusion of the left main coronary artery (STEMI) accompanied with cardiogenic shock Rasheed K. Ibdah, Nasr Alrabadi, Sukaina I. Rawashdeh, Abdullah Al-Ksassbeh, ... Emad hijazi Pages 610-613 ▲ Download PDF Article preview 🗸 Case report
Open access Complete diaphysis resorption of the femur: A case report in a metastatic papillary thyroid cancer Suwardjo Suwardjo, Widya Surya Avanti, Ery Kus Dwianingsih, Wirsma Arif Harahap, Sumadi Lukman Anwar Pages 614-618

🗠 Download PDF 🛛 Article preview 🤝

Case report • Open access Mucosal hirudiniasis presenting as palatal mass: A case report and review of the literature Walid Bijou, Rabii Laababsi, Adil Lekhbal, Youssef Oukessou, Mohamed Mahtar Pages 631-633
📩 Download PDF 🛛 Article preview 🥆
Case report • Open access Intraocular T-cell lymphoma metastasizing from a primary adrenal T-cell lymphoma: Case report Khalid Bedaiwi, Abdullah M. Alfawaz, Shamayel F. Mohammed, Azza MY. Maktabi, Hind M. Alkatan Pages 646-650
▲ Download PDF Article preview ✓
Case report ● Open access A case of ciliary body mesectodermal leiomyoma with rapid growth and loss of vision necessitating enucleation Hind M. Alkatan, Saad A. Al-Dahmash, Hamad Aljaedi Pages 651-653 ♪ Download PDF Article preview >
Case report • Open access Primary malignant melanoma of the parotid gland: A case report and review of the literature Anass Chaouki, Omar Berrada, Zouhair Najib, Youssef oukessou, Mohammed Mahtar Pages 660-663
Case report • Open access Proximal intestinal obstruction syndrome (PIOS) in a patient with cystic fibrosis: A case report Carlos Antonio Morales Morales, Mauricio Gonzalez-Urquijo, Luis Fernando Morales Flores, Enrique Quevedo-Fernandez, Martín Mauricio Virgilio Hernández-Torre Pages 669-672
▲ Download PDF Article preview
Case report • Open access Salivary parotid cyst as an occurred complication of Subangulomandibular approach of mandibular subcondylar fracture: A case report Rachid Aloua, Faiçal Slimani Pages 673-674

```
Case report 
    Open access
  Thrombus or vegetation?Importance of cardiac MRI as a diagnostic tool based on case report and
  literature review
  Jamal El ouazzani, Issam Jandou, Christophe Thuaire
  Pages 690-694
  📥 Download PDF
                      Article preview 🗸
  Case report 
    Open access
  Vascular malformation of ileum: A possible cause of neonatal intestinal obstruction
  Gaurav Singh, Rupa Banerjee, Muni Varma, Satish K. Aggarwal, Pallav Gupta
  Pages 704-707
  🕹 Download PDF
                      Article preview 🗸
Case report 
Open access
  Single level anterior cervical discectomy and fusion in multilevel herniated disc, a case report
  S. Dohar Tobing, Petrus Aprianto
  Pages 708-713
  业 Download PDF
                      Article preview 🗸
 Case report 

Open access
  Endoscopic resection of solitary fibrous tumor of the ethmoid: Case report review of the literature
  Chaker Kaoutar, Ahmed Brahim Ahmedou, Berrada Omar, Bouzbouz Anas, ... Karkouri Mehdi
  Pages 714-718
  🗠 Download PDF 🛛 Article preview 🗸
 Case report 
    Open access
  Vitamin B6-dependent epilepsy due to pyridoxal phosphate-binding protein (PLPBP) defect - First
  case report from Pakistan and review of literature
  Sibtain Ahmed, Ralph J. DeBerardinis, Min Ni, Bushra Afroze
  Pages 721-727
  📥 Download PDF
                      Article preview 🗸
 Case report 

Open access
  Tuberous sclerosis complex-associated neuropsychiatric disorder (TAND) in a low-resource setting -
  From seizure to psychosis: A case report
  Shashwat Pokharel, Pallawi Jyotsana, Robert Singh Maharjan, Rajshree Singh, Kamal Pandit
  Pages 734-736
```

Perspective

 Short communication • Open access
 Experience of a surgeon at the emergency department during COVID-19 pandemic Pabithadevi B. Mehanathan, Alex Arthur Edwards, Athisayamani, Theodar Robinson Pages 245-248
 Download PDF Article preview
 Short communication • Open access
 Combating COVID 19 in a public sector hospital in Pakistan Mahmood Ayyaz, Kamran Khalid Chima, Usman Ismat Butt, Wasim Hayat Khan, ... Tayyiba Wasim Pages 372-379
 Download PDF

Pabithadevi B. Mehanathan, Alex Arthur Edwards, Athisayamani, Theodar Robinson Pages 245-248

🗠 Download PDF 🔰 Article preview 🗸

Short communication

Open access

Combating COVID 19 in a public sector hospital in Pakistan Mahmood Ayyaz, Kamran Khalid Chima, Usman Ismat Butt, Wasim Hayat Khan, ... Tayyiba Wasim Pages 372-379

😃 Download PDF

Commentaries

Short communication

Open access

The effects of chronotherapy for hypertension on cardiovascular outcomes: A commentary of current knowledge and future directions Rahul Ramesh Rana, Sidharth Sunil menon Pages 20-21

😃 Download PDF

Short communication

Open access

Commentary on 'inimical effects of COVID-19 on surgical residency: Correspondence' Hannah Jaumdally, Marwah Salih, Ahmed Al-Jabir Pages 66-67

😃 Download PDF

Editorial
Open access An invited commentary "Effect of acute normovolemic hemodilution on coronary artery bypass grafting: A systematic review and meta-analysis of 22 randomized trials" Chen Hua Lei, Julius Wedam Atogebania Pages 173-174 😃 Download PDF Short communication
 Open access The interventionist mindset: The ten eyes rule in cath lab Ameen Mosa Mohammad Pages 644-645 🕹 Download PDF Article preview 🗸 Short communication • Open access Limitations of health technology implementation: A commentary on "artificial intelligence, regenerative surgery, robotics? What is realistic for the future of surgery?" Yamen A. Jabr, Jasmesh Sandhu Pages 702-703 🗄 Download PDF Correspondence Short communication
 Open access Towards pragmatic adaptations: Orthopedic surgery amidst the coronavirus disease 2019 pandemic Maryam Ehtesham, Talal Almas, Muhammad Ali Niaz, Absam Akbar Pages 314-315

🛓 Download PDF

Short communication
 Open access

Experiences of a surgical unit at a tertiary care public hospital in Pakistan during the Covid-19 pandemic: A correspondence

Vishal Farid Raza, Sajeel Ahmad, Zouina Sarfraz, Khalid Javeed Khan Pages 546-548

🛓 Download PDF

Short communication

Open access Seroprevalence of SARS-Cov-2 in the setting of a non-dedicated COVID-19 hospital in a low CoV-2 incidence area: Implications for surgery Fabio Medas, Federico Cappellacci, Giacomo Anedda, Gian Luigi Canu, ... Davide Firinu Pages 261-262 🕹 Download PDF Article preview 🗸 Short communication

Open access The role of non-state actors in combating COVID-19 spread in Northern Jordan Adi H. Khassawneh, Nasr Alrabadi, Abdel-Hameed Al-Mistarehi, Nail Obeidat, Khalid A. Kheirallah Pages 484-486 Short communication

Open access Trend analysis of lab tests requisitions of COVID-19 prognostic biomarkers at a clinical chemistry reference laboratory-an observational study Sibtain Ahmed, Farooq Ghani Pages 522-525 🕹 Download PDF Article preview 🗸 Short communication

Open access Management of COVID-19 crisis; focus on immunization, vaccination, and safe re-locating of health care providers Ibrahim Al-Faouri, Razan Haddad, Wail Hayagneh, Nail Obeidat, ... Nasr Alrabadi Pages 555-556 🗄 Download PDF Short communication

Open access The impact of COVID-19 pandemic on the cardiology services in Northern Jordan Rasheed Ibdah, Sukaina Rawashdeh, Abdullah Al-Kasasbeh, Mahmoud Albalas, ... Nasr Alrabadi Pages 604-605 ▲ Download PDF Article preview 🗸 Help improve this page 💭

Erratum

Erratum

 Open access
 Erratum
 Page 701
 Download PDF

Acknowledgement to Reviewers 2020

Open access

Acknowledgement to Reviewers 2020 Pages 719-720

🕹 Download PDF



Contents lists available at ScienceDirect

Annals of Medicine and Surgery



journal homepage: www.elsevier.com/locate/amsu

Experimental Research

Check for updates

Adipose-derived stromal vascular fraction prevent bone bridge formation on growth plate injury in rat (in vivo studies) an experimental research

Panji Sananta^a, Rahaditya I Gede Made Oka^{b,*}, Prof Respati Suryanto Dradjat^c, Heri Suroto^d, Edi Mustamsir^e, Umi Kalsum^f, Sri Andarini^g

^a Doctoral Program of Medical Science, Faculty of Medicine, Universitas Brawijaya and Orthopaedic and Traumatology Department, Faculty of Medicine, Universitas Brawijaya, Saiful Anwar Hospital, Malang, East Java, Jalan Jaksa Agung Suprapto No. 2, Klojen, Kota Malang, Jawa Timur, 65112, Indonesia

^b Orthopaedic and Traumatology Department, Faculty of Medicine, Universitas Brawijaya Saiful Anwar Hospital, Jalan Jaksa Agung Suprapto No. 2, Klojen, Kota Malang, Jawa Timur, 65112, Indonesia

^c Orthopaedic and Traumatology Department, Faculty of Medicine, Universitas Brawijaya, Pediatric Division, Saiful Anwar Hospital, Jalan Jaksa Agung Suprapto No. 2, Klojen, Kota Malang, Jawa Timur, 65112, Indonesia

^d Orthopaedic and Traumatology Department, Faculty of Medicine, Universitas Airlangga, Hand and MicroSurgery Division, Sutomo General Hospital, Jl. Mayjen Prof. Dr. Moestopo, No.6-8, Airlangga, Kec. Gubeng, Kota SBY, Jawa Timur, 60286, Indonesia

^e Department of Orthopaedic and Traumatology, Lower Extremity and Adult Reconstruction Division, Saiful Anwar Hospital, Jalan Jaksa Agung Suprapto No. 2, Klojen, Kota Malang, Jawa Timur, 65112, Indonesia

^f Department of Pharmacology, Faculty of Medicine, Universitas Brawijaya, Jalan Veteran no 2, Lowokwaru, Kota Malang, Jawa Timur, 65112, Indonesia

⁸ Department of Public Health, Faculty of Medicine, Universitas Brawijaya, Jalan Veteran no 2, Lowokwaru, Kota Malang, Jawa Timur, 65112, Indonesia

ARTICLE INFO

Keywords: Adipose-derived stromal vascular fraction Growth plate injury Tissue engineering

ABSTRACT

The growth plate is cartilage tissue found at the end of long bones in children, responsible for longitudinal bone growth. Injuries to the growth plate cartilage often lead to unwanted bony repair, resulting in growth disturbances such as limb length discrepancy and angulation deformity in children. There is currently no clinical treatment that can fully repair an injured growth plate. Tissue engineering is promising for regeneration of growth plate. Adipose-derived stromal vascular fraction highlight the promising potential as tissue engineering therapy for inducing regeneration of injured growth plate and able to reduce the formation of bony repair that can lead to deformity and limb length discrepancy. Using an animal model of growth plate injury, bone bridge formation is evaluated after 28 days using Enzyme-linked Immunoassay, radiology, histopathology and Immunofloresence examination. Radiological analyses performed by evaluation of growth plate evaluated by histopatology examination. Enzyme-linked Immunoassay and immunofloresence are used to evaluate chondrogenic marker within the defect. The result shows in group with Adipose-derived stromal vascular fraction have a significant lower bone bridge formation compare to positive control group. This current study represents the first work that has utilized this animal model to investigate whether Adipose-derived stromal vascular fraction can be used to initiate regeneration at the injured growth plate.

1. Introduction

The growth plate is a cartilaginous tissue located at the proximal and distal ends of the long bones of children, and is responsible for longitudinal bone growth and regulated process called endochondral ossification [1,2]. The growth plate is a common site for trauma injury and being the most fragile area of the growing long bones in children with up to 20% of children's bone fractures involving growth plate damage [3]. The Salter–Harris classification system has been used to determine and predict the outcome, prognostic factor and severity of a growth plate injury. This classification system divides growth plate injury into five types. Briefly, type 1 and 2 injuries (with type 2 being the most common injury type) do not interrupt the epiphyseal blood supply and thus will usually heal by itself with no overall growth problems. On the other hand, 30% of growth plate-related injuries are of types 3, 4 or 5, which affect all of the growth plate layer and also the blood supply. As

* Corresponding author. *E-mail addresses:* panjisananta@ub.ac.id (P. Sananta), oka.rahaditya@gmail.com (R. I Gede Made Oka).

https://doi.org/10.1016/j.amsu.2020.09.026

Received 26 July 2020; Received in revised form 13 September 2020; Accepted 13 September 2020

Available online 28 September 2020

2049-0801/© 2020 Published by Elsevier Ltd on behalf of IJS Publishing Group Ltd. This is an open access article under the CC BY license (http://creativecommons.org/licenses/by/4.0/).

avascular and alymphatic nature of cartilage, growth plate has limited ability to regenerate itself once damaged and has a poor regenerative capacity. Injury to growth plate cartilage often results in an undesirable repair response mechanism and may lead to bone bridge formation. Therefore, injury to the growth plate can represent a significant problem for the developing long bone particularly in a young child who has a significant remaining growth period, with up to 30% of growth plate injuries resulting in growth arrest and thus a limb length discrepancy and/or an angular deformity [2](4). Currently, the pathophysiology for the bony repair and bone growth defects remains unclear, there is no cell-based biological based therapy to prevent bone bridge formation and regenerate the damaged growth plate cartilage in clinical practice.

A greater understanding of these biological mechanisms could lead to more effective therapeutic interventions for children suffering from growth plate injuries. An earlier study identified four different phases of injury responses in a rat growth plate injury model (28) - the inflammatory, fibro genic, osteogenic and bone bridge maturation remodeling responses occurring during days 1–3, 3–7, 7–14, 10–28, respectively [2]. Following the initial inflammatory phase, a fibrogenic phase is apparent at the growth plate injury site. In this phase, influx of vimentin (mesenchymal cell marker)-immunopositive mesenchymal cells, a response which is similar to the infiltration of mesenchymal cells following the inflammatory phase at bone fracture sites. Due to the limited intrinsic regeneration capacity of cartilage tissues, there has been an increasingly expanding interest in using tissue engineering and stem cells for cartilage repair and growth plate regeneration. Since tissue engineering is a complex process involving the acquisition and cultivation of adequate cells, growth or differentiation-inducing stimuli and scaffolds supporting tissue formation, researchers worldwide have been working to prepare the 3 fundamental components for the successful tissue engineering for cartilage repair: (a) the right set of viable MSCs; (b) appropriate soluble inductive signal molecules or growth factors that are chondrogenic; and (c) appropriate biological or artificial carriers or delivery systems or matrix scaffolds that support cartilage formation in vivo [3].

Adipose-derived stem/stromal cells (ADSCs) were first characterized in 2001, and have since been widely studied and used as a major source of cells with regenerative potential, with characteristics similar to that of mesenchymal stem/stromal cells (MSCs). Within the AD-SVF is a collection of heterogeneous cells and components, most notably: MSC, HSC, Treg Cells, Pericyte-EC, mast-cells, complex microvascular beds (fibroblasts, WBC, dendritic cells, intra-adventitial smooth muscularlike cells, etc.), and extracellular matrix [5](6). In order to elicit a more potent chondrogenic differentiation response from MSCs, the combinational use of growth factors and scaffold can often increase chondrogenesis. Recent study for using SVF for tendon healing by Polly in 2019 shows that gene expression for IGF-I, TGF-B1, and FGF-2 was significantly higher in SVF cells than in cultured ASC. Those growth factor has main role in chondrogenesis. The effects of each growth factor to mesenchymal stem cell in chondrogenesis process are TGF-B1 Increases proliferation and ECM production also downregulates collagen type 1 gene expression; IGF-I Stimulates cell proliferation, increases expression of ECM, additive effect when combined with TGF-\$1; Increases Proteoglycan synthesis and increases cell proliferation [7], [8].

Thus, it is important to understand whether the AD-SVF can be used as cell-based biological based therapy in preventing bone bridge formation in growth plate injury. The aim of this study is to evaluate the potential of Adipose-derived Stromal vascular fraction as a tissue engineering-based therapies for preventing bony bridge formation on growth plate injury model in rat. We used rat because Erickson et al., in 2017 has already established Growth Plate injury model in rat and repair mechanisms of the injury itself [9].

2. Material and methods

2.1. Study Design and animal model

Study Design for this research is experimental laboratories using post-test only control group and the work has been reported in line with the ARRIVE statement [10]. A total 18 male Rat (Rattus novergicus strain Wistar), approximately 6 weeks old, skeletal immature, with a mean weight \pm 200 g and 5 adult female Rat as source for adipose tissue, were used in this study. Among them, 5 adult female rat were sacrificed to obtain adipose tissue from retroperitoneal fat as a source for Stromal Vascular Fraction. While the other 18 male rat were randomly allocated to the following three groups: Control negative group (without injured to growth plate, n = 6), Control positive group (untreated sample after growth plate injury, n = 6; Intervention group (treated with 0.8 ml AD-SVF n = 6; . Growth plate injury was made by using anatomical landmark; semitendinosus insertion, joint capsule and growth plate angle according to previously described methods (Fig. 1) [9]. For intervention group, SVF were added into the defect and closed the defect using bone wax. After surgery, all rat were permitted to exercise freely during daily life. At 28 days after intervention, all rat were euthanized to evaluate bone bridge formation on proximal tibia by performing imaging and histological analyses. All animal protocols were approved by the Ethics Committee of Faculty of Medicine Brawijaya University and all subsequent experiments were performed in accordance with relevant guidelines and regulations. This method has already established by Erickson in 2017 [9].

2.2. Isolation of AD-SVF

Adipose tissue (24.02 \pm 9.31 g) was collected from 5 adult female rat to harvest allogous SVF as previously described. Briefly, adipose tissues were first washed three times in phosphate-buffered saline (PBS) to remove red blood cells and tissue debris; then, fat was digested with 0.2% collagenases I (Sigma C5138) (Sigma-Aldrich, St. Louis, MO, USA) at 37 °C for 1.5 h. SVF pellets were obtained by centrifugation at 425g for 5 min, followed by resuspension. The average yield of SVF was 2 \times 10⁶ mononuclear cells per 1 g of rat adipose tissue.



Fig. 1. Overview of Surgical Procedure.

Location of several anatomical markers used to create a successful growth plate injury. The knee capsule is immediately posterior to the kneecap (white), separating the tibia from the femur. The proximal growth plate is a mostly flat plane, except for the anterior quarter that forms a diagonal plane. Incision through the anterior-medial aspect of the tibial soft tissues to access the cortical bone. Location of the cortical window using alignment with the distal semitendinosus insertion as a reference point. Evaluating the depth of the injury by aligning the bevel on the kirschner wire with the cortical window.

2.3. Radiographic analysis using ImageJ software

To evaluate bone bridge formation using imaging analyses, after 28 days we sacrifice both groups and performing plain radiography for tibia. Choosing a method for radiological examination, the ALARA principle has to be considered to minimize radiation exposure dose. Regarding digitally processed radiographic, measurements of grey values is an easy feature of most graphic analysis software. The grey values are related to the absorption of x-rays, the radiologic density of a certain tissue. The grey values are saved in an 8-bit color space. Every pixel obtains a value between 0 and 255 in which 0 stands for black, low radiologic density and 255 for white, total x-ray absorption. Analyzing mean grey values, it has to be reconsidered, that an uncompressed file format like TIFF is being used, as compressed formats like JPG are summarizing areas of similar grey values, which leads to a loss of contrast, and significant changes in mean grey values. The measurement of the mean grey values was performed with the software ImageJ 1.44p (Wayne Rasband, National Institute of Health, USA). ImageJ is a free of charge software which has been used in medical and biological image analysis for a long time and has a wide range of analysis functions. Image files can be opened and Regions of Interests (ROI) can be created automatically or by freehand selection. The ROIs can be saved and transferred to other radiographic images and edited afterwards to different projection conditions.

2.4. Histological analysis

Proximal tibia samples were collected and fixed in 4% paraformaldehyde for one week, followed by decalcification in ethylenediaminetetraacetic acid (EDTA)-buffered saline solution. Samples were embedded in paraffin for sectioning (6 μ m for each section). To assess the general morphology of the articular cartilage samples, sections obtained from rat in each group underwent histological staining, including H&E (hematoxylin & eosin) staining. Bone bridge diameter was quantitatively measured using tools on dotslide application in 8 times magnification. The defect of growth plate was qualitatively assessed by one blinded experts (Dr. EN) in 40 times magnification, to evaluate the cell characteristic that regenerate within the defect.

2.5. ELISA analysis

Growth plate of proximal tibia were collected by excise the cartilage of growth plate from the adjacent bone. Tissue samples should be collected, weighed, and added to $9 \times$ volume of lysis buffer (50 mM Tris-HCL with 2 mM EDTA, pH 7.4). Tissue may be homogenized using a Potter-Elvehjem homogenizer attached to a variable-speed drill or a tissuemizer. During the homogenization process, the tube should be submersed in an ice bath to maintain the sample at 4 °C. Following homogenization, the tissue preparation is centrifuged for 2 min in a microfuge at 13,000×g. After the tissue homogenates is ready, add sample and ELISA (SOX9) reagent into each well. Incubate for 1 h at 37 °C and add stop solution and colour will develop.

2.6. Immunofloresence analysis

Proximal tibial growth plate cartilages of rats after 28 days were excised, fixed and processed using decalcification as same as histological analysis described above without staining. Slides were incubated at 60 °C for 60 min then pre-treated using Xylol, Ethanol absolute, ethanol 90%, ethanol 80%, ethanol 70% and sterile water respectively. Slide retrieves the antigen with citrate buffer then stained for unlabelled osteocalcin and collagen type 2 (primary antibody) in 4 °C for 1 night. Incubation for secondary antibody in room temperature for 30 min, continued with DAPI staining 1:1000 and evaluate under fluorescence microscopes.

2.7. Statistical analysis

The data are expressed as the mean \pm SE. Differences among groups were tested for statistical significance by performing Tukey followed by Pearson correlation. *P*-values less than 0.05 were considered statistically significant.

3. Results

All of the sample was in good condition and there is no behavioral changes. Analyzing mean grey values are summarizing areas of similar grey values, which leads to a loss of contrast, and significant changes in mean grey values. The measurement of the mean grey values was performed with the software ImageJ 1.44p (Fig. 2).

From descriptive analyses demonstrate mean grey value from control positive group revealed a highest mark (121.763 \pm 4.831) compared to negative control group and intervention group (AD-SVF treatment) (76.141 \pm 6.737) (91.231 \pm 6.616) with the highest mean grey value was 127.007 (control positive group) and the lowest mean grey values was 63,590 (negative control group) as seen on Table 1 and Chart 1. The grey values are related to the absorption of x-rays, the radiologic density of a certain tissue which it means the untreated samples (positive control) have a higher radiological density within the growth plate compare to the negative control group and treated group. Tukey test revealed p values was 0,000, less than 0.05, which means there was a significant difference of mean grey values between positive control samples compares to negative control and treated SVF group. But, there was no significance difference between negative control group and treated SVF group.

Chart 1. Demonstrates untreated group (positive control) have higher mean grey values which means a higher density within the growth plate in comparation with negative control group and treated group (SVF).

Histological examination of the untreated samples revealed extensive bone formation within the defects (Fig. 3a). AD-SVF group to the defect site, on the other hand, resulted in less bone bridge repair (Fig. 3b). Diameter of bone bridge was measured from end to end between the uninjured growth plate. Descriptive analyzes revealed that mean of bone bridge diameter from positive control group was higher (1.256.83 $\mu m \pm$ 429.99) than negative control group (0.00 $\mu m \pm$ 0.00) and treated SVF group (654.67 \pm 143.78) (Table 2 and Chart 2). Tukey test revealed p values was 0,001, less than 0.05, which means there was a significant difference of mean bone bridge diameter between control positive groups and treated SVF group. Pearson correlation between those two parameters (diameter of bone bridge and mean grey value) demonstrate strong correlation. We can conclude that increasing of mean grey value is proportional to increase of bone bridge diameter from histological analyses. Qualitative histological analysis (Fig. 4) of the SVF group within the defect show regeneration occurred, demonstrated by accumulation of immature chondrocyte that characterized by poorly bordered cell, round nuclei (basophilic) and outside of lacuna. Matrix of growth plate with HE stained shows grey pale colour.

Chart 2. Descriptive analyzes revealed that mean of bone bridge diameter from positive control group was higher than negative control group and treated SVF group.

SOX 9 analysis reveals that in the positive control group (without SVF) the value was very low when compared to treatment group. Whereas in the treatment group almost similar to the normal value (negative control) data produced were then tested for normality with the results of normal distribution but in the homogeneity test no homogeneous results were obtained so that the subsequent calculations used non-parametric statistical analysis namely Kruskal Wallis and Mann Whitney. Kruskal wallis test showed significant results between groups with p < 0.05. In the Mann Whitney test it was found that the positive control group gave significantly different results from treatment groups. Meanwhile, when compared with normal (negative control) treatment




Fig. 2. Evaluation of Mean Grey Values using ImageJ Software.

Regio of Interest (ROI) was determined within the growth plate area. ROI representing the defect region. On the right hand the results of the measurements are shown.

Table 1

Descriptive analyses of mean grey values between three different group.

Parameter	Group	N	Mean	Std. Deviation	Minimum	Maximum
Mean grey value	Negative control	6	76.141	6.737	63.590	82.506
	Positive control	6	121.763	4.831	113.737	127.007
	SVF	6	91.231	6.616	81.552	98.967




Fig. 3a. Successful Growth Plate Disruption and Bony Bar Formation. Bony bar formation (yellow arrow) is seen at 28 days post-injury confirmed through hematoxylin-eosin (HE) staining. The bony bar is fully mature by day 28 post-injury. (For interpretation of the references to colour in this figure legend, the reader is referred to the Web version of this article.)

groups did not differ significantly. From immunofloresence analyses was found that in the treatment group the number of osteoblast cells was very small when compared to the positive control where the lowest value was found in the SVF + amnion group with values close to the normal value (Fig. 5a and b). Kruskal wallis calculation showed significant results with p value < 0.05, while the test with Mann Whitney obtained a positive control group significantly different from treatment group. In the control positive group the number of chondrocyte cells was very small (27.67 \pm 20.71)when compared to the treatment group (245.83 \pm 31.39). The kruskal wallis calculation showed significant




Fig 3b. Bony Bridge Formation on Intervention Group. Less Bony Bar formation have been shown in Growth Plate Injury treated with AD-SVF. Diameter of bony bar was measured in $8\times$ magnification of light microscope.

results with a p value < 0.05, while the Tukey test found a positive control group significantly different from treatment groups.

4. Discussion

The aim of this study is to evaluate the potential of Adipose-derived Stromal vascular fraction as a tissue engineering-based therapies for preventing bony bridge formation on growth plate injury model in rat. Previous studies by *Erickson* in 2012 using growth plate injury model in rat have reported bone bridge formation was completed after 28 days following the surgical procedure. In days 28 following surgical procedure, samples were sacrificed and evaluate the amount of bony bridge formation within the defect.

This study evaluates quantitatively the amount of bone bridge diameter by calculating the widest diameter of a growth plate injury defect with histopathological observations stained with hemato-xylin eosin and observed on a light microscope with 8 times and 40 times magnifications. Radiological analyses check the density of the growth plate area using x-ray quantification through ImageJ software obtained from measurements of mean grey values. For qualitative assessments performed on histopathological preparations, the regeneration formed in the injury defect was observed the type of cells that fill the defect

Table 2

Descriptive analyses of mean bone bridge diameter between three different groups.

Parameter	Group	Ν	Mean	Std. Deviation	Minimum	Maximum
DIAMETER (µm)	Kontrol Negatif	6	0.00	0.00	0.00	0.00
	Kontrol Positif	6	1256.83	429.99	778.00	1883.00
	SVF	6	654.67	143.78	444.00	868.00




Fig. 4. Qualitative histological analysis.

The AD-SVF group within the defect show regeneration occurred, demonstrated by accumulation of immature chondrocyte that characterized by poorly bordered cell, round nuclei (basophilic) and outside of lacuna (yellow arrow). Matrix of growth plate with HE stained shows grey pale colour. (For interpretation of the references to colour in this figure legend, the reader is referred to the Web version of this article.)




Fig. 5a. Immunoflorescene (IF) of rat's growth plate area in SVF group. A) IF for osteoblast cell; B) IF for chondrocyte cell.




Fig. 5b. Immunoflorescene (IF) of rat's growth plate area in positive control group. A) IF for osteoblast cell; B) IF for chondrocyte cell.

whether they have characteristics such as chondrocyte cells or are other cells such as osteoblasts or fibrocytes. ELISA of SOX 9 and immuno-floresence analyses also being observed.

Recently, we demonstrated that Intervention group (AD-SVF) has significant less bone bridge formation compare to positive control group. Result shows significant less bone bridge formation in intervention group both histological, radiological analyses, ELISA and immunofloresence. From histopathology analyses in $40 \times$ magnification demonstrated immature chondrocyte was found within the defect. Immature chondrocyte is characterized by poorly bordered cell, round nuclei (basophilic) and outside of lacuna. Matrix of growth plate with HE stained shows grey pale colour. So, we concluded that regeneration

process was occurred after AD-SVF was injected inside the defect. Fundamentally, the tissue engineering paradigm consists of scaffolds, signals, and cells. These 3 elements can be combined or used independently to attempt to generate tissues in a limitless number of arrangements [11], [12].

The advantage of SVF over ADSCs is believed to be in two fundamental areas. Firstly, although similar in properties such as immunomodulation, anti-inflammatory, angiogenesis, and so forth, the distinctive, heterogeneous cellular composition of SVF may be responsible for the better therapeutic outcome observed in comparative animal studies. Secondly, unlike ADSCs, SVF is much more easily acquired, without the need for any cell separation or culturing conditions. Thus, the therapeutic cellular product is instantaneously obtained and has minimal contact with reagents making it comparatively safer and subject to the fulfilment of lesser regulatory criteria.

In order to create living tissues, as well as integrate living engineered tissue with native host tissues, cells must be present. The presence of AD-MSC (Adipose derived-Mesenchymal Stem Cell) in SVF will increase the number of progenitor cells in the area of growth plate injury. In addition, some of these cells were found to be MSC like as they expressed the stem cell marker alpha-smooth muscle actin. Furthermore, at the early time point day 4 post-injury, some of these cells already expressed chondrogenic marker collagen-2 and/or osteogenic marker Runx 2, suggesting that this influx of mesenchymal cells may contain a myriad of cells including MSC-like cells, osteoprogenitor cells, pre-osteoblasts, and/or pre-chondroblasts (either pre-existing or newly derived from the infiltrated MSCs). Further indicative of potential multipotency for some of these cells, previous studies have shown that differentiation of these cells and growth plate repair outcomes could be influenced by some growth factors or other signals occurring during this phase [4]. Additional MSC and inductive signal molecules for chondrogenesis are important during this phase to reduce bone bridge formation. MSCs are heavily influenced by and require signals (particularly growth factors) for their migration, proliferation and differentiation. In regard to growth plate cartilage repair, ideally, a combination of growth factors would firstly assist with optimal expansion of MSCs and then with the induction of chondrogenic differentiation. In a study conducted by Polly in 2019 regarding the use of SVF (Stromal Vascular Fraction) versus ASC (Adipose stem cells) for tendon healing, it was found that in SVF there was a higher gene expression of several Growth factors including IGF-I, TGF- β 1 and FGF-2. Growth factors are growth factors that have a major role in chondrogenesis [7], [8].

TGF β is a potential induction factor for chondrogenic differentiation from MSC and other mature tissues derived from MSC. Insulin growth factor I (IGF-1) is one of the growth factors that also has a role in repairing growth plates. Its role in chondrocytes/cartilage includes stimulation of extracellular matrix synthesis and a decrease in matrix catabolism except in OA cartilages. IGF-I induces a large number of anabolic effects and reduces catabolic responses. The chondrogenic differentiation of MSCs is induced by IGF-I but is increased when IGF-I and TGF-B1 are used in combination. Fibroblast growth factors (FGF) involved in the process of repairing growth plates is twofold, namely FGF-2 and FGF-18. In MSC, FGF-2 has the role of increasing proteoglycan synthesis and cell proliferation while FGF-18 has no effect.

Stromal Vascular Fraction (SVF) also contains many T regulatory cells (T reg) which are cells in the immunological system. At the growth plate that is injured will release a biomolecule called damage associated molecular pattern (DAMP) which will give effect to the T reg to regulate so that the monocytes turn into macrophages type 2. The more T reg is in the area of the growth plate injury, it is expected there are more and more type 2 macrophages in the area of injury. Type 2 macrophages play a very important role because these type 2 macrophages will initiate a repair process in growth plate injury and have an anti-inflammatory effect that will prevent the occurrence of chronic inflammation which is very detrimental in the ideal healing process. Activation of the pathogenesis pathway through the SoX9 transcription factor will change AD-

MSCs to chondrocytes marked by the formation of Col-2a. if this happens it will prevent the occurrence of bone bridge in growth plate injury [6].

From the result we can conclude that AD-SVF prevent the bony bridge formation in injured growth plate in Rat. This study represents the first work that has utilized this rat animal model to investigate whether AD-SVF combine with freeze-dried amniotic membrane can be used to initiate regeneration at the injured growth plate. Questions to be addressed in the future may include analysis of the repair growth plate at different phase of healing process post-operatively to determine the exact mechanism of regeneration process. Second, the potential of MSCs 'pre-differentiated/committed' to chondrogenic lineage in vitro prior to transplantation - to improve the possibility of chondrogenic tissue repair. And the last, tracking of the introduced MSCs to determine their role in the repair response - whether MSCs directly contribute to the repair tissue or facilitate the recruitment of endogenous cells. Further study is required to evaluate whether MSC may be a viable therapeutic option for the biological regeneration of the growth plate following injury.

Appendix A. Supplementary data

Supplementary data to this article can be found online at https://doi.org/10.1016/j.amsu.2020.09.026.

Provenance and peer review

Not commissioned, externally peer reviewed.

Annals of medicine and surgery

The following information is required for submission. Please note that failure to respond to these questions/statements will mean your submission will be returned. If you have nothing to declare in any of these categories then this should be stated.

Please state any conflicts of interest

This study does not have any conflict of interest.

Please state any sources of funding for your research

This study does not use any sources of funding.

Ethical approval

This study has been approved by the Institutional Review Board of Saiful Anwar General Hospital, Malang, Indonesia.

Author contribution

Panji Sananta: Writing the paper, conceptualization.
I Gede Made Oka Rahaditya: Data analysis and interpretation.
Sri Andarini: Study concept.
Umi Kalsum: Study concept.
Edi Mustamsir: Data analysis and interpretation.
Respati Suryanto Dradjat: Study concept and Data collection.

Registration of research studies

1.Name of the registry:

- 2. Unique Identifying number or registration ID:
- 3. Hyperlink to your specific registration (must be publicly accessible and will be checked).

Guarantor

Panji Sananta.

References

- R.C. Mccarty, C.J. Xian, S. Gronthos, A.C.W. Zannettino, B.K. Foster, Application of Autologous Bone Marrow Derived Mesenchymal Stem Cells to an Ovine Model of Growth Plate Cartilage Injury, vols. 204–10, 2010.
- [2] R. Chung, B.K. Foster, C.J. Xian, Injury responses and repair mechanisms of the injured growth plate, Front Biosci [Internet] 3 (January) (2011) 117–125. Available from: http://www.ncbi.nlm.nih.gov/pubmed/21196362.
- [3] C. Xian, F. Bruce, Repair of injured articular and growth plate cartilage using mesenchymal stem cells and chondrogenic gene therapy, Curr Stem Cell Res Ther [Internet 1 (2) (2006) 213–229. Available from: http://www.eurekaselect. com/openurl/content.php?genre=article&issn=1574-888X&volume=1&issue =2&spage=213.
- [4] R. Chung, C.J. Xian, Mechanisms for growth plate injury repair and potential cellbased therapies for regeneration, J. Mol. Endocrinol. 53 (1) (2014).
- [5] P. Bora, A.S. Majumdar, Adipose tissue-derived stromal vascular fraction in regenerative medicine: a brief review on biology and translation, Stem Cell Res. Ther. 8 (1) (2017) 1–10.

- [6] R.W. Alexander, Understanding adipose-derived stromal vascular fraction (AD-SVF) cell biology and use on the basis of cellular , chemical , structural and paracrine components: a concise review, J Prolotherapy 4 (March) (2012) 855–869.
- [7] S.S. Polly, A.E.C. Nichols, E. Donnini, D.J. Inman, T.J. Scott, S.M. Apple, et al., Adipose-derived stromal vascular fraction and cultured stromal cells as trophic mediators for tendon healing, J. Orthop. Res. (2019).
- [8] L.A. Fortier, J.U. Barker, E.J. Strauss, T.M. McCarrel, B.J. Cole, The role of growth factors in cartilage repair, Clin. Orthop. Relat. Res. 469 (10) (2011) 2706–2715.
- [9] C.B. Erickson, N. Shaw, N. Hadley-Miller, M.S. Riederer, M.D. Krebs, K.A. Payne, A rat tibial growth plate injury model to characterize repair mechanisms and evaluate growth plate regeneration strategies, J Vis Exp [Internet] 125 (2017) 1–8. Available from: https://www.jove.com/video/55571/a-rat-tibial-growth-plateinjury-model-to-characterize-repair.
- [10] C. Kilkenny, W.J. Browne, I.C. Cuthill, M. Emerson, D.G. Altman, Improving bioscience research reporting: the arrive guidelines for reporting animal research, PLoS Biol. 8 (6) (2010) 1000412.
- [11] S. Díaz-Prado, M.E. Rendal-Vázquez, E. Muiños-López, T. Hermida-Gómez, M. Rodríguez-Cabarcos, I. Fuentes-Boquete, et al., Potential use of the human amniotic membrane as a scaffold in human articular cartilage repair, Cell Tissue Bank. 11 (2) (2010) 183–195.
- [12] A.M. Tatara, A.G. Mikos, Tissue engineering in orthopaedics, J Bone Jt Surg Am 98 (13) (2016) 1132–1139.