

DAFTAR PUSTAKA

- Adams E, Frank L (1980). Metabolism of Proline and the Hydroxyprolines. Annual Review of Biochemistry 49: 1005-61
- Ahrendt GM, Tantry US, Barbul A. Intra-abdominal sepsis impairs colonic reparative collagen synthesis. Am J Surg 1996;171(1):102–8.
- Angus, D.C. *et al.* Epidemiology of severe sepsis in the United States: analysis of incidence, outcome, and associated costs of care. *Crit Care Med* **29**, 1303-1310 (2001).
- Aplin, AE. 2003. ‘Cell adhesion molecule regulation of nucleocytoplasmic trafficking.’ *FEBS Lett*, 534, 11-4.
- Arrizabalaga JH, Nollert MU. 2018. Human Amniotic Membrane: A Versatile Scaffold for Tissue Engineering. ACS Biomaterials Science & Engineering. Vol.4(7): 2226-36.
- Baumann P, Kim J, Ahn SH, Kim HH, Chong HY, Wente MN. Mild-term absorbable monofilament is safe and effective for gastrointestinal anastomosis- Promegrat-A single-arm prospective observational study. Annals of Medicine and Surgery; Elsevier; April 2nd, 2018.
- Bedeniuk A, Grytsenko S, Horman M, Boiko H. The Evaluation of Risk Factor of Anastomotic Leakage in Patients with Colorectal Cancer Complicated by Ileus. Int J Surg Med. 2017;1.
- Brasken P. Healing of experimental colon anastomosis. Eur J Surg Suppl 1991; 566:1–51.
- Bruckner-Tuderman, L.; Bruckner, P (1998). Genetic diseases of the extracellular matrix: more than just connective tissue disorders. Journal of Molecular Medicine 76: 226-37
- Buras, J.A., Holzmann, B. & Sitkovsky, M. Animal models of sepsis: setting the stage. *Nat Rev Drug Discov* 4, 854-865 (2005).
- Burridge K, Chrzanowska-Wodnicka M. 1996. Focal adhesions, contractility, and signaling. Annu Rev Cell Dev Biol 12: 463-518
- Campos ACL, Groth AK, Branco AB. 2008. Assesment and Nutritional Aspects Of Wound Healing. Current Opinion And Clinical Nutrition and Metabolic Care. Vol. 11(3): 281-8.
- Daniele M, Bajpai S, Chaturvedi P. 2012. Hypoxia inducible factor 1 (HIF 1) promotes extracellular matrix remodeling under hypoxic condition by inducing P4HA1, P4HA2, and PLOD2 expression in fibroblast. Department of Chemical and Biomolecular Engineering, The Johns

- Hopkins University, Baltimore, Maryland. *The Journal of Biological Chemistry*. Vol. 288, No. 15, pp. 10819–10829
- Davis, JW. 2010. 'Skin transplantation with a review of 550 cases at the Johns Hopkins Hospital.' *Johns Hopkins Med J* 15, 307.
- Deitch, EA, 2005, 'Rodent models of intra-abdominal infection', *Shock*, vol. 24, sup. 1, hal. 19–23, DOI: 10.1097/01.shk.0000191386.18818.0a, diakses 12 Desember 2018 <https://pdfs.journals.lww.com/shockjournal/2005/12001/RODENT_MODELS_OF_INTRA_ABDOMINAL_INFECTION.4.pdf>.
- Dejager L, Pinheiro1, Dejonckheere E, Libert C, Cecal ligation and puncture : Cecal ligation and puncture : the gold standard model for polymicrobial sepsis. *Trend in Microbiology* Vol 19: 198-208.
- Derby I, Hewitson. 2007. Fibroblast differentiation in wound healing and fibrosis. *Int Rev Cytol*. Vol. 257: 143-79.
- De Waard WD, Wobbles T, van der Linden CJ, Hendriks T. Retinol may promote fluorouracil-suppressed healing of experimental intestinal anastomoses. *Arch Surg* 1995; 130:959-965.
- Diaz-Prado S, et al. 2011. Human Amniotic Membrane as an Alternative Source of Stem Cells for Regenerative Medicine. *Differentiation* 1:162-171
- Diegelmann, R. F., Evans, M. C. 2004. Wound Healing: An Overview of Acute, Fibrotic and Delayed Healing. *Frontiers in Bioscience*. Vol. 9:283- 289.
- Diodato, M.D., Knoferl, M.W., Schwacha, M.G., Bland, K.I. & Chaudry, I.H. Gender differences in the inflammatory response and survival following haemorrhage and subsequent sepsis. *Cytokine*, 162-169. (2001).
- Dua SH, Azuara-Blanco A, 2004. Amniotic Membrane Transplantation. *Br. Journal Ophthalmology* Vol. 83:748–752
- Duh EJ, Yu X, Xu Z. 2006. Vascular Endothelial Growth Factor upregulates expression of ADAMTS1 in endothelial cells through protein kinase C signaling. Dept of Surgery. John Hopkins University School of Medicine. Maryland
- Eckmann C & Bassetti, M, 2014, 'Prognostic factors for mortality in (fecal) peritonitis: back to the roots!', *Intensive Care Medicine*, vol. 40, no. 2, hal. 269–271
- Ellison G. Wound healing in the gastrointestinal tract. *Semin Vet Med Surg (Small Anim)* 1989;4:287–93.
- Falanga, Vincent. (2005) 'Wound healing and its impairment in the diabetic foot', *Lancet*, 366(9498), pp. 1736–1743. doi: 10.1016/S0140-6736(05)67700-8.

- Falanga, V. et al. (1995) 'Experimental approaches to chronic wounds', *Wound Repair and Regeneration*, 3(2), pp. 132–140.
- Fernandes, M. Sridhar, MS. Sangwan, VS. Rao, GN. 2005, 'Amniotic membrane transplantation for ocular surface reconstruction.' *Cornea* 24, 643-53
- Fetterolf, DE. Snyder, RJ. 2012. 'Scientific and Clinical Support for the Use of Dehydrated Amniotic Membrane in Wound Management', *Wounds*, 24(10), pp. 299–307
- Fincham-Gee, C. 1990. Nutrition and wound healing. *Nursing Vol. 4*: 18, 26-28
- Forsythe JA, Jiang BH, Koos RD. 1996. Activation of Vascular Endothelial Growth Factor Gene Transcription by Hypoxia Inducible Factor-1. Dept of Physiology, Univ of Maryland School of Medicine. American Society of Microbiology, Molecular and cellular biology p. 4604-4613
- Fullana, F.; Grande, L.; Fernandez-Lamazares, J.; Gonzalez-Mestre, V.; Salva, J.A (1993) Skin prolyhydroxylase activity and wound healing. *European Surgical Research* 25: 370-5.
- Godshall, C.J., Scott, M.J., Peyton, J.C., Gardner, S.A. & Cheadle, W.G. (2002). Genetic background determines susceptibility during murine septic peritonitis. *J Surg Res* 102, 45-49.
- Gordillo GM, Sen CK. Revisiting the essential role of oxygen in wound healing. *Am J Surg* 2003; 186:259-263.
- Gorres, Kelly L.; Raines, Ronald T. (2010). Prolyl 4-hydroxylase. *Critical Reviews in Biochemistry and Molecular Biology*. 45 (2): 106–124
- Graham MF, Blomquist P, Zederfeldt B. The alimentary canal. *Wound healing: biochemical and clinical aspects*. Philadelphia: WB Saunders; 1992. p. 433.
- Green GD, Reagan K. Determination of hydroxyproline by high pressure liquid chromatography. *Anal Biochem* 1992; 201: 265-269.
- Greenhalgh, D. G. (1998) 'The role of apoptosis in wound healing', *International Journal of Biochemistry and Cell Biology*, 30(9), pp. 1019–1030.
- Hasmad H. Yusof MR. Razi ZR. Idrus RB. Chowdury SR. 2018. Human Amniotic Membrane With Aligned Electrospun Fiber As Scaffold for Aligned Tissue Regeneration. *Tissue Engineering Part C: Methods*. Vol. 24(6): 368-78.
- Haukipuro et al. 1991. Collagen Synthesis In Intact Skin Is Suppressed During Wound Healing. *Ann Surg*. Apr; 217(4): 397–403
- Hedlund CS. Surgery of the small intestine. Surgery of the digestive system. In: Fossum TW, Hedlund CS, Hulse DA, Johnson AL, Seim HB, Willard

- MD, Carroll WL, editors. *Small Animal Surgery*. 2nd Ed. St Louis (Missouri): Mosby, Inc. 2002:369-398.
- Hendriks T, Mastboom WJB. Healing of experimental intestinal anastomoses: parameters for repair. *Dis Colon Rectum* 1990; 33:891-901.
- Hoeben A, Landuyt B, Highley MS. 2004. Vascular Endothelial Growth Factor and angiogenesis. *The American Society for Pharmacology and Experimental Therapeutics. Pharmacol Rev* 56:549–580.
- Hugunin, K.M., Fry, C., Shuster, K. & Nemzek, J.A. (2010). Effects of tramadol and buprenorphine on select immunologic factors in a cecal ligation and puncture model. *Shock* 34, 250-260.
- Huszar G, Maiocco J, Naftolin F (1980). Monitoring of collagen and collagen fragments in chromatography of protein mixtures. *Anal Biochem*; 105: 424-429.
- Hyman N, Thomas L. 2007. Anastomotic leaks after intestinal anastomosis, It's Later than you think. Dept of Surgery University of Vermont Burlington. *Annals of surgery* vol 245, number 2, Februari 2007.
- Ignat'eva NY, Danilov NA, Averkiev SV, Obrezkova MV, Lunin VV, Sobol EN. (2007) Determination of hydroxyproline in tissues and the evaluation of the collagen content of the tissues. *Journal of Analytical Chemistry*. 62: 51-7.
- Ito A, Uoji H, Mori Y (1985). An enzymatic estimation of free hydroxyproline in tissue hydrolyzates. *Anal Biochem*; 151: 510-514.
- Jiborn H, Ahonen J, Zederfeldt B. Healing of experimental colonic anastomoses. II. Breaking strength of the colon after left colon resection and anastomosis. *Am J Surg* 1978; 136:595-599.
- Jones MK, Tomikawa M, Mohajer B, Tarnawski AS. Gastrointestinal Mucosal Regeneration: Role of Growth Factors. *Frontiers in Bioscience* 1999; 4:d303-309.
- Jonsson K, Jiborn H, Zederfeldt B. Collagen metabolism in small intestinal anastomosis, *Am. J. Surg.* 154; 1987:288-291.
- Kate, V. 2018. Intestinal Anastomosis Technique : Approach Considerations, Incision and Exposure, Bowel Resection. <https://emedicine.medscape.com/article/1892319>
- Kern J.S, Kohlhase J, Bruckner-Tuderman L, Has C (2006). Expanding the COL7A1 mutation database: novel and recurrent mutations and unusual genotype-phenotype constellations in 41 patients with dystrophic epidermolysis bullosa. *Journal of Investigative Dermatology* 126: 1006-12.

- Kitchener RL and Grunden AM (2012). Prolidase function in proline metabolism and its medical and biotechnological applications. *J Appl Microbiol* 113: 233-247.
- Kramer, R.; Bella, J.; Brodsky, B.; Berman, H.M (2001). The crystal and molecular structure of a collagen like peptide with a biologically relevant sequence. *Journal of Molecular Biology* 311: 131-47.
- Langer R, Vacanti JP. 1993. Tissue engineering. *Science*. May 14;260(5110):920-6.
- Leslie A, Steele JC. 2002. The Interrupted serosubmucosal anastomosis-still the gold standard. Dept of surgery and molecular oncology. Dundee, UK
- Liakakos, T. et al. (2001) 'Peritoneal adhesions: Etiology, pathophysiology, and clinical significance - Recent advances in prevention and management', *Digestive Surgery*, 18(4), pp. 260–273.
- Mano, JF. Silva, GA. Azevedo, HS. Malafaya, PB. Sousa, RA. Silva, SS. Boesel, LF. Oliveira, JM. Santos, TC. Marques, AP. Neves, NM. Reis, RL. 2007. 'Natural origin biodegradable systems in tissue engineering and regenerative medicine: present status and some moving trends.' *J R Soc Interface* 4, 999-1030
- Martin P. Wound healing, aiming for perfect skin regeneration. *Science* 1997; 276:75-81.
- Martin, R., Sc, B. and Ph, D. (2001) 'Special Topic The Use of Fibrin Glue in Skin Grafts and Tissue-Engineered Skin Replacements: A Review', *Plastic and Reconstructive Surgery*, 108, No.6, pp. 1713–1726.
- Meng XT, Chen D, Dong ZY, Liu JM. 2007. Enhanced Neural Differentiation of Neural Stem Cells and Neurite Growth by Amniotic Epithelial Cell Co-Culture. *Cell Biol Int* 31(7):691-8
- Midwood KS, Williams LV, Schwarzbauer JE. Tissue repair and the dynamics of the extracellular matrix. *The International Journal of Biochemistry & Cell Biology* 2004; 36:1031-1037
- Munireddy S., Sandra L. Kavalukas, Barbul A; 2010. Intra-abdominal Healing: Gastrointestinal Tract and Adhesions. *Surgical Clinics of North America*
- Miyamoto K, Hayashi K, Suzuki T, Ichihara S, Yamada T, Kano Y, Yamabe T, Ito Y. 2004. Human placenta feeder layers support undifferentiated growth of primate embryonic stem cells. *Stem Cells* 22: 433-440.
- Mligiliche, N. Endo, K. Okamoto, K. Fujimoto, E. Ide, C. 2002. 'Extracellular matrix of human amnion manufactured into tubes as conduits for peripheral nerve regeneration.' *J Biomed Mater Res* 63, 591-600
- Mohammad J, Shenaq J, Rabinovsky E, Shenaq S. 2000. Modulation of Peripheral Nerve Regeneration: A Tissue-Engineering Approach. *The Role of*

- Amnion Tube Nerve Conduit across a 1-Centimeter Nerve Gap. *Plast Reconstr Surg* 105: 660-666
- Moiseeva EP .2001. Adhesion receptors of vascular smooth muscle cells and their functions. *Cardiovasc Res* 52: 372-386
- Munireddy S., Sandra L. Kavalukas, Barbul A; 2010. Intra-abdominal Healing: Gastrointestinal Tract and Adhesions. *Surgical Clinics of North America*
- Murray JJ (1991) Nonelective colon resection. Alternatives to multistage resections. *Surg Clin North Am* 71:1187–1194.
- Neuman RE, Logan MA (1950). The determination of hydroxyproline. *J Biol Chem*; 184: 299-306.
- Nicolas, V. Tofik, A. Fabrice, M. Anne, C. Simon, M. Jean, H. 2007. Anastomotic Leakage after Elective Right Versus Left Colectomy for Cancer : Prevalence and Independent Risk Factor. *J Am Coll Surg*; 205 : 785-793.
- Niknejad, H. Peirovi, H. Jorjani, M. Ahmadiani, A. Ghanavi, J. Seifalian, AM. 2008. 'Properties Of The Amniotic Membrane For Potential Use In Tissue Engineering.' *European Cells and Materials* 15, 88-99
- Nordentoft T (2015). Fibrin glue does nit improve healing of gastrointestinal anastomoses : a systematic review. *European Surgical Research* 54 : 1-13.
- Ordoñez, CA & Puyana, JC, 2006, 'Management of peritonitis in the critically ill patient', *Surgical Clinics of North America*, vol. 86, no. 6, hal. 1323–1349
- Ozel SK. Kazez A. Akpolat N. 2006. Does A Fibrin-Collagen Patch Support Early Anastomotic Healing In The Colon? An Experimental Study. *Tech Coloproctol*. 10:233-6.
- Perdanakusuma DS. 2007. Anatomi Fisiologi Kulit Dan Penyembuhan Luka, Plastic Surgery Departement, Airlangga University School of Medicine Dr. Soetomo General Hospital, Surabaya. Hal. 27-38.
- Pieracci FM, Barie PS (2007) Management of severe sepsis of abdominal origin. *Scand J Surg* 96:184–196.
- Pierce GF, Mustoe TA, Altmann BW. 1991. Role of Platelet Derived Growth Factor in Wound Healing. Dept of Experimental Pathology, Biology and Biochemistry and Dept of Surgery Washington Univ Medical Center. Missouri. *Journal of Cellular Biochemistry* 45:319-326 (1991)
- Podolsky, D. K., Kanai, M., Rosenberg, I. and (1997) 'Cytokine regulation of fibroblast growth factor receptor 3 IIIb in intestinal epithelial cells', *American Journal of Physiology-Gastrointestinal and Liver Physiology*, 272(4), pp. G885– G893.
- Rabau M, Hirshberg A, Hiss Y, Dayan D. Intestinal anastomosis healing in rats: Collagen concentration and histochemical characterization by picrosirius

- red staining and polarizing microscopy. *Exp Mol Pathol*, 1995, 62:160-165.
- Reddy GK, Enwemeka CS (1996). A simplified method for the analysis of hydroxyproline in biological tissues. *Clin Biochem*; 29(3): 225-9.
- Riedemann, N.C., Guo, R.F. & Ward, P.A. (2003). The enigma of sepsis. *J Clin Invest* 112 : 460-467.
- Robinson A, Keely S, Karhausen J. 2008. Mucosal Protection by Hypoxia Inducible Factor (HIF) prolyl hydroxylase inhibition. *National Institute of Health, Gastroenterology*. 134(1) : 145–155.
- Robson, M.C.; Steed, D.L.; Franz, M.G (2001). Wound healing : biologic features and approaches to maximize healing trajectories. *Current Problems in Surgery* 38: 72-140
- Santos, CHM; Filho,KGS; Cassino, PC; Chiquetti, CV; Mello, AP; Differences between polydioxanone and poliglactin in intestinal anastomoses – a comparative study of intestinal anastomoses. *J Coloproctol (Rio J)* 2017;37(4):263-7
- Saravanan M. “A Comparative Study Between Single Versus Double Layered Intestinal Anastomosis”. Disertasi. The Tamil Nadu Dr. M.G.R. Medical University. Chennai.2015:11-107.
- Senol, M. et al. (2013) ‘The Effect of Fibrin Glue on the Intensity of Colonic Anastomosis in the Presence and Absence of Peritonitis: An Experimental Randomized Controlled Trial on Rats’, *ISRN Surgery*, 2013, pp. 1–6.
- Shi J, Wu Z, Li Z, Ji J. Review Article Roles of Macrophage Subtypes in Bowel Anastomotic Healing and Anastomotic Leakage. 2018.
- Shima T, Shan Y, Krilleke D. 2005. VEGF function in Vascular Pathogenesis. Elsevier. *Experimental cell research* 312 (2006) 527-537
- Shoulders MD, Raines RT (2009) Collagen Structure and Stability. *Annual Review of Biochemistry*. 78, 929-58.
- Shrum, B. *et al.* (2014) ‘A robust scoring system to evaluate sepsis severity in an animal model’, *BMC Research Notes*, 7(1), pp. 1–11
- Sniadecki, NJ. Desai, RA. Ruiz, SA. Chen, CS. 2006. ‘Nanotechnology for cell-substrate interactions.’ *Ann Biomed Eng* 34, 59-74
- Soylu S. Yildiz C. Bozkurt B. Karakus S. Kurt B. Kurt A. 2018. Amniotic Membrane -Coated Polypropylene Mesh For The Repair of Incisional Hernia: An Experimental Study In A Rat Model With Abdominal Wall Defect. *Iran Red Crescent Med J*. Vol. 20(3) : 1334-7

- Srivastava AK, Khare P, Nagar HK, Raghuwanshi, Srivastava R (2016). Hydroxyproline: A Potential Biochemical Marker and Its Role in the Pathogenesis of Different Diseases, *Current Protein and Peptide Science* 17: 1-7
- Stadelmann, W. K., Digenis, A. G. and Tobin, G. R. (1998) 'Physiology and healing dynamics of chronic cutaneous wounds', *American Journal of Surgery*, 176(2 A), pp. 26S-38S
- Stegemann H, Stalder K. Determination of hydroxyproline. *Clin Chim Acta*; 18: 267-273.
- Suding, P. N. et al. (2007) 'Definitive risk factors for anastomotic leak in open elective colon resection', *Journal of the American College of Surgeons*, 205(3), p. S20.
- Swayne, S. L., Brisson, B., Weese, J. S., & Sears, W. (2012). Evaluating the effect of intraoperative peritoneal lavage on bacterial culture in dogs with suspected septic peritonitis. 971–977.
- Telem DA, Chin EH, Nguyen SQ, Divino C (2010). Risk Factors for Anastomotic Leak Following Colorectal Surgery. *Arch Surg* Vol 145: 371-6
- Thompson SK, Chang EY, Jobe BA. Clinical review: healing in gastrointestinal anastomoses, part I. *Microsurgery* 2006;26(3):131–6.
- Thornton FJ, Barbul A (1997) Healing in the gastrointestinal tract. *Surg Clin North Am* 77:549–573
- Toda A. Okabe M. Yoshida T. Nikaido T. 2007. The Potential of Amniotic Membrane/Amnion-Derived Cells for Regeneration of Various Tissues. *J Pharmacol Sci.*105: 215-28.
- Torres, M.B. & De Maio, A. (2005). An exaggerated inflammatory response after CLP correlates with a negative outcome. *J Surg Res* 125 : 88-93.
- Tseng SC, Prabhasawat P, Barton K, Gray T, Meller D. 1998. Amniotic Membrane Transplantation With or Without Limbal Allografts for Corneal Surface Reconstruction in Patients with Limbal Stem Cell Deficiency. *Arch Ophthalmol* 116: 431-441.
- Turnbull, I.R. *et al.* (2003). Effects of age on mortality and antibiotic efficacy in cecal ligation and puncture. *Shock* 19 : 310-313.
- Ueno M et al. 2006. Neural Conversion of ES Cells by an Inductive Activity on Human Amniotic Membrane Matrix. *Proc Natl Acad Sci USA* 103: 9554-9
- Uludag M. Citgez B. Ozkaya O. Yetkin G. Ozcan O. Polat N. Isgor A. 2009. Effect Of Amniotic Membrane On The Healing Of Normal And High-Risk Colonic Anastomosis In Rats. *Int J Colorectal Dis.* 24: 809-17.

- Van der Ham, A. C. *et al.* (1993) 'Effect of fibrin sealant on the integrity of colonic anastomoses in rats with faecal peritonitis', *The European journal of surgery = Acta chirurgica*, 159(8), p. 425-432.
- Van Ruler, O & Boermeester, MA, 2017. 'Surgical treatment of secondary peritonitis: a continuing problem', *Der Chirurg*, vol. 88, sup. 1, hal. S1–S6
- Velnar T, Bailey T, S. V (2009) 'The Wound Healing Process: An Overview of the Cellular and Molecular Mechanisms. *J Int Med Res* 37 (5):1528–1542.', 37(5), pp. 1528–1542.
- Verhofstad MJ, Lange WL, van der Laak JM, Verhofstad AJ, Hendriks T. Microscopic analysis of anastomotic healing in the intestine of normal and diabetic rats. *Dis Colon Rectum*, 2001, 44:423-431.
- Walgenbach, KJ. Voigt, M. Riabikhin, AW. Andree, C. Schaefer, DJ. Galla, TJ. Bjorn, G. 2001. 'Tissue engineering in plastic reconstructive surgery.' *Anat Rec* 263, 372-8.
- Werner S and Grose R. Regulation of Wound Healing by Growth Factors and Cytokines. *Physiol Rev* 2003; 83:835-870.
- Yoshida D, Kim K, Noha M. 2006. Hypoxia Inducible Factor-1 regulates of platelet derived growth factor-B in human glioblastoma cells. *Journal of Neuro-oncology* (2006) 76: 13–21
- Zeng YJ, Qiao AK, Yu JD. 2003. Collagen fiber angle in the submucosa of small intestine and its application in gastroenterology. *World J Gastroenterology* 2003, Apr 15. 9(4) : 804-807