

DAFTAR PUSTAKA

- Abbass, S. J., & Abdulrahman, G. 2013. Kinematic analysis of human gait cycle. *Al-Nahrain Journal for Engineering Sciences*, 16(2), 208-222.
- Alam, M., Choudhury, I.A., Mamat, A.B., 2014. Mechanism and Design Analysis of Articulated Ankle Foot Orthoses for Drop-Foot. Hindawi Publishing Corporation Scientific World Journal, pp. 1-14.
- Bassile, C. C. & Hayes, S. M., 2011. Gait Awareness. In: *Stroke Rehabilitation A Function-Based Approach*. 3rd ed. New York: Elsevier Mosby, pp. 389-413.
- Benjamin EJ, Blaha MJ, Chiuve SE, Cushman M, Das SR, Deo R, Ferranti SD, Floyd J, Fornage M, Gillespie C, Isasi CR, Jiménez MC, Jordan LC, Judd SE, Lackland D, Lichtman JH, Lisabeth L, Liu S, Longenecker CT, Mackey RH, Matsushita K, Mozaffarian D, Mussolino ME, Nasir K, Neumar RW, Palaniappan L, Pandey DK, Thiagarajan RR, Reeves MJ, Ritchey M, Rodriguez CJ, Roth GA, Rosamond WD, Sasson C, Towfighi A, Tsao CW, Turner MB, Virani SS, Voeks JH, Willey JZ, Wilkins JT, Wu JHY, Alger HM, Wong SS, Muntner P.. 2017. Heart Disease and Stroke Statistics-2017 Update: A Report From the American Heart Association. *Circulation*, pp. 146.
- Bohannon, R. W. (2007). Muscle strength and muscle training after stroke. *Journal of rehabilitation Medicine*, 39(1), 14-20.
- Bouardham, J., Roche, N., Pradon, D., Bonnyaud, C., Bensmail, D. and Zory, R., 2013. Variations in kinematics during clinical gait analysis in stroke patients. *PloS one*, 8(6), p.e66421.
- Caplan, L.R., 2005. Stroke. American Academy of Neurology, pp. 82.
- Caplan, R.D., 1992. Intracerebral Haemorrhage. *Lancet*, pp.656.
- Carmo, A.A., Kleiner, A.F.R., Costa, P.H. and Barros, R.M.L., 2012. Three-dimensional kinematic analysis of upper and lower limb motion during gait of post-stroke patients. *Brazilian Journal of Medical and Biological Research*, 45(6), pp.537-545.
- Chu, C. L., Chen, Y. P., Chen, C. C., Chen, C. K., Chang, H. N., Chang, C. H., & Pei, Y. C. 2020. Functional Recovery Patterns of Hemorrhagic and Ischemic Stroke Patients Under Post-Acute Care Rehabilitation Program. *Neuropsychiatric Disease and Treatment*, 16, 1975.

- Daher, N., Lee, S., & Yang, Y. J. 2013. Effects of elastic band orthosis (aider) on balance and gait in chronic stroke patients. *Physical Therapy Rehabilitation Science*, 2(2), 81-86.
- Dujovic SD, Malešević J, Malešević N, Vidaković AS, Bijelić G, Keller T, Konstantinović L. 2017. Novel multi-pad functional electrical stimulation in stroke patients: A single-blind randomized study. *Neurorehabilitation* 41, pp 791-80.
- Euler, M. 2008. Hooke's law and material science projects: Exploring energy and entropy springs. *Physics Education*, 43(1), 57.
- Fujita, K., Hori, H., & Kobayashi, Y. 2018. Contribution of muscle activity at different gait phases for improving walking performance in chronic stroke patients with hemiparesis. *Journal of physical therapy science*, 30(11), 1381-1385.
- Gok H, Küçükdeveci A, Altinkaynak H, Yavuzer G, Ergin S. 2003. Effects of ankle foot orthoses on hemiplegic gait. *Clinical rehabilitation* 17, pp. 137-9.
- Harvey, R.L, 2011. *Stroke syndrome*. In Braddom, RL: *Physical medicine & Rehabilitation*. 4th ed, Philadelphia: Elsevier Saunders.
- Hausdorff, J.M., Alexander N.B., 2005. *Gait Disorders: Evaluation and Management*. Taylor & Francis Group, pp. 258-61.
- Hennessey, W., Uustal H., 2016. *Lower Limb Orthoses*. In Braddom, RL: *Physical medicine & Rehabilitation*. 5th ed, Philadelphia: Elsevier Saunders.
- Hoppenfeld S., 2011. *Physical Examination of the Spine and Extremities*. Appleton-Century-Crofts, pp. 133-42.
- Irma Okta, W., & Santi, M. 2015. Hubungan Antara Karakteristik Pasien Stroke Dan Dukungan Keluarga Dengan Kepatuhan Menjalani Rehabilitasi. *Jurnal Berkala Epidemiologi*, 3(1), 24-34.
- Kemenkes RI 2012. *Pedoman Teknis Bangunan Rumah Sakit Ruang Rehabilitasi Medik*. Jakarta: Kementerian Kesehatan RI.
- Kerrigan D, Edelstein E, 2001. Gait. In Downey and Darling's: *Physiological Basis of Rehabilitation Medicine*, 3rd ed, Butterworth Heinemann, pp. 397-414.
- Krishnamurthi, R.V., Feigin, V.L., Forouzanfar, M.H., Mensah, G.A., Connor, M., Bennett, D.A., Moran, A.E., Sacco, R.L., Anderson, L.M., Truelsen, T. and O'Donnell, M., 2013. Global and regional burden of first-ever ischaemic and haemorrhagic stroke during 1990–2010: findings from the Global Burden of Disease Study 2010. *The Lancet Global Health*, 1(5), pp.e259-e281.

- Lee, K. B., Lim, S. H., Kim, K. H., Kim, K. J., Kim, Y. R., Chang, W. N., ... & Hwang, B. Y. (2015). Six-month functional recovery of stroke patients: a multi-time-point study. *International journal of rehabilitation research. Internationale Zeitschrift fur Rehabilitationsforschung. Revue internationale de recherches de readaptation*, 38(2), 173.
- Lee, S.M., Cynn, H.S., Yi, C.H., Yoon, T.L. and Lee, J.H., 2017. Wearable tubing assistive walking device immediately enhances gait parameters in subjects with stroke: A randomized controlled study. *NeuroRehabilitation*, 40(1), pp.99-107.
- Lozano, R., Naghavi, M., Foreman, K., Lim, S., Shibuya, K., Aboyans, V., Abraham, J., Adair, T., Aggarwal, R., Ahn, S.Y. and AlMazroa, M.A., 2012. Global and regional mortality from 235 causes of death for 20 age groups in 1990 and 2010: a systematic analysis for the Global Burden of Disease Study 2010. *The lancet*, 380(9859), pp.2095-2128.
- Lursadi MM, 2013. Principles of Lower Extremity Orthoses, in: Lusardi M, Jorge M, Nielsen C (eds), *Orthotics and Prosthetics in Rehabilitation*, 3th ed. Elsevier Saunder, Philadelphia, pp.224-38
- Magora A, Robin GC, Rozin R, Gonen B, & Saltiel J. 1973. Investigation of gait. Effect of a below-knee brace on the contralateral, unbraced leg. *Electromyography and Clinical Neurophysiology*, 13(3), 355.
- Martins, W.R., Carvalho, R.S., Silva, M.S., Blasczyk, J.C., Araújo, J.A., Carmo, J.D., Rodacki, A.L.F. and Oliveira, R.J.D., 2014. Mechanical evaluation of elastic tubes used in physical therapy. *Physiotherapy theory and practice*, 30(3), pp.218-222.
- Mauritz, K.H., 2002. Gait Training in Hemiplegia. *European Journal of Neurology*, pp. 23-29.
- Misbach, J., & Ali, W. 2000. Pattern of hospitalized acute ischemic stroke in 28 hospitals in Indonesia. *Jakarta. Neurona*, 17, 34-44.
- Moore, K.L., Agur, A.M., 2010. Anatomy of the Brain. In : Moore KL, (ed.) *Essential Clinical Anatomy* 4th edition. Philadelphia: Lippincott Williams & Wilkins, pp. 275-315.
- Page, P., Labbe, A., & Topp, R.V. 2000. Clinical force production of thera-band elastic bands. *J Orthop Sports Phys Ther*, 30(1), 47-48.
- Pang, M. Y., Eng, J. J., & Dawson, A. S. (2005). Relationship between ambulatory capacity and cardiorespiratory fitness in chronic stroke. *Chest*, 127(2), 495-501.

- Pease LW and Bowyer LB. 2010. *Human Walking*, in: *Delisa's: Physical Medicine and Rehabilitation Principles and Practice, 5th ed.* Philadelphia: Lippincott Williams and Wilkins, p 121-137.
- Perdossi, P. S. 2011. Guideline Stroke Tahun 2011. *Jakarta: Perdossi.*
- Perry J. 1992. Gait analysis. Normal and Pathological Function. Slack incorporated. USA.
- Perry, J., Garrett, M., Gronley, J.K. and Mulroy, S.J., 1995. Classification of walking handicap in the stroke population. *Stroke*, 26(6), pp.982-989.
- Perry, J., & Burnfield, J. M. 2010. Gait analysis: Normal and pathological function. 2nd ed.
- Pratama, T. A., Al Fauzi, A., & Ardhi, M. S. 2018. Profil Pasien Penderita Stroke Perdarahan Serebelum di RSUD Dr. Soetomo Tahun 2013-2016. *JIMKI: Jurnal Ilmiah Mahasiswa Kedokteran Indonesia*, 6(2), 72-75.
- Pyo, S., Yoon, J., and Oh, M.-K. 2014. A novel robotic knee device with stance control and its kinematic weight optimization for rehabilitation. *Robotica*, 32(08), 1245-1263.
- Rahayu, E. O. 2015. Perbedaan risiko stroke berdasarkan faktor risiko biologi pada usia produktif. *Jurnal Berkala Epidemiologi*, 4(1), 113-125.
- Rao, N., Wening, J., Hasso, D., Gnanapragasam, G., Perera, P., Srigiriraju, P. and Aruin, A.S., 2014. The effects of two different ankle-foot orthoses on gait of patients with acute hemiparetic cerebrovascular accident. *Rehabilitation research and practice*, 2014.
- Perhimpunan Dokter Spesialis Kedokteran Fisik & Rehabilitasi Indonesia (PERDOSRI), 2014. Panduan Rehabilitasi Stroke. Perdosri, pp. 8-32.
- Reyes, T.M., Luna-Reyes O.B., 1979. Areas of Dysfunction in Adult Hemiplegia and Its Management Using Bobath Technique-Therapeutic Exercise II. Manila, pp. 202-11.
- Riskesdas, 2013. Riset Kesehatan Dasar. Jakarta: Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan RI.
- Sacco RL, Kasner SE, Broderick JP, Caplan LR, Connors JJ, Culebras A. 2013. An updated definition of *stroke* for the 21st century: a statement for healthcare professionals from the American Heart Association/American Stroke Association. *Stroke* 44: 2064–2089
- Schmid, A., Duncan, P.W., Studenski, S., Lai, S.M., Richards, L., Perera, S. and Wu, S.S., 2007. Improvements in speed-based gait classifications are meaningful. *Stroke*, 38(7), pp.2096-2100.

- Simkin, A., Robin, G. C., Magora, A., Rozin, R., Gonen, B., & Saltiel, J. 1973. Investigation of gait. 6. Relationship between muscle action and mechanical stresses in below-knee braces. *Electromyography and Clinical Neurophysiology*, 13(5), 495
- Stein J dan Brandstater ME. 2010. *Stroke Rehabilitation*, in: *Delisa's: Physical Medicine and Rehabilitation Principles and Practice, 5th ed.* Philadelphia: Lippincott Williams and Wilkins, p 551-562.
- Straudi, S., Manca, M., Aiello, E., Ferraresi, G., Cavazza, S. and Basaglia, N., 2009. Sagittal plane kinematic analysis of the six-minute walk test: a classification of hemiplegic gait. *Eur J Phys Rehabil Med*, 45(3), pp.341-347.
- Tyson S.F, Thornton H.A., 2001. The effect of a hinged ankle foot orthosis on hemiplegic gait: objective measures and users' opinions. *Clinical rehabilitation* 15, pp. 53-58.
- Vaughan, C. L., Davis, B. L. & O'Connor, J. C., 1999. *Dynamics of Human Gait*. 2nd ed. Cape Town: Kiboho Publishers.
- Wang, R.Y., Lin, P.Y., Lee, C.C., Yang, Y.R., 2007. Gait and Balance Performance Improvements Attributable to Ankle-Foot Orthosis in Subjects with Hemiparesis. *American Journal of Physical Medicine & Rehabilitation*, pp. 556-62.
- Wang, R.Y., Yen, L.L., Lee, C.C., Lin, P.Y., Wang, M.F. and Yang, Y.R., 2005. Effects of an ankle-foot orthosis on balance performance in patients with hemiparesis of different durations. *Clinical rehabilitation*, 19(1), pp.37-44.
- Wang, A., Wu, L., Wang, X., Zhao, X., Wang, C., Liu, L., ... & China National Stroke Registry investigators. 2016. Effect of recurrent stroke on poor functional outcome in transient ischemic attack or minor stroke.
- World Health Organization. 2000. *The Asia-Pacific perspective: Redefining obesity and its treatment*. Sydney: Health Communications Australia.
- Wong, C. K., Bishop, L., & Stein, J. 2012. A wearable robotic knee orthosis for gait training: A case-series of hemiparetic stroke survivors. *Prosthetics and Orthotics International*, 36(1), 113-120.
- Whittle M.W., 2007. *Gait Analysis: an introduction*. 4th ed., Butterworth Heinemann, pp.223-4.
- Zorowits, R.D., 2010. Stroke. In: Cuccurullo SJ: *Physical Medicine and Rehabilitation Board Review*. 2nd ed. New York: Demos medical, pp. 40-87

