

**IR-PERPUSTAKAAN UNIVERSITAS AIRLANGGA
DAFTAR PUSTAKA**

1. Global Initiative for Asthma. Global Strategy for Asthma Management and Prevention. Global Initiative for Asthma. 2018;Available from:<http://www.ginasthma.org/>
2. Shifren A, Witt C, Christie C, Castro M. Mechanisms of remodelling in asthmatic airways. J Allergy (Cairo) 2012; 1-12.
3. Global Initiative for Asthma : Appendix. Global Strategy for Asthma Management and Prevention.Global Initiative for Asthma. Appendix 2018;Available from:<http://www.ginasthma.org/2018-online-appendix>
4. Depkes RI. Riset Kesehatan Dasar. RISKESDAS 2013. Jakarta: Departemen Kesehatan, Republik Indonesia, 2013
5. Contoli M, Bousquet J, Fabbri LM. The small airway and distal lung compartment in asthma and COPD: A time for reappraisal. Allergy Journal 2010; 141-151.
6. Barnes PJ. Patophysiology of asthma. European Respiratory Monograph 2003; 23: 84-113.
7. Black JL. Asthma—More Muscle Cells or More Muscular Cells?. Am J Respir Crit Care Med 2004; 169: 980–1.
8. Otsuka K, Matsumoto H, Niimi A, Muro S, Ito I, Takeda T et al. Sputum YKL -40 Levels and Payhophysiology of Asthma and Chronic Obstructive Pulmonary Disease. Respiration 2012; 83: 507–19.
9. Boot GR, van Achterberg AE, van Aken BE, Renkema GH, Jacobs M, Aerts JM et al. Strong induction of members of the chitinase family of proteins in atherosclerosis. Arter Thromb Vasc Biol 1999; 19: 687–94.

IR-PERPUSTAKAAN UNIVERSITAS AIRLANGGA

10. Park JA, Drazen JM, Tschumperlin DJ. The chitinase-like protein YKL-40 is secreted by airway epithelial cells at base line and in response to compressive mechanical stress. *J Biol Chem* 2010; 285: 29817–25.
11. Chupp GL, Lee CG, Jarjour N, Shim YM, Holm CT, He S, et al. A Chitinase-like Protein in the Lung and Circulation of Patients with Severe Asthma. *N Engl J Med* 2007; 357: 2016–27.
12. Serap D, Gulbahar Y, Sevinc SU, Melike E, Murat K, Fatma K. The Relationship between Serum YKL-40 Levels and Severity of Asthma. *Iran J Allergy Asthma Immunol* 2013; 12: 247–53.
13. Tang H, Fang Z, Sun Y, Li B, Shi Z, Chen J, et al. YKL-40 in asthmatic patients, and its correlations with exacerbation, eosinophils and immunoglobulin E. *Eur Respir J* 2010; 35: 757–60.
14. Mahmoudi M. Allergy and asthma. 2nd ed. San Francisco: Springer 2002. p. 891-892.
15. Loftus PA, Wise SK. Epidemiology of asthma. *Curr Opin Otolaryngol Head Neck Surg* 2016; 24: 245–9.
16. Subbarao P, Mandhane PJ, Sears MR. Asthma: Epidemiology, etiology and risk factors. *Cmaj* 2009; 9: 181-190.
17. Perhimpunan Dokter Paru Indonesia. Pedoman diagnosis dan penatalaksanaan Asma di Indonesia. Balai Penerbit FKUI. Jakarta;2004:1-79.
18. Lloyd CM, Robinson DS. Allergen-induced airway remodelling. *Eur Respir J* 2007; 29: 1020–32.

IR-PERPUSTAKAAN UNIVERSITAS AIRLANGGA

19. Fryer AA, Bianco A, Hepple M, Jones PW, Strange RC, Spiteri MA. Polymorphism at the glutathione S-transferase GSTP1 locus: A new marker for bronchial hyperresponsiveness and asthma. *Am J Respir Crit Care Med* 2000; 161: 1437–42.
20. Mazzarella G, Bianco A, Catena E, De Palma R AG. Th1/Th2 lymphocyte polarization in asthma. *Allergy* 2000; 55: 6–9.
21. Pelaia G, Vatrella A, Busceti MT, Gallelli L, Calabrese C, Terracciano R, et al. Cellular mechanisms underlying eosinophilic and neutrophilic airway inflammation in asthma. *Mediators Inflamm* 2015: 1-8.
22. Holgate ST, Arshad HS, Roberts GC, Howarth PH, Thurner P, Davies DE. A new look at the pathogenesis of asthma. *Clin Sci* 2010; 118: 439–50.
23. Schultz NA, Johansen JS. YKL-40-a protein in the field of translational medicine: A role as a biomarker in cancer patients?. *Cancers (Basel)* 2010; 2:1453–91.
24. Di Rosa M, Distefano G, Zorena K, Malaguarnera L. Chitinases and immunity: Ancestral molecules with new functions. *Immunobiology* 2015; 221: 399–411.
25. Di Rosa M, Szychlinska MA, Tibullo D, Malaguarnera L, Musumeci G. Expression of CHI3L1 and CHIT1 in osteoarthritic rat cartilage model. A morphological study. *Eur J Histochem* 2014; 58: 213–21.
26. Pantoom S, Vetter IR, Prinz H, Suginta W. Potent family-18 chitinase inhibitors: X-ray structures, affinities, and binding mechanisms. *J Biol Chem.* 2011; 286: 24312–23.
27. Wang Y, Ripa RS, Johansen JS, Gabrielsen A, Steinbrüchel DA, Friis T, et al. YKL-40 a new biomarker in patients with acute coronary syndrome or stable coronary artery disease. *Scand Cardiovasc J* 2008; 42: 295–302.

IR-PERPUSTAKAAN UNIVERSITAS AIRLANGGA

28. Choi J, Lee H-W, Suk K. Plasma level of chitinase 3-like 1 protein increases in patients with early Alzheimer's disease. *J Neurol* 2011; 258: 2181–5.
29. Rathcke CN, Vestergaard H. YKL-40 - an emerging biomarker in cardiovascular disease and diabetes. *Cardiovasc Diabetol* 2009; 8: 1–7.
30. He CH, Lee CG, Cruz CS Dela, Lee C, Zhou Y, Ahangari F, et al. Article Chitinase 3-like 1 Regulates Cellular and Tissue Responses via IL-13 Receptor α 2. *Cell Reports* 2013; 1–12.
31. Kumagai E, Mano Y, Yoshio S, Shoji H, Sugiyama M, Korenaga M, et al. Serum YKL-40 as a marker of liver fibrosis in patients with non-alcoholic fatty liver disease. *Sci Rep* 2016; 6: 1–10.
32. Bara I, Ozier A, Girodet PO, Carvalho G, Cattiaux J, Begueret H, et al. Role of YKL-40 in bronchial smooth muscle remodeling in asthma. *Am J Respir Crit Care Med* 2012; 185: 715–22.
33. Tran HT, Lee IA, Low D, Kamba A, Mizoguchi A, Shi HN, et al. Chitinase 3-like 1 synergistically activates IL6-mediated STAT3 phosphorylation in intestinal epithelial cells in murine models of infectious colitis. *Inflamm Bowel Dis* 2014 ;20: 835–46.
34. Ober C, Tan Z, Sun Y, Possick JD, Pan L, Nicolae R, et al. Effect of variation in CHI3L1 on serum YKL-40 level, risk of asthma, and lung function. *N Engl J Med* 2008; 358: 1682-91.
35. Rehli M, Krause SW, Andreesen R. Molecular characterization of the gene for human cartilage gp-39 (CHI3L1), a member of the chitinase protein family and marker for late stages of macrophage differentiation. *Genomics* 1997; 43: 221–5.

IR-PERPUSTAKAAN UNIVERSITAS AIRLANGGA

36. Rehli M, Niller HH, Ammon C, Langmann S, Schwarzfischer L, Andreesen R, et al. Transcriptional Regulation of CHI3L1, a Marker Gene for Late Stages of Macrophage Differentiation. *J Biol Chem* 2003; 278: 44058–67.
37. Kzhyshkowska J, Gratchev A, Goerdt S. Human chitinases and chitinase-like proteins as indicators for inflammation and cancer. *Biomark Insights* 2007; 2: 128–46.
38. Lee CG, Da Silva CA, Dela Cruz CS, Ahangari F, Ma B, Kang M-J, et al. Role of Chitin and Chitinase/Chitinase-Like Proteins in Inflammation, Tissue Remodeling, and Injury. *Annu Rev Physiol* 2011; 73: 479–501.
39. Sohn MH, Lee JH, Kim KW, Kim SW, Lee SH, Kim KE, et al. Genetic variation in the promoter region of chitinase 3-like 1 is associated with atopy. *Am J Respir Crit Care Med* 2009; 179: 449–56.
40. Fatima SN, Khan FA, Iqbal J. Correlation Of Serum YKL-40 With Anthropometric Measurements And Spirometric Indices Between Healthy Individuals And Asthamatics In A Tertiary Care Hospital. 2018;8:134–8.
41. Guerra S, Halonen M, Sherrill DL, Venker C, Spangenberg A, Carsin A. ScienceDirect The relation of circulating YKL-40 to levels and decline of lung function in adult life. 2013;
42. Thomas M, Kay S, Pike J, Williams A, Carranza Rosenzweig JR, Hillyer E V., et al. The Asthma Control TestTM (ACT) as a predictor of GINA guideline-defined asthma control: Analysis of a multinational cross-sectional survey. *Prim Care Respir J* 2009; 18: 41–9.

IR-PERPUSTAKAAN UNIVERSITAS AIRLANGGA

43. Zaini J. Asthma Control Test : Cara Simpel dan efektif untuk menilai derajat dan responss terapi asma. *J Respirasi Indonesia* 2011; 31: 51-53.
44. Johns DP, Pierce R. The Measurement and Interpretation of Ventilatory Function in Clinical Practice. *Thorac Soc Aust New Zeal* 2008;1–24.
45. Alsagaff H, Mangunnegoro H. Indonesia Pneumobile Project. Nilai normal fungsi paru orang Indonesia pada usia sekolah dan pekerja dewasa berdasarkan rekomendasi American Thoracic Society (ATS). Surabaya: Airlangga University Press, 1987: 147-53
46. Sastroasmoro S, Ismael S. Dasar-dasar metodologi penelitian klinis. Penyunting : Sastroasmoro, Ismael S. edisi 1. Binarupa Aksara Jakarta, 1995:1-278.
47. Wen JR, Li GM, Xie YP, Tang XL WW. Study on YKL40 level change at exacerbation and stable stage of COPD patients. *China Med Pharm.* 2016;136–139.
48. Wang E, Wechsler ME, Tran TN, Heaney LG, Jones RC. Characterization of Severe Asthma Worldwide Data From the International Severe Asthma Registry. 2020;(April):790–804.
49. Pribadi IU, Yunus F, Syahruddin E, Nurwidya F. The correlation between duration of Indonesian Asthma Gymnastics and Asthma Control Test Score among Persahabatan Hospital Asthma Club Members in Indonesia. 2019;25(2):48–54.
50. Ni Made Dwita Yaniswari MA. Hubungan Kadar Periostin Serum dan Nilai Asthma Control Test pada Pasien Asma di RSUD Dr. Soetomo Surabaya. *J Respirasi.* 2018;4:33–7.

IR-PERPUSTAKAAN UNIVERSITAS AIRLANGGA

51. Weis ST AJ. Asthma. In: Fishman's Pulmonary Disease and Disorders. 4 ed. Fishman AP, Elias JA, Grippi MA et al, editor. New York: McGraw-Hill companies; 2008. 787-8 hal.
52. Hendresta, Sabri YS, Basyar M, Khairsyaf O. Hubungan Magnesium Serum dengan Tingkat Kontrol Asma. 2015;35(4).
53. Bel EH. Severe asthma. *Breathe*. 2006;2:129–39.
54. S.K. Chhabra. Assessment of Control in Asthma: The New Focus in Management. [Indian J Chest Dis Allied Sci. 2008;50:109–16.]
55. Seon-Sook Han, Won Ho Lee, Yoonki Hong, Woo Jin Kim J, Yang, Myoung Nam Lim, Seung-Joon Lee and J-WK. Comparison of serum biomarkers between patients with asthma and with chronic obstructive pulmonary disease. *J Asthma*. 2015;583–8.
56. Lai T, Chen M, Deng Z, Lü Y, Wu D, , Dongming Li BW. YKL-40 is correlated with FEV1 and the asthma control test (ACT) in asthmatic patients: influence of treatment. *BMC Pulm Med*. 2015;15:1–9.
57. Stefano Guerra, Marilyn Halonen, Duane L Sherrill, Claire Venker, Amber Spangenberg, Anne-elie Carsin, Lluïsa Tarès, Iris Lavi EB, Jesús Martinez, Isabel Urrutia, Jordi Sunyer, Josep M Antó FDM. The relation of circulating YKL-40 to levels and decline of lung function in adult life. *Respir Med*. 2013;107:1923–30.
58. Specjalski K, Jassem E. YKL-40 Protein Correlates with the Phenotype of Asthma. 2015;189–94.

IR-PERPUSTAKAAN UNIVERSITAS AIRLANGGA

59. Elieh D, Komi A, Kazemi T, Bussink AP, Bussink AP. New Insights Into the Relationship Between Chitinase-3-Like-1 and Asthma. *Curr Allergy Asthma Rep* [Internet]. 2016; Tersedia pada: <http://dx.doi.org/10.1007/s11882-016-0637-2>
60. Fernando O. Martinez, Laura Helming GS. Alternative Activation of Macrophages: An Immunologic Functional Perspective. *Annu Rev Immunol.* 2009;27:451–83.
61. Liu L, Zhang X, Liu Y, Zhang L, Zheng J, Wang J, et al. Chitinase-like protein YKL-40 correlates with inflammatory phenotypes , anti-asthma responsiveness and future exacerbations. 2019;1–12.
62. Saba M, Sharif MR, Akbari H, Saba M. YKL-40 in Asthma and its Correlation with Different Clinical Parameters. 2014;13(August):271–7.