

DAFTAR PUSTAKA

- Annunziata, G., Maisto, M., Schisano, C., Ciampaglia, R., Daliu, P., Narciso V., Tenore, G. C., & Novellino, E. 2018. Colon Bioaccessibility and Antioxidant Activity of White, Green and Black Tea Polyphenols Extract after In Vitro Simulated Gastrointestinal Digestion. *Nutrients*, 10(11).
- Bahorun, T., Soobrattee, M. A., Luximon-Ramma, V., & Aruoma, O. I. 2006. Free Radicals and Antioxidants in Cardiovascular Health and Disease. *Internet Journal of Medical Update*, 1: 1-17.
- Berawi, Khairun, S., & Theodora, A. 2017. Efek Aktivitas Fisik Pada Proses Pembentukan Radikal Bebas Sebagai Faktor Risiko Aterosklerosis. *Jurnal Majority*, 6(2): 86–91.
- Boyer, Jeanelle, and Rui Hai Liu., 2004. Apple Phytochemicals and Their Health Benefits. *Nutrition Journal* 3, no. 5.
- Cai, Zhuo Yu, Xu Min Li, Jin Pei Liang, Li Ping Xiang, Kai Rong Wang, Yun Long Shi, Rui Yang, et al., 2018. Bioavailability of Tea Catechins and Its Improvement. *Molecules* 23, no. 9: 10–13.
- Cempaka, Anggun Rindang., 2014. Indonesian Journal of Human Nutrition. *Indonesian Journal of Human Nutrition* 1, no. 1 (2014): 14–22.
- Colon, Marta, and Cristina Nerín., 2016. Synergistic, Antagonistic and Additive Interactions of Green Tea Polyphenols. *European Food Research and Technology* 242, no. 2: 211–20.

- Farooq, Sumaya, and Amit Sehgal., 2019. Synergistic Antioxidant Interactions between Green Tea and *Ocimum Gratissimum*. *Asian Pacific Journal of Tropical Biomedicine* 9, no. 8: 333–38.
- Gawron-Gzella, Anna, Agnieszka Królikowska, and Magdalena Pietrzak., 2018. Antioxidant Activity of Teas Obtained from Leaves of *Camellia Sinensis* (L.) Kuntze in Course of Various Production Processes Available on Polish Market. *Herba Polonica* 64, no. 2: 60–67.
- Gupta, Deepshikha., 2015. Methods for Determination of Antioxidant Capacity: A Review. *International Journal of Pharmaceutical Sciences and Research* 6, no. 2: 546–66.
- Handa, Sukhdev S., Suman P. S Khanuja, Gennaro Longo, and Dev Dutt Rakesh., 2008. Extraction Technologies for Medicinal and Aromatic Plants. *INTERNATIONAL CENTRE FOR SCIENCE AND HIGH TECHNOLOGY*.
- He, Xiangjiu, and Rui Hai Liu., 2008. Phytochemicals of Apple Peels: Isolation, Structure Elucidation, and Their Antiproliferative and Antioxidant Activities. *Journal of Agricultural and Food Chemistry* 56, no. 21: 9905–10.
- Hidalgo, Maria, Concepción Sánchez-Moreno, and Sonia de Pascual-Teresa., 2010. Flavonoid-Flavonoid Interaction and Its Effect on Their Antioxidant Activity. *Food Chemistry* 121, no. 3: 691–96.
- Higdon, Jane V., and Balz Frei., 2003. Tea Catechins and Polyphenols: Health Effects, Metabolism, and Antioxidant Functions. *Critical Reviews in Food Science and Nutrition* 43, no. 1: 89–143.

- Hilal, Y., and U. Engelhardt., 2007. Characterisation of White Tea - Comparison to Green and Black Tea. *Journal Fur Verbraucherschutz Und Lebensmittelsicherheit* 2, no. 4: 414–21.
- Iacopini, Patrizia, Fabiano Camangi, Agostino Stefani, and Luca Sebastiani., 2010. Antiradical Potential of Ancient Italian Apple Varieties of *Malus domestica* Borkh. In a Peroxynitrite-Induced Oxidative Process. *Journal of Food Composition and Analysis* 23, no. 6: 518–24.
- Jun, Xi, Shen Deji, Li Ye, and Zhang Rui., 2011. Comparison of in Vitro Antioxidant Activities and Bioactive Components of Green Tea Extracts by Different Extraction Methods. *International Journal of Pharmaceutics* 408, no. 1–2: 97–101.
- Kalinowska, Monika, Aleksandra Bielawska, Hanna Lewandowska-Siwkiewicz, Waldemar Priebe, and Włodzimierz Lewandowski., 2014. Apples: Content of Phenolic Compounds vs. Variety, Part of Apple and Cultivation Model, Extraction of Phenolic Compounds, Biological Properties. *Plant Physiology and Biochemistry* 84: 169e188-188.
- Karaman, Şeyda, Esmâ Tütem, Kevser Sözgen Başkan, and Reşat Apak., 2013. Comparison of Antioxidant Capacity and Phenolic Composition of Peel and Flesh of Some Apple Varieties. *Journal of the Science of Food and Agriculture* 93, no. 4: 867–75.
- Khan, Naghma, and Hasan Mukhtar., 2013. Tea and Health: Studies in Humans. *Current Pharmaceutical Design* 19, no. 34: 6141–47.

- Khanizadeh, Shahrokh, Li Ding, Rong Tsao, Raymond Yang, Marie-Therese Charles, Clement Vigneault, and H. P. Vasantha Rupasinghe., 2007. Phytochemical Distribution Among Selected Advanced Apple Genotypes Developed for Fresh Market and Processing. *Agriculturan, Food, and Environmental Sciences* 1, no. 2.
- Lavelli, Vera, Claudia Vantaggi, Mark Corey, and William Kerr., 2010. Formulation of a Dry Green Tea-Apple Product: Study on Antioxidant and Color Stability. *Journal of Food Science* 75, no. 2: 184–90.
- Lee, K W., 2003. Major Phenolics in Apple and Their Contribution to the Total. *New York*, 6516–20.
- Li, Cui Xia, Xian Hua Zhao, Wei Fang Zuo, Tian Liang Zhang, Zong Ying Zhang, and Xue Sen Chen., 2020. Phytochemical Profiles, Antioxidant, and Antiproliferative Activities of Four Red-Fleshed Apple Varieties in China. *Journal of Food Science* 85, no. 3: 718–26.
- Li, Yi Fang, Shu Hua Ouyang, Yi Qun Chang, Ting Mei Wang, Wei Xi Li, Hai Yan Tian, Hong Cao, Hiroshi Kurihara, and Rong Rong He., 2017. A Comparative Analysis of Chemical Compositions in *Camellia Sinensis* Var. *Puanensis* Kurihara, a Novel Chinese Tea, by HPLC and UFLC-Q-TOF-MS/MS. *Food Chemistry* 216: 282–88.
- Maesaroh, Kiki, Dikdik Kurnia, and Jamaludin Al Anshori., 2018. Perbandingan Metode Uji Aktivitas Antioksidan DPPH, FRAP

Dan FIC Terhadap Asam Askorbat, Asam Galat Dan Kuersetin. *Chimica et Natura Acta* 6, no. 2: 93.

Manzoor, Maleeha, Farooq Anwar, Nazamid Saari, and Muhammad Ashraf., 2012. Variations of Antioxidant Characteristics and Mineral Contents in Pulp and Peel of Different Apple (*Malus Domestica* Borkh.) Cultivars from Pakistan. *Molecules* 17, no. 1: 390–407.

Martono, B., Falah, S., dan Nurlaela, E., 2015. Aktivitas antioksidan teh varietas GMB 7 pada beberapa ketinggian tempat. *J. TIDP.*, 3(1), p. 53–60.

Molyneux P., 2004. The Use of the Stable Free Radical Diphenylpicryl-Hydrazyl (DPPH) for Estimating Anti-Oxidant Activity. *Songklanakarinn Journal of Science and Technology* 26, no. May: 211–19.

Mukhriani., 2014. Esktraksi Pemisahan Senyawa Dan Identifikasi Senyawa Aktif. *Journal Kesehatan* VII, no. 2: 361–67.

Mulja, M, and Suharman. *Analisis Instrumental*. Surabaya: Airlangga University Press, 1995.

Namita, Parmar, Rawat Mukesh, and Kumar J. Vijay., 2012. Camellia Sinensis (Green Tea): A Review. *Global Journal of Pharmacology* 6, no. 2: 52–59.

Olszowy-Tomczyk, Małgorzata., 2020. *Synergistic, Antagonistic and Additive Antioxidant Effects in the Binary Mixtures. Phytochemistry Reviews*. Vol. 19. Springer Netherlands,

- Pękal, Anna, Paulina Drózd, Magdalena Biesaga, and Krystyna Pyrzynska., 2012. Screening of the Antioxidant Properties and Polyphenol Composition of Aromatised Green Tea Infusions. *Journal of the Science of Food and Agriculture* 92, no. 11: 2244–49.
- Pertiwi, Dyah Ratih, Ervinar Cut Yari, and Franata Nanda Putra., 2016. Uji Aktivitas Antioksidan Ekstrak Etanol Limbah Kulit Buah Apel (*Malus Domestica* Borkh.) Terhadap Radikal Bebas DPPH (2,2-Diphenyl-1-Picrylhydrazil). *Jurnal Ilmiah Manuntung* 2, no. 1: 81–92.
- Pham-Huy, L. A., He, H., Pham-Huy, C., 2008. Free radicals, antioxidants in disease and health. *International Journal of Biomedical Science*, 4(2), p. 89–96.
- Pisoschi, Aurelia Magdalena, and Gheorghe Petre Negulescu., 2012. Methods for Total Antioxidant Activity Determination: A Review. *Biochemistry & Analytical Biochemistry* 01, no. 01.
- Rohdiana, Dadan., 2015. Teh: Proses, Karakteristik & Komponen Fungsionalnya,
- Roy, Molay K., Motoki Koide, Theertham P. Rao, Tsutomu Okubo, Yutaka Ogasawara, and Lekh R. Juneja., 2010. ORAC and DPPH Assay Comparison to Assess Antioxidant Capacity of Tea Infusions: Relationship between Total Polyphenol and Individual Catechin Content. *International Journal of Food Sciences and Nutrition* 61, no. 2: 109–24.

- Saeed, Muhammad, Muhammad Naveed, Muhammad Arif, Mohib Ullah Kakar, Robina Manzoor, Mohamed Ezzat Abd El-Hack, Mahmoud Alagawany, et al., 2017. Green Tea (*Camellia Sinensis*) and L-Theanine: Medicinal Values and Beneficial Applications in Humans—A Comprehensive Review. *Biomedicine and Pharmacotherapy* 95: 1260–75.
- Sharangi, A. B., 2009. Medicinal and Therapeutic Potentialities of Tea (*Camellia Sinensis* L.) - A Review. *Food Research International* 42, no. 5–6: 529–35.
- Shekhar, Tailor Chandra, and Goyal Anju., 2014. Antioxidant Activity by DPPH Radical Scavenging Method of *Ageratum Conyzoides* Linn. Leaves. *Orient* 1, no. 4: 244–49.
- Singh, Sudhakar, and R. P. Singh., 2008. In Vitro Methods of Assay of Antioxidants: An Overview. *Food Reviews International* 24, no. 4: 392–415.
- Sunsanto, Wahono H., and Bagus Rakhmad., 2011. Pengaruh Varietas Apel (*Malus Sylvestris*) dan Lama Fermentasi oleh Khamir *Saccharomyces Cerivisiae* Sebagai Perlakuan Pra-Pengolahan Terhadap Karakteristik Sirup. 3: 135–42.
- Wang, Xiaoqian, Cuiying Li, Dong Liang, Yangjun Zou, Pengmin Li, and Fengwang Ma., 2015. Phenolic Compounds and Antioxidant Activity in Red-Fleshed Apples. *Journal of Functional Foods* 18: 1086–94.

- Watson, David G. *Pharmaceutical Analysis: A Text Book For Pharmacy Students and Pharmaceutical Chemists*. New York: Harcourt, 2005.
- Wojdyło, Aneta, Jan Oszmiański, and Piotr Laskowski., 2008. Polyphenolic Compounds and Antioxidant Activity of New and Old Apple Varieties. *Journal of Agricultural and Food Chemistry* 56: 6520–30.
- Willcox, J. K., Ash, S. L., dan Catignani, G. L., 2004. Antioxidants and prevention of chronic disease: Review. *Critical Reviews in Food Science and Nutrition*. 44: 275–95.
- Winarsi, H., 2007. *Antioksidan Alami dan Radikal Bebas*. Yogyakarta: Kanisius, p. 11–23.
- Xu, Yong Quan, Wei Bin Ji, Peigen Yu, Jian Xin Chen, Fang Wang, and Jun Feng Yin., 2018. Effect of Extraction Methods on the Chemical Components and Taste Quality of Green Tea Extract. *Food Chemistry*: 146–54.
- Yang, Chung S., and Jinsong Zhang., 2019. Studies on the Prevention of Cancer and Cardiometabolic Diseases by Tea: Issues on Mechanisms, Effective Doses, and Toxicities. *Journal of Agricultural and Food Chemistry*: 5446–56.
- Yang, Jun, Rui Hai Liu, and Linna Halim., 2009. Antioxidant and Antiproliferative Activities of Common Edible Nut Seeds. *LWT - Food Science and Technology*: 1–8.

Yuliani, Ni Nyoman, and Desmira P. Dienina., 2008. UJI AKTIVITAS ANTIOKSIDAN INFUSA DAUN KELOR (*Moringa Oleifera*, Lamk) DENGAN METODE 1,1- Diphenyl-2-Picrylhydrazyl (DPPH). *JURNAL INFO KESEHATAN*.

Zhang, Liang, Chi Tang Ho, Jie Zhou, Jânio Sousa Santos, Lorene Armstrong, and Daniel Granato., 2019. Chemistry and Biological Activities of Processed *Camellia Sinensis* Teas: A Comprehensive Review. *Comprehensive Reviews in Food Science and Food Safety*: 1474–95.