

DAFTAR PUSTAKA

- Adliyani ZON, Angraini DI, Soleha TU, (2017). Pengaruh Pengetahuan, Pendidikan dan Ekonomi Terhadap Perilaku Hidup Bersih dan Sehat pada Masyarakat Desa Pekonmon Kecamatan Ngambur Kabupaten Pesisir Barat, *Majority*, Vol 7 Nomor 1.
- Ahmadi Rulam, (2014). Metodologi Penelitian Kualitatif, Yogyakarta: ar Ruzz Media, hal. 40.
- Alwan N, Siddiqi K, Thomson H, Lane J, Cameron I, (2010). Can a community-based ‘smoke-free homes’ intervention persuade families to apply smoking restrictions at homes?. *J of Public Health*. 2010;7(October):33:48-54.
- Anonim/ Perkumpulan Promotor dan Pendidik Kesehatan Masyarakat Indonesia, (2018). Peluang dan Tantangan Tenaga Promotor Kesehatan di Era JKN. Tersedia di http://dosen.stikesdhb.ac.id/gugum/wp-content/uploads/sites/34/2018/05/2018_TANTANGAN-TENAGA_PROMKES.pptx (sitasi 06 September 2019).
- A Report of the Surgeon General, (2010). How tobacco smoke causes disease: The biology and behavioral basis for smoking-attributable disease, U.S. Department of Health and Human Services. Retrieved, tersedia di <http://www.surgeongeneral.gov/library/tobaccosmoke/report/index.Html>.
- Artanti KD, Lestari KS, and Martini S, (2014). *Evaluasi Implementasi Perda Kota Surabaya No. 5 Tahun 2008 tentang KTR dan KTM pada Tahun 2013 di Fasilitas Kesehatan*. In: Indonesian Conference on Tobacco or Health 2014 Tobacco Control: Saves Lives, Saves Money, 29 - 31 Mei 2014, Jakarta.
- Avenevoli S, and Merikangas KR, (2003). Familial influences on adolescent smoking. *Addiction*, 98 (Suppl 1), p. 1–20.
- Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan Republik Indonesia (2013). Riset Kesehatan Dasar 2013, Menteri Kesehatan RI, Jakarta.
- Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan Republik Indonesia (2018). Riset Kesehatan Dasar 2018, Menteri Kesehatan RI, Jakarta.
- Badan Pusat Statistik Jawa Timur (2018). Jumlah penduduk dan laju pertumbuhan penduduk menurut Kabupaten/ Kota di Provinsi Jawa Timur, 2010, 2016, 2017, tersedia di <https://jatim.bps.go.id>, (sitasi 28 Mei 2019).
- Barry MM, Battel-Kirk B, Davison H, Dempsey C, Parish R, Schipperen M, (2012). The CompHP Project Handbook. Tersedia di http://www.iuhpe.org/images/PROJECTS/ACCREDITATION/CompHP_Project_Handbooks.pdf, (sitasi 23 Juli 2019).
- Battel-Kirk B, Barry MM, Taub A, Lysoby L, (2009). A Review of the International Literature on Health Promotion Competencies: Identifying

- Frameworks and Core Competencies, *Global Health Promotion OnlineFirst*.
- Baxi R, Sharma M, Roseby R, et al. (2014). Family and carer smoking control programmes for reducing children's exposure to environmental tobacco smoke. *Cochrane Database Syst Rev*.3: CD001746.
- Baxter S, Blank L, Everson-Hock ES, Burrows J, Messina J, Guillaume L, et al., (2011). The effectiveness of interventions to establish smoke-free homes in pregnancy and in the neonatal period: A systematic review. *Health Ed. Research*. 2011;26(January):265-82
- Birge M, Duffy S, Miler JA, Hajek P, (2017). What Proportion of People Who Try One Cigarette become Daily Smokers? A Meta-analysis of Representative Surveys. *Society for Research on Nicotine and Tobacco*, 2017, p. 1-7.
- Borland R, Yong H-H, Cummings K.M, Hyland A, Anderson S, Fong G.T, (2006).Determinants and consequences of smoke-free homes: findings from the International Tobacco Control (ITC) Four Country Survey, *Tobacco Control*;15(Suppl III): iii42–iii50.
- Breslow L, (1999). From disease prevention to health promotion, *JAMA*, 81(11), 1030–1033.
- Butler KM, Rayens MK, Wiggins AT, Rademacher KB, Hahn EJ, (2017). Association of Smoking in the Home with Lung Cancer Worry, Perceived Risk, and Synergistic Risk, *Oncol Nurs Forum*, 44(2): E55–E63.
- Carlisle, S, (2000). Health promotion, advocacy and health inequalities: A conceptual framework. *Health Promotion International*, 15, 369-376.
- Chrisnahutama A, Djamhari EA, Ramdlaningrum H, Maftuchan A, Thaariq RM, (2019). Cukai Rokok Tinggi: Menuju Indonesia Sehat Badan dan Sehat Fiskal, *PRAKARSA Policy Brief*
- Christoffel KK, (2000). Public health advocacy: Process and product. *American Journal of Public Health*, 90, p. 722-726.
- Crosby R, and Noar SM, (2011). What is a planning model? An introduction to PRECEDE-PROCEED, *Journal of Public Health Dentistry*, 71, p. S7–S15.
- Daroji M, Prabandari YS, Paramastri I, (2011). Peran Petugas Puskesmas dalam Promosi Kesehatan Berhenti Merokok pada Pasien dan Masyarakat, *Berita Kedokteran Masyarakat*, Vol. 27 No. 2, Juni 2011, hal. 83-93.
- Dinas Kesehatan Kota Surabaya, (2016). Review Rencana Strategis Dinas Kesehatan Kota Surabaya Tahun 2016-2021.
- Dinas Kesehatan Kota Surabaya, (2019). Implementasi Peraturan Daerah Kawasan Tanpa Rokok, P2PTM-Keswa, Makalah dipresentasikan pada acara Kunjungan Pembelajaran terkait KTR di Kota Surabaya.
- Dinas Kesehatan Provinsi Jawa Timur, (2017). Profil Kesehatan Jawa Timur Tahun 2017.
- Emory K, Saquib N, Gilpin EA, Pierce JP, (2010). The association between home smoking restrictions and youth smoking behaviour: A review. *Tobacco Control*, 19(6), p. 495–506.
- Fertman CI, Allensworth DD, (ed.), (2010). *Health Promotion Programs from Theory to Practice*, Jossey-Bass A Wiley Imprint, San Fransisco.

- Fortune K, Becerra-Posada F, Buss P, Galvao LAC, Contreras A, Murphy M, Rogger C, Keahon GE, de Francisco A, (2018). Health Promotion and The Agenda for Sustainable Development, WHO Region of the Americas, *Bulletin of the World Health Organization*, 2018;96, p.621-626.
- Gajalakshmi V, Kanimozhi C, (2010) *A survey of 24,000 students aged 13–15 years in india: Global youth tobacco survey 2006 and 2009*. Tobacco Use Insights. 2010; 3:23.
- Glanz K, Rimer BK, Viswanath K (ed.), (2008). *Health Behavior and Health Education, Theory, Research, and Practice*, 4th Edition, Jossey-Bass A Wiley Imprint, San Fransisco.
- Greenbaum L and Lerer B, (2009). Differential contribution of genetic variation in multiple brain nicotinic cholinergic receptors to nicotine dependence: Recent progress and emerging open questions. *Molecular Psychiatry*, 14 (10), p. 912–945.
- Group GYTSC, (2002). *Tobacco use among youth: A cross country comparison*. Tobacco Control. 2002; 11:252.
- Haustein K dan Groneberg D, (2010). *Tobacco or Health? Physiological and Social Damages Caused by Tobacco Smoking*, Second edition, Springer-Verlag, Berlin Heidelberg.
- Hennessy M, Bleakley A, Mallya G, and Romer, D, (2014). The effect of household smoking bans on household smking. *American Journal of Public Health*, 104(4), p. 721–727.
- Hopkins DP, Razi S, Leeks KD, Kalra GP, Chattopadhyay SK, Soler RE, (2010). Smokefree Policies to Reduce Tobacco Use A Systematic Review, 38(2S)S275–S289.
- Hyland A, Higbee C, Travers MJ, et al. (2009). Smoke-free homes and smoking cessation and relapse in a longitudinal population of adults. *Nicotine & Tobacco Research*. 3(April):11(6):614-618
- <http://www.bisnis.com> (situs 09 Maret 2020).
- <http://www.cdc.gov/mmwr/PDF/rr/rr4304.pdf>. Preventing tobacco use among young people. A report of the Surgeon General. Executive summary. *MMWR Recomm Rep*. 1994;43(RR-4):1–10, (situs 02 September 2019).
- http://www.tobaccofreekids.org/what_we_do/industry_watch/warning_to_parents, (situs 02 September 2019).
- https://www.healthpromotion.ie/health/inner/health_promotion_strategic_framework (situs 12 Januari 2020).
- https://www.who.int/quantifying_ehimpacts/publications/shsarticle2010/en/ (situs pada 01 Juli 2020).
- https://www.who.int/gho/phe/secondhad_smoke/en/ (situs pada 30 Mei 2020).
- Jackson SF, Perkins F, Khandor E, Cordwell L, Hamann S, Buasai S, (2007). Integrated health promotion strategies: a contribution to tackling current and future health challenges, *Health Promotion International*, Vol. 21 No. S1.
- Jarvis MJ, Mindell J, Gilmore A, Feyerabend C, and West R, (2009). Smoke-free homes in England: Prevalence, trends and validation by cotinine in children. *Tobacco Control*, 18(6), p. 491–495.

- Johansson H, Stenlund H, Lundström L, Weinehall L, (2010). Reorientation to more health promotion in health services – a study of barriers and possibilities from the perspective of health professionals, *Journal of Multidisciplinary Healthcare* 2010:3 p. 213–224.
- Johansson H, Weinehall L, Emmelin M, (2009). "It depends on what you mean": a qualitative study of Swedish health professionals' views on health and health promotion, *BMC Health Services Research* 2009, 9: p. 191.
- Kementerian Kesehatan RI, (2004). Surat Keputusan Menteri Kesehatan Nomor 1193/Menkes/SK/X/2004.
- Kementerian Kesehatan RI, (2007). Pedoman Pelaksanaan Promosi Kesehatan di Puskesmas.
- Kementerian Kesehatan RI, (2011). Peraturan Menteri Kesehatan Republik Indonesia Nomor: 2269/MENKES/PER/XI/2011 tentang Pedoman Pembinaan Perilaku Hidup Bersih dan Sehat (PHBS).
- Kementerian Kesehatan RI, (2019). Peraturan Menteri Kesehatan No. 43 tentang Pusat Kesehatan Masyarakat, Kementerian Kesehatan RI, Jakarta.
- Kementerian Kesehatan RI, (2016). Permenkes RI Nomor 44 Tahun 2016 tentang Pedoman Manajemen Puskesmas.
- Kementerian Kesehatan RI, (2016). Kepala Direktorat Promosi Kesehatan dan Pemberdayaan Masyarakat.
- Kementerian Kesesehatan RI, (2017). Rencana Strategis Kementerian Kesehatan Tahun 2015-2019, Revisi 1 – Th. 2017.
- Kementerian PPN/ Bappenas, (2018). Penguanan Pelayanan Kesehatan Dasar di Puskesmas, Direktorat Kesehatan dan Gizi Masyarakat Kedeputian Pembangunan Manusia, Masyarakat dan Kebudayaan Kementerian PPN/ Bapenas.
- Kusumawardani N, Soerachman R, Laksono AD, Indrawati L, Sari P, Paramita A, (2017). Penelitian Kualitatif di Bidang Kesehatan, Penerbit PT. Kanisius, Yogyakarta, hal. 12-52.
- Kusumawardani N, Tarigan I, Suparmi, Schlotheuber A, (2018). Socio-economic, demographic and geographic correlates of cigarette smoking among Indonesian adolescents: results from the 2013 Indonesian Basic Health Research (RISKESDAS) survey, *Global Health Action*, 11:sup1, p. 54-62.
- La Torre Giuseppe (Ed.), (2013). *Smoking Prevention and Cessation*, Springer Science+Business Media, New York.
- Leonardi-Bee J, Jere ML, Britton J, (2011). Exposure to parental and sibling smoking and the risk of smoking uptake in childhood and adolescence: a systematic review and meta-analysis, *Thorax*; 66:847e855.
- Lyna P, McBride C, Samsa G, Pollak K.I, (2002). Exploring the association between perceived risks of smoking and benefits to quitting Who does not see the link?, *Addictive Behaviors* 27 (2002), p. 293–307.
- Lynch BS, Bonnie RJ (1994) Growing up tobacco free. *Preventing nicotine addiction in children and youths*. National Academy, Washington DC.

- Machfudloh, Sulbani I.L, (2019). Optimalisasi Implementasi Peraturan Bebas Rokok di dalam Rumah, *Jurnal SMART Kebidanan*, vol.5 no.2 Des, Sekolah Tinggi Ilmu Kesehatan (STIKes) Karya Husada Semarang, tersedia di www.stikesyahedsmg.ac.id/ojs/index.php/sjkb
- Mahabee-Gittens EM, Xiao Y, Gordon JS, Khoury JC, (2013). The dynamic role of parental influences in preventing adolescent smoking initiation, *Addictive Behaviors*, 38 (2013) p. 1905–1911.
- Martinez-Donate AP, Johnson-Kozlow M, Hovell MF, & Gonzalez PGJ, (2009). Home smoking bans and secondhand smoke exposure in Mexico and the US. *Preventive Medicine*, 48(3), p. 207–212.
- Mathur C, Stigler MH, Erickson DJ, Perry CL, Forster JL, (2014). Transitions in smoking behavior during emerging adulthood: A longitudinal analysis of the effect of home smoking bans. *Am J Public Health*. 2014; 104:715–720.
- McIntire RK, Nelson AA, Macy JT, Seo DC, Kolbe LJ, (2015). Secondhand smoke exposure and other correlates of susceptibility to smoking: A propensity score matching approach. *Addict Behav*. 2015; 48:36–43.
- McKee SA, O’Malley SS, Salovey P, Krishnan-Sarin S, Mazure CM, (2005). Perceived risks and benefits of smoking cessation: Gender-specific predictors of motivation and treatment outcome, *Addictive Behaviors* 30 (2005) p. 423–435.
- McKenzie JF, Neiger BL, and Thackeray R, (2013). *Planning, Implementing, and Evaluating Health Promotion Programs, A Primer*, 6th Edition, Pearson, San Fransisco.
- Mills AL, Messer K, Gilpin EA, & Pierce JP, (2009). The effect of smoke-free homes on adult smoking behavior: A review. *Nicotine Tob. Res. Off. J. Soc. Res. Nicotine Tob.* 11(10), p. 1131–1141.
- Mulvale G, Embrett M, Razavi SD, (2016). ‘Gearing up’ to improve interprofessional collaboration in primary care: a systematic review and conceptual frame-work. *BMC Family Practice* 17 (83).
- National Cancer Institute. (2008). The role of the media in promoting and reducing tobacco use. *Tobacco Control Monograph* (No. 19. NIH Pub. No. 07-6242). Bethesda, MD: US Department of Health and Human Services, National Institutes of Health, National Cancer Institute.
- Nichter M, Padmawati RS, Danardono M, Ng N, Prabandari Y, Nichter M, (2009). Reading culture from tobacco advertisements in Indonesia. *Tobacco Control*.1(April):18(2):98-107
- O'Donnell MP, (2002). *Health promotion at the workplace* (3rd ed.). Delmar, Albany, NY.
- Oei TP, Fae A, Silva P, (1990). Smoking behavior in nine year old children: a replication and extension study. *Adv Alcohol Subst Abuse* 8(3–4) p. 85–96.
- Padmawati RS, Prabandari YS, Istiyani T, Nichter M, Nichter M, (2018). Establishing a community-based smoke-free homes movement in Indonesia, *Tobacco Prevention & Cessation*. (November):36.
- Pemerintah Kota Surabaya, (2019) 10 Penyakit terbanyak Tahun 2017, dinkes.surabaya.go.id, (situs 16 Juli 2019).
- Pemerintah RI, (2009).Undang-undang RI No. 36 Tahun 2009 tentang Kesehatan.

- Peraturan Daerah Kota Surabaya, (2019). Peraturan Daerah Kota Surabaya Nomor 2 Tahun 2019 tentang Kawasan tanpa Rokok
- Puskesmas Simomulyo, (2019). Profil Puskesmas Puskesmas Simomulyo Kota Surabaya Tahun 2019.
- Prabandari YS dan Dewi A, (2016). How do Indonesian Youth Perceive Cigarette Advertising? A Cross-sectional Study among Indonesian High School Students, *Global Health Action*, 9:30914.
- Prasetyo DY, Indrawati ES, (2016). Hubungan antara Persepsi terhadap Bahaya Rokok dengan Intensi Berhenti Merokok pada Anggota Komunitas Inter Club Indonesia Regional Magelang, *JurnalEmpati*, Agustus 2016, Volume 5(3), p. 453-457.
- Ramadhan Kadar, (2017). Hubungan Larangan Merokok di Rumah dengan Keberhasilan Berhenti Merokok, vol. 11, No.1, *Jurnal Profesi Medika*, Jakarta.
- Rasmussen M, Damsgaard MT, Due P, Holstein BE, (2002). Boys and girls smoking within the Danish elementary school classes: A group-level analysis. *Scandinavian Journal of Public Health*, 30, p. 62–69.
- Reed DO (1993). Preventing adolescent nicotine addiction: what can one do? *J Amer Acad Phys Assist* 6: p.703–710.
- Rootman, I. (2001). A framework for health promotion evaluation. In I. Rootman, M. Goodstadt, B. Hyndman, D. McQueen, L. Potvin, J. Springett & E. Ziglio (eds.), Evaluation in health promotion (WHO Regional Publications European Series, No. 92, pp. 3-6). World Health Organisation, Geneva.
- Saw A, Paterniti D, Fung L, Tsoh JY, Chen Jr MS, Tong EK, (2016). Social Environmental Influences on Smoking and Cessation: Qualitative Perspectives Among Chinese-Speaking Smokers and Nonsmokers in California, *J Immigrant Minority Health* (2017) 19: p. 1404–1411.
- Shibuya K, Ciecielski C, Guindon E, Bettcher DW, Evans DB, Murray CJ, (2003).
- Snelling Anastasia (Ed.), (2014). *Introduction to Health Promotion*. Jossey-Bass a Wiley Brand, San Fransisco.
- Starfield B, Shi L, Macinko J, (2005). *Contribution of Primary Care to Health Systems and Health*, Milbank Q.
- UNICRI, (2003). *School-based drug education: A guide for practitioners and the wider community*. Vienna: United Nations Offi ce for Drug Control and Crime Prevention.
- US Department of Health Human Services, (2014). *The health consequences of smoking—50 years of progress: A report of the surgeon general*. Atlanta, GA: US Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health. p. 17.
- U.S. Department of Health and Human Services. (2012). *Preventing tobacco use among youth and young adults: A report of the surgeon general*. Atlanta, GA: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health.

- U.S. Department of Health and Human Services, (2006). *The health consequences of involuntary exposure to tobacco smoke: A report of the surgeon general.*
- Wallack L, Dorfman L, Jernigan D, and Themba M, (1993). *Media advocacy and public health: Power for prevention*, Sage, London.
- Wellman RJ, Sylvestre M, O'Loughlin EK, Dutczak H, Montreuil A, Datta GD, O'Loughlin J, (2017). Socioeconomic status is associated with the prevalence and co-occurrence of risk factors for cigarette smoking initiation during adolescence, *Int J Public Health* (2018) 63: p. 125–136.
- Wang MP, Ho SY, Lo WS, Lam TH, (2013). Smoking family, secondhand smoke exposure at home, and quitting in adolescent smokers. *Nicotine & tobacco research : official journal of the Society for Research on Nicotine and Tobacco*. 2013; 15:185–191.
- WHO Centre for Health Development, (2004). A glossary of terms for community health care and services for older persons. Ageing and Health Technical Report, 5. Retrieved from http://whqlibdoc.who.int/wkc/2004/WHO_WKC_Tech.Ser._04.2.pdf.
- WHO, (2012) Global adult tobacco survey: Indonesia report 2011. New Delhi: World Health Organization Regional Office for South East Asia.
- WHO, (2015) Regional Office for South-East Asia. Global youth tobacco survey (GYTS): Indonesia report 2014.
- Pusat Data dan Informasi Kementerian Kesehatan RI, (2015). Smoking behavior in Indonesian communities. <http://www.depkes.go.id/folder/view/01/structure-publikasipusdatin-infodatin.html>. (sitasi 12 Januari 2020).
- Winickoff JP, Friebely J, Tanski SE, Sherrod C, Matt GE, Hovell MF, McMillen RC, Beliefs about the Health Effects of “Thirdhand” Smoke and Home Smoking Bans, *Pediatrics*. 2009 January ; 123(1): p. e74–e79.
- Wipfli HL, Samet JM, (2010) Second-hand smoke's worldwide disease toll. *The Lancet*. 2010;26 (November):377(9760):101-2.
- World Health Organization, (1986). *The Ottawa Charter for Health Promotion*, WHO, Geneva.
- World Health Organization, (2008). *Developing Health Promotion Competencies and Standards for Countries in WHO South-East Asia Region*, WHO/SEARO, New Delhi.
- World Health Organization, (2008). Tobacco, tersedia di <https://www.who.int/news-room/fact-sheets/detail/tobacco>, (sitasi pada 05 September 2019).
- World Health Organization, (2009). *Milestones in Health Promotion, Statements from Global Conferences*. WHO Press, Geneva.
- World Health Organization, (2013). Global Report on Tobacco, WHO, Geneva.
- World Health Organization, (2017). Global Report on Tobacco, WHO, Geneva.
- Xi B, Liang Y, Liu Y, Yan Y, Zhao M, Ma C, Bovet P, (2016). Tobacco use and second-hand smoke exposure in young adolescents aged 12–15 years: data from 68 low-income and middle-income countries, www.thelancet.com/lancetgh Vol 4 November 2016.

- Yin RK, (2018). *Case Study Research and Applications, Design and Methods, 6th edition*, Cosmos Corporation, SAGE, Los Angeles.
- Zhang Xiao, (2017). The association between indoor smoke-free home rules and the use of cigar and smokeless tobacco: A longitudinal study, *Addictive Behaviors* 74 (2017) p. 153–155.