

DAFTAR PUSTAKA

- Abou-Seif, M, A., Youssef, A (2014) ‘Evaluation of some biochemical changes in diabetic patients’, *Clinica Chimica Acta*, 346: 161-70
- American Association of Diabetes (2008) ‘Educators: AADE7 Self-Care Behaviors’ *Diabetes Educ* , 34:445–449.
- Al-Attas O.S, Al-Daghri N.M, Alfadda A.A, Abd-Alrahman S.H, Sabico S (2012) ‘Blood thiamine and its phosphate esters as measured by high-performance liquid chromatography: levels and associations in diabetes Melitus patients with varying degrees of microalbuminuria’, *J. Endocrinol. Invest*, 35(11):951–956
- Alberti KG. Diabetic acidosis, hyperosmolar coma, and lactic Acidosis. In: Becker KL (2004) *Principles and practice of endocrinology and metabolism*. 3 rd ed. Philadelphia: Lippincott Williams & Wilkin.
- ‘Al-Khawaldeh, O. A., Al-Hassan, M. A., & Froelicher, E. S (2012) ‘Self-efficacy, self-management, and glycemic control in adults with type 2 diabetes Melitus’, *Journal of Diabetes and Its Complications*, 26, (1), 10–16.
- Anani, S., Udiyono, A., Ginanjar, P (2012) ‘Hubungan Antara Perilaku Pengendalian Diabetes dan Kadar Glukosa Darah Pasien Rawat Jalan Diabetes Melitus (Studi Kasus di RSUD Arjawinangun Kabupaten Cirebon)’, *JKM* 1, 2 : 466-478
- Anderson MM, Requena JR, Crowley JR, Thorpe SR, Heinecke JW (1999) ‘The myeloperoxidase of human phagocytes generates *N*- (carboxymethyl) lysine

on proteins: a mechanism for producing advanced glycation end products at sites of inflammation', *J Clin Invest*, 104, (1):103-13

Aparicio A, Bermejo LM, Rodriguez ER, Andres P, Ortega RM, Sobaler AML (2006) 'Influenced of vitamin E status on cognitive function in elderly people', *Elderly Nutrition*, 19, (6):30-2.

Appel LJ, Clark JM, Yeh H-C, Wang N-Y, Coughlin JW, Daumit G, Miller ER III, Dalcin A, Jerome GJ, Geller S (2011) 'Comparative effectiveness of weight-loss interventions in clinical practice', *N Engl J Med*, 365:1959–1968

Ardiyati, A.V (2014) 'Hubungan Antara Skor Monofilamen Dengan Ulkus Diabetik Di Klinik Perawatan Luka Rumat Bekasi', *Program Studi Ilmu Keperawatan Fakultas Kedokteran dan Ilmu Kesehatan Universitas Islam Negeri Syarif Hidayatullah, Jakarta.*

Arisman, MB (2014) *Buku Ajar Ilmu Gizi : Obesitas, Diabetes & Didlipidemia : Konsep, teori dan penanganan aplikatif*, Jakarta : EGC

Aronson, J. K (2007) 'Compliance, concordance, adherence', *British Journal of Clinical Pharmacology*, 63(4), pp. 383–384. doi: 10.1111/j.1365-2125.2007.02893.x.

Atef EAE (2011) 'Quercetin protective action on oxidative stress,sorbitol, insulin resistance and β - cells function in experimental diabetic rats', *International Journal of Pharmaceutical Studies and Research*, EISSN. 2229- 4619

Baert, V., Gorus, E., Mets, T., Geerts, C., & Bautmans, I (2011) 'Motivators and barriers for physical activity in older old: a systematic review', *Ageing Research*, 10, 464–476. doi: 10.1016/j.arr.2011.04.001

- Badan Pusat Statistik (2010) *Angka harapan hidup penduduk beberapa negara (tahun) 1995-2015* (diunduh 19 Januari 2020). Tersedia dari <http://www.bps.go.id/linkTabelStatis/view/id/1517>
- Bandeira, S, D., Guedes, G, S., Fonseca, L, J., Gelain, D, P., Moreira, J, C, F, et al (2012) ‘Characterization of blood oxidative stress in type 2 diabetes Melitus patients: Increase in lipid peroxidation and SOD activity’, *Oxidative Medicine and Cellular Longevity*, 1-13
- Bansal, D., Gudala, K., Muthyala, H., Esam, HP., Nayakallu, R., Bhansali, A (2014) ‘Prevalence and risk factors of development of peripheral diabetic neuropathy in type 2 diabetes Melitus in a tertiary care setting’. *J Diabetes Investig.*, 5, (6), 714-21
- Beckman JA, Goldfine AB, Gordon MB, Creager MA (2001) ‘Ascorbate restores endothelium-dependent vasodilatation impaired by acute hyperglycemia in humans’, *Circulation*, 103, 1618-23.
- Bianchi, E.R.F (2004) ‘Stress and Coping among Cardiovascular Nurses: a Survey In brazil’, *Issues in Mental Health Nursing*, 25, 737–745
- Boden G (2011) ‘Obesity, insulin resistance and free fatty acids’, *Curr Opin Endocrinol Diabetes Obes*, 18, (2), 139–43.
- Capeyron C, Julie B, Eric P, Jean MR, Piere, Claude D, Benard (2002) ‘A diet cholesterol and deflcient in vite incudes lipid peroxidation but does not enhace antioxidant enzyme expression in rat liver’, *Journal Biochemistry*, 13, 296-301
- Care M (2008) ‘Standards of Medical Care in Diabetes’, *Diabetes Care*, 31, 12-S54.

Cheema, S. *et al.* Risk factors for microvascular complications of diabetes in a high-risk middle east population. *J. Diabetes Res.* **2018**, (2018).

Chugh S (2011) 'Jaypee Gold Standart Mini Atlas Series Diabetes', I. India: *Jaypee Brothers Medical Publishers*

Chua, SS and SP Chan (2011) 'Medication adherence and achievement of glycaemic targets in ambulatory type 2 diabetic patients', *Journal of Applied Pharmaceutical Science*, 1, (4), 55-59

Darusman (2009) 'Perbedaan Perilaku Pasien Diabetes Melitus Pria dan Wanita dalam Mematuhi Pelaksanaan Diet', *Berita Kedokteran Masyarakat*, 25, 1 Maret 2009.

Donald, M., Dower, J., Coll, J. R., Baker, P., Mukandi, B. & Doi, S. A (2013) 'Mental health issue decrease diabetes-specific quality of life independent of glycaemic control and complications: findings from Australia's living with diabetes cohort study', *BioMed Central*, 11, 1-8.

Diabetes Prevention Program (DPP) Research Group. The Diabetes Prevention Program (DPP): description of lifestyle intervention. *Diabetes Care*. 2002; 25(12): 2165–2171

Eckel RH dkk (2011) 'Obesity and type 2 diabetes: what can be unified and what needs to be individualized?', *Diabetes care*, 34, 1424-30.

Ernawati (2013) *Penatalaksanaan keperawatan diabetes melitus terpadu : dengan penerapan teori keperawatan self care orem*. Mitra Wacana Media

Fadilah A, Putri Y, Decroli E, Nasrul E (2015) 'Artikel Penelitian Hubungan Derajat Obesitas dengan Kadar Gula Darah Puasa pada Masyarakat di Kelurahan Batung Taba dan Kelurahan Korong Gadang , Kota Padang', *J Kesehatan*, 4, 3, 707–11

- Fain, J. A (2014) *Keperawatan Medikal Bedah Managemen Klinis untuk Hasil yang Diharapkan*. Jakarta: Salemba Medika.
- FAO/WHO/UNU (2005) *Human energy requirements. WHO Technical Report Series, no. 724*. Geneva: World Health Organization
- Farheen B.S & Malipatil G.A (2015) ‘Original Article Nerve Conduction in Type 2 Diabetics and Its Correlation’, *Journal of Evolution of Medical and Dental Sciences*, 4, 6, 1023-1034.
- Fatmah. (2010). *Gizi Usia Lanjut*. Jakarta : Erlangga
- Fisher, E.B., Declamater, A.M., Bertelson, Aniy D dan Kirkley, Betty G (1982) ‘Psychological Faktor in Diabetes and Its Treatmen’, *Journal of Consulting and Clinical Psychology*, 50, 6, 993-1003.
- Forbes, J. M. and Cooper, M. E (2013) ‘Mechanisms of diabetic complications’, *Physiological Reviews*, 93, 1, pp. 137–188. doi: 10.1152/physrev.00045.2011.
- Fretts, A. M. *et al* (2015) ‘Consumption of meat is associated with higher fasting glucose and insulin concentrations regardless of glucose and insulin genetic risk scores: A meta-analysis of 50,345 Caucasians’, *American Journal of Clinical Nutrition*, 102(5), pp. 1266–1278. doi: 10.3945/ajcn.114.101238.
- Gaddey, H. L. & Holder, K. (2014). Unintentional weight loss in older adults. *Am. Fam. Physician*, 89, 718–722.

- Gannon, Mary (2003) 'An increase in dietary protein improves the blood glucose response In persons with type 2 diabetes', *The American Journal of Clinical Nutrition*, 78, 734-741
- Gannon, Mary, Frank Nutall (2004) 'Effect of a High protein, Low Carbohydrate Diet on Blood Glucose Control in People with type 2 diabetes', *Diabetes Care*, 53, 2375-2382
- Ganz, ML., Wintfeld, N., Li, Q., Alas, V., Langer, J., Hammer, M (2014) 'The association of body mass index with the risk of type 2 diabetes: a case-control study nested in an electronic health records system in the United States', *J. Diabetol Metab J Syndr.*, 3, 1, 50.
- Gibson, S, Rosalind (2005) *Principle of Nutritional Assesment Second Edition* Oxford University Pres
- GonzA lez-Ortiz M, MartA-nez-Abundis E, Robles-Cervantes J.A, RamA-rez-RamA-rez V, Ramos-Zavala M.G (2011) 'Effect of thiamine administration on metabolic profile, cytokines and inflammatory markers in drug-naA_ve patients with type 2 diabetes', *Eur. J. Nutr*, 50, 2, 145–149.
- Graddy D (2006) 'Management of menopausal symptoms', *N Engl J Med*, 2, 35, 2338-47.
- Gray, N., Picone, G., Sloan, F., Yashkin, A (2015) 'The Relationship between BMI and Onset of Diabetes Melitus and its Complications', *South Med J*, 108, (1), 29–36.
- Green, Lawrence. (1980). *Health Education: A Diagnosis Approach*, The John Hopkins University, Mayfield Publishing Co.

- Guideline Committee of the Japan Diabetes Society. (2013). *Japan Diabetes Society Evidence-Based Practice Guidelines for the Treatment of Diabetes in Japan*. Nankodo: Tokyo, Japan
- Haffner SM (1999) 'The importance of hyperglycemia in the non fasting state to the development cardiovascular state', *Endocrine Review*, 19, (5), 583-92.
- Halimah, dkk (2018) 'Insiden Nefropati Diabetik di Poliklinik Penyakit Dalam RSI Siti Rahmah Padang', *JKB*, 2407-358X
- Halim, M., Halim, A (2019) 'The effects of inflammation, aging and oxidative stress on the pathogenesis of diabetes Melitus (type 2 diabetes)', *Diabetes & Metabolic Syndrome: Clinical Research & Review*, 13, 1165-1172
- Hammami, S., Mehri, S., Hajem, S., Koubaa, N., Sould, H., Hammami, M (2012) 'Prevalence of diabetes Melitus among non Institutionalized elderly in Monastir City', *BMC Endocrine Disorders*, 12, (15)
- Herak DC, Milos M, Zadro R. (2009) 'Evaluation of Innovance D-dimer analytical performance', *Clin Chem Lab Med*, 47, (8), 945-951
- Herrera-Rangel, et al (2014) 'The Influence of Peripheral Neuropathy, Gender, and Obesity on the Postural Stability of Patients with Type 2 Diabetes Melitus', *Journal of Diabetes Research*,
- Holahan, C.J. and Moos, R.H (1990) 'Life stressors, resistance factors and improved psychological functioning: an extension of the stress resistance paradigm', *Journal of Personality and Social Psychology*, 58, 909-17.
- Holt, Paula (2009) *Diabetes in Hospital: A Practice Approach for Healthcare Professionals*. United Kingdom: John Wiley & Sons, Ltd

Indran, M., Roklah, P., Cham, S, P., Kuppusarny, U, R (2004) 'Alteration of lipid peroxidation and antioxidant enzymes in young Malaysian IDDM patients', *Med J Malaysia*, 59, (2),166-170

International Diabetes Federation (2013). IDF Diabetes Atlas SixthEdition.https://www.idf.org/sites/default/files/EN_6E_Atlas_Full_0.pdf (diunduh 19 Januari 2020)

Internasional Association for the Study of Pain. (2015). Epidemiology of neuropathic pain : how common is neuropathic pain, and what is its impact ? neuropathic pain.

International Diabetes Federation. (2017). *Diabetes Atlas, 8th* edn. Brussels, Belgium: International Diabetes Federation.

Irawan, D (2010) 'Prevalensi dan Faktor Risiko Kejadian Diabetes Melitus Tipe 2 di Daerah Urban Indonesia (Analisa Data Sekunder Riskesdas 2007)', *Tesis*. Fakultas Kesehatan Masyarakat Indonesia. Jakarta

Kamath A, Shivaprakash G, Adhikari P (2011) Body mass index and Waist circumference in Type 2 Diabetes Melitus patients attending a diabetes clinic', *Int J Biol Med Res*, 2, 636–638

Kariadi, Sri Hartini KS. (2009). *Diabetes? Siapa takut!! Panduan lengkap untuk diabetisi, keluarganya, dan professional medis*. Bandung : Qanita PT. Mizan Pustaka

Kementerian Kesehatan Republik Indonesia. (2010). Tahun 2030 prevalensi diabetes melitus di Indonesia mencapai 213 juta orang [internet]. Jakarta:

Kemenkes RI. [diakses tanggal 10 Februari 2020]. Tersedia dari:
<http://depkes.go.id>

Kementrian Kesehatan Republik Indonesia. (2012). *Pedoman Pelayanan Gizi Lanjut Usia*. Jakarta: Kementrian Kesehatan RI

Kementrian Kesehatan RI. (2012). *Survei Demografi dan Kesehatan Indonesia*. Jakarta: Kementrian Kesehatan RI

Kemenkes RI Kementrian Kesehatan RI. (2014). *Bantuan Operasional Kesehatan*. Jakarta: Kementrian Kesehatan RI

Kementrian Kesehatan RI. (2014). *Situasi dan analisis lanjut usia*. Jakarta: Kementrian Kesehatan RI

Kementrian Kesehatan RI Badan Penelitian dan Pengembangan. Hasil Utama Riset Kesehatan Dasar. *Kementrian Kesehat. Republik Indones*. 1–100 (2018) doi:1 Desember 2013.

Khairunnisa (2016) ‘Hubungan Kebiasaan Merokok, Aktivitas Fisik, Konsumsi Gula, Dan Status Gizi Dengan Kadar Malondialdehide (Mda) Dan Glukosa Darah Pada Orang Dewasa’, *Tesis*. Sekolah Pascasarjana Institut Pertanian Bogor. Program Studi Ilmu Gizi Masyarakat.

Kim, Y., Keogh, J. and Clifton, P (2015) ‘A review of potential metabolic etiologies of the observed association between red meat consumption and development of type 2 diabetes Melitus’, *Metabolism: Clinical and Experimental*. Elsevier B.V., 64(7), pp. 768–779. doi: 10.1016/j.metabol.2015.03.008

- Kirk-Sanchez, N.J., & McGough, E.L (2013) 'Physical exercise and cognitive performance in the elderly', *Current Perspectives. Dovepress*, 9, 51–62.
- Kostic, N., Caparevic, Z., Marina, D., Ilic, S., Radojkovic, J., Cosic, Z, et al (2009) 'Clinical evaluation of oxidative stress in patients with diabetes Melitus type II- impact of acute exercise', *Vojnosanit Pregl.* 66, (6), 459-64
- Kristina, H., Sartono, N., Rusdi (2016) 'Kadar Peroksida Lipid dan Aktivitas Superoksida Dismutase Serum Darah pada Penderita Diabetes Melitus Tipe 2', *BIOMA*, 12, (1)
- Kulzer B, Hermanns N, Gorges D, et al. Prevention of diabetes self-management program (PREDIAS): effects on weight, metabolic risk factors, and behavioral outcomes. *Diabetes Care.* 2009; 32(7): 1143–1146
- Kurniawan. (2010) 'Diabetes melitus tipe 2 pada usia lanjut', *Majalah Kedokteran Indonesia*, 60, (12), 576-84
- Lapolla A, Piarulli F, Sartore G, Ceriello A, Ragazzi E, Reitano R, Baccarin L, Laverda B, Fedele D. (2007) 'Advanced glycation end products and antioxidant status in type 2 diabetic patient with and without peripheral arthery disease', *Diabetes Care*, 30, (3), 670-6.
- Lee, L.L., Arthur, A., & Avis, M. (2008) 'Using self-efficacy theory to develop interventions that help older oepole overcome psychological barriers to physical activity: a discussion paper', *International Journal of Nursing Studies*, 45, 1690–1699.
- Lee, S., Mey, L., Agnieszka, Szymanska, Harpreet, David, Amaan, Calvin.(2020) 'SFDI biomarkers provide a quantitative ulcer risk metric and can be used

to predict diabetic foot ulcer onset', *Journal of Diabetes and Its Complications*, S1056-8727, (20), 30380-9

Lemeshow, S., and Lwanga, S, K. (1997). *Sample Size Determination in Health Studies : A Practical Manual*. Genewa: WHO

Letchuman GR, Wan Nazaimoon WM, Wan Mohamad WB, et al (2010) 'Prevalence of diabetes in the Malaysian National Health Morbidity Survey III 2006', *Med J Malaysia* ,65, (3), 180-186.

Li Zhang., Jiao Yang., Zhangyi Liao., Xiaomeng Zhao., Xuefeng Hu., Wenli Zhu., dan Zhaofeng Zhang. (2019) 'Asosiasi antara Diabetes dan Fungsi Kognitif di antara Orang yang berusia lebih dari 45 Tahun di Cina: A Studi Cross-Sectional', *Int. J. Environ. Res. Kesehatan Masyarakat*, 16, 1294

Linus Pauling Institute. (2011). *Glycemic index and glycemic load*. Oregon State University.

Lindström J, Eriksson JG, Valle TT, et al. Prevention of diabetes mellitus in subjects with impaired glucose tolerance in the Finnish Diabetes Prevention Study: results from a randomized clinical trial. *J Am Soc Nephrol*. 2003; 14 (7 Suppl 2): S108–S113. 188.

Liu, M., Li, F., Liang, M., Rao, X. (2020) 'Effects of aldose reductase inhibitors on renal blood flow parameters in patients with early diabetic nephropath', *Journal of Diabetes and Its Complications*, 107620

Manaf A. (2009). *Insulin: mekanisme sekresi dan aspek metabolisme*. Dalam: Sudoyo AW, Setyohadi B. Alwi I, Simadibrata KM, Setiati S, editor: Buku ajar ilmu penyakit dalam III. Ed V. Jakarta: Interna Publishing.

- Manna, P. and Jain, S. K. (2015) 'Obesity, Oxidative Stress, Adipose Tissue Dysfunction, and the Associated Health Risks: Causes and Therapeutic Strategies', *Metabolic Syndrome and Related Disorders*, 13(10), pp. 423–444. doi: 10.1089/met.2015.0095.
- Manzetti S, Zhang J, van der Spoel D. (2014) 'Thiamin function, metabolism, uptake, and transport', *Biochemistry*. 53, (5), 821–835.
- Mehdad, Slimane, et al. (2012) 'Body Mass Index, Waist Ciscumference, Body Fat, Fasting Blood Glucose in a Sample of Moroccan Adolescent Aged 11-17 Years', *Journal of Nutrition nd Metabolism*
- Memisogullari, R., Taysi, S., Bakan, E., Capoglu, I. (2003) 'Antioxidant status and lipid peroxidation in type II diabetes Melitus', *Cell Biochem Funct*, 21, 291-6
- Meyer, M.C (2012) 'Contrained Penalized Splines', *Canadian Journal of Statistics*, 40, 1, 190-206.
- Mildawati, Diani, N., Wahid, A (2019) 'Hubungan Usia, Jenis Kelamin Dan Lama Menderita Diabetes Dengan Kejadian Neuropati Perifer Diabetik', *Caring Nursing Journal*, ISSN: 2580-0078
- Moran C,Phan TG, Chen J, Blizzard L, Beare R, Venn A (2013) 'Brain atrophy in type 2 diabetes', *Diabetes Care*, 36, 4036-42.
- Morello, C. M. *et al.* (2011) 'Strategies to improve medication adherence reported by diabetes patients and caregivers: Results of a taking control of your diabetes survey', *Annals of Pharmacotherapy*, 45(2), pp. 145–153. doi: 10.1345/aph.1P322.

- Mozaffarian D, Hao T, Rimm EB, et al. Changes in diet and lifestyle and long-term weight gain in women and men. *N Engl J Med*. 2011; 364(25): 2392–2404.
- Mozimoto, A., Tatsumi, Y., Deura, K., Mizuno, S., Ohno, Y., Miyamatsu, N., & Watanabe, S (2013) 'Impact of Impaired Insulin Secretion and Insulin Resistance on the Incidence of Type 2 diabetes Melitus in a Japanese population: the Saku study', *Diabetologia*, 56, (8), 1671-1679.
- Muzamil, M.S, Afriwadi, & Martini, R.D (2014) 'Hubungan antara aktivitas fisik dengan fungsi kognitif pada usila di kelurahan jati kecamatan padang timur', *Jurnal Fakultas Kedokteran Universitas Andalas*, 3, (2), 202–205.
- National Institute on Aging (2009). *Exercise & physical activity*. Georgia: National Institute of Health.
- Newman, A. M. (2009). American Nurses Association - Obesity in Older Adults Page 1 of 8 Obesity in Older Adults American Nurses Association - Obesity in Older Adults Page 2 of 8. *OJIN Online J. Issues Nurs*. 14, 1–8
- Nielsen, Anni, BS. (2006) 'Structured Personal Diabetes Care in Primary Health Care Affects Only Women's HbA1C', *Diabetes Care*, 29-963-969.
- Nishimura CY. (1998) 'Aldose reductase in glucose toxicity: A potential targets for the prevention of diabetic complications', *Pharmacological Reviews* 50, (1), 21-33.
- Novitasary MD., Mayuluh N., dan Kawengian SES. (2013) 'Hubungan Antara Aktifitas Fisik dengan Obesitas pada Wanita Usia Subur Peserta Jamkesmas di Puskesmas Wawonasa Kecamatan Singkil Manado', *Jurnal e-Biomedik*, 1, (2) , 1040-1046

- Nugroho HA. (2007) 'Perubahan fungsi fisik dan dukungan keluarga dengan respon psikososial pada lansia di Kelurahan Kembangarum Semarang', *Jurnal keperawatan*, 1, (1), 45-57
- Nugroho W. (2009). *Komunikasi dalam keperawatan gerontik*. Jakarta: EGC
- Nutall, Frank, Marry, Gannon. (2007). 'Dietary Management of Type 2 Diabetes A Personal Odyssey', *Journal of the American College of Nutrition*, 26, (2), 73094
- Ogden, J. (2007). *Health Psychology 4th Edition*. England: Open University Press
- Okoduwa, S, I, R., Umar, A., Ibrahim, S, Bello, F (2013) 'Relationship of oxidative stress with type 2 diabetes and hypertension', *J Diabetol*, 1, 2
- Partridge, C.J. and Johnston, M (1989) 'Perceived control and recovery from physical disability', *British Journal of Clinical Psychology*, 28, 53–60.
- Pengembangan, K. K. R. B. P. dan. Hasil Utama Riset Kesehatan Dasar. *Kementrian Kesehat. Republik Indones.* 7, 803–809 (2013).
- Perkeni.(2006).*Konsesus Pencegahan dan Pengelolaan Nasional Penatalaksanaan Diabetes Melitus tipe 2 di Indonesia*. Jakarta: Perkeni.
- PERKENI. (2011). *Konsensus Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia*. Jakarta: Perkumpulan Endokrinologi Indonesia.
- PERKENI. (2015). *Konsensus Pengelolaan Diabetes Melitus Tipe 2 di Indonesia*. Jakarta: PB PERKENI

- Perna, F.M. and McDowell, S.L (1995) 'Role of psychological stress in cortisol recovery from exhaustive exercise among elite athletes', *International Journal of Behavioural Medicine*, 2, 13–26.
- Physical Activity Council. (2014). *Participation Report*. USA: Sports Marketing Survey USA
- Polizzi F.C, Andican G, Çetin E, Civelek S, Yumuk V, BBurçak G (2012) 'Increased DNA-glycation in type 2 diabetic patients: the effect of thiamine and pyridoxine therapy', *Clin. Endocrinol. Diabetes*, 120, (6), 329–334
- Purnamasari D (2009) *Diagnosis dan klasifikasi diabetes melitus*. Editor: Sudoyo AW, Setiyohadi B, Alwi Idrus, Simadibrata M, Setiati S. Dalam: Buku ajar ilmu penyakit dalam jilid III. Edisi V. Jakarta: Interna Publishing
- Purnamasari, D (2011). *Diagnosis dan klasifikasi Diabetes Melitus*. In: Sudoyo AW et al. Ilmu Penyakit Dalam Jilid III. Jakarta: PAPDI
- Pusparini. (2007) 'Obesitas sentral, sindrom metabolik dan diabetes melitus tipe 2', *Universitas Medicina*, 26, (4), 195-204
- Rabbani N, Alam S.S, Riaz S, Larkin J.R, Akhtar M.W, Shafi T, Thornalley P.J (2009) 'High-dose thiamine therapy for patients with type 2 diabetes and microalbuminuria: a randomised, double-blind placebo-controlled pilot study', *Diabetologia*, 52, (2), 208–212
- Rahbani-Nobar ME, Rahimi-Pour A, Rahbani-Nobar M, Adi-Beig F, Mirhashemi SM (1999) 'Total antioxidant capacity, superoxide dismutase and glutathione peroxidase in diabetic patients', *Medical Journal of Islamic Academy of Sciences*, 12, (4), 109-14

Rahmat, W.P (2010) 'Pengaruh konseling terhadap kecemasan dan kualitas hidup pasien DM di Kecamatan Kebakkramat', *Tesis*. Tersedia di eprints.uns.ac.id

Ramachandran A, Snehalatha C, Samith Shetty A, Nanditha A (2012) 'Trends in prevalence of diabetes in Asian countries', *World J Diabetes* 6(3):110-7.

Rismawati I, Usmar, Pakki E, Haryono K (2012) 'Uji efek antiobesitas dari susu kedelai (glicine max mirril) pada tikus (rattus norvegicus)', *Majalah Farmasi dan Farmakologi*, 16, (2), 107-10.

Sankanparan, H (2010). *Otak tengah memang dahsyat*. Jakarta: Transmedia Pustaka.

Sari RN. (2012). *Diabetes Melitus*. Yogyakarta: Nuha Medika

Sausari, R., Andrajati, R., Azizahwati., Dharmeizar., Saputri, D,A., Muris, R, U., Manfaatun, A., Amanda, O, F., Setiawan, H., Sakano, N., Wang, D, H., Ogino, K (2015) 'Marker of lipid peroxidation related to diabetic nephropathy in Indonesian type 2 diabetes Melitus patients', *Diabetes Research and Clinical Practice* 108,1, 193-200

Setiati S, Kuntjoro H, Arya G R. (2009). *Proses menua dan implikasi kliniknya*. Dalam: Sudoyo AW, Setiyohadi B, Alwi I, K Simadibrata M, Setiadi S, editor (penyunting). Buku ajar ilmu penyakit dalam. Edisi ke-5. Jakarta: Interna Publishing

Shils, Maurice. (2006). *Modern Nutrition in Health and Disease 10th Edition*. Baltimore: Lippincott Williams and Wilkins.

Shinde, S, N., Dhadke, V, N., Suryakar, A, N (2011) 'Evaluation of oxidative stress in type 2 diabetes Melitus and follow up along with vitamin E

supplementation', *Ind J Clin Biochem*, 26, (1), 74-7

Shu PS, Chan YM, Huang SL (2017) 'Higher body mass index and lower intake of dairy products predict poor glycaemic control among type 2 diabetes patients in Malaysia', *National Library Of Medicine*, 12, (2).

Skyler, J. S., Bergenstal, R., Bonow, R. O., Buse, J., Deedwania, P., & Gale, E. A. (2009) 'Intensive Glycemic Control and the Prevention of Cardiovascular Events: Implications of the ACCORD, ADVANCE, and VA Diabetes Trials', *Journal of the American College of Cardiology*, 53, 3, 298–304.

Slamet, Suyono. (2011). *Diabetes Melitus di Indonesia*. In: Sudoyo AW, et al. Ilmu penyakit dalam Jilid III. Jakarta: PAPDI

Smeltzer, C. Suzanne, Bare G. Brenda. (2002). *Buku Ajar Keperawatan Medikal – Bedah*. Alih Bahasa: dr. H. Y. Kuncara. Jakarta: EGC

Snehalatha, Chamukuttan dan Ramachandran, Ambady. (2009). *Diabetes melitus dalam gizi kesehatan masyarakat*. Jakarta: Penerbit Buku Kedokteran EGC.Jakarta.

Soegiarto RB. (2012) 'Kepatuhan kontrol dengan tingkat kadar gula darah pasien diabetes melitus di Rumah Sakit Baptis Kediri', *Stikes*, 5, (2), 213–22.

Soesilowati S. (2003) 'Diabetic neuropathy: pathogenesis and treatment. *Acta Medica Indonesiana*', 35, (1), 27-34.

Soewondo, P. (2006). *Ketoasidosis Diabetik*. In : Sudoyo AW, Setiyohadi, B, AlwiI, Simadibrata, M, Setiati S. Buku ajar Ilmu Penyakit Dalam. 4 th ed .Jakarta: Pusat Penerbitan Departemen Ilmu Penyakit Dalam FKUI.

- Soewondo P. (2011) 'Current Practice in the Management of Type 2 Diabetes in Indonesia: Results from the International Diabetes Management Practices Study (IDMPS)', *J Indon Med Assoc*, 61, (12), 474-481.
- Soliman, G, Z. (2008) 'Blood lipid peroxidation levels in Egyptian type 2 diabetic patients', *Singapore Med J*, 49, (2), 129-36
- Spiegelman BM, Flier JS. (2006). *Obesity and the regulation of energy balance*. Philadelphia: Elsevier (diakses tanggal 17 Januari 2020)
- Stephen, J., Mc Phee, Willian, F.G. (2011). *Patofisiologi Penyakit*. Jakarta: Pengantar Menuju Kedokteran Klinis EGC
- Subandrate (2016) 'Hubungan Kadar Glukosa Darah dengan Peroksidasi Lipid pada Pasien Diabetes Melitus tipe 2', *CDK*, 242, 43, (7)
- Sugiani PPS. (2011). Status gizi dan status metabolik pasien diabetes melitus rawat jalan di RSUP Sanglah Denpasar.
- Sugianti, E., Hardinsyah & Afriansyah, N. (2009). Faktor Risiko Obesitas Sentral pada Orang Dewasa di DKI Jakarta: Analisis Lanjut Data RISKESDAS 2007. *Gizi Indon* 32, 105–116
- Supariasa. (2017). *Penilaian Status Gizi Ed.2*. Jakarta: Buku Kedokteran EGC, hal 104-122
- Suri M.H dkk (2015) 'Hubungan Karakteristik , Hiperglikemi , dan Kerusakan Saraf Pasien Neuropati Diabetik di RSMH Palembang Periode 1 Januari 2013 Sampai Dengan 30 November 2014', *Jurnal Kedokteran dan Kesehatan*, 2, (3), 305-310

- Susilowati, T., & Windawati, F (2016) 'Senam Ergonomik Meningkatkan Sensitivitas Kaki Pada Penderita Diabetes Melitus Di Kelurahan Purwosari Kecamatan Laweyan Kota Surakarta', *Jurnal Maternity*, 3, (2).
- Suryawanshi, N, P., Bhuteny, A, K., Nagdeote, A, N., Jadhav, A, A., Manoorkar, G, S. (2006) 'Study of lipid peroxide and lipid profile in diabetes Melitus', *Indian J Clin Biochemistr*, 21, (1), 126-130
- Sustrani L. (2006). *Diabetes*. Jakarta: Gramedia
- Swami HM., Bhatia V., Gupta AK., dan Bhatia SPS. (2005) 'An Epidemiological Study of Obesity Among Elderly in Chandigarh', *Indian Journal of Community Medicine*, 30, (1), 11-13
- Tandra, H. (2014). *Strategi Mengalahkan Komplikasi Diabetes Dari Kepala Sampai Kaki*. Jakarta: PT Gramedia Pustaka Utama.
- Thiruvoipati, T., Kielhorn, C. E., & Armstrong, E. J. (2015) 'Peripheral Artery Disease in Patients With Diabetes: Epidemiology, Mechanism, and Outcomes', *World Journal of Diabetes*, 6, 7, 961-969.
- Tjokroprawiro, A. (1989). *Diabetes Melitus: Klasifikasi, Diagnosis dan Dasar-dasar Terapi*, Gramedia Pustaka Utama, Jakarta.
- Trini S, Rimbawan, Rizal D, Maria B, Ekowati H. (2015). Efek Ekstrak Daun Torbangun (*Coleus amboinicus* Lour) Sebagai Antioksidan Pada Hati Tikus Diabetes. *Prosiding Seminar Ilmiah Perhimpunan Biokimia & Biologi Molekuler Indonesia (PBBMI)*, 63-68
- Trisnawati. (2013) 'Faktor Risiko Kejadian Diabetes Melitus Tipe 2 Di puskesmas Kecamatan Cengkareng Jakarta Barat', *Jurnal Ilmiah Kesehatan*, 5, 1

- Ueno Y, Kizaki M, Nakagiri R, Kamiya T, Sumi H, Osawa T (2002) 'Dietary glutathione protects rats from diabetic nephropathy and neuropathy', *J Nutr*, 132, 897-900.
- Unal,Deniz (2012) 'Insulin hormone: Mechanism and effects on the body and relationship with central nervous system', *Dicle Medical Journal*, 39, (2), 310-315.
- Veghari G, Sedaghat M, Joshaghani H, Banihashem S, Moharloei P, Angizeh A, et al (2014) 'The association of fasting blood glucose (FBG) and waist circumference in northern adults in Iran: a population based study', *National Library Of Medicine*, 2-7.
- Vitaliano, P.P., Russo, J., Bailey, S.L., Young, H.M. and McCann, B.S. (1993) 'Psychosocial factors associated with cardiovascular reactivity in old adults', *Psychosomatic Medicine*, 55, (2),164-77.
- Vural P, Canbaz M, Akgul C (2006) 'Effects of menopause and postmenopausal tibolone treatment on plasma TNF@a, IL-4, IL-10, IL-12 cytokine pattern and some bone turnover marker', *Pharmacological Research*, 53, (4), 5
- Walqvist, Mark, L. (2007). *Food and Nutrition : Australia, Asia and the Pasific*. Sydney: Allen and Unwin Pty Ltd.
- Waspadji, S. (2011). *Komplikasi kronik diabetes: Mekanisme terjadinya, diagnosis, dan strategi pengelolaan*. In: Sudoyo AW et al. Ilmu penyakit dalam Jilid III. Jakarta: PAPDI
- Wahyuni, E (2011) Pengaruh Pemberian Folat Terhadap Kadar Homosistein Serum dan Malondialdehid Plasma Studi Eksperimental pada Tikus Sprague

Dawley yang Diinduksi Streptozotocin. *Tesis*. Universitas Diponegoro.
<http://eprints.undip.ac.id/29184/>. diakses pada tanggal 25 April 2014

Widijanti A, Ratulangi BT (2003) 'Pemeriksaan laboratorium penderita diabetes melitus', *Medika*, 3, 166-9

Windasari, N, N (2015) 'Pendidikan kesehatan dalam meningkatkan kepatuhan merawat kaki pada pasien diabetes melitus tipe II', *Muhammadiyah journal of nursing*, 2, 1, 79-90.

Whitney Ellie, Rolfes Sharon Rady (2011) *Understanding Nutrition*, Twelfth edition. USA : Wadsworth.

WHO. (2003). *Adherence to Long-Term Therapies, Evidence For Action*. Geneva: WHO

WHO. (2010). *Physical Activity*. In Guide Community Preventive Service

World Health Organization (WHO). (2011). Global health and aging. 2011 (diunduh 19 Januari 2020). Tersedia dari: http://www.who.int/ageing/publications/global_health.pdf

World Health Organization (WHO). (2015). Life expectancy. (diunduh 19 Januari 2020). Tersedia dari http://www.who.int/gho/mortality_burden_disease/life_tables/situation_trends_text/en/

Wright, Jr, E., Bacon, S, Glass, L, G (2006) 'Oxidative stress in type 2 diabetes: The role of fasting and postprandial glycaemia', *Int J Clin Pract*, 60, (3)

- Wu Y, Ding Y, Tanaka Y, Zhang W. (2014) 'Risk factors contributing to type 2 diabetes and recent advances in the treatment and prevention', *Int J Med Sci*, 11,(11),1185–200.
- Wulandari M.Y, dan Isfandiari M.A (2013) 'Kaitan Sindrom Metabolik dan Gaya Hidup dengan Gejala Komplikasi Mikrovaskuler', *Jurnal Berkala Epidemiologi*, 1, 224-233.
- Xu A, Wang Y, Lam KSL. (2007). Adiponektin. Dalam: Fantuzzi G, Mazzone T. Nutrition & health: adipose tissue and adipokines in health and disease. New Jersey: Humana Press
- Xu, Jiaqiong. (2007) 'Macronutrient intake and glycemic control in a population-based sample of American Indians with diabetes: the strong Heart Study', *The American Journal of Clinical Nutrition*, 86, 480-487
- Yehia BR, Epps KC, Golden SH. (2008). *Diagnosis and management of diabetic ketoacidosis in adults*. Hospital Physician
- Yunir E, Soebardi S. (2009). Terapi non farmakologis pada diabetes melitus. Dalam: Sudoyo AW, Setiyohadi B, Alwi I, Simadibrata M, Setiati S, Editor. Buku ajar ilmu penyakit dalam Jilid III. Edisi ke-5. Jakarta: Interna Publishing Pusat Penerbitan Ilmu Penyakit Dalam FK UI; hlm. 1893-5.
- Zatalia, S, R., Sanusi, H (2013) 'The role of antioxidants in the pathophysiology, complications, and management of diabetes Melitus', *Indon J Internal Med*, 45, (2)
- Zimmet, P. (2009) 'Preventing Diabetic Complication: A Primary Care Prospective', *Diabetes Res Clin Pract*, 84, 107-116.