by Muhammad Miftahussurur


Submission date: 19-Oct-2020 11:26AM (UTC+0800)

Submission ID: 1419332456 File name: Naskah.pdf (247.72K)

Word count: 3439

Character count: 20816







Tri A. Sugiyatmi, ¹ Usman Hadi, ² Djazuli Chalidyanto, ¹ Firdauz Hafidz, ³ Muhammad Miftahussurur ²

¹Faculty of Public Health, Universitas Airlangga, Surabaya; ²Faculty of Medicine, Universitas Airlangga, Surabaya; ³Faculty of Medicine, Nursing and Public Health Universitas Gadjah Mada, Yogyakarta

Abstract

National Health Insurance (NHI) was originally a health financing reform that eventually became a 'driver' for changes in all health care sectors. The burden on doctors in health facilities is likely to increase due to its changes in standard fees for medical services. This study aimed to describe NHI system changes that will affect doctor's professionalism. This is a systematic review taken from MEDLINE complete of EBSCOhost research database. The search period range covered between 1983 to October 19 2018. The results revealed 853 unique citations which globally stated about the potential impact of NHI implementation on doctors. The majority studies indicate that there is a relationship of the implementation of NHI, workload of doctors and quality of health care service. It can be concluded that NHI implementation requires a large quantity of human resources, especially doctors. Therefore, doctors are advised to adapt to their role and function in this era of NHI.

Introduction

NHI or Universal Health Coverage (UHC) is a situation where all residents have been covered by health insurance scheme. It means that everyone can receive health services as they need without suffering any financial hardship. According to World Health Organization (WHO), UHC includes the full spectrum of essential services from health promotion to prevention, treatment, rehabilitation and palliative care. Achieving UHC is one of the targets in the Sustainable Development Goals. NHI or UHC can be interpreted as efforts to strengthen the health care system. Health

center as part in the health care system and health insurance then shall complete each other.5 In the health center, there are health workforce that can be defined as "all people engaged in actions whose primary interest is to enhance health". These human resources shall include clinical staffs, those are physicians, nurses, pharmacists and dentists, as well as management and support staffs, i.e. those who do not deliver services directly but are essential to the performance of health systems, those are managers, ambulance drivers and accountants.6,7 Whereas in referral services such as in hospitals, the specialists are those doctors who respond for services.8 The position of the doctor as the person in charge of treatment and patient care requires him to be able to work with other professionals and this is called as interprofessional collaboration.9

The increased number of patients on daily visit has consequently increases the workload of doctors.10 Consequently, an effective therapeutic communication between doctors and patients is often not well achieved. Communication barrier such as limited language proficient and asymmetric information often causes misunderstandings between doctors and patients. 11-13 There are also many insurance-related issues those often lead to increased conflicts between doctors and patients. The existence of certain benefits those are expected to be received by the patient, such as special reference, particular actions and some other privileges, but cannot be fully accessed due to insurance regulations also put more burdens on doctors that they may face psychological problems like stress and burnout. The majority of studies have reported physician workload as one of the dominant causes of burnout.14

In this review we will find out how the implementation of national health insurance can affect the workload of doctors and have impact on service quality. This includes the correlation between workload and psycological problem of the physicians. Psychological problems will not only reduce the quality of services but also physician productivity. 15-18

In this case, the poor quality of service, allegations of malpractice and lawsuits to doctors often occur and this surely require financing that sometimes quite much to be fully covered. There was an association between the occurrence and impact of 12 work-related stressors and involvement in adverse events across the groups of participants. ¹⁹ Medical errors and adverse events also affect the quality and cost of the health service. ^{20,21} Therefore, the effect of NHI to doctor's welfare, satisfaction and working environment should be well identified. ²²

Correspondence: Tri Astuti Sugiyatmi, Doctoral Program of Public Health, Faculty of Public Health, Universitas Airlangga, Jl. Mulyorejo, Surabaya, Jawa Timur 60115, Indonesia.

Tel.: +62.31.5920948 – Fax: +62.31.5924618 E-mail: tri.astuti.sugiyatmi-2017@fkm.unair.ac.id

Key words: doctor, national health insurance, workload, quality.

Acknowledgment: the authors would like to thank to Doctoral Program of Public Health, Faculty of Public Health, Universitas Airlangga, Surabaya, Indonesia

Contributions: the authors contributed equally.

Conflict of interest: the authors declare no potentialconflict of interest.

Funding: none.

Conference presentation: part of this paper was presented at the 3rd International Symposium of Public Health, 2018 October 31 - November 1, Universitas Airlangga, Surabaya, Indonesia.

Dedication: the article is dedicated to Doctoral Program of Public Health, Faculty of Public Health, Universitas Airlangga, Surabaya, Indonesia

Received for publication: 28 July 2019. Revision received: 9 September 2019. Accepted for publication: 15 October 2019.

This work is licensed under a Creative Commons Attribution NonCommercial 4.0 License (CC BY-NC 4.0).

© Copyright: the Author(s), 2019 Licensee PAGEPress, Italy Journal of Public Health in Africa 2019; 10(s1):1198 doi:10.4081/jphia.2019.1198

Materials and Methods

This is a systematic review study which is aimed to identify the issues related to challenge and adversity among doctors in the era of universal health coverage. Data was searched from MEDLINE with period between 1983 to 2018 and it was limited to English language journals. This study used specific term and keywords such as NHI or UHC or national health service (NHS); physician or doctor or general practitioner (GP) or family doctor or primary care or specialist or clinician; job satisfaction or work satisfaction or employee satisfaction or job stress or occupational stress or workplace stressor professional burnout or exhaustion or longhours or workload;





Medical errors, malpractice or patient safety or patient outcome or quality of care (Table 1). The search engines generated a total of 856 unique citations. After applying the inclusion criteria, there were 717 articles excluded based on the criteria and remained 139 other articles. Then, 98 were dropped and 41 remain after abstract review. Meanwhile, based on full text, 37 articles were excluded. Full text retrieved 4 articles, and left only 3 articles with a more detailed discussion about how to implement National Health Insurance with respect to the workload of doctors and the impact thereof on service quality (Figure 1).

Results and Discussion

Physician characteristics

Physician characteristics are summarized in Table 2.

Data synthesis and summary

Data synthesis of paper reviewed is presented in Table 3, while summary of artices is in Table 4.

Discussion

Doctors' income is the first indicator in measuring their personal welfare. Each regional or country has its own standard.^{23,24} NHI has a potential impact on




Figure 1. Flowchart of literature search result and inclusions/exclusions.

doctors' earnings, the state would not be able to pay doctors at private-sector health

Table 1. "PICOS" approach for selecting studies in the systematic review.

PICOS	Characteristic of studies for the systematic search
1. Participants	Physician (doctors, general practitioner, primary care, specialist, clinician etc)
2. Intervention	NHI, UHC, NHS
3. Comparison	None
4. Outcomes	Medical errors, quality of health care etc
5. Study Design	Qualitative and Quantitative

NHI, National Health Insurance. UHC, Universal Health Coverage. NHI, National Health Services.

Table 2. Respondents and their characteristics.

Number of respondents	Characteristic of the responding physician
Planned sample size = 131 physician / hospital There are 136 hospital Total planned sample size = 17,680 Actual number of responding 17,975 physicians from 136 tertiary hospital across 31 provinces in China	e, sex, education, academic rank, specialty, hospital type, region, monthly salart, medical malpractice liability insurance, average physician-patient communication time (minute), average daily working time (hour), average daily sleeping (hour) Sun J., et al. (2017) ²⁴
76 physician. private general practitioners (53); 8 hospital doctor; 10 public-sector GPs; 6 SA medical association (SAMA) and Local independent practitions association (IPA) in South Africa	District / metropole, the type of GPs (private GPs, Public-sector GPs. Hospital Specialist, Other /SAMA or IPA), sex, origin of race (white, black, Indian), Surender R., et al. (2014) ²⁵
Staff and associate specialist (SAS) doctors working in NHS Scotland 30 September 2001 (n=1053). Included associate specialist, staff grades and clinical assistants	Age, Sex, specialty group, trained as GP, ethnicity, health state , distance to work, location (city), French, F $\it et.al$ (2016) 26

GP, general practitioner. SAMA, South Africa medical association. IPA, independent practitioners association. SAS, staff and associate specialist

Table 3. Data synthesis of paper reviewed.

Themes related	Papers
Ethical behavior, working environment, personal welfare, workload, health and well being, occupational identity and job satisfaction (factors associated with welfare, wellness and job satisfaction of Chinese physician public tertiary hospitals)	Sun J et al. (2017)
Scepticism about fesibility of NHI, Impact of NHI on remuneration, Impact of NHI on increased workload, professional and clinical autonomy, diminished quality of care ad working condition (can cause in adequate public health services in private general practitioners)	Surender R et al. (2014)
Doctor characteristic, sp. 5 alities, Staff grade, associate specialist, hours of work, work-live balance - (factors associated with job satisfaction of staff and associate specialist in hospital doctors)	French F <i>et al.</i> (2016)

ur,



services. Doctors told that cheaper remuneration would make the practice become nonviable.²⁵ Annual income for staff position were associated with higher level of job satisfaction. Doctors with annual income between £ 35,000 and £49,999 experience a higher level of job satisfaction. For associate specialist, there were not any significant effects on other income bands with respect to job satisfaction.²⁶ Other indicators of physician welfare are opportunities to further education, career promotion policy, hospital's responses to their voices on management.²⁴

All of selected studies identified doctors' workload as significant item associated with implementation of NHI. Studies showed that a large portion of the physicians (62.91%) worked for 10 hours or more per day, and 24.05% of them worked for more than 12 hours every day. The responding physicians spent 10 minutes 11verage) with their patients per visit. These ysicians slept an average of 6 hours daily. More than half of the surveyed physicians (54.18%) responded negatively to "I have time to do physical exercise." 24 The challenges and difficulties among doctors in the NHI era are increasing workload, long hour working of patients serviced per shift, patient overload, consultations per week/day, overnight duty, over time and schedule inflexibility, low personal welfare and wellness, and low remuneration.23,24,25

Conflict between patient and physician can be caused by misunderstandings, so that the possibility of doctors to be reported with malpractice allegations may increase. Patient felt dissatisfied due to limited time to interact with doctors and many complaints are due to breakdown in the doctorpatient relationships.²⁷

All challenges and adversities due to the implementation of health insurance often cause doctors' dissatisfaction, work stress, and burnout. Previous study showed that half (44%) of male physicians and only a quarter (26%) of female physicians were very satisfied with their practices. Another study showed that there was a positive association between increased time in the hospital and level of burnout. ²⁹

Burnout among doctors was associated with an increased risk of patient safety incidents, poorer quality of care due to low professionalism and reduced patient satisfaction. It was found that burnout and low professionalism were larger in residents and early-career (5 years post residency) physicians compared with those of middle-and late-career physicians.³⁰ Other factors such as gender, age, clinical experience, and working hours were not related to medical errors in any of the medical specialties. In

articles.	
Jo	
Summary	,
4.	
able	

	Sample size and characteristic Workload Service Quality	N= 17.945 physician Male 33.57% Male 33.57% Female 55,43% An eavy workload Most of the participants: young to middle aged young to middle aged and 13.88% slept less than 6 h. 30n.49 myears old ntime for vexeroise (54,18%); ntime for vexeroise (54	N =71 private –sector GPs If we need 15 minutes for patient, Never physically Male 61% so in an hour only 4 patient. Female 17% If in Some practice have 120 with a doctor. patient/daytheir patients aren't That's not healthcare getting satisfactory care	Dissatisfaction with work to affect: -productivity, worker behavioun turnover absenteeism
	Study population	N=17.345 from 136 tertiary hospitals, 31 province - Internist (27,74%) -surgeon (18,74%) -gynaecologist (15,40%) -paediaticians (8,02%)	South Africa medical Profession or clinician (particullary, private-sector GPs) (54) Public Sector GP (10) Hospital Specialist (8) Other (6)	Scotland physician - consultants and training grade doctors SAS
	Location	China	South Africa	Scotland
	Year	2016	2012	2012
	Author(s)	Sun, J <i>et al</i> Int J Health Plan Mgmt 2017	Surender, R et al. [Health Policy Plan 2015 Jul; Vol. 30 (6), pp. 759-67. Date of Electronic Publication:	French, F et al. (health services Management Research
Table 4. Summary of articles.	Title (Type of Study)	1 Welfare, wellness and job Sun, J et al satisfaction of chinese physician: Int J Health a national survey of public tertiary Mgmt 2017 hospital in China. (quantitative)	2 The drive for universal healthcare in South Africa: vieus from private general practitioners. (qualitative)	3. What influences the job French, Fet all satisfaction of staff and associate (health services specialist hospital doctor. Management (quantitative)





surgeons, medical errors were negatively related to doctors' relationships, while teamwork and depersonalization (part of burnout) were the only predictive factors of frequent medical errors, in both pediatricians and internists.³¹

One of the challenges is having to harmonize between cost and quality. Quality should be improved as well as the cost of medical services, and it causes dilemma in health services. Doctors have difficulties to prescribe certain medicines as the drugs might no be covered by the health insurance. In the organizational level, health services management could improve doctors' resilience by allocating adequate resources, promote their career, maintain primary health services and enhanced staffing ratios. 32,33,34,35

Conclusions

Increasing workloads, low personal welfare, low remuneration and low job satisfaction can increase the risk of mental health issues in doctors. Stress and burnout can affect professional behaviours in doctor and leads to medical error and cost. In order to prevent doctor's burnout, health service management should address these issues through adaptation training for doctors as well as the team work in organizations.

References

- Tangcharoensathien V, Patcharanarumol W, Aljunid SM, et al. Health-financing reforms in south east Asia: challenges in achieving universal coverage. The Lancet 2011;377(9768): 863-73.
- World Health Organization. Universal Health Coverage (UHC): Everyone, Everywhere 2018. Available from: https://www.who.int/westernpacific/ne ws/events/detail/2018/04/07/westernpacific-events/universal-health-coverage-everyone-everywhere. Accessed on: 10 August 2018.
- World Health Organization. Arguing for universal health coverage 2013. Available from: https://apps.who.int/iris/handle/10665/2 04355. Accessed on: 10 August 2018.
- Kieny MP, Bekedam H, Dovlo D, et al. Strengthening health systems for universal health coverage and sustainable development. Bull World Health Organ. 2017;95(7):537-539.
- Wilensky S, Roby DH. Health Centers and Health Insurance Complements , Not Alternatives. J Ambul Care Manag.

- 2005;28(4):348-356.
- World Health Organization. Monitoring the building blocks of health systems: a handbook of indicators and their measurement strategies. Geneva: 6.
 World Health Organization; 2010.
- Himmel W, Dieterich A, Kochen MM. Will German Patients Accept Their Family Physician as a Gatekeeper. J Gen Intern Med. 2000;15(7):496–502.
- Tandjung R, Morell S, Hanhart A, et al. Referral determinants in Swiss primary care with a special focus on managed care. PLoS One 2017;12(11):0186307. Available from: https://doi.org/10.1371/ journal.pone.0186307. Accessed on: 12 August 2018.
- Roslan NS, Yusoff MSB, Rahim AFA, et al. Together we stand, divided we fall: Interprofessional collaborative practice competencies from Malaysian medical professionals' perspectives. J Taibah Univ Med Sci 2016;11(6):533– 40.
- Eichler R, Gigli S LeRoy L. Implementation Research to Strengthen Health Care Financing Reforms Toward Universal Health Coverage in Monitoring. Glob Health Sci Pract. 2018;6(4):747-753.
- Valverde BFJ, Pedregal GM, Moreno MH, et al. Communication with patients and the duration of family medicine consultations. Aten Primaria 2018;50(10):621-628.
- Steinberg EM, Valenzuela-Araujo D, Zickafoose JS, et al. The "Battle" of Managing Language Barriers in Health Care. Clin Pediatr (Phila). 2016;55(14):1318–1327.
- Sachs L. Misunderstanding as therapy: doctors, patients and medicines in a rural clinic in Sri Lanka. Cult Med Psychiatry 1989;13(3):335–349.
- Azzam K, Khan AN, Alam MT. Causes and Adverse Impact of Physician Burnout. Journal of the College of Physicians and Surgeons Pakistan 2017;27(8):495-501.
- 15. Rossouw L, Seedat S, Emsley RA, Suliman S, Hagemeister D. The prevalence of burnout and depression in medical doctors working in the Cape Town Metropolitan Municipality community healthcare clinics and district hospitals of the Provincial Government of the Western Cape: A cross-sectional study. South African Fam Pract. 2013;55(6):567–73.
- 16. Dewa CS, Loong D, Bonato S, et al. The relationship between resident burnout and safety-related and acceptability-related quality of healthcare: A systematic literature review. BMC Med

- Educ. 2017;17(1):195.
- 17. Kumar S. Burnout and Doctors:
 Prevalence, Prevention and
 Intervention. Healthcare (Basel)
 8 16;30; 4(3).
- Dewa CS, Loong D, Bonato S, et al. How does burnout affect physician prductivity? A systematic literature review. BMC Health Services Research 2014;14:325. Available from: http://www.biomedcentral.com/1472-6963/14/325. Accessed on: 10 August 2018.
- Nielsen KJ, Pedersen AH, Rasmussen K, et al. Work-related stressors and occurrence of adverse events in an ED. Am J Emerg Med. 2013;31(3):504–508.
- Elwahab SA, Doherty E. What about doctors? The impact of medical errors. The Surgeon 2014;12(6):297–300.
- 21. Mello MM, Studdert DM, Thomas EJ, et al. Who Pays for Medical Errors? An Analysis of Adverse Event Costs, the Medical Liability System, and Incentives for Patient Safety Improvement. Journal of Empirical Legal Studies 2007;4(4):835–860.
- 22. 9 k HJ, Curlin FA, Yoon JD. Association of Intrinsic Motivating Factors and Markers of Physician Well-Being: A National Physician Survey. J 4:n Intern Med. 2017;32(7):739–746.
- 23. Sun J, Ma J, Hu G, et al. Welfare, wellness, and job satisfaction of Chinese physicians: A national survey of public tertiary hospitals in China. Int J Health Plann Manage. 2017;32(3):270–284.
- 24. Surender R, Van Niekerk R, Hannah B, et al. The drive for universal healthcare in South Africa: Views from private general practitioners. Health Policy Plan. 2015;30(6):759–67.
- French F, Ikenwilo D, Scott A. What influences the job satisfaction of staff and associate specialist hospital doctors? Health Serv Manag Res. 2007;20(3):153–161.
- Doran N, Fox F, Rodham K, et al. Lost to the NHS: A mixed methods study of why GPS leave practice early in England. Br J Gen Pract. 2016;66(643):128–135.
- Ha JF, Longnecker N. Doctor-Patient Communication: A Review. The Ochsner Journal 2010;10(1):38-43.
- Jensen PM, Trollope-kumar K, Waters H, et al. Building physician resilience. Can Fam Physician 2008;54:722-9.
- Saint S, Zemencuk JK, Hayward RA, et al. What Effect Does Increasing Inpatient Time Have on Outpatient-oriented Internist Satisfaction?. J Gen 8 ern Med. 2003;18(9):725–729.
- 30. Panagioti M, Geraghty K, Johnson J, et

Association between Physician Burnout and Safety, Patient Professionalism, and Patient Satisfaction: A Systematic Review and Meta-analysis. JAMA Intern Med. 2018;178(10):1317-1330.

31. Tsiga E, Panagopoulou E, Montgomery A. Examining the link between burnout and medical error: A checklist approach. Burnout Research 2017;6:1-

- 7
 32. Linzer M, Levine R, Meltzer D, et al. 10 8old Steps To Prevent Burnout in General Internal Medicine. J Gen Intern Med. 2014;29(1):18-20.
- 33. 11 nerouti E, Bakker AB, Nachreiner F, 11 al. The Job Demands - Resources Model of Burnout. J Appl Psychol. 2001;86(3):499-512.
- 34. Bakker AB, Demerouti E. The Job
- Demands-Resources model: state of the art Journal of Managerial Psychology 2007;22(3):309-328.
- 35. Schaufeli WB, Bakker AB. Job demands, job resources, and their relationship with burnout and engagement: a multi-sample study. J Organ Behav. 2004;25:293-315.



ORIGINALITY REPORT

10% SIMILARITY INDEX

6%

INTERNET SOURCES

9%

PUBLICATIONS

0%

STUDENT PAPERS

PRIMARY SOURCES

Jing Sun, Jing Ma, Guangyu Hu, Qi Zhao, Changzheng Yuan, Wen Si, Xinqing Zhang, Yuanli Liu. "Welfare, wellness, and job satisfaction of Chinese physicians: A national survey of public tertiary hospitals in China", The International Journal of Health Planning and Management, 2017

Publication

Corinne Aubert, Olivier Buisine, M. Petit, F. Slowinski, Max Malacria. "Cobalt-mediated cyclotrimerization and cycloisomerization reactions. Synthetic applications", Pure and Applied Chemistry, 1999

1%

2%

Publication

3 kikilombarts.com

1%

www.researchsquare.com
Internet Source

1 %

5	journals.sagepub.com Internet Source	1%
6	www.pharmacypractice.org Internet Source	1%
7	escholarship.org Internet Source	1%
8	"Wellbeing", Springer Science and Business Media LLC, 2020 Publication	1%
9	worldwidescience.org Internet Source	1%
10	dx.doi.org Internet Source	<1%
11	J Bryan Sexton, Kathryn C Adair, Michael W Leonard, Terri Christensen Frankel et al. "Providing feedback following Leadership WalkRounds is associated with better patient safety culture, higher employee engagement and lower burnout", BMJ Quality & Safety, 2018 Publication	<1%
12	Jessica Van Wingerden, Rob Poell. "Employees' Job Characteristics and Job Crafting Behavior: The Mediating Role of Perceived Opportunities to Craft", International Journal of Human Resource Studies, 2018	<1%

Publication

Exclude quotes Off Exclude matches < 10 words

Exclude bibliography On

GRADEMARK REPORT	EMARK REPORT	
FINAL GRADE	GENERAL COMMENTS Instructor	
70		
PAGE 1		
PAGE 2		
PAGE 3		
PAGE 4		
PAGE 5		
PAGE 6		