

**DAFTAR PUSTAKA**

- Anh, D., Carlos, C., Thiem, D., Hutagalung, Y., Gatchalian, S., Bock, H., Smolenov, I., Suryakiran, P. and Han, H., (2011). Immunogenicity, reactogenicity and safety of the human rotavirus vaccine RIX4414 (Rotarix™) oral suspension (liquid formulation) when co-administered with expanded program on immunization (EPI) vaccines in Vietnam and the Philippines in 2006–2007. *Vaccine*, 29(11), pp.2029-2036.
- Armah, G., Pringle, K., Enweronu-Laryea, C., Ansong, D., Mwenda, J., Diamenu, S., Narh, C., Lartey, B., Binka, F., Grytdal, S., Patel, M., Parashar, U. and Lopman, B. (2016). Impact and Effectiveness of Monovalent Rotavirus Vaccine Against Severe Rotavirus Diarrhea in Ghana. *Clinical Infectious Diseases*, 62(suppl 2), pp.S200-S207.
- Armah, G., Breiman, R., Tapia, M., Dallas, M., Neuzil, K., Binka, F., Sow, S., Ojwando, J., Ciarlet, M. and Steele, A., (2012). Immunogenicity of the pentavalent rotavirus vaccine in African infants. *Vaccine*, 30, pp.A86-A93.
- Armah, G., Sow, S., Breiman, R., Dallas, M., Tapia, M., Feikin, D., Binka, F., Steele, A., Laserson, K., Ansah, N., Levine, M., Lewis, K., Coia, M., Attah-Poku, M., Ojwando, J., Rivers, S., Victor, J., Nyambane, G., Hodgson, A., Schödel, F., Ciarlet, M. and Neuzil, K. (2010). Efficacy of pentavalent rotavirus vaccine against severe rotavirus gastroenteritis in infants in developing countries in sub-Saharan Africa: a randomised, double-blind, placebo-controlled trial. *The Lancet*, 376(9741), pp.606-614.
- Athiyyah, A., Utsumi, T., Wahyuni, R., Dinana, Z., Yamani, L., Soetjipto, Sudarmo, S., Ranuh, R., Darma, A., Juniastuti, Raharjo, D., Matsui, C., Deng, L., Abe, T., Doan, Y., Fujii, Y., Shimizu, H., Katayama, K., Lusida, M. and Shoji, I. (2019). Molecular Epidemiology and Clinical Features of Rotavirus Infection Among Pediatric Patients in East Java, Indonesia During 2015–2018: Dynamic Changes in Rotavirus Genotypes From Equine-Like G3 to Typical Human G1/G3. *Frontiers in Microbiology*, 10.
- Bányai, K., László, B., Duque, J., Steele, A., Nelson, E., Gentsch, J. and Parashar, U. (2012). Systematic review of regional and temporal trends in global rotavirus strain diversity in the pre rotavirus vaccine era: Insights for understanding the impact of rotavirus vaccination programs. *Vaccine*, 30, pp.A122-A130.
- Bar-Zeev, N., Kapanda, L., Tate, J. E., Jere, K. C., Iturriza-Gomara, M., Nakagomi, O., Mwansambo, C., Costello, A., Parashar, U. D., Heyderman, R. S., French, N., Cunliffe, N. A., Beard, J., Crampin, A. C., King, C., Lewycka, S., Mvula, H., Phiri, T., Verani, J. R., et al. (2015) „Effectiveness of a monovalent rotavirus

vaccine in infants in Malawi after programmatic roll-out: An observational and case-control study", *The Lancet Infectious Diseases*, 15(4), pp. 422–428. doi: 10.1016/S1473-3099(14)71060-6.

Brooks, G.F., Carroll, K.C., Butel, J.S., Morse, S.A., Mietzner, T.A., (2013) *Jawetz, Melnick, & Adelberg's Medical Microbiology 26th Edition*, pp. 544-547, New York : McGraw Hill Company

Church, J., Parker, E., Kosek, M., Kang, G., Grassly, N., Kelly, P. and Prendergast, A., (2018). Exploring the relationship between environmental enteric dysfunction and oral vaccine responses. *Future Microbiology*, 13(9), pp.1055-1070.

Ciarlet, M., Sani-Grosso, R., Yuan, G., Liu, G., Heaton, P., Gottesdiener, K., Arredondo, J. and Schödel, F., (2008). Concomitant Use of the Oral Pentavalent Human-Bovine Reassortant Rotavirus Vaccine and Oral Poliovirus Vaccine. *The Pediatric Infectious Disease Journal*, 27(10), pp.874-880.

Crane, R., Jones, K. and Berkley, J., (2015). Environmental Enteric Dysfunction: An Overview. *Food and Nutrition Bulletin*, 36(1\_suppl1), pp.S76-S87.

Cunliffe, N., Witte, D., Ngwira, B., Todd, S., Bostock, N., Turner, A., Chimpeni, P., Victor, J., Steele, A., Bouckennooghe, A. and Neuzil, K., (2012). Efficacy of human rotavirus vaccine against severe gastroenteritis in Malawian children in the first two years of life: A randomized, double-blind, placebo controlled trial. *Vaccine*, 30, pp.A36-A43.

Dai, X., Bai, R., Jian, M., Ji, Z., Ding, Z., Wang, F., Bi, Y., Manzamaesso, A., Chen, T., Luo, L., Liu, A. and Bao, F., (2018). Immunogenicity of different dosing schedules of the human live attenuate rotavirus vaccine (RV1) in infants and children: a meta-analysis. *Human Vaccines & Immunotherapeutics*, 15(6), pp.1228-1236.

Dion, C., Montagne, P., Bene, M. and Faure, G. (2004). Measurement of faecal immunoglobulin a levels in young children. *Journal of Clinical Laboratory Analysis*, 18(3), pp.195-199.

Dóro, R., László, B., Martella, V., Leshem, E., Gentsch, J., Parashar, U. and Bányai, K. (2014). Review of global rotavirus strain prevalence data from six years post vaccine licensure surveillance: Is there evidence of strain selection from vaccine pressure?. *Infection, Genetics and Evolution*, 28, pp.446-461.

Emperador, D., Velasquez, D., Estivariz, C., Lopman, B., Jiang, B., Parashar, U., Anand, A. and Zaman, K., 2015. Interference of Monovalent, Bivalent, and Trivalent Oral Poliovirus Vaccines on Monovalent Rotavirus Vaccine

- Immunogenicity in Rural Bangladesh. *Clinical Infectious Diseases*, 62(2), pp.150-156.
- Fujii, Y., Doan, Y., Wahyuni, R., Lusida, M., Utsumi, T., Shoji, I. and Katayama, K. (2019). Improvement of Rotavirus Genotyping Method by Using the Semi-Nested Multiplex-PCR With New Primer Set. *Frontiers in Microbiology*, 10.
- GBD 2016 Diarrhoeal Disease Collaborators, (2018), Estimates of the global, regional and national morbidity, mortality, and aetiologies of diarrhoea in 195 countries: a systematic analysis for the Global Burden of Disease Study 2016, *The Lancet Infectious Disease* , vol. 18(11), pp. 1211-1228
- Glass, R., Parashar, U., Bresee, J., Turcios, R., Fischer, T., Widdowson, M., Jiang, B. and Gentsch, J. (2006). Rotavirus vaccines: current prospects and future challenges. *The Lancet*, 368(9532), pp.323-332.
- Harris, V., Ali, A., Fuentes, S., Korpela, K., Kazi, M., Tate, J., Parashar, U., Wiersinga, W.J., Giaquinto, C., de Weerth, C., de Vos, W.M., (2017), Rotavirus vaccine response correlates with the infant gut microbiota composition in Pakistan, *Gut Microbes*, vol. 9(2), pp. 93-101
- Iwata, S., Nakata, S., Ukae, S., Koizumi, Y., Morita, Y., Kuroki, H., Tanaka, Y., Shizuya, T., Schödel, F., Brown, M. and Lawrence, J. (2013). Efficacy and safety of pentavalent rotavirus vaccine in Japan. *Human Vaccines & Immunotherapeutics*, 9(8), pp.1626-1633.
- Kemenkes RI, (2018), *Profil Kesehatan Indonesia Tahun 2017*, pp. 176-179, Jakarta : Kementerian Kesehatan Republik Indonesia
- Keusch, G., Denno, D., Black, R., Duggan, C., Guerrant, R., Lavery, J., Nataro, J., Rosenberg, I., Ryan, E., Tarr, P., Ward, H., Bhutta, Z., Coovadia, H., Lima, A., Ramakrishna, B., Zaidi, A., Hay Burgess, D. and Brewer, T., (2014). Environmental Enteric Dysfunction: Pathogenesis, Diagnosis, and Clinical Consequences. *Clinical Infectious Diseases*, 59(suppl\_4), pp.S207-S212.
- Koch, J., Harder, T., von Kries, R. and Wichmann, O., (2017). Risk of Intussusception After Rotavirus Vaccination. *Deutsches Ärzteblatt Online*,.
- Levin, M., Lindsey, J., Kaplan, S., Schimana, W., Lawrence, J., McNeal, M., Bwakura-Dangarembizi, M., Ogwu, A., Mpabalwani, E., Sato, P., Siberry, G., Nelson, M., Hille, D., Weinberg, G. and Weinberg, A., (2017). Safety and immunogenicity of a live attenuated pentavalent rotavirus vaccine in HIV-exposed infants with or without HIV infection in Africa. *AIDS*, 31(1), pp.49-59.
- Li, R., Li, Y., Mo, Z., Luo, D., Huang, T., Kong, J., Wang, L., Song, N., Liu, A., Zhang, H., Liao, X., Karkada, N. and Han, H., (2013). Reactogenicity and

- safety of a liquid human rotavirus vaccine (RIX4414) in healthy adults, children and infants in China. *Human Vaccines & Immunotherapeutics*, 9(8), pp.1638-1642.
- Lopman, B., Pitzer, V., Sarkar, R., Gladstone, B., Patel, M., Glasser, J., Gambhir, M., Atchison, C., Grenfell, B., Edmunds, W., Kang, G. and Parashar, U., (2012). Understanding Reduced Rotavirus Vaccine Efficacy in Low Socio-Economic Settings. *PLoS ONE*, 7(8), p.e41720.
- Matthijnssens, J., Ciarlet, M., Heiman, E., Arijs, I., Delbeke, T., McDonald, S., Palombo, E., Iturriza-Gomara, M., Maes, P., Patton, J., Rahman, M. and Van Ranst, M. (2008). Full Genome-Based Classification of Rotaviruses Reveals a Common Origin between Human Wa-Like and Porcine Rotavirus Strains and Human DS-1-Like and Bovine Rotavirus Strains. *Journal of Virology*, 82(7), pp.3204-3219.
- Matthijnssens, J., Ciarlet, M., Rahman, M., Attoui, H., Bányai, K., Estes, M., Gentsch, J., Iturriza-Gómara, M., Kirkwood, C., Martella, V., Mertens, P., Nakagomi, O., Patton, J., Ruggeri, F., Saif, L., Santos, N., Steyer, A., Taniguchi, K., Desselberger, U. and Van Ranst, M. (2008). Recommendations for the classification of group A rotaviruses using all 11 genomic RNA segments. *Archives of Virology*, 153(8), pp.1621-1629.
- Murray, P.R., Rosenthal, K.S., Pfaller, M.A., (2015), *Medical Microbiology - Eighth Edition*, pp. 503-509, Philadelphia : Elsevier
- Mo, Z., Ma, X., Luo, P., Mo, Y., Kaplan, S., Shou, Q., Zheng, M., Hille, D., Arnold, B. and Liao, X., (2019). Immunogenicity of pentavalent rotavirus vaccine in Chinese infants. *Vaccine*, 37(13), pp.1836-1843.
- Parker, E., Ramani, S., Lopman, B., Church, J., Iturriza-Gómara, M., Prendergast, A. and Grassly, N. (2017). Causes of impaired oral vaccine efficacy in developing countries. *Future Microbiology*, 13(1), pp.97-118.
- Patel, M., Glass, R., Jiang, B., Santosham, M., Lopman, B. and Parashar, U. (2013). A Systematic Review of Anti-Rotavirus Serum IgA Antibody Titer as a Potential Correlate of Rotavirus Vaccine Efficacy. *The Journal of Infectious Diseases*, 208(2), pp.284-294.
- Prendergast, A. and Kelly, P., (2012). Enteropathies in the Developing World: Neglected Effects on Global Health. *The American Journal of Tropical Medicine and Hygiene*, 86(5), pp.756-763.
- Ruiz-Palacios, G., Pérez-Schael, I., Velázquez, F., Abate, H., Breuer, T., Clemens, S., Chevart, B., Espinoza, F., Gillard, P., Innis, B., Cervantes, Y., Linhares, A., López, P., Macías-Parra, M., Ortega-Barría, E., Richardson, V., Rivera-Medina,

- D., Rivera, L., Salinas, B., Pavía-Ruz, N., Salmerón, J., Rüttimeann, R., Tinoco, J., Rubio, P., Nuñez, E., Guerrero, M., Yarzabal, J., Damaso, S., Tornieporth, N., Sáez-Llorens, X., Vergara, R., Vesikari, T., Bouckennooghe, A., Clemens, R., De Vos, B. and O'Ryan, M. (2006). Safety and Efficacy of an Attenuated Vaccine against Severe Rotavirus Gastroenteritis. *New England Journal of Medicine*, 354(1), pp.11-22.
- Ruuska, T. and Vesikari, T. (1990) „Rotavirus disease in Finish children: use of numerical scores for clinical severity of diarrheal episodes“, *Scandinavian Journal of Infectious Diseases*, 22(3), pp. 259–267.
- Shin, S., Anh, D., Zaman, K., Yunus, M., Mai, L., Thiem, V., Azim, T., Victor, J., Dallas, M., Steele, A., Neuzil, K. and Ciarlet, M., (2012). Immunogenicity of the pentavalent rotavirus vaccine among infants in two developing countries in Asia, Bangladesh and Vietnam. *Vaccine*, 30, pp.A106-A113.
- Soenarto, Y., Aman, A., Bakri, A., Waluya, H., Firmansyah, A., Kadim, M., Martiza, I., Prasetyo, D., Mulyani, N., Widowati, T., Soetjningsih, Karyana, I., Sukardi, W., Bresee, J. and Widdowson, M. (2009). Burden of Severe Rotavirus Diarrhea in Indonesia. *The Journal of Infectious Diseases*, 200(s1),pp.S188-S194.
- Steele, A., De Vos, B., Tumbo, J., Reynders, J., Scholtz, F., Bos, P., de Beer, M., Van der Merwe, C. and Delem, A., (2010). Co-administration study in South African infants of a live-attenuated oral human rotavirus vaccine (RIX4414) and poliovirus vaccines. *Vaccine*, 28(39), pp.6542-6548.
- Steele, A., Madhi, S., Louw, C., Bos, P., Tumbo, J., Werner, C., Bicer, C., De Vos, B., Delem, A. and Han, H., (2011). Safety, Reactogenicity, and Immunogenicity of Human Rotavirus Vaccine RIX4414 in Human Immunodeficiency Virus-positive Infants in South Africa. *The Pediatric Infectious Disease Journal*, 30(2), pp.125-130.
- UNICEF, (2018), Estimates of child cause of death, Diarrhoea 2018, updated February 2018 (online) Tersedia di <<https://data.unicef.org/topic/child-health/diarrhoeal-disease/>> [Diakses pada 6 Mei 2019]
- UNICEF DATA. (2021). *Child Mortality - UNICEF DATA*. [online] Available at: <<https://data.unicef.org/topic/child-survival/under-five-mortality/>> [Accessed 10 January 2021].
- Utsumi, T., Wahyuni, R., Doan, Y., Dinana, Z., Soegijanto, S., Fujii, Y., Juniastuti, Yamani, L., Matsui, C., Deng, L., Abe, T., Soetjipto, Lusida, M., Ishii, K., Shimizu, H., Katayama, K. and Shoji, I. (2018). Equine-like G3 rotavirus strains as predominant strains among children in Indonesia in 2015–2016. *Infection, Genetics and Evolution*, 61, pp.224-228.

- Vesikari, T., Karvonen, A., Prymula, R., Schuster, V., Tejedor, J., Cohen, R., Meurice, F., Han, H., Damaso, S. and Bouckennooghe, A. (2007). Efficacy of human rotavirus vaccine against rotavirus gastroenteritis during the first 2 years of life in European infants: randomised, double-blind controlled study. *The Lancet*, 370(9601), pp.1757-1763.
- Vesikari, T., Itzler, R., Karvonen, A., Korhonen, T., Van Damme, P., Behre, U., Bona, G., Gothefors, L., Heaton, P., Dallas, M. and Goveia, M. (2009). RotaTeq®, a pentavalent rotavirus vaccine: Efficacy and safety among infants in Europe. *Vaccine*, 28(2), pp.345-351.
- Who.int. (2021). *Child Mortality And Causes Of Death*. [online] Available at: <<https://www.who.int/data/gho/data/themes/topics/topic-details/GHO/child-mortality-and-causes-of-death>> [Accessed 10 January 2021].
- Who.int. (2021). *WHO | List Of Member States By WHO Region And Mortality Stratum*. [online] Available at: <[https://www.who.int/choice/demography/mortality\\_strata/en/](https://www.who.int/choice/demography/mortality_strata/en/)> [Accessed 8 January 2021].
- World Bank Blogs. (2021). *New World Bank Country Classifications By Income Level: 2020-2021*. [online] Available at: <<https://blogs.worldbank.org/opendata/new-world-bank-country-classifications-income-level-2020-2021>> [Accessed 10 January 2021].
- Zaman, K., Anh, D., Victor, J., Shin, S., Yunus, M., Dallas, M., Podder, G., Thiem, V., Mai, L., Luby, S., Tho, L., Coia, M., Lewis, K., Rivers, S., Sack, D., Schödel, F., Steele, A., Neuzil, K. and Ciarlet, M. (2010). Efficacy of pentavalent rotavirus vaccine against severe rotavirus gastroenteritis in infants in developing countries in Asia: a randomised, double-blind, placebo-controlled trial. *The Lancet*, 376(9741), pp.615-623.