

## DAFTAR PUSTAKA

- A, D., 1993. *Morinda citrifolia* L.-use in indigenous Samoan medicine. *J. Herbs, Spices Med. Plants* 1, 77–92. [https://doi.org/10.1300/J044v01n03\\_08](https://doi.org/10.1300/J044v01n03_08)
- Abou Assi, R., Darwis, Y., Abdulbaqi, I.M., Khan, A.A., Vuanghao, L., Laghari, M.H., 2017. *Morinda citrifolia* (Noni): A comprehensive review on its industrial uses, pharmacological activities, and clinical trials. *Arab. J. Chem.* 10, 691–707. <https://doi.org/10.1016/j.arabjc.2015.06.018>
- Akihisa, T., Tochizawa, S., Takahashi, N., Yamamoto, A., Zhang, J., Kikuchi, T., Fukatsu, M., Tokuda, H., Suzuki, N., 2012. Melanogenesis-inhibitory saccharide fatty acid esters and other constituents of the fruits of *Morinda citrifolia* (Noni). *Chem. Biodivers.* 9, 1172–1187. <https://doi.org/10.1002/cbdv.201100349>
- Alexandra, D., 1993. *Morinda citrifolia* l. *J Herbs Spices Med Plants* 1, 77–92. [https://doi.org/10.1300/J044v01n03\\_08](https://doi.org/10.1300/J044v01n03_08)
- Anzila RWM, Henny S, I.L., 2014. Sensitivitas Ekstrak Buah Mengkudu ( *Morinda citrifolia* L. ) Terhadap Bakteri *Streptococcus agalactiae*. *Fak. Perikan. dan Ilmu Kelaut. Univ. Riau*.
- Armansyah, T., Elsavira, R., Erina, Rinidar, Erwin, Rusli, 2019. Uji daya hambat ekstrak etanol daun mengkudu (*Morinda citrifolia* L.) terhadap pertumbuhan *Staphylococcus aureus*. *Jimvet* 3, 161–169.
- Astuti, W., Prasetyagiarti, A., n.d. Konsentrasi Efektif Ekstrak Buah Mengkudu ( *Morinda citrifolia* linn ) terhadap Bakteri *Staphylococcus aureus*.
- BPOM, 2014. Pedoman Uji Klinik Obat Herbal. *Bpom* 2014, 1–16. <https://doi.org/10.1017/CBO9781107415324.004>
- Buathong, R., Chamchumroon, V., Schinnerl, J., Bacher, M., Santimaleeworagun, W., Kraichak, E., Vajrodaya, S., 2019. Chemovariation and antibacterial activity of extracts and isolated compounds from species of *Ixora* and *Greenea* (Ixoroideae, Rubiaceae). *PeerJ* 2019, 1–14. <https://doi.org/10.7717/peerj.6893>
- Bukharie, H., 2010. A review of community-acquired methicillin-resistant *Staphylococcus aureus* for primary care physicians. *J. Fam. Community Med.* 17, 117. <https://doi.org/10.4103/1319-1683.74320>
- Calvo-Flores, F.G., Dobado, J.A., Isac-García, J., Martín-Martínez, F.J., 2015. Structure and Chemical Properties of Lignans. *Lignin Lignans as Renew. Raw Mater.* 313–368. <https://doi.org/10.1002/9781118682784.ch10>
- Cappuccino, J.G., Natalie, S., 2014. Cultivation of Microorganisms: Nutritional and Physical Requirements, and Enumeration of Microbial Populations, *Microbiology A Laboratory Manual*.

- Carrillo-López, A., Yahia, E.M., 2011. Noni (*Morinda citrifolia* L.), Postharvest Biology and Technology of Tropical and Subtropical Fruits. Woodhead Publishing Limited. <https://doi.org/10.1533/9780857092618.51>
- Chan-Blanco, Y., Vaillant, F., Mercedes Perez, A., Reynes, M., Brillouet, J.M., Brat, P., 2006. The noni fruit (*Morinda citrifolia* L.): A review of agricultural research, nutritional and therapeutic properties. *J. Food Compos. Anal.* 19, 645–654. <https://doi.org/10.1016/j.jfca.2005.10.001>
- Chan, Y., Ng, S.W., Xin Tan, J.Z., Gupta, G., Tambuwala, M.M., Bakshi, H.A., Dureja, H., Dua, K., Ishaq, M., Caruso, V., Chellappan, D.K., 2020. Emerging therapeutic potential of the iridoid molecule, asperuloside: A snapshot of its underlying molecular mechanisms. *Chem. Biol. Interact.* 315, 108911. <https://doi.org/10.1016/j.cbi.2019.108911>
- Chinen, J., Shearer, W.T., 2010. Secondary immunodeficiencies, including HIV infection. *J. Allergy Clin. Immunol.* 125, S195–S203. <https://doi.org/10.1016/j.jaci.2009.08.040>
- Chriswardani Suryawati, 2005. Memahami Kemiskinan secara Multidimensional. *Jmpk* 08, 121–129.
- Chung, P.Y., Navaratnam, P., Chung, L.Y., 2011. Synergistic antimicrobial activity between pentacyclic triterpenoids and antibiotics against staphylococcus aureus strains. *Ann. Clin. Microbiol. Antimicrob.* 10, 1–6. <https://doi.org/10.1186/1476-0711-10-25>
- Clinical and Laboratory Standards Institute, 2015. Performance Standards for Antimicrobial Susceptibility Testing; Twenty-Second Informational Supplement Clinical and Laboratory Standards Institute, CLSI document M100-S16CLSI, Wayne, PA.
- Cowan, M.M., 1999. Plant products as antimicrobial agents. *Clin. Microbiol. Rev.* 12, 564–582. <https://doi.org/10.1128/cmr.12.4.564>
- Cushnie, T.P.T., Lamb, A.J., 2005. Antimicrobial activity of flavonoids. *Int. J. Antimicrob. Agents* 26, 343–356. <https://doi.org/10.1016/j.ijantimicag.2005.09.002>
- David Greenwood, 2012. Medical Microbiology, A guide to Microbial Infections: Pathogenesis, immunity, laboratory investigation and control.
- De La Cruz-Sánchez, N.G., Gómez-Rivera, A., Alvarez-Fitz, P., Ventura-Zapata, E., Pérez-García, M.D., Avilés-Flores, M., Gutiérrez-Román, A.S., González-Cortazar, M., 2019. Antibacterial activity of *Morinda citrifolia* Linneo seeds against Methicillin-Resistant *Staphylococcus* spp. *Microb. Pathog.* 128, 347–353. <https://doi.org/10.1016/j.micpath.2019.01.030>
- De Souza, S.M., Delle Monache, F., Smânia, A., 2005. Antibacterial activity of coumarins. *Zeitschrift fur Naturforsch. - Sect. C J. Biosci.* 60, 693–700.

<https://doi.org/10.1515/znc-2005-9-1006>

- Deng, S., Palu, A.K., West, B.J., Su, C.X., Zhou, B.N., Jensen, J.C., 2007. Lipoxygenase inhibitory constituents of the fruits of noni (*Morinda citrifolia*) collected in Tahiti. *J. Nat. Prod.* 70, 859–862. <https://doi.org/10.1021/np0605539>
- Deng, S., West, B.J., Palu, A.K., Jensen, C.J., 2011. Determination and comparative analysis of major iridoids in different parts and cultivation sources of *Morinda citrifolia*. *Phytochem. Anal.* 22, 26–30. <https://doi.org/10.1002/pca.1246>
- Dinda, B., Debnath, S., Harigaya, Y., 2007. Naturally occurring secoiridoids and bioactivity of naturally occurring iridoids and secoiridoids. A review, part 2. *Chem. Pharm. Bull.* 55, 689–728. <https://doi.org/10.1248/cpb.55.689>
- Dinda, B., Roy Chowdhury, D., Mohanta, B.C., 2009. Naturally occurring iridoids, secoiridoids and their bioactivity. An updated review, part 3. *Chem. Pharm. Bull.* 57, 765–796. <https://doi.org/10.1248/cpb.57.765>
- Food and Nutrition Board, I. of M., 2000. *Dietary References Intakes*, National Academies Press.
- Fritz H. Kayser, M.D., Kurt A. Bienz, P.D., Johannes Eckert, D.V.M., Rolf M. Zinkernagel, M.D., 2005. *Medical microbiology 2005 switz*, New York.
- Gaafar, A.A., 2016. *In Vitro antioxidant and antimicrobial activities of Lignan flax seed extract Linum usitatissimum L.*
- Gibbons, S., 2004. Anti-staphylococcal plant natural products. *Nat. Prod. Rep.* 21, 263–277. <https://doi.org/10.1039/b212695h>
- Gottfried, M., Orrego, C., Keynan, A., Halvorson, H.O., 1979. Specific inhibition of outgrowth of *Bacillus subtilis* spores by novobiocin. *J. Bacteriol.* 138, 314–319. <https://doi.org/10.1128/jb.138.2.314-319.1979>
- Gurjar, N., Gill, R., Kaur, H., 2018. The noni fruit (*Morinda citrifolia* L.): A systematic review on anticancer potential and other health beneficial pharmacological activities. *J. Med. Plants Stud.* 86, 86–93.
- Harsono, S., Wahyunitisari, M.R., 2017. *Buku Ajar Pemeriksaan Mikrobiologi pada Penyakit Infeksi*, 3th editio. ed. CV. Sagung Seto, Jakarta.
- Hiramatsu, T., Imoto, M., Koyanob, T., Umezawa, K., 1993. *CANCER* 73, 161–166.
- Huang, X., Chen, X., Chen, Q., Yu, Q., Sun, D., Liu, J., 2016. Investigation of functional selenium nanoparticles as potent antimicrobial agents against superbugs. *Acta Biomater.* 30, 397–407. <https://doi.org/10.1016/j.actbio.2015.10.041>

- Huang, Y., Xiao, D., Burton-Freeman, B.M., Edirisinghe, I., 2016. Chemical Changes of Bioactive Phytochemicals during Thermal Processing, Reference Module in Food Science. Elsevier. <https://doi.org/10.1016/b978-0-08-100596-5.03055-9>
- Industries, K., 2019. Medium Chain Fatty Acids for Energy and Antimicrobial Activity. Kemin Ind. Inc 2018–2020.
- Information, N., 2017. Manganese 1,2 520–521. <https://doi.org/10.3945/an.117.015305.transported>
- Intakes, R., 2017. NIH Office of Dietary Supplements Vitamin D 1–8.
- Jawetz, 2016. Selected Medically Important Microorganisms. <https://doi.org/10.1017/CBO9781107415324.004>
- Jayaraman, S.K., Manoharan, M.S., 2014. Antibacterial , Antifungal and Tumor cell suppression potential of Morinda citrifolia fruit extracts Antibacterial , Antifungal and Tumor cell suppression potential of Morinda citrifolia fruit extracts.
- Jorgensen, J.H., Pfaller, M.A., Carroll, K.C., Funke, G., Landry, M.L., Richter, S.S., Warnock, D.W., 2015. Microbiology Manual of Clinical Microbiology EDITORS IN CHIEF, 11th ed. American Society for Microbiology, Washington DC, United States.
- Kallio, J., Jaakkola, M., Mäki, M., Kilpeläinen, P., Virtanen, V., 2012. Vitamin C inhibits staphylococcus aureus growth and enhances the inhibitory effect of quercetin on growth of escherichia coli in vitro. *Planta Med.* 78, 1824–1830. <https://doi.org/10.1055/s-0032-1315388>
- Kamata, M., Wu, R.P., An, D.S., Saxe, J.P., Damoiseaux, R., Phelps, M.E., Huang, J., Chen, I.S.Y., 2006. Cell-based chemical genetic screen identifies damnacanthol as an inhibitor of HIV-1 Vpr induced cell death. *Biochem. Biophys. Res. Commun.* 348, 1101–1106. <https://doi.org/10.1016/j.bbrc.2006.07.158>
- Kamiya, K., Tanaka, Y., Endang, H., Umar, M., Satake, T., 2004. Chemical constituents of Morinda citrifolia fruits inhibit copper-induced low-density lipoprotein oxidation. *J. Agric. Food Chem.* 52, 5843–5848. <https://doi.org/10.1021/jf040114k>
- Levand, O., Larson, H., 1979. Some Chemical Constituents of Morinda citrifolia. *Planta Med.* 36, 186–187. <https://doi.org/10.1055/s-0028-1097264>
- Liu, G., Bode, A., Ma, W.Y., Dong, Z., Sang, S., Ho, C.T., 2001. Two novel glycosides from the fruits of Morinda Citrifolia (noni) inhibit AP-1 transactivation and cell transformation in the mouse epidermal JB6 cell line. *Cancer Res.* 61, 5749–5756.
- Meyer, A.S., Heinonen, M., Frankel, E.N., 1998. Antioxidant interactions of catechin, cyanidin, caffeic acid, quercetin, and ellagic acid on human LDL oxidation. *Food Chem.* 61, 71–75. [https://doi.org/10.1016/S0308-8146\(97\)00100-3](https://doi.org/10.1016/S0308-8146(97)00100-3)

- Mirzoeva, O.K., Grishanin, R.N., Calder, P.C., 1997. Antimicrobial action of propolis and some of its components: The effects on growth, membrane potential and motility of bacteria. *Microbiol. Res.* 152, 239–246.  
[https://doi.org/10.1016/S0944-5013\(97\)80034-1](https://doi.org/10.1016/S0944-5013(97)80034-1)
- Mohd Zin, Z., Abdul Hamid, A., Osman, A., Saari, N., Misran, A., 2007. Isolation and identification of antioxidative compound from fruit of mengkudu (*Morinda citrifolia* L.). *Int. J. Food Prop.* 10, 363–373.  
<https://doi.org/10.1080/10942910601052723>
- Morton, J.F., 2018. The Ocean-Going Noni , or Indian Mulberry ( *Morinda citrifolia* , Rubiaceae ) and Some of Its " Colorful " Relatives Author ( s ): Julia F . Morton Published by : Springer on behalf of New York Botanical Garden Press Stable URL : <https://www.jstor.org/stab> 46, 241–256.
- Mousavi, S., Bereswill, S., Heimesaat, M.M., 2019. Immunomodulatory and antimicrobial effects of vitamin C. *Eur. J. Microbiol. Immunol.* 9, 73–79.  
<https://doi.org/10.1556/1886.2019.00016>
- Murray, P., Rosenthal, K., Pfaller, M., 2015. *Medical Microbiology*, 8th ed. Elsevier.
- Naguib, M.M., Valvano, M.A., 2018. Vitamin E Increases Antimicrobial Sensitivity by Inhibiting Bacterial Lipocalin Antibiotic Binding. *mSphere* 3, 1–14.  
<https://doi.org/10.1128/msphere.00564-18>
- Nair, M.K.M., Joy, J., Vasudevan, P., Hinckley, L., Hoagland, T.A., Venkitanarayanan, K.S., 2010. Antibacterial Effect of Caprylic Acid and Monocaprylin on Major Bacterial Mastitis Pathogens. *J. Dairy Sci.* 88, 3488–3495. [https://doi.org/10.3168/jds.s0022-0302\(05\)73033-2](https://doi.org/10.3168/jds.s0022-0302(05)73033-2)
- Nelson, S.C., 2006. *Morinda citrifolia* (noni). *Perm. Agric. Resour.* 1–18.
- Nualsanit, T., Rojanapanthu, P., Gritsanapan, W., Lee, S.H., Lawson, D., Baek, S.J., 2012. Damnacanthal, a noni component, exhibits antitumorigenic activity in human colorectal cancer cells. *J. Nutr. Biochem.* 23, 915–923.  
<https://doi.org/10.1016/j.jnutbio.2011.04.017>
- O'Neill, J., 2014. Antimicrobial Resistance : Tackling a crisis for the health and wealth of nations. *Rev. Antimicrob. Resist.* 1–16.
- Panche, A.N., Diwan, A.D., Chandra, S.R., 2016. Flavonoids: an overview. *J. Nutr. Sci.* 5. <https://doi.org/10.1017/jns.2016.41>
- Pawlus, A.D., Kinghorn, A.D., 2007. Review of the ethnobotany, chemistry, biological activity and safety of the botanical dietary supplement *Morinda citrifolia* (noni)\* . *J. Pharm. Pharmacol.* 59, 1587–1609.  
<https://doi.org/10.1211/jpp.59.12.0001>
- Penta, S., 2016. Antimicrobial Agents. *Adv. Struct. Act. Relatsh. Coumarin Deriv.* 2, 9–45. <https://doi.org/10.1016/B978-0-12-803797-3.00002-3>
- Prabhu, K. Sandeep; Lei, X.G., 2016. Selenium 1,2. *Am. Soc. Nutr.* 7, 415–417.

<https://doi.org/10.3945/an.115.010785.415>

- Ryan, K.J., Ahmad, N., Alspaugh, J.A., Drew, W.L., Lagunoff, M., Pottinger, P., Reller, L.B., Reller, M.E., Sterling, C.R., Weissman, S., 2018. *Sherris Medical Microbiology*, Seventh Edition.
- S. Esath Natheer, 2012. Evaluation of antibacterial activity of *Morinda citrifolia*, *Vitex trifolia* and *Chromolaena odorata*. *African J. Pharm. Pharmacol.* 6, 783–788. <https://doi.org/10.5897/ajpp11.435>
- Sahalan, A.Z., Abdul, A.H., Lian, H.H., Mohamed, M.K., 2013. Divalent CATIONS (Mg<sup>2+</sup>, Ca<sup>2+</sup>) protect bacterial outer membrane damage by polymyxin B. *Sains Malaysiana* 42, 301–306.
- Saleem, M., Hyoung, J.K., Ali, M.S., Yong, S.L., 2005. An update on bioactive plant lignans. *Nat. Prod. Rep.* 22, 696–716. <https://doi.org/10.1039/b514045p>
- Sang Shengmin He Kan, Liu Guangming, Dong Zigang, Badmaev Vladimir, Zheng Qun, Yi Ghai, Geetha Rosen Robert, T.Ho, and Chi-Tang, W.M., 2001. Chemical components in noni fruits and leaves (*morinda citrifolia* l.). *Qual. Manag. Nutraceuticals* 803, 134–150. <https://doi.org/doi:10.1021/bk-2002-0803.ch010r10.1021/bk-2002-0803.ch010>
- Sharma, N., Jandaik, S., Kumar, S., Chitkara, M., Sandhu, I.S., 2016. Synthesis, characterisation and antimicrobial activity of manganese- and iron-doped zinc oxide nanoparticles. *J. Exp. Nanosci.* 11, 54–71. <https://doi.org/10.1080/17458080.2015.1025302>
- Siju, E.N., Shirwaikar, A., Devi, S., 2011. Antimicrobial Activity of Fruit Extracts of. *Adv. Pharmacol. Toxicol.* 12, 79–82.
- Singh, B., Sharma, R.A., 2020. Indian *Morinda* species: A review. *Phyther. Res.* 34, 924–1007. <https://doi.org/10.1002/ptr.6579>
- Singh, R., 2012. *Morinda citrifolia* L. (Noni): A review of the scientific validation for its nutritional and therapeutic properties. *J. Diabetes Endocrinol.* 3, 77–91. <https://doi.org/10.5897/jde10.006>
- Smirnoff, N., 2011. Vitamin C 107–177. <https://doi.org/10.1016/B978-0-12-385853-5.00003-9>
- Smyth, T., Ramachandran, V.N., Smyth, W.F., 2009. A study of the antimicrobial activity of selected naturally occurring and synthetic coumarins. *Int. J. Antimicrob. Agents* 33, 421–426. <https://doi.org/10.1016/j.ijantimicag.2008.10.022>
- sogandi, Putu, N., 2019. Identifikasi Senyawa Aktif Ekstrak Buah Mengkudu (*Morinda citrifolia* L.) dan Potensinya sebagai Inhibitor Karies Gigi Identification of Bioactive Compound from Noni Fruit (*Morinda citrifolia* L.) Extract and its Potential as Dental Caries Inhibitor. *J. Kefarmasian Indones.* 9,

73–81.

- Su, B.N., Pawlus, A.D., Jung, H.A., Keller, W.J., McLaughlin, J.L., Kinghorn, A.D., 2005. Chemical constituents of the fruits of *Morinda citrifolia* (Noni) and their antioxidant activity. *J. Nat. Prod.* 68, 592–595.  
<https://doi.org/10.1021/np0495985>
- Tanaka, H., Kato, I., Ito, K., Pharmacy, F., 1987. Total Synthesis of Neolignans , Americanin A and Isoamericanin A epoxide ( 13 ), which was converted to the debenzylolation product ( 14 ) by hydrogenolysis . Compound 14 underwent cyclization with potassium carbonate to yield the trans dioxane derivative ( . *Synthesis (Stuttg)*. 35, 3603–3608.
- Tundis, R., Loizzo, M., Menichini, Federica, Statti, G., Menichini, Francesco, 2008. Biological and Pharmacological Activities of Iridoids: Recent Developments. *Mini-Reviews Med. Chem.* 8, 399–420.  
<https://doi.org/10.2174/138955708783955926>
- Verma, P., 2015. a Review on Synthesis and Their Antibacterial Activity of Silver and Selenium Nanoparticles. *World J. Pharm. Pharm. Sci.* 4, 652–677.
- Wang, C., Gong, X., Bo, A., Zhang, L., Zhang, M., Zang, E., Zhang, C., Li, M., 2020. Iridoids: Research advances in their phytochemistry, biological activities, and pharmacokinetics. *Molecules* 25. <https://doi.org/10.3390/molecules25020287>
- Wang, L., 1992. Inhibition of Uptake 624–629.
- Wang, M.-Y., West, B.J., Jensen, C.J., Nowicki, D., Su, C., Palu, A.K., Anderson, G., 2002. *Morinda citrifolia* (Noni): a literature review and recent advances in Noni research. *Acta Pharmacol. Sin.* 23, 1127–41.
- Wang, M., Kikuzaki, H., Csiszar, K., Boyd, C.D., Maunakea, A., Fong, S.F.T., Ghai, G., Rosen, R.T., Nakatani, N., Ho, C.T., 1999. Novel trisaccharide fatty acid ester identified from the fruits of *Morinda citrifolia* (noni). *J. Agric. Food Chem.* 47, 4880–4882. <https://doi.org/10.1021/jf990608v>
- West, B.J., Deng, S., Jensen, C.J., 2011. Nutrient and phytochemical analyses of processed noni puree. *Food Res. Int.* 44, 2295–2301.  
<https://doi.org/10.1016/j.foodres.2010.09.038>
- West, B.J., Palmer, S.K., Deng, S., Palu, A.K., 2012. Antimicrobial Activity of an Iridoid Rich Extract from *Morinda citrifolia* Fruit. *Curr. Res. J. Biol. Sci.* Vol 4, 52–54.
- Xu, L., Li, X., Cui, Y., Pang, M., Wang, F., Qi, J., 2018. Antibacterial Activity of Anthraquinone from Aloe on Spiced Pig Head. *IOP Conf. Ser. Mater. Sci. Eng.* 275. <https://doi.org/10.1088/1757-899X/275/1/012014>
- Yoon, B.K., Jackman, J.A., Valle-González, E.R., Cho, N.J., 2018. Antibacterial free fatty acids and monoglycerides: Biological activities, experimental testing, and

therapeutic applications, *International Journal of Molecular Sciences*.  
<https://doi.org/10.3390/ijms19041114>

Zhang, H.C., Wang, Y., Yu, C.M., Yu, D.H., Chen, P.P., Liu, S.M., 2014. Two new saccharide fatty acid esters from the fruit of *Morinda citrifolia* L. and their ABTS radical scavenging activities. *Rec. Nat. Prod.* 8, 25–31.

Zhang, W.M., Wang, W., Zhang, J.J., Wang, Z.R., Wang, Y., Hao, W.J., Huang, W.Y., 2016. Antibacterial Constituents of Hainan *Morinda citrifolia* (Noni) Leaves. *J. Food Sci.* 81, M1192–M1196. <https://doi.org/10.1111/1750-3841.13302>

Zin, Z.M., A. Abdul-Hamid, A. Osman, 2002. Antioxidative activity of extracts from Mengkudu root, fruit and leaf. *Food Chem.* 78, 227–231.