

## **DAFTAR PUSTAKA**

- Agnihotri, S.A, Mallikarjuna N.N., Aminabhavi T.M 2004. Recent advances on chitosan-based micro and nanoparticles in drug delivery. *J. of Controlled Release*, Vol. 100, p. 5–28
- Aideh, K. M., Al Khatib, H., Taha, M., & Al-zoubi, N., 2005. Application of Novel Chitosan Derivatives In Dissolution Enhancement of a Poorly Water Soluble Drug. *Pharmazie*, 61, 306-311.
- Amaro, M.I., Tajber, L., Corrigan, O.I., and Healy, A.M., 2011. Optimisation of spray drying process conditions for sugar nanoporous microparticles (NPMPs) intended for inhalation. *International Journal of Pharmaceutics*, Vol. 421, p. 99-109.
- Aryani, T., 2005. Pengujian Validasi Analisis Kadar Andrografolid Secara Kromatografi Cair Kinerja Tinggi (KCKT) dengan Eluasi Gradien Terhadap Ekstrak Herba Sambiloto (*Andrographis paniculata* Nees). *Berk. Penel. Hayati*, Vol. 11, p. 73-76
- Barkalina, N., Charalambous, C., Jones, C., & Coward, K. (2014). Nanotechnology in reproductive medicine: Emerging applications of nanomaterials. *Nanomedicine*, Vol.10, p.921-938.
- Chahal, A. S., Madgulkar, A., & Kshirsagar, S. (2011). Amorphous Nanoparticles for Solubility Enhancement. *Journal of Advanced Pharmaceutical Sciences*, vol.2, p.167-177.
- Chellampillai, B., & Pawar, A. P., 2010. Improved Bioavailability of Orally Administered Andrographolide from pH-sensitive Nanoparticles. *Eur J Drug Metab Pharmacokinet*, 35, 123-129.
- Cheo, W. S., & Hadinoto, K. (2012). Self-assembled amorphous drug-polyelectrolyte nanoparticle complex with enhanced dissolution rate and saturation solubility. *Journal of Colloid and Interface Science*, 367, p.518–526.

Departemen Kesehatan Republik Indonesia, 1995. *Farmakope Indonesia*. Edisi Ke-1, Jakarta: Departemen Kesehatan Republik Indonesia.

Desai K.G.H. and Park J.H., 2005. Preparation And Characterization Of Drug Loaded Chitosan-Tripolyphosphate Microspheres by Spray Drying. *Drug Development Research*, Vol. 64, P. 114-128

Dhiasati, O.F., 2014. Pengaruh Jumlah Karboksimetil Kitosan Terhadap Karakteristik Fisik Nanopartikel Artesunat-Karboksimetil Kitosan (Dibuat Dengan Metode Gelasi iONIk-Pengeringan Semprot), Skripsi, Fakultas Farmasi Universitas Airlangga

D'Addio, S. M., & Prud'homme, R. K., 2011. Controlling drug nanoparticle formation by rapid precipitation. *Advanced Drug Delivery Reviews*, Vol.63, p.417-418.

Fan, W., Yan, W., Xu, Z., & Ni, H., 2011. Formation mechanism of monodisperse, low molecular weight chitosan nanoparticles by ionic gelation technique. *Colloids and Surfaces B: Biointerfaces*, Vol.90, p.21-27.

Farag, R. K., & Mohamed, R. R., 2012. Synthesis and Characterization of Carboxymethyl Chitosan. *Molecules*, 18, 190-203.

Fattal E. and Vauthier C., 2007. Drug Delivery: Nanoparticles. In: Swarbrick, J. (ed). *Encyclopedia of Pharmaceutical Technology*, Ed. 3<sup>rd</sup>, Vol. 1. London: Informa Health Care, pp. 1183-1200.

Feriza, M., 2013. Pengaruh Perbedaan Jenis Dan Jumlah Kitosan Terhadap Karakteristik Fisik Nanopartikel Fraksi Diterpenlakton Sambiloto Kitosan (dibuat dengan metode pengeringan semprot), *Skripsi*, Fakultas Farmasi Universitas Airlangga,Surabaya.

Gharsallaoui, A., Raudaut, G., Chambin, O., voilley, A., & Saurel, R., 2007. Applications of spray-drying in microencapsulation of food ingredients: An overview. *Food Research International*, Vol.40, p.1107-1121.

- Gupta K.C. and Jabrail FH. 2006. Effect of Degree of Deacetylation and Cross-linking on Physical Characteristics, Swelling and Release Behavior of Chitosan Microspheres. *Carbohydrate Polymers*, Vol. 66, p. 43-54.
- He P., Davis S.S., Illum L. 1999. Chitosan Microspheres Prepared by Spray Drying. *Int. J. Of Pharm*, Vol. 187, p. 53-65
- Homayouni, A., Sadeghi, F., Varshosaz, J., & Garekani, H., 2014. Synthesis and Characterization of Carboxymethyl Chitosan. *European Journal of Pharmaceutics and Biopharmaceutics*, 88, 261-262.
- Jain, P. K., Ravichandran, V., Jain, P. K., & Agrawal, R. K., 2010. High-performance thin layer chromatography method for estimation of andrographolide in herbal extract and polyherbal formulations. *Journal of Saudi Chemical Society*, Vol.14, p.383-389.
- Jarukamjorn, K., & Nemoto, N., 2008. Pharmacological aspects of *Andrographis paniculata* on health and its major diterpenoid constituent andrographolide. *Journal of Health Science*, Vol.54, p.370-381.
- Jayakumar R., Prabaharan M., Nair S.V., Tokura S., Tamura H., Selvamurugan N. 2010. Novel carboxymethyl derivatives of chitin and chitosan materials and their biomedical applications. *Progress in Material Science*, Vol. 55, p. 675-709.
- Kanokwan J. and Nobuo N., 2008. Pharmacological Aspect of *Andrographis paniculata* on Health and Its Major Diterpenoid Constituent Andrographolide. *J. of Health Sci*, Vol. 54 No. 4, p. 370-381.
- Kafshgari, M. H., Khorram, M., Khodadoost, M., & Khavari, S., 2011. Reinforcement of chitosan nanoparticles obtained by an ionic cross-linking process. *Iranian Polymer Journal*, Vol.20, p.445-456.

- Keshani, S., Daud, W. R., Nourouzi, M. M., Namvar, F., & Ghasemi, M., 2014. Spray drying: An overview on wall deposition, process and modeling. *Journal of Food Enginering*, Vol.146, p.152-162.
- Kini, A. G., Dixit, M., & Kulkarni, P. K. (2011). Enhancement of solubility and dissolution of poorly water soluble drug by spray drying using different grade of chitosan . *International Journal of Pharmacy and Pharmaceutical Sciences*, Vol 3, p.231-235.
- Kissel T., Maretschek S., Packha C., Schnieders J., and Seidel N., 2006. Microencapsulation Techniques for Parenteral Depot Systems and Their Application in the Pharmaceutical Industry. In: Benita, S. (Ed). *Microencapsulation: Methods and Industrial Applications*, Ed. 2<sup>nd</sup>. Boca Raton: Taylor & Francis Group, LLC, pp. 99-122
- Ko J.A., Park H.J., Hwang S.J., Park J.B., Lee J.S., 2002. Preparation and characterization of chitosan microparticles intended for controlled drug delivery. *Int. J. of Pharm.*, Vol. 249, p. 165-174
- Kumar,M.N.V.R., 2000. Nano and microparticles as controlled drug delivery devices, *Journal Pharm. Pharmaceut, Sci.*, p. 234-245
- Kusumawardhani, D., 2005. Uji AntiMalaria In Vivo Ekstrak Sambiloto Terstandar (Parameter Kadar Andrografolida) pada Mencit, Skripsi, Fakultas Farmasi Universitas Airlangga, Surabaya.
- Lestari, W., 2012. Pengaruh Konsentrasi *Carboxymethyl Chitosan* Terhadap Karakteristik Fisik Dan Profil Pelepasan Mikropartikel Ketoprofen-*Carboxymethyl Chitosan* (Dibuat Dengan Metode *Spray Drying*), Skripsi, Fakultas Farmasi Universitas Airlangga, Surabaya.
- Magda, M., 2012. Pengaruh Suhu Inlet Dan Laju Pompa Terhadap Rendemen, Karakteristik Fisik, Dan Efisiensi Penjerapan Mikropartikel Ketoprofen-*Carboxymethyl Chitosan*, Skripsi, Fakultas Farmasi Universitas Airlangga, Surabaya.

- Mahajan, H.S., Deore, B.V., Deore, U.V., 2009. Development and characterization of sustained release microspheres by quasi emulsion solvent diffusion method, *Int. J. of Chem Tech Research*, Vol.1 No.3, p. 634-642.
- Mi F.L., Kuan C.Y., Shyu S.S., Lee S.T., Chang S.F., 2000. The Study of Gelation Kinetics and Chain Relaxation Properties of Gutaraldehyde-Cross-Linked Chitosan Gel and Their Effects on Microsphere Preparation and Drug Release. *Carbohydrate Polymer*, Vol. 41, p. 389-396.
- Mohanraj V.J. and Chen Y., 2003. Nanoparticles – A Review. *Int. J. Of Pharm*, Vol. 274, p. 1-33
- Mourya V.K., Inamdar N.N., Tiwari A., 2010. Carboxymethyl chitosan and its applications. *Adv. Mat. Lett*, Vol. 1 No. 1, p. 11-33
- Park K. and Yeon Y., 2007. Microencapsulation Technology. In: Swarbrick, J. (ed). *Encyclopedia of Pharmaceutical Technology*, Ed. 3<sup>rd</sup>, Vol. 1. London: Informa Health Care, pp. 2315-2327.
- Patel R.P., Patel M.P., Suthar A.M., 2009. Spray Drying Technology: an overview. *Indian J. Of Science and Technology*, Vol. 2 No. 10, p. 44-47
- Paudel, A., Worku, Z. A., Meeus, J., Guns, S., & Mooter, G. V., 2012. Manufacturing of solid dispersions of poorly water soluble drugs by spray drying: Formulation and process consideration. *International Journal of Pharmaceutics*, Vol.253, p.253-284.
- Prashanth K.V.H. and Tharanathan R.N., 2006. Crosslinked Chitosan – Preparation and Characterization. *Carbohydrate Research*, Vol. 341, p. 169-173.
- Pratiwi. 2012. Pengaruh Rasio Ketoprofen-Carboxymethyl Chitosan Terhadap Karakteristik Fisik Dan Profil Pelepasan Mikropartikel Ketoprofen- Carboxymethyl Chitosan, Skripsi, Fakultas Farmasi Universitas Airlangga, Surabaya.

- Rao, J. P., & Geckler, K. E., 2011. Polymer nanoparticles: Preparation techniques and size-control parameters. *Progress in Polymer Science*, Vol.36, p.887-913.
- Rawat, N., Kumar, M. S., & Mahadevan, N. (2011). Solubility: Particle Size Reduction is a Promising Approach to Improve the Bioavailability of Lipophilic Drugs . *International Journal of Recent Advances in Pharmaceutical Research* , Vol.1, p.8-15.
- Rowe, R.C., Sheskey, P.J., and Quinn, M.E., 2009. Handbook of Pharmaceutical Excipients. USA: Pharmaceutical Press and American Pharmacists Association. p.89-90.
- Shi X., Du Y., Yang J., Zhang B., Sun L., 2006. Effect of degree of substitution and molecular weight of carboxymethyl chitosan nanoparticles on doxorubicin delivery. *Journal Applied Polymer Science*, Vol. 100, p. 4689-4696.
- Sinha V.R., Singla A.K., Wadhawan S., Kaushik R., Kumria R., Bansal K., Dhawan S., 2004. Chitosan microspheres as a potential carrier for drugs. *Int. J. of Pharm*, Vol. 274, p. 1–33.
- Shu X.Z. and Zhu K.J., 2002. The Influence of Multivalent Phosphate Structure on The Properties of Ionically Crosslinked Chitosan Films for Controlling Drug Release. *Eur J of Pharm and Biopharm*, Vol. 54, p. 235-243.
- Sukardiman H., Aty W. , Sismindari, Zaini N.C., 2007. Apoptosis Inducing Effect Of Andrographolide On Td-47 Human Breast Cancer Cell Line. *Afr. J. Trad. Cam*, Vol. 4 No. 3, p. 345–351.
- Tiyaboonchai, Waree. 2003. Chitosan Nanoparticles : A Promising System for Drug Delivery. *Naresuan University J*, Vol. 11 No 3, p. 51-66
- Tsai H.S. and Wang Y.Z., 2008. Properties of hydrophyilic network membranes by introducing binary crosslink agent. *Polymer Bull*, Vol. 60, p. 103-113.

- Tyas, H.P., 2010. Penentuan Parameter Standar Umum dan Fingerprint Fraksi Diterpenlakton dari Sambiloto (*Andrographis paniculata* Nees), Skripsi, Fakultas Farmasi Universitas Airlangga, Surabaya.
- Upadhyaya, L., Singh, J., Agarwal, V., & Tewari, R. P., 2014. The implications of recent advances in carboxymethyl chitosan based targeted drug delivery and tissue engineering applications. *Journal of Controlled Release*, Vol.186, p.54-87.
- Widyawati, T. 2007. Aspek Farmakologi Sambiloto (*Andrographis paniculata* Nees). *Majalah Kedokteran Nusantara*, Vol. 40 No. 3.
- Williams R.O. and Vaughn J.M., 2007. Nanoparticle Engineering. In: Swarbrick, J. (ed). *Encyclopedia of Pharmaceutical Technology*, Ed. 3<sup>rd</sup>, Vol. 1. London: Informa Health Care, pp. 2384-2398.
- Woitiski, C.B., Veiga F., Ribeiro, A., Neufeld, R., 2009. Design for optimization of nanoparticles integrating biomaterials for orally dosed insulin. *European Journal of Pharmaceutics and Biopharmaceutics*, Vol, 73., p. 25-33.
- Wu, Y., Yang, W., Wang, C., Hu, J., Fu, S., 2005. Chitosan nanoparticles as a novel delivery system for ammonium glycyrrhizinate. *International Journal of Pharmaceutics*, Vol. 295, p. 235–245.
- Yokoyama T., 2007. Basic Properties And Measuring Methods Of Nanoparticles. In: Hosokawa M., Nogi K., Naito M., Yokoyama T. (Eds). *Nanoparticle Technology Handbook*. Amsterdam: Elsevier, pp. 5
- Yuan, Z., Ye, Y., Gao, F., Yuan, H., Lan, M., Lou, K., et al., 2013. Chitosan-graft- cyclodextrin nanoparticles as a carrier for controlled drug release. *International Journal of Pharmaceutics*, Vol.446, p.191-198.