

DAFTAR PUSTAKA

- Abdoel-Mottaleb M. M. A., Moulari B., Beduneau A., Pellequer Y., Lamprecht A., 2012. Nanoparticles enhance therapeutic outcome in inflamed skin therapy. *European Journal of Pharmaceutics and Biopharmaceutics* 82, p. 151–157
- Abigor, R.D., Uadia, P.O., Foglia, T.A., Haas, M.J., Jones, K.C., Okpefa, E., Obibuzor, J.U., Bafor, M.E., 2000. Lipase-catalysed production of biodiesel fuel from some Nigerian lauric oils. *Biochemical Society Transactions*, Vol. 28, part 6.
- Adisakwattana, S., Roengsamran, S., Hsu, W.H., Yibchok-anun, S., 2005. Mechanisms of antihyperglycemic effect of p-methoxycinnamic acid in normal and streptozotocin-induced diabetic rats. *Life Sciences*, Vol. 78, p. 406-412.
- Aldrich, 2013. *Material Safety Data Sheet* [Online] Sigma Aldrich. Diakses dari <http://www.sigmaaldrich.com/MSDS/MSDS/DisplayMSDSPage.do?country=ID&language=en&productNumber=M13807&brand=ALDRICH&PageToGoToURL=http%3A%2F%2Fwww.sigmaaldrich.com%2Fcatalog%2Fproduct%2Faldrich%2Fm13807%3Flang%3Den> pada tanggal 30 Januari 2015.
- Anonim, (n.d.) [Online] http://www.chemicalbook.com/ChemicalProductProperty_EN_CB8152938.htm, diakses pada tanggal 30 Januari 2015.
- Anonim, (n.d.) [Online] <https://www.fishersci.ca/viewmsds.do?catNo=AC125840250>, diakses pada tanggal 30 Januari 2015.
- Anonim, 2013. [Online] <http://www.hmdb.ca/metabolites/hmdb02040> diakses pada tanggal 30 Januari 2015.
- Ansel, H.C., 1989. *Pengantar Bentuk Sediaan Farmasi Edisi keempat*, Jakarta: Universitas Indonesia Press, 490-492, 513-515.
- Barry, BW., 1983. Dermatological Formulations: Percutaneous Absorption, *Drugs and Pharmaceutical Sciences*, Volume – 18, MARCEL DEKKER, INC. pp.1-39

- Bouchemal, K., Briançon, S., Perrier, E., & Fessi, H., 2004. Nano-emulsion formulation using spontaneous emulsification: solvent, oil and surfactant optimisation. *International Journal of Pharmaceutics*, 280(1-2), 241–51. doi:10.1016/j.ijpharm.2004.05.016
- Can, Aslı Sedef, Meryem Sedef Erdal, Sevgi Güngör, dan Yıldız Özsoy, 2013. Optimization and Characterization of Chitosan Films for Transdermal Delivery of Ondansetron. *Molecules* **2013**, *18*, 5455-5471; doi:10.3390/molecules18055455
- Cardenas T., Galo; Sanzana L, Johana dan Innocentini Mei, Lucia H., 2002. Synthesis and Characterization of Chitosan-PHB Blends. [Online] *Bol. Soc. Chil. Quím.* vol.47, n.4, pp. 529-535. ISSN 0366 1644 <http://dx.doi.org/10.4067/S0366-16442002000400025>.
- Connors KA, dan Lipari JM., 1976. *J Pharm Sci.* 65:380.
- Corwin, Elizabeth J., 2008. *Handbook of Pathophysiology 3th Edition*. Philadelphia, Lippincort Williams &Wilkins
- ChemSpider, 2015. *Chemical Structure* [Online] ChemSpider. Diakses dari <http://www.chemspider.com/Chemical-Structure.609479.html> pada tanggal 30 Januari 2015.
- Choi, A.J., Chul, J.K., Cho, Y.J., Hwang, J. K., Kim, C.T., 2011. Characterization of Capsaicin-Loaded Nanoemulsions Stabilized with Alginate and Chitosan by Self-assembly. *Food Bioprocess Technol.* Vol. 4:1119–1126
- Departemen Kesehatan RI., 1979. *Farmakope Indonesia Edisi ke III*. Jakarta. Departemen Kesehatan Republik Indonesia.
- Devarajan,V., Ravichandran, V., 2011. Nanoemulsions: As Modified Drug Delivery Tool. *Pharmacie Globale*, Vol. 4, p. 1 -6
- De Vry, C.G., Valdez, M., Lazarov, M., Muhr, E., Buelow, R., Fong, T., Suhasini, I., 2005. Topical application of a novel immunomodulatory peptide, RDP58, reduces skin inflammation in the phorbol ester-induced dermatitis model. *J. Invest. Dermatol.* 125, p. 473–481.

- Duan, Chao Yang, Xia, Zhi Yue, Gui, Bao Song., Xue, Jun Fa., Ouyang, Jian Ming, 2013. Changes in urinary nanocrystallites in calcium oxalate stone formers before and after potassium citrate intake. ***International Journal of Nanomedicine***, Vol. 8, p. 909-918
- Ekowati, Juni, dan Nuzul W. Diyah., 2013. Aktivitas Antinociceptiv dan Uji In Silico Terhadap Cyclooxygenase dari Asam *p*-Metoksisinamat dan Asam *m*-Metoksisinamat. ***Berkala Ilmiah Kimia Farmasi***, Vol.2 No. 1 Juni 2013
- Erawati, Tristiana, Esti Hendrardi, dan Widji Soeratri, 2014. Praformulation Study of *p*-Methoxycinnamic Acid (PMCA) Nanoemulsion using Vegetable Oils (Soybean Oil, Corn Oil, VCO). ***Int J Pharm Pharm Sci***, Vol 6, Issue 2, 99-101
- Gard, Paul, 2001. ***Human Pharmacology***, Chapter IX, 135. Taylor & Francis., London, New York.
- Hasanah, N.A., Nazaruddin F., Febrina, E., Zuhrotun, A., 2011. Analisis Kandungan Minyak Atsiri dan Uji Aktivitas Antiinflamasi Ekstrak Rimpang Kencur (*Kaempferia galanga* L.). ***Jurnal Matematika & Sains***, Vol. 16 Nomor 3
- He, Wen., Guo, X., Xiao, L., Feng, M., 2009. Study on the mechanisms of chitosan and its derivatives used as transdermal penetration enhancers. ***International Journal of Pharmaceutics***. 382 (2009) 234–243.
- Jannah, Dwi Isro'atul., 2014. Uji Aktivitas Antioksidan Asam *p*-Metoksisinamat dalam Sistem Nanoemulsi Tipe O/W dengan *Virgin Coconut Oil* (VCO) sebagai Fase Minyak. ***SKRIPSI***. Surabaya: Universitas Airlangga.
- Klein, Ken., 2006. ***Choosing Thickening Agents for Emulsions, Part I: Water Phase Thickeners*** [Online]. Diakses dari <http://www.cosmeticsandtoiletries.com/formulating/function/viscositymod/4345961.html> pada tanggal 31 Januari 2015.
- Klinkesorn U., McClements D.J., 2009. Influence of chitosan on stability and lipase digestibility of lecithin-stabilized tuna oil-in-water emulsions. ***Food Chem***, 114, 1308–1315.

- Kreilgaard, M. 2002. Influence of Microemulsions on Cutaneous Drug Delivery. *Advance Drug Delivery Reviews* **54 Suppl.1** S 77- S98
- Kovaříková, Alžběta Dorota, 2010. Vliv přídavku viskozifiantů na vlastnosti nanoemulzí. The effect of addition of thickening agents on nanoemulsion properties. *Diplomová práce*. Květen: Univerzita Karlova V Praze.
- Kumar, S. L. Hari amd Vishal Singh, 2012. Nanoemulsification – A Novel Targeted Drug Delivery Tool: Review Article. *Journal of Drug Delivery & Therapeutics*, Vol. 2, Issue 4, p. 40-45.
- Marpaung, Yanda Genakela, 2014. Formulasi Nanoemulsi Minyak Sawit dengan High-Pressure Homogenizer. *Skripsi*. Bogor: Institut Pertanian Bogor.
- Mycek, M.J., Harvey, R.A., dan Champe C.C., 2001. *Farmakologi Ulasan Bergambar*. Lippincott's Illustrated Reviews: Farmacology. Penerjemah Azwar Agoes. Edisi II. Jakarta. Widya Medika
- Oliveira, J. S., Aguiar, T. A., Mezadri, H., & Henrique, O. D., 2011. Attainment of hydrogel-thickened nanoemulsions with tea tree oil (*Melaleuca alternifolia*) and retinyl palmitate, *African Journal of Biotechnology* Vol. 10(60), pp. 1301 4-13018, 5 October, doi:10.5897/AJB11.249
- Patel, M., Muruganathan, dan Shivalinge Gowda K, P., 2012. In Vivo Animal Models in Preclinical Evaluation of Anti-Inflammatory Activity - A Review. *International Journal of Pharmaceutical Research & Allied Sciences*, Volume 1, Issue 2, 01-05
- Prasyuliningrum, Anneke Indraswari., 2014. Uji Penetrasi Asam Asam *p*-Metoksisinamat dalam Sistem Nanoemulsi Menggunakan *Franz Diffusion Cell*. *SKRIPSI*. Surabaya: Universitas Airlangga.
- PubChem, 2005. *4-Methoxycinnamic acid* [Online] PubChem. http://pubchem.ncbi.nlm.nih.gov/compound/4-Methoxycinnamic_acid#section=Identification diakses tanggal 30 Januari 2015
- Reza, Kh. Hussan., 2012. Nanoemulsion as A Novel Transdermal Drug Delivery System. *IJPSR*, Vol. **2(8)**: 1938-1946.

- Rowe, R. C., Sheskey, P. J., and Quinn, M. E., 2009. *Handbook of Pharmaceutical Excipients*, 6th ed., London: Pharmaceutical Press p. 346-347, 549-553, 675-678, 682-684
- Sadono, Hasmono D., 2000. Ketersediaan Hayati/ Profil Farmakokinetik Kristal APMS (Isolat Bahan Aktif Serbuk Rimpang Kencur) pada Hewan Coba Kelinci. *Laporan Penelitian*, Surabaya: Lemlit UNAIR
- Saloko, S., Darmadji, P., Setiaji, B., Pranoto, Y., Anal, A.K., 2013. Encapsulation of coconut shell liquid smoke in chitosan-maltodextrin based nanoparticles. *International Food Research Journal*, Vol. 20, p. 1269-1276
- Sakulku U, Nuchuchua O, Uawonayart N, Puttipipatkachorn S, Soottitantawat A, Ruktanonchai U., 2009. Characterization and mosquito repellent activity of citronella oil nanoemulsion. *Int. J. Pharm.* 2009; 372: 105-111.
- Sharma, O. P., Bhat, T. K., 2009. DPPH antioxidant revisited: analytical methods. *Food Chemistry* 113 p 1202-1205
- Smith, J.B dan Mangkoewidjojo, S., 1988. *Pemeliharaan, Pemuahan & Penggunaan Hewan Percobaan Di daerah Tropis*. Jakarta: Universitas Indonesia
- Smith, G.J., Miller, I.A., 1998. The effect of molecular environment on the photochemistry of p-methoxycinnamic acid and its esters. *Journal of Photochemistry and Photobiology A: Chemistry*, Vol. 118, p. 93-97.
- Sweetman, S.C. Eds., 2009. *Martindale*. 36th Ed. London: Pharmaceutical Press. p. 1920.
- Thakur, Ajay, Manpreet Kaur Walia, dan S.L. Hari Kumar Rayat., 2013. Nanoemulsion in Enhancement of Bioavailability of Poorly Soluble Drugs: A Review. *Pharmacophore Journal*, Volume 4 (1), page 15-25. Diakses dari http://www.pharmacophorejournal.com/issue/Issue-January-February_2013_article3.pdf

- Tjay, T. H., dan Rahardja, K., 2007. ***Obat-Obat Penting Khasiat, Penggunaan, dan Efek-Efek Sampingnya***. Edisi ke VI. Jakarta: PT Elex Media Komputindo.
- Umar, M.I., Asmawi, M.Z., Sadikun, A., Atangwho, I.J., Yam, M.F., Altaf, R., Ahmed, A., 2012. Bioactivity-guided isolation of ethyl-*p*-methoxycinnamate, an anti-inflammatory constituent, from *kaempferia galanga* L. extracts. ***Molecules***, Vol. 17, p. 8720-8734.
- Vega, E., Egea, M. A., Calpena, A. C., Espina, M., & García, M. L., 2013. Role of hydroxypropyl- β -cyclodextrin on freeze-dried and gamma-irradiated PLGA and PLGA-PEG diblock copolymer nanospheres for ophthalmic flurbiprofen delivery. ***International Journal of Nanomedicine***, 7, 1357-1371. doi:10.2147/IJN.S28481
- Voigt, R., 1994. ***Buku Pelajaran Teknologi Farmasi Edisi V***. UGM-Press, Yogyakarta, 65
- Walters, K.A., Roberts, M.S., 2002. The structure and function of skin. In : Kenneth A. Walters (Eds.). ***Dermatological and Transdermal Formulations***, New York: Marcel Dekker, Inc., p. 1-39.
- Winarso, L.A., 2013. Karakterisasi dan uji kelarutan APMS (asam *p*-metoksisinamat) dalam sistem nanoemulsi o/w dengan fase minyak VCO (nanoemulsi o/w dengan surfaktan span 80 – tween 80 : kosurfaktan etanol 96% = 6 : 1). ***Skripsi***. Fakultas Farmasi Universitas Airlangga.