

- Ahmed, A. and Ahmed, S. (2004) 'Comparison of bronchoalveolar lavage cytology and transbronchial biopsy in the diagnosis of carcinoma of lung.', *Journal of Ayub Medical College, Abbottabad: JAMC*, 16(4), pp. 29–33.
- Alberg, A. J., Ford, J. G. and Samet, J. M. (2007) 'Epidemiology of lung cancer: ACCP evidence-based clinical practice guidelines (2nd edition)', *Chest*, 132(3 SUPPL.), p. 29S–55S. doi: 10.1378/chest.07-1347.
- American Cancer Society (2016) *About Non-Small Cell Lung Cancer Overview and Types*, American Cancer Society. Available at: <https://www.cancer.org/content/dam/CRC/PDF/Public/8703.00.pdf> (Accessed: 3 March 2020).
- Artinian, V. and Kvale, P. A. (2005) 'Update in screening of lung cancer', *Respirology*, 10(5), pp. 558–566. doi: 10.1111/j.1440-1843.2005.00750.x.
- Ba, Y., Li, Z., He, W., Wu, H., Cheng, X., Zhuang, D. and Wu, Y. (2005) 'Expression and mutation of MAGE-A3 mRNA in lung cancer tissues', *Chinese-German Journal of Clinical Oncology*, 4(5), pp. 287–291. doi: 10.1007/s10330-005-0366-9.
- Baas, P. (2013) 'Principle Of Cancer Staging', in *Principles And Practice Of Interventional Pulmonology*. New York: Springer.
- Bach, P. B., Kelley, M. J., Tate, R. C. and McCrory, D. C. (2003) 'Screening for lung cancer: A review of the current literature', *Chest*, 123(1 SUPPL.), p. 72S–82S. doi: 10.1378/chest.123.1_suppl.72S.
- Bedrossian, C. W. M. and Rybka, D. L. (1976) 'Bronchial brushing during fiberoptic bronchoscopy for the cytodiagnosis of lung cancer: comparison with sputum and bronchial washings', *Acta Cytologica*, 20(5), pp. 446–453.
- Behjati, S. and Tarpey, P. S. (2013) 'What is next generation sequencing?', *Archives of Disease in Childhood: Education and Practice Edition*, 98(6), pp. 236–238. doi: 10.1136/archdischild-2013-304340.
- Bhaskarapillai, B., Kumar, S. S. and Balasubramanian, S. (2012) 'Lung cancer in malabar cancer center in kerala - A descriptive analysis', *Asian Pacific Journal of Cancer Prevention*, 13(9), pp. 4639–4643. doi: 10.7314/APJCP.2012.13.9.4639.
- Bhutani, M., Pathak, A. K., Tang, H., Fan, Y. H., Liu, D. D., Jack Lee, J., Kurie, J., Morice, R. C., Hong, W. K. and Mao, L. (2011) 'Frequent expression of MAGE1 tumor antigens in bronchial epithelium of smokers without lung

- cancer', *Experimental and Therapeutic Medicine*, 2(1), pp. 137–142. doi: 10.3892/etm.2010.176.
- Bitton, R. J., Guthmann, M. D., Gabri, M. R., Carnero, A. J. L., Alonso, D. F., Fainboim, L. and Gomez, D. E. (2002) 'Cancer vaccines: An update with special focus on ganglioside antigens (Review)', *Oncology Reports*, 9(2), pp. 267–276. doi: 10.3892/or.9.2.267.
- Caballero, O., Zhao, Q., Rimoldi, D., Stevenson, B., Svobodová, S., Devalle, S., Röhrig, U., Pagotto, A., Michielin, O., Speiser, D., Wolchok, J., Liu, C., Pejovic, T., Odunsi, K., Brasseur, F., Van den Eynde, B., Old, L., Lu, X., Cebon, J., Strausberg, R. and Simpson, A. (2010) 'Frequent MAGE Mutations in Human Melanoma', *PLoS ONE*, 5(9), p. e12773. doi: 10.1371/journal.pone.0012773.t003.
- Chen, H., Cai, S., Wang, Y., Zhao, H., Peng, J., Pang, X., Zhu, J., Cong, X., Rui, J., Leng, X., Du, R., Vaughan, H., Cebon, J., Burgess, A. W. and Chen, W. (2000) 'Expression of the MAGE-1 gene in human hepatocellular carcinomas', *Chinese Medical Journal*, 113(12), pp. 1112–1118.
- Daniels, J. M. A. (2017) 'Flexible bronchoscopy', in *Interventional Pulmonology (ERS Monograph)*. Sheffield: European Respiratory Society, pp. 1–18.
- Das, P. M. and Singal, R. (2004) 'DNA methylation and cancer', *Journal of Clinical Oncology*, 22(46), pp. 32–46. doi: 10.1093/hmg/3.suppl_1.1487.
- Davalos, V. and Esteller, M. (2010) 'MicroRNAs and cancer epigenetics: A macrorevolution', *Current Opinion in Oncology*, 22(1), pp. 35–45. doi: 10.1097/CCO.0b013e3283333dcbb.
- Dougan, M. and Dranoff, G. (2009) 'Immune Therapy for Cancer', *Annual Review of Immunology*, 27(1), pp. 83–117. doi: 10.1146/annurev.immunol.021908.132544.
- Doxtader, E. E., Mukhopadhyay, S. and Katzenstein, A. L. A. (2010) 'Core needle biopsy in benign lung lesions: Pathologic findings in 159 cases', *Human Pathology*, 41(11), pp. 1530–1535. doi: 10.1016/j.humpath.2010.04.014.
- Dubinett, S. and Sharma, S. (2009) 'Towards effective immunotherapy for lung cancer: Simultaneous targeting of tumor-initiating cells and immune pathways in the tumor microenvironment', *Immunotherapy*, 1(5), pp. 721–725. doi: 10.2217/IMT.09.56.
- Epelbaum, O. and Aronow, W. S. (2016) 'Autofluorescence bronchoscopy for lung cancer screening: A time to reflect', *Annals of Translational Medicine*,
- DISERTASI DIAGNOSIS PENGEMBANGAN KANKER ISNIN ANANG

4(16). doi: 10.21037/atm.2016.06.34.

- Erozan, Y. S. and Ramzy, I. (2009) *Pulmonary Cytopathology, Essentials in Cytopathology book series*. Edited by A. SZ. Baltimore, Maryland: Springer.
- Esteller, M. (2008) 'Epigenetics in cancer', *New England Journal of Medicine*, 358, pp. 1148–1159.
- Feinberg, A. P. and Tycko, B. (2004) 'The history of cancer epigenetics', *Nature Reviews Cancer*, 4(2), pp. 143–153. doi: 10.1038/nrc1279.
- Firoozbakhsh, S., Seifirad, S., Safavi, E., Dinparast, R., Taslimi, S. and Derakhshandeilami, G. (2011) 'Comparison of Hot Versus Cold Biopsy Forceps in the Diagnosis of Endobronchial Lesions', *Archivos de Bronconeumologia*, 47(11), pp. 547–551. doi: 10.1016/j.arbr.2011.08.001.
- Fong, K. M., Sekido, Y. and Minna, J. D. (1999) 'Molecular pathogenesis of lung cancer', *Annals of Thoracic and Cardiovascular Surgery*, 118(6), pp. 1136–1152.
- Gong, Y., Sneige, N., Guo, M., Hicks, M. E. and Moran, C. A. (2006) 'Transthoracic fine-needle aspiration vs concurrent core needle biopsy in diagnosis of intrathoracic lesions: A retrospective comparison of diagnostic accuracy', *American Journal of Clinical Pathology*, 125(3), pp. 438–444. doi: 10.1309/FK9XMJ19T036LJ70.
- Green, P. (1997) 'Against a whole-genome shotgun', *Genome Research*, 7(5), pp. 410–417. doi: 10.1101/gr.7.5.410.
- Groot, P. M. de, Carter, B. W. and Munden, R. F. (2018) 'Imaging of Lung Cancer', in *IASLC Thoracic Oncology (Second Edition)*. Elsevier.
- Gu, L., Sang, M., Yin, D., Liu, F., Wu, Y., Liu, S., Huang, W. and Shan, B. (2018) 'MAGE-A gene expression in peripheral blood serves as a poor prognostic marker for patients with lung cancer', *Thoracic Cancer*, 9(4), pp. 431–438. doi: 10.1111/1759-7714.12571.
- Hanafi, A. R., Syahrudin, E., Hudoyo, A., Hidayat, H. and Suzanna, E. (2010) 'Expression Protein p53 mutation in Non-Small-Cell Lung Carcinoma', *Jurnal Respirologi Indonesia*, 30(3), pp. 134–145.
- Hara, I., Hara, S., Miyake, H., Yamanaka, K., Nagai, H., Gohji, K., Arakawa, S. and Kamidono, S. (1999) 'Expression of MAGE genes in testicular germ cell tumors', *Urology*, 53(4), pp. 843–847. doi: 10.1016/S0090-4295(98)00618-9.

- Henschke, C. I., McCauley, D. I., Yankelevitz, D. F., Naidich, D. P., McGuinness, G., Miettinen, O. S., Libby, D. M., Pasmantier, M. W., Koizumi, J., Altorki, N. K. and Smith, J. P. (1999) 'Early Lung Cancer Action Project: Overall design and findings from baseline screening', *Lancet*, 354(9173), pp. 99–105. doi: 10.1016/S0140-6736(99)06093-6.
- Henschke, C. I. and Yankelevitz, D. F. (2008) 'CT Screening for Lung Cancer: Update 2007', *The Oncologist*, 13(5), pp. 619–619. doi: 10.1634/theoncologist.2007-0153erratum.
- Herbst, R. S., Heymach, J. V. and Lippman, S. M. (2008) 'Molecular origins of cancer: Lung cancer', *New England Journal of Medicine*, 359(13), pp. 1367–1380. doi: 10.1056/NEJMra0802714.
- Herth, F. J. F., Shah, P. L. and Gompelmann, D. (2017) *Interventional Pulmonology*. doi: 10.1097/lbr.0000000000000274.
- Hirsch, F. R., Franklin, W. A., Gazdar, A. F. and Bunn, P. A. (2001) 'Early detection of lung cancer: Clinical perspectives of recent advances in biology and radiology', *Clinical Cancer Research*, 7(1), pp. 5–22.
- Jheon, S., Hyun, D. S., Lee, S. C., Yoon, G. S., Jeon, C. H., Park, J. W., Park, C. K., Jung, M. H., Lee, K. D. and Chang, H. K. (2004) 'Lung cancer detection by a RT-nested PCR using MAGE A1-6 common primers', *Lung Cancer*, 43(1), pp. 29–37. doi: 10.1016/j.lungcan.2003.08.014.
- Jones, A. M., Hanson, I. M., Armstrong, G. R. and O'driscoll, B. R. (2001) 'Value and accuracy of cytology in addition to histology in the diagnosis of lung cancer at flexible bronchoscopy', *Respiratory Medicine*, 95(5), pp. 374–378. doi: 10.1053/rmed.2001.1051.
- Jones, P. A. and Baylin, S. B. (2002) 'The fundamental role of epigenetic events in cancer', *Nature Reviews Genetics*, 3(6), pp. 415–428. doi: 10.1038/nrg816.
- Jones, P. A. and Martienssen, R. (2005) 'A blueprint for a human epigenome project: The AACR Human Epigenome Workshop', *Cancer Research*, 65(24), pp. 11241–11246. doi: 10.1158/0008-5472.CAN-05-3865.
- Jusuf, A. (2005) 'Kanker Paru Bukan Sel Kecil', in *Pedoman Nasional Untuk Diagnosis Dan Penatalaksanaan Di Indonesia*.
- Karimi, S., Mohammadi, F., Porabdollah, M., Mohajerani, S. A., Khodadad, K. and Nadji, S. A. (2012) 'Characterization of melanoma-associated antigen-A genes family differential expression in non-small-cell lung cancers', *Clinical Lung Cancer*, 13(3), pp. 214–219. doi: 10.1016/j.clc.2011.09.007.
- DISERTASI DIAGNOSIS PENGEMBANGAN KANKER ISNIN ANANG

- Katsura, Y. and Satta, Y. (2011) 'Evolutionary history of the cancer immunity antimRNA MAGE gene family', *PLoS ONE*, 6(6), pp. 1–13. doi: 10.1371/journal.pone.0020365.
- Kchouk, M., Gibrat, J. F. and Elloumi, M. (2017) 'Generations of Sequencing Technologies: From First to Next Generation', *Biology and Medicine*, 09(03). doi: 10.4172/0974-8369.1000395.
- Kemp, S. V. (2017) 'Biopsy techniques', in *Interventional Pulmonology (ERS Monograph)*. Sheffield: European Respiratory Society, pp. 103–120.
- Kim, H. R., Kim, T. H., Chung, J. H., Yoon, H. Il, Lee, C. T., Kang, C. H., Jheon, S., Sung, S. W., Kim, J. H. and Jeon, C. (2009) 'The detection of peripheral lung cancer by MAGE A1-6 RT-nested PCR in bronchial washing specimens', *Lung Cancer*, 65(2), pp. 166–169. doi: 10.1016/j.lungcan.2008.11.001.
- Kim, H., Young, M. K., Jin, S. K., Lee, H., Park, J. H., Young, M. S., Han, J., Park, J. and Kim, D. H. (2004) 'Tumor-specific methylation in bronchial lavage for the early detection of non-small-cell lung cancer', *Journal of Clinical Oncology*, 22(12), pp. 2363–2370. doi: 10.1200/JCO.2004.10.077.
- Kim, R. (2007) *Cancer Immunoediting: From Immune Surveillance to Immune Escape*, *Cancer Immunotherapy*. doi: 10.1016/B978-012372551-6/50066-3.
- Kim, S., Kim, H., O, J. K., Man, P. C., Gee, Y. S., Koh, W. J., Cho, R. H., Hae, S. N., Um, S. W., Yong, S. K. and Park, S. (2008) 'The utility of MAGE gene detection in bronchial washing fluid for patients with peripheral NSCLC', *Tuberculosis and Respiratory Diseases*, 64(1), pp. 15–21. doi: 10.4046/trd.2008.64.1.15.
- Kim, Y. K. and Kim, W. J. (2009) 'Epigenetic markers as promising prognosticators for bladder cancer', *International Journal of Urology*, 16(1), pp. 17–22. doi: 10.1111/j.1442-2042.2008.02143.x.
- Komite Nasional Penanggulangan Kanker (KNPK) (2015) 'Panduan nasional penanggulangan kanker paru'. Kementrian Kesehatan Republik Indonesia, p. 3.
- Kresno, S. B. (2011) *Ilmu Dasar Onkologi*. Jakarta: Badan Penerbit Fakultas Kedokteran Universitas Indonesia.
- Kreuzer, M., Boffetta, P., Whitley, E., Ahrens, W., Gaborieau, V., Heinrich, J., Jöckel, K. H., Kreienbrock, L., Mallone, S., Merletti, F., Roesch, F., Zambon, P. and Simonato, L. (2000) 'Gender differences in lung cancer risk by smoking: A multicentre case-control study in Germany and Italy',
- DISERTASI DIAGNOSIS PENGEMBANGAN KANKER ISNIN ANANG

- British Journal of Cancer*, 82(1), pp. 227–233. doi: 10.1054/bjoc.1999.0904.
- Krishnadas, D. K., Bai and Lucas (2013) ‘Cancer testis antigen and immunotherapy’, *ImmunoTargets and Therapy*, 2, pp. 11–19. doi: 10.2147/itt.s35570.
- Kumar, V., Abbas, A. and Fausto, N. (2005) *Robbins & Cotran Pathologic Basis of Disease*. Philadelphia: Elseviers Saunders.
- Laird-Offringa, I. A. (2010) *Epigenetic changes in lung cancer: Pathobiological and clinical aspects, Principles and Practice of Lung Cancer*. Philadelphia: Walters Kluwers – Lipincott Williams & Wilkins.
- Lee, K.-H., Shin, K.-C., Lee, C.-H., Jheon, S.-H. and Jeon, C.-H. (2007) ‘Detection of Lung Cancer using MAGE A1-6 and SSX4 RT-PCR Expression Profiles in the Bronchial Wash Fluid’, *Cancer Research and Treatment*, 39(2), p. 69. doi: 10.4143/crt.2007.39.2.69.
- Lepisto, A. J., Mckolanis, J. R. and Finn, O. J. (2007) *Cancer Immunotherapy: Challenges and Opportunities, Cancer Immunotherapy*. doi: 10.1016/B978-012372551-6/50074-2.
- Lopez, J., Percharde, M., Coley, H. M., Webb, A. and Crook, T. (2009) ‘The context and potential of epigenetics in oncology’, *British Journal of Cancer*, 100(4), pp. 571–577. doi: 10.1038/sj.bjc.6604930.
- Lüscher, U., Noppen, C., Schaefer, C., Spagnoli, G. C. and Zuber, M. (1997) ‘Detection of Tumor-associated Antigen Gene Expression in Peripheral Blood by RT-PCR in Combination with the mRNA Isolation Kit for Blood / Bone Marrow’, *Biochemica*, 4, pp. 11–13.
- Maio, M. (2012) ‘Melanoma as a model tumour for immuno-oncology’, *Annals of Oncology*, 23(SUPPL.8). doi: 10.1093/annonc/mds257.
- Mak, V. H. F., Hetzel, M. R. and Johnston, I. D. A. (1991) ‘Value of washings and brushings at fiberoptic bronchoscopy in the diagnosis of lung cancer (Reply)’, *Thorax*, 46(1), p. 75.
- De Margerie-Mellon, C., De Bazelaire, C. and De Kerviler, E. (2016) ‘Image-guided biopsy in primary lung cancer: Why, when and how’, *Diagnostic and Interventional Imaging*, 97(10), pp. 965–972. doi: 10.1016/j.diii.2016.06.016.
- Maxam, A. M. and Gilbert, W. (1977) ‘A new method for sequencing DNA’, in *Proceedings of the National Academy of Sciences of the United States of*
- DISERTASI DIAGNOSIS PENGEMBANGAN KANKER ISNIN ANANG

- America, pp. 560–564. doi: 10.1073/pnas.74.2.560.
- Meek, D. W. and Marcar, L. (2012) ‘MAGE-A antigens as targets in tumour therapy’, *Cancer Letters*, 324(2), pp. 126–132. doi: 10.1016/j.canlet.2012.05.011.
- Miranda, E. I. (2010) ‘MAGE, biological functions and potential clinical applications’, *Leukemia Research*, 34(9), pp. 1121–1122. doi: 10.1016/j.leukres.2010.03.045.
- Murphy J.F. (2010) ‘Trends in cancer immunotherapy.’, *Clinical Medicine Insights: Oncology*, 4, pp. 67–80.
- Myers, R. and Lam, S. (2017) ‘Early cancer detection’, in *Interventional Pulmonology (ERS Monograph)*. Sheffield, pp. 89–102.
- Nackaerts, K., Park, K., Sun, J.-M. and Fong, K. (2018) ‘Clinical Presentation and Prognostic Factors in Lung Cancer’, *IASLC Thoracic Oncology*, p. 186–198.e6. doi: 10.1016/B978-0-323-52357-8.00020-2.
- Nall, R. (2018) *What to know about lung cancer*. Available at: <https://www.medicalnewstoday.com/articles/323701> (Accessed: 15 November 2019).
- NCCN Clinical Practice Guidelines in Oncology (2016) *Non-Small Cell Lung Cancer 2016*. Available at: https://www.nccn.org/professionals/physician_gls/f_guidelines.asp.
- NCI (2018) *Lung cancer*. Available at: <https://www.cancer.gov/publications/dictionaries/cancer-terms/def/lung-cancer> (Accessed: 15 November 2019).
- Negraes, P. D., Favaro, F. P., Camargo, J. L. V., Oliveira, M. L. C. S., Goldberg, J., Rainho, C. A. and Salvadori, D. M. F. (2008) ‘DNA methylation patterns in bladder cancer and washing cell sediments: A perspective for tumor recurrence detection’, *BMC Cancer*, 8. doi: 10.1186/1471-2407-8-238.
- Ng, Y. L., Patsios, D., Roberts, H., Walsham, A., Paul, N. S., Chung, T., Herman, S. and Weisbrod, G. (2008) ‘CT-guided percutaneous fine-needle aspiration biopsy of pulmonary nodules measuring 10 mm or less’, *Clinical Radiology*, 63(3), pp. 272–277. doi: 10.1016/j.crad.2007.09.003.
- Nitadori, J., Inoue, M., Iwasaki, M., Otani, T., Sasazuki, S., Nagai, K. and Tsugane, S. (2006) ‘Association Between Lung Cancer Incidence and Family History of Lung Cancer’, *Chest*, 130(4), pp. 968–975. doi:

10.1378/chest.130.4.968.

- Ocak, S., Duplaquet, F., Jamart, J., Pirard, L., Weynand, B., Delos, M., Eucher, P., Rondelet, B., Dupont, M., Delaunois, L., Sibille, Y. and Dahlqvist, C. (2016) 'Diagnostic Accuracy and Safety of CT-Guided Percutaneous Transthoracic Needle Biopsies: 14-Gauge versus 22-Gauge Needles', *Journal of Vascular and Interventional Radiology*, 27(5), pp. 674–681. doi: 10.1016/j.jvir.2016.01.134.
- Omura, N. and Goggins, M. (2009) 'Epigenetics and epigenetic alterations in pancreatic cancer', *International Journal of Clinical and Experimental Pathology*, 2(4), pp. 310–326.
- Pandey, M. and Jha, K. (2012) 'Immunology of lung cancer', *World Journal of Pathology*, 1, pp. 82–112.
- Park, J. W., Kwon, T. K., Kim, I. H., Sohn, S. S., Kim, Y. S., Kim, C. Il, Bae, O. S., Lee, K. S., Lee, K. D., Lee, C. S., Chang, H. K., Choe, B. K., Ahn, S. Y. and Jeon, C. H. (2002) 'A new strategy for the diagnosis of MAGE-expressing cancers', *Journal of Immunological Methods*, 266(1–2), pp. 76–87. doi: 10.1016/S0022-1759(02)00105-9.
- Parmiani, G., De Filippo, A., Novellino, L. and Castelli, C. (2007) 'Unique Human Tumor Antigens: Immunobiology and Use in Clinical Trials', *The Journal of Immunology*, 178(4), pp. 1975–1979. doi: 10.4049/jimmunol.178.4.1975.
- Pass, H. I., Ball, D. and Scagliotti, G. V (2017) *IASLC Thoracic Oncology E-Book: Elsevier Health Sciences*.
- Popp, W., Rauscher, H., Ritschka, L., Redtenbacher, S., Zwick, H. and Dutz, W. (1991) 'Diagnostic sensitivity of different techniques in the diagnosis of lung tumors with the flexible fiberoptic bronchoscope. Comparison of brush biopsy, imprint cytology of forceps biopsy, and histology of forceps biopsy', *Cancer*, 67(1), pp. 72–75. doi: 10.1002/1097-0142(19910101)67:1<72::AID-CNCR2820670114>3.0.CO;2-L.
- Pusat Data Kanker Nasional (2010) *Jakarta Population Based Cancer Registry (2005-2007)*.
- Rachman, E. A. G. (2004) 'Reverse Transcription-Polymerase Chain Reaction', in *Kursus Genesi Molekuler Dan Rt-Pcr Kuantitatif Untuk Monitoring Terapi Obat Anti Hiv*. ITB Bandung.
- Raez, L. E., Fein, S. and Podack, E. R. (2005) 'Lung cancer immunotherapy.', *Clinical medicine & research*, 3(4), pp. 221–228. doi: 10.3121/cmr.3.4.221.
- DISERTASI DIAGNOSIS PENGEMBANGAN KANKER ISNIN ANANG

Reddy, E. P., Reynolds, R. K., Santos, E. and Barbacid, M. (1982) 'A point mutation is responsible for the acquisition of transforming properties by the T24 human bladder carcinoma oncogene', *Nature*, 300(5888), pp. 149–152. doi: 10.1038/300149a0.

Rekam Medis Rawat Inap Paru RSUD Dr. Soetomo (2015).

Rivera, M. P., Detterbeck, F. and Mehta, A. C. (2003) 'Diagnosis of lung cancer: The guidelines', *Chest*, 123(1 SUPPL.), p. 129S–136S. doi: 10.1378/chest.123.1_suppl.129S.

Ruffier, M., Kähäri, A., Komorowska, M., Keenan, S., Laird, M., Longden, I., Proctor, G., Steve, S., Staines, D., Taylor, K., Vullo, A., Yates, A., Zerbino, D. and Flicek, P. (2016) 'Ensembl Core Software Resources: storage and programmatic access for DNA sequence and genome annotation', pp. 860–921. doi: 10.1101/087239.

Sambrook, J. and Russell, D. W. (2001) 'Molecular Cloning: A Laboratory Manual', in. New York: Cold Spring Harbor Laboratory Press, p. 82. doi: 10.1016/0307-4412(83)90068-7.

Sang, M., Lian, Y., Zhou, X. and Shan, B. (2011) 'MAGE-A family: Attractive targets for cancer immunotherapy', *Vaccine*, 29(47), pp. 8496–8500. doi: 10.1016/j.vaccine.2011.09.014.

Sang, M., Wang, L., Ding, C., Zhou, X., Wang, B., Ling, W., Lian, Y. and Shan, B. (2011) 'Melanoma-associated antigen genes – An update', *Cancer Letters*, 302(2), pp. 85–90.

Sanger, F. and Coulson, A. R. (1975) 'A rapid method for determining sequences in DNA by primed synthesis with DNA polymerase', *Journal of Molecular Biology*, 94(3). doi: 10.1016/0022-2836(75)90213-2.

Sanger, F., Nicklen, S. and Coulson, A. R. (1977) 'DNA sequencing with chain-terminating inhibitors.', *Proceedings of the National Academy of Sciences of the United States of America*, 74(12), pp. 5463–5467. doi: 10.1073/pnas.74.12.5463.

Sangha, B. S., Hague, C. J., Jessup, J., O'Connor, R. and Mayo, J. R. (2016) 'Transthoracic Computed Tomography–Guided Lung Nodule Biopsy: Comparison of Core Needle and Fine Needle Aspiration Techniques', *Canadian Association of Radiologists Journal*, 67(3), pp. 284–289. doi: 10.1016/j.carj.2015.10.005.

Schneider, F., Smith, M. A., Lane, M. C., Pantanowitz, L., Dacic, S. and Otori, N. P. (2015) 'Adequacy of core needle biopsy specimens and fine-needle

- aspirates for molecular testing of lung adenocarcinomas', *American Journal of Clinical Pathology*, 143(2), pp. 193–200. doi: 10.1309/AJCPMY8UI7WSFSYY.
- Scott, W. J., Howington, J., Feigenberg, S., Movsas, B. and Pisters, K. (2007) 'Treatment of non-small cell lung cancer stage I and stage II: ACCP evidence-based clinical practice guidelines (2nd edition)', *Chest*, 132(3 SUPPL.), p. 234S–242S. doi: 10.1378/chest.07-1378.
- Sharma, S., Kelly, T. K. and Jones, P. A. (2009) 'Epigenetics in cancer', *Carcinogenesis*, 31(1), pp. 27–36. doi: 10.1093/carcin/bgp220.
- Shigematsu, Y., Hanagiri, T., Shiota, H., Kuroda, K., Baba, T., Mizukami, M., So, T., Ichiki, Y., Yasuda, M., So, T., Takenoyama, M. and Yasumoto, K. (2010) 'Clinical significance of cancer/testis antigens expression in patients with non-small cell lung cancer', *Lung Cancer*, 68(1), pp. 105–110. doi: 10.1016/j.lungcan.2009.05.010.
- Shin, K. C., Choi, E. Y., Chung, J. H., Jeon, C. and Lee, K. H. (2012) 'Clinical application of MAGE A1-6 RT-nested PCR for diagnosis of lung cancer invisible by bronchoscopy', *Anticancer Research*, 32(1), pp. 163–167.
- Siegel, R. L., Miller, K. D. and Jemal, A. (2016) 'Cancer statistics, 2016', *CA: A Cancer Journal for Clinicians*, 66(1), pp. 7–30. doi: 10.3322/caac.21332.
- Siegel, R., Ma, J., Zou, Z. and Jemal, A. (2015) 'Cancer Statistics, 2015', *CA: A Cancer Journal for Clinicians*, 65(1), pp. 5–29.
- Sienel, W., Mecklenburg, I., Dango, S., Ehrhardt, P., Kirschbaum, A., Passlick, B. and Pantel, K. (2007) 'Detection of MAGE-A transcripts in bone marrow is an independent prognostic factor in operable non-small-cell lung cancer', *Clinical Cancer Research*, 13(13), pp. 3840–3847. doi: 10.1158/1078-0432.CCR-06-2507.
- Singh, R. (2020) 'A report on DNA sequence determinants in gene expression', *Bioinformation*, 16(5), p. 422. doi: 10.6026/97320630016422.
- Sone, S., Li, F., Yang, Z. G., Honda, T., Maruyama, Y., Takashima, S., Hasegawa, M., Kawakami, S., Kubo, K., Haniuda, M. and Yamanda, T. (2001) 'Results of three-year mass screening programme for lung cancer using mobile low-dose spiral computed tomography scanner', *British Journal of Cancer*, 84(1), pp. 25–32. doi: 10.1054/bjoc.2000.1531.
- Sukardja, I. D. G. (2005) *Onkologi Klinik*. Airlangga University Press.
- Tabin, C. J., Bradley, S. M., Bargmann, C. I., Weinberg, R. A., Papageorge, A.
- DISERTASI DIAGNOSIS PENGEMBANGAN KANKER ISNIN ANANG

- G., Scolnick, E. M., Dhar, R., Lowy, D. R. and Chang, E. H. (1982) 'Mechanism of activation of a human oncogene', *Nature*, 300(5888), pp. 143–149. doi: 10.1038/300143a0.
- Tajima, K., Obata, Y., Tamaki, H., Yoshida, M., Chen, Y. T., Scanlan, M. J., Old, L. J., Kuwano, H., Takahashi, T., Takahashi, T. and Mitsudomi, T. (2003) 'Expression of cancer/testis (CT) antigens in lung cancer', *Lung Cancer*, 42(1), pp. 23–33. doi: 10.1016/S0169-5002(03)00244-7.
- Thongprasert, S., Yang, P. C., Lee, J. S., Soo, R., Gruselle, O., Myo, A., Louahed, J., Lehmann, F. F., Brichard, V. G. and Coche, T. (2016) 'The prevalence of expression of MAGE-A3 and PRAME tumor antigens in East and South East Asian non-small cell lung cancer patients', *Lung Cancer*, 101, pp. 137–144. doi: 10.1016/j.lungcan.2016.09.006.
- Toyoda, Y., Nakayama, T., Ioka, A. and Tsukuma, H. (2008) 'Trends in lung cancer incidence by histological type in Osaka, Japan', *Japanese Journal of Clinical Oncology*, 38(8), pp. 534–539. doi: 10.1093/jjco/hyn072.
- Tsai, J. R., Chong, I. W., Chen, Y. H., Yang, M. J., Sheu, C. C., Chang, H. C., Hwang, J. J., Hung, J. Y. and Lin, S. R. (2007) 'Differential expression profile of MAGE family in non-small-cell lung cancer', *Lung Cancer*, 56(2), pp. 185–192. doi: 10.1016/j.lungcan.2006.12.004.
- Wallace, M. J., Krishnamurthy, S., Broemeling, L. D., Gupta, S., Ahrar, K., Morello, F. A. and Hicks, M. E. (2002) 'CT-guided percutaneous fine-needle aspiration biopsy of small (≥ 1 -cm) pulmonary lesions', *Radiology*, 225(3), pp. 823–828. doi: 10.1148/radiol.2253011465.
- Wang, L. ping, Chen, H. song, Mei, M. hui, Qin, L. ling, Cong, X., Fei, R., Xu, J. and Wei, L. (2004) 'The genetic polymorphism of melanoma-associated antigen 1 in Chinese normal donors and hepatoma patients', *Zhonghua gan zang bing za zhi = Zhonghua ganzangbing zazhi = Chinese journal of hepatology*, 12(3), pp. 151–155.
- Weidman, J. R., Dolinoy, D. C., Murphy, S. K. and Jirtle, R. L. (2007) 'Cancer susceptibility: Epigenetic manifestation of environmental exposures', *Cancer Journal*, 13(1), pp. 9–16. doi: 10.1097/PPO.0b013e31803c71f2.
- Westphal, F. L., Lima, L. C. de, Andrade, E. O., Lima Netto, J. C., Silva, A. S. da and Carvalho, B. C. N. (2009) 'Characteristics of patients with lung cancer in the city of Manaus, Brazil.', *Jornal brasileiro de pneumologia : publicaça{combining double acute accent} o oficial da Sociedade Brasileira de Pneumologia e Tisilogia*, 35(2), pp. 157–163. doi: 10.1590/S1806-37132009000200009.

- Wong, K.-C., Zhang, J., Yan, S., Li, X., Lin, Q., Kwong, S. and Liang, C. (2019) 'DNA Sequencing Technologies', *ACM Computing Surveys*, 52(5), pp. 1–30. doi: 10.1145/3340286.
- Xiao, J. and Chen, H. S. (2004) 'Biological functions of melanoma-associated antigens', *World Journal of Gastroenterology*, 10(13), pp. 1849–1853. doi: 10.3748/wjg.v10.i13.1849.
- Yahata, N., Ohyashiki, K., Ohyashiki, J. H., Iwama, H., Hayashi, S., Ando, K., Hirano, T., Tsuchida, T., Kato, H., Shay, J. W. and Toyama, K. (1998) 'Telomerase activity in lung cancer cells obtained from bronchial washings', *Journal of the National Cancer Institute*, 90(9), pp. 684–690. doi: 10.1093/jnci/90.9.684.
- Yanagawa, N., Tamura, G., Oizumi, H., Endoh, M. and Motoyama, T. (2011) 'MAGE expressions mediated by demethylation of MAGE promoters induce progression of non-small cell lung cancer', *Anticancer Research*, 31(1), pp. 171–175.
- Yao, X., Gomes, M. M., Tsao, M. S., Allen, C. J., Geddie, W. and Sekhon, H. (2012) 'Fine-needle aspiration biopsy versus core-needle biopsy in diagnosing lung cancer: A systematic review', *Current Oncology*, 19(1), pp. 16–27. doi: 10.3747/co.19.871.
- Yi, E., Chang, J. E., Leem, C., Jeon, C. H. and Jheon, S. (2017) 'Association of MAGE A1-6 expression with lung cancer progression', *Journal of Cancer*, 8(8), pp. 1324–1329. doi: 10.7150/jca.18086.
- Zhang, R., Ma, L., Li, W., Zhou, S. and Xu, S. (2019) 'Diagnostic value of multiple tumor-associated autoantibodies in lung cancer', *OncoTargets and Therapy*, 12, pp. 457–469. doi: 10.2147/OTT.S187734.
- Zhao, L., Mou, D. C., Leng, X. S., Peng, J. R., Wang, W. X., Huang, L., Li, S. and Zhu, J. Y. (2004) 'Expression of cancer-testis antigens in hepatocellular carcinoma', *World Journal of Gastroenterology*, 10(14), pp. 2034–2038. doi: 10.3748/wjg.v10.i14.2034.