

DAFTAR PUSTAKA

- American Psychiatric Association. 1994. *Diagnostic and Statistical Manual of Mental Disorder*. 1994. American Psychiatric Association.
- Anderson, R., Freedland, K., Clouse, R. and Lustman, P., 2001. The prevalence of comorbid depression in adults with diabetes a meta-analysis. *Diabetes Care*, Vol 24. pp. 1069 –1078.
- Aronson, A. L., 1992. *Recognition and Alleviation of Pain and Distress in Laboratory*. Washington: The National Academy of Sciences.
- Arozal, W. and Gunawan, S. G., 2009. Psikotropik. In: S. G. Gunawan, R. Setiabudy, N. and Elysabeth. (Eds.). *Farmakologi dan Terapi*. Jakarta: Balai Penerbit FKUI, p. 171.
- Baldwin, D. S. and Birtwistle, J., 2002. *An Atlas of Depression*. Boca Raton: A CRC Press.
- Barker, R. A., Barasi, S. and Neal, M. J., 1999. *Neuroscience at a Glance*. London: Blackwell Science Ltd.
- Belzung, C. and Le pape, G. 1994. Comparison of Different Behavioral Test Situations used in psychopharmacology for measurement of anxiety. *Physiology and Behavior*, Vol.56 No.3, pp. 623-628.
- Bendelow, G., 2009. *Health, Emotion, and The Body*. London: Polity Press.
- Bergdahl, J. and Bergdahl, M., 2002. Perceived stres in adults: prevalence and association of depression, anxiety and medication in a Swedish population. *Stres and Health*, Vol.18 No.5, pp. 235–241.

- Bleby, J. and Festing, M., 1974. The selection and supply of laboratory animals. In: C. Hume, (Eds.). *The UFAW Handbook on the Care and Management of Laboratory Animals*. p. 47.
- Bourin, M., Colombel, M. C., Nizard, J., Redrobe, J. P., Nizard, J., Hascoet, M. and Baker, G. B., 1998. Evaluation of efficacies of different classes of antidepressants in the forced swimming test in mice at different ages. *Prog. Neuro-Psychopharmacol. & Bid Psychiat*, Vol 22, pp. 343-351.
- Brismar, T., Maurex L., Cooray, G., Juntti-Berggren, L., Lindstrom, P., Ekberg, K., Adner, N. and Andersson, S., 2007. Predictors of cognitive impairment in type 1 diabetes. *Psychoneuroendocrinology*, Vol. 32 No.8-10, pp. 1041-1051.
- Camara, A., Baldé, N. M., Enoru, S., Bangoura, J.S., Sobngwi, E. and Bonnet, F., 2014. Prevalence of anxiety and depression among diabetic African patients in Guinea: association with HbA1c levels. *Diabetes & Metabolism*, Vol. 7, pp. 1-7.
- Chiodini, I., Adda, G., Scillitani, A., Coletti, F., Morelli, V., Lembo, S. D., Epaminonda, P., Masserini, B., Beck-Peccoz, P., Orsi, E., Ambrosi, B. and Arosio, M., 2007. Cortisol secretion in patients with type 2 diabetes. *Diabetes Care*, Vol. 30 No.1, p. 83-88.
- Colcombe, S. J., Kramer, A. F., McAuley, E., Erickson, K. I. and Scalf, P., 2004. Neurocognitive aging and cardiovascular fitness: recent findings and future directions. *Journal of Molecular Neuroscience*, Vol. 24, pp. 9-14.
- de Groot, M., Anderson, R., Freedland, K. E., Clouse, R. E. and Lustman, P. J., 2001. Association of depression and diabetes complications: a meta-analysis. *Psychosomatic Medicine*, Vol. 63 No. 4, pp. 619-630.

- Dejgaard, A., Gade, A., Larsson, H., Balle, V., Parving, A. and Parving, H. H., 1991. Evidence for diabetic encephalopathy. *Diabetic Medicine*, Vol. 8 No. 2, pp. 162–167.
- Funk, J. and Feingold, K., 1995. Disorder of the Endocrine Pancreas. In: S. J. McPhee, V. R. Lingappa, W. F. Ganong and J. D. Lange, (Eds.). *Pathophysiology of Disease*. San Fransisco: Appleton & Lange, p. 367-392.
- Gehlawat, P., Gupta, R., Rajput, R., Gahlan, D., Virender., Gehlawat, K., 2013. Diabetes with comorbid depression: role of SSRI in better glycemic control. *Asian Journal of Psychiatry*, Vol. 6, pp. 364–368.
- Gispén, W. H. and Biessels, G.-J., 2000. Cognition and synaptic plasticity in diabetes melitus. *Trends Neuroscience*, Vol. 23, pp. 542-549.
- Graeff, F.G. and Rawlin, J. N. P. 1980. Dorsal periaqueductal gray punishment, septal lesions and the mode of action of minor tranquilizers. *Pharmacology Biochemistry Behavior*, Vol 12, pp. 41-45.
- Grahn, R., E., Kalman, B., A., Brennan, F., X., Watkins, L., R., Maier, S., F. 1994. The Elevated Plus-Maze is not sensitive to the effect of stressor controllability in rats. *Pharmacology Biochemistry and Behavior*, Vol. 52 No. 3, pp. 565-570.
- Guyton, A. C. eds. 1990. *Fisiologi Manusia dan Mekanisme Penyakit*. Diterjemahkan oleh Andrianto, P. Jakarta: EGC Penerbit Buku Kedokteran. pp 687-698.
- Hadcock, S., Richardson, M. and Winocour, P. D., 1991. Intimal alterations in rabbit aortas during the first 6 months of alloxan-induced diabetes. *Arteriosclerosis and Thrombosis*, Vol. 11 No.2, pp. 517-530.

- Hahn, D. B. and Payne, W. A., 2002. *Focus on Health*. 6th Ed. McGraw-Hill College.
- Hascoet, M. and Bourin, M., 1998. A new approach to the light/dark test procedure in mice. *Pharmacology Biochemistry and Behavior*, Vol. 60 No. 3, pp. 645–653.
- Ho, N., Sommers, M. S. and Luckl, I., 2014. Effect of diabetes on hippocampal neurogenesis: links to cognition and depression. *Neuroscience and Biobehavioral Reviews*, Vol 8, pp. 1-37.
- Ikawati, Z., 2013. *Farmakoterapi Penyakit Sistem Saraf Pusat*. Yogyakarta: Bursa Ilmu.
- Kamei, J., Miyata, S., Morita, K., Saitoh, A. and Takeda, H., 2003. Effects of selective serotonin reuptake inhibitors on immobility time in the tail suspension test in streptozotocin-induced diabetic mice. *Pharmacology, Biochemistry and Behavior*, Vol 75, pp. 247–254.
- Kamei, J., Miyata, S., Yamada, N., Hirano, S. and Tanaka, S., 2007. Diabetes attenuates psychological stress-elicited 5-HT secretion in the prefrontal cortex but not in the amygdala of mice. *Brain Research*, Volume 1147, pp. 233-239.
- Kirkwood, C. K. and Melton, S. T., 2008. Anxiety disorder i: generalized anxiety, panic, and social anxiety disorders. In: J. T. Dipiro, R. L. Talbert, G. C. Yee, G. R. Matzke, B. G. Wells, L. M. Posey. (Eds.). *Pharmacotherapy a Pathophysiologic Approach*. New York: The McGraw-Hill Companies, pp. 1161-1176.
- Kitaichi, Y., Inoue, T., Izumi, T., Nakagawa, S., Kato, A., Koyama, T., 2005. Subchronic milnacipran treatment increases basal extracellular noradrenaline concentrations in the medial prefrontal cortex of rats. *European Journal of Pharmacology*. Vol.520, pp. 37-42.

- Korte, S. M., De Boer, S.F., Bohus, B., 1999. Fear-potential in the elevated plus-maze test depends on stressor controllability and fear conditioning. *Stress*, Vol.3 No.1, pp. 27-40.
- Korte, S. M. and De Boer, S. F., 2003. A robust animal model of state anxiety: fear potentiated behaviour in the elevated plus maze. *European Journal of Pharmacology*. Vol.463, pp. 163-175.
- Lenzen, S., 2008. The mechanisms of alloxan- and streptozotocin-induced diabetes. *Diabetologia*, Vol.51, pp. 216–226.
- Levine, S., 2005. Stress: an historical perspective. In: T. Steckler, N. Kalin and J. Reul, eds. *Handbook of Stress and the Brain*. San Diego: Elsevier, pp. 3-24.
- Lu, F.-P., Lin, K.-P. and Kuo, H.-K., 2009. Diabetes and the risk of multi-system aging phenotypes: a systematic review and meta-analysis. *DM and Geriatric Syndromes*, Vol. 4 No. 1, pp. 1-10.
- Lustman, P. J., Anderson, R. J., Freedland, K. E., de Groot, M., Carney, R. M., Clouse, R. M., 2000. Depression and poor glycemic control: a meta-analytic review of the literature. *Diabetes Care*, Vol. 23 No.7, pp. 934-942.
- McCall, A., 1992. The impact of Diabetes on the CNS. *Diabetes*, Vol. 41, pp. 557-570.
- Misslin, R., Belzung, C. and Vogel, E., 1989. Behavioural validation of a light/dark choice procedure for testing anti-anxiety agent. *Behavioural Processes*, Vol. 18, pp. 119-132.
- Miyata, S., Shimoi, T., Hirano, S., Yamada, N., Hata, Y., Yoshikawa, N., Ohsawa, M. and Kamei, J., 2007. Effects of serotonergic anxiolytics on the freezing behavior in the elevated open-platform test in mice. *Journal of Pharmacological Sciences*, Vol. 272, pp. 272-278.

- Mochizuki, D., Tsujita, Ryuichi., Yamada, Shinji., Kawasaki, K., Otsuka, Y., Hashimoto, S., Hattori, T., Kitamura, Y. and Miki, N., 2002. Neurochemical and behavioural characterization of milnacipran, a serotonin and noradrenaline reuptake inhibitor in rats. *Psychopharmacology*, Vol. 162, pp. 323-332.
- Moojen, V. K. M., Martins, M. R., Reinke, A., Feier, G., Agostinho, F.R., Cechin, E. M., Quevedo, J., 2006. Effects of milnacipran in animal models of anxiety and memory. *Neurochemistry Research*. Vol.31, pp. 571-577.
- Pellow, S., Chopin, P., File, S. E., Briley, M. 1985. Validation of open: closed arm entries in an elevated plus-maze as a measure of anxiety in the rat. *Journal of Neuroscience Methods*. Vol.14, pp. 149-167.
- Potter, W. and Hollister, L., 2007. Antidepressant agent. In: B. Katzung, (Eds.). *Basic & Clinical Pharmacology*. New York: McGraw-Hill Companies, pp. 486-499.
- Ramanathan, M., Jaiswal, A. K., 1998. Differential effects of diazepam on anxiety in streptozotocin induced diabetic and non-diabetic rats. *Psychopharmacology*. Vol. 135, pp. 361-367.
- Reagan, L. P., 2012. Diabetes as a chronic metabolic stressor: causes, consequences and clinical complication. *Experimental Neurology*, Vol. 233, pp. 68-78.
- Rodgers, R. J. and Dalvi, A., 1997. Anxiety, defence and the elevated plus-maze. *Neuroscience and Biobehavioral Reviews*, Vol. 21 No. 6, pp. 801-810.
- Rodgers, R. J. and Shepherd, J. K., 1993. Influence of prior maze experience on behaviour and response to diazepam in elevated plus maze and light/dark test of anxiety in mice. *Psychopharmacology*, Vol. 113, pp. 237-242.

- Saitoh, A., Yamaguchi, K., Tatsumi, Y., Murusawa, H., Nakatani, A., Hirose, N., Yamada, M., Yamada, M., Kamei, J., 2007. Effect of milnacipran and fluvoxamine on hyperemotional behaviors and the loss of tryptophan hydroxylase-positive cells in olfactory bulbectomized rats. *psychopharmacology*. Vol. 191, pp. 857-865.
- Suherman, S., 2009. Insulin dan antidiabetik oral. In: S. G. Gunawan, R. Setiabudy, N. and Elysabeth, (Eds.). *Farmakologi dan Terapi*. Jakarta: Balai Penerbit FKUI, pp. 481-495.
- Swiergiel, A. H., Leskov, I. L. and Dunna, A. J., 2008. Effects of Chronic and Acute Stressors and CRF on Depression-Like Behavior in Mice. *Behavioural Brain Research*, Vol. 186, pp. 32-40.
- Syiem, D., Syngai, G., Khup, P. Z., Khongwir, B. S., Kharbuli, B. and Kayang, H., 2002. Hypoglycemic effects of *Potentilla Fulgens* L. in normal and alloxan-induced diabetes mice. *Journal of Ethnopharmacology*, Vol. 83, pp. 55-61.
- Takeuchi, T., Owa, T., Nishino, T. and Kamei, C., 2010. Assessing anxiolytic-like effects of selective serotonin reuptake inhibitors and serotonin-noradrenaline reuptake inhibitors using the elevated plus maze in mice. *Methods and Finding in Experimental and Clinical Pharmacology*, Vol. 32 No.2, pp. 113-121.
- Teter, C. J., Kando, J. C., Wells, B. G. and Hayes, P. E., 2008. Depressive disorders. In: J. T. Dipiro, R. L. Talbert, G. C. Yee, G. R. Matzke, B. G. Wells, L. M. Posey. (Eds.). *Pharmacotherapy a Pathophysiologic Approach*. New York: The McGraw-Hill Companies, Inc., pp. 1123-1140.
- Thorre, K., Chaouloff, F., Sarre, Meeusen, R., Ebinger, G., Michotte, Y. 1997. Differential effects of restraint stress on hippocampal 5-HT metabolism and extracellular levels of 5-HT in streptozotocin-in diabetic rats. *Brain Research*. Vol 772, pp. 209-216.

- Triplitt, C., Reasner, C. and Isley, W., 2008. Diabetes Mellitus. In: J. T. Dipiro, R. L. Talbert, G. C. Yee, G. R. Matzke, B. G. Wells, L. M. Posey. (Eds.). *Pharmacotherapy A Pathophysiologic Approach*. New York: The McGraw-Hill Companies, pp. 1205-1223.
- Van Praag, H. M., 2004. Review article: Can stress cause depression?. *Progress in Neuro-Psychopharmacology & Biological Psychiatry*, Vol. 28, pp. 891–907.
- WHO, 2013. *Screening for Type 2 Diabetes Report of a World Health Organization and International Diabetes Federation meeting*, Geneva: World Health Organization.
- Zainuddin, M., 2011. *Metodologi Penelitian*. Surabaya: Airlangga University Press.

