

DAFTAR PUSTAKA

- Abd El Aal, H. A., Ahmed, L. A., Hassan, W. A., Fawzy, H. M., & Moawad, H. (2017). Combination of carvacrol with simvastatin improves the lipid-lowering efficacy and alleviates simvastatin side effects. *Journal of Biochemical and Molecular Toxicology*, 31(12), e21981.
- Agarwal, S., & Rao, A. V. (1998). Tomato lycopene and low density lipoprotein oxidation: a human dietary intervention study. *Lipids*, 33(10), 981-984.
- Agarwal, S., & Rao, A. V. (2000). Tomato lycopene and its role in human health and chronic diseases. *Cmaj*, 163(6), 739-744.
- Agrowindo. (2019). Peluang usaha budidaya bunga gemitir dan analisa usahanya. <http://www.agrowindo.com/peluang-usaha-budidaya-bunga-gemitir-dan-analisa-usahanya.htm>. Diakses tanggal 17 oktober 2019, jam 09.07
- Agustina, D., & Murwani, H. (2013). Pengaruh Pemberian Jus Biji Pepaya (*Carica papaya* L.) terhadap Rasio Kolesterol LDL-C: HDL-C Tikus Sprague Dawley Dislipidemia. *Journal of Nutrition College*, 2(3), 302-311.
- Akila, M., & Devaraj, H. (2008). Synergistic effect of tincture of *Crataegus* and *Mangifera indica* L. extract on hyperlipidemic and antioxidant status in atherogenic rats. *Vascular pharmacology*, 49(4-6), 173-177.
- Alonso-Castro, A. J., Domínguez, F., Ruiz-Padilla, A. J., Campos-Xolalpa, N., Zapata-Morales, J. R., Carranza-Alvarez, C., & Maldonado-Miranda, J. J. (2017). Medicinal plants from North and Central America and the Caribbean considered toxic for humans: the other side of the coin. *Evidence-Based Complementary and Alternative Medicine*, 2017.
- Amiya, E. (2016). Interaction of hyperlipidemia and reactive oxygen species: Insights from the lipid-raft platform. *World journal of cardiology*, 8(12), 689.
- Arab, L., & Steck, S. (2000). Lycopene and cardiovascular disease. *The American journal of clinical nutrition*, 71(6), 1691S-1695S.
- Ardiaria, M. (2019). Disfungsi mitokondria dan stress oksidatif. *JNH (Journal of Nutrition and Health)*, 7(3), 50-55.
- Aristyanti, N. P. P., Wartini, N. M., & Gunam, I. W. (2017). Rendemen dan Karakteristik ekstrak pewarna bunga kenikir (*tagetes erecta* l.) Pada perlakuan jenis pelarut dan lama ekstraksi. *Jurnal Rekayasa Dan Manajemen Agroindustri*, 5(3), 13-23.
- Artha, C., Mustika, A., & Sulistyawati, S. W. (2017). Pengaruh ekstrak daun singawalang terhadap kadar LDL-C tikus putih jantan hiperkolesterolemia. *e-Journal Kedokteran Indonesia*, 5(2), 105-109.
- Astuti, R. (2019, June). Black Rice Potential in HDL-C and LDL-C Profile in Sprague Dawley Rat with High Cholesterol Diet. In *IOP Conference Series*:

- Earth and Environmental Science* (Vol. 292, No. 1, p. 012019). IOP Publishing.
- Avelar, T. M., Storch, A. S., Castro, L. A., Azevedo, G. V., Ferraz, L., & Lopes, P. F. (2015). Oxidative stress in the pathophysiology of metabolic syndrome: which mechanisms are involved?. *Jornal Brasileiro de Patologia e Medicina Laboratorial*, 51(4), 231-239.
- Ayala, A., Muñoz, M. F., & Argüelles, S. (2014). Lipid peroxidation: production, metabolism, and signaling mechanisms of malondialdehyde and 4-hydroxy-2-nonenal. *Oxidative medicine and cellular longevity*, 2014.
- Baek, S., Kang, N. J., Popowicz, G. M., Arciniega, M., Jung, S. K., Byun, S., ... & Holak, T. A. (2013). Structural and functional analysis of the natural JNK1 inhibitor quercetin. *Journal of molecular biology*, 425(2), 411-423.
- Barrera, G., Pizzimenti, S., Daga, M., Dianzani, C., Arcaro, A., Cetrangolo, G. P., ... & Gentile, F. (2018). Lipid peroxidation-derived aldehydes, 4-hydroxynonenal and malondialdehyde in aging-related disorders. *Antioxidants*, 7(8), 102.
- Barrett, K. E., Barman, S. M., Brooks, H. L., & Yuan, J. X. J. (2019). *Ganong's review of medical physiology*. McGraw-Hill Education.
- Baskaran, G., Salvamani, S., Azlan, A., Ahmad, S. A., Yeap, S. K., & Shukor, M. Y. (2015). Hypocholesterolemic and antiatherosclerotic potential of *Basella alba* leaf extract in hypercholesterolemia-induced rabbits. *Evidence-Based Complementary and Alternative Medicine*, 2015.
- Basuny, A. M. (2012). The anti-atherogenic effects of lycopene. In *Lipoproteins-Role in Health and Diseases*. IntechOpen.
- Belmont-Díaz, J., López-Gordillo, A. P., Molina Garduño, E., Serrano-García, L., Coballase-Urrutia, E., Cárdenas-Rodríguez, N., Arellano-Aguilar, O. & Montero-Montoya, R. D. 2014. Micronuclei in bone marrow and liver in relation to hepatic metabolism and antioxidant response due to coexposure to chloroform, dichloromethane, and toluene in the rat model. *BioMed research international*, 2014.
- Biggerstaff, K. D., & Wooten, J. S. (2004). Understanding lipoproteins as transporters of cholesterol and other lipids. *Advances in physiology education*, 28(3), 105-106.
- Birben, E., Sahiner, U. M., Sackesen, C., Erzurum, S., & Kalayci, O. (2012). Oxidative stress and antioxidant defense. *World Allergy Organization Journal*, 5(1), 9-19.
- Bishop, M. L., Fody, E. P., & Schoeff, L. E.. (2013). *Clinical chemistry: principles, techniques, and correlations*. Lippincott Williams & Wilkins.
- Blumenthal, R. S. (2000). Statins: effective antiatherosclerotic therapy. *American heart journal*, 139(4), 577-583.

- Caballero, B., Trugo, L. C., & Finglas, P. M. (2003). *Encyclopedia of food sciences and nutrition*. Academic.
- Carocho, M., & Ferreira, I. C. (2013). A review on antioxidants, prooxidants and related controversy: natural and synthetic compounds, screening and analysis methodologies and future perspectives. *Food and chemical toxicology*, 51, 15-25.
- Ayala A, Muñoz M, Argüelles S. Lipid peroxidation: production, metabolism, and signaling mechanisms of Malondialdehyde and 4-Hydroxy-2-Nonenal. *Oxid Med Cell Longev* 2014; 112: 21-8.
- Casas, R., Castro-Barquero, S., Estruch, R., & Sacanella, E. (2018). Nutrition and cardiovascular health. *International journal of molecular sciences*, 19(12), 3988.
- Castaneda, O. A., Lee, S. C., Ho, C. T., & Huang, T. C. (2017). Macrophages in oxidative stress and models to evaluate the antioxidant function of dietary natural compounds. *journal of food and drug analysis*, 25(1), 111-118.
- Céspedes, C. L., Avila, J. G., Martínez, A., Serrato, B., Calderón-Mugica, J. C., & Salgado-Garciglia, R. (2006). Antifungal and antibacterial activities of Mexican tarragon (*Tagetes lucida*). *Journal of agricultural and food chemistry*, 54(10), 3521-3527.
- Chan, J., Karere, G. M., Cox, L. A., & VandeBerg, J. L. (2015). *Animal models of diet-induced Hypercholesterolemia*. Rijeka: IntechOpen.
- Chang, C., Dong, R., Miyazaki, A., Sakashita, N., Zhang, Y., Liu, J., ... & Chang, T. Y. (2006). Human acyl-CoA: cholesterol acyltransferase (ACAT) and its potential as a target for pharmaceutical intervention against atherosclerosis. *Acta biochimica et biophysica Sinica*, 38(3), 151-156.
- Clinton, S. K. (1998). Lycopene: chemistry, biology, and implications for human health and disease. *Nutrition reviews*, 56(2), 35-51.
- Csont, T., Bereczki, E., Bencsik, P., Fodor, G., Görbe, A., Zvara, Á., ... & Ferdinandy, P. (2007). Hypercholesterolemia increases myocardial oxidative and nitrosative stress thereby leading to cardiac dysfunction in apoB-100 transgenic mice. *Cardiovascular research*, 76(1), 100-109.
- Dalimartha, S. 2001. *36 Resep Tumbuhan Obat untuk Menurunkan Kolesterol*. Penebar Swadaya: Jakarta
- Denny Indra, S., Kusmiyati, T., & Diana Nur, A. (2019). Pemberian kecambah kacang kedelai terhadap kadar malondialdehid (MDA) dan superoxide dismutase (SOD) tikus Sprague Dawley hiperkolesterolemia. *Jurnal Gizi Klinik Indonesia*.
- Devaraj S, Mathur S, Basu A. (2008) A dose–response study on the effects of purified lycopene supplementation on biomarkers of oxidative stress. *J Am Coll Nutr* 27, 267–273.
- Devi, S., & Singh, R. (2017). Antioxidant and Anti-hypercholesterolemic potential of *Vitis vinifera* leaves. *Pharmacognosy Journal*, 9(4).

- Devi, S., & Singh, R. (2017). Evaluation of antioxidant and anti-hypercholesterolemic potential of *Vitis vinifera* leaves. *Food Science and Human Wellness*, 6(3), 131-136.
- Devika, R., & Koilpillai, J. (2012). Phytochemical screening studies of bioactive compounds of *Tagetes erecta*. *Int. J. Pharm. Bio. Sci*, 3(4), 596-602.
- Di Tomo, P., Canali, R., Ciavardelli, D., Di Silvestre, S., De Marco, A., Giardinelli, A., ... & Pandolfi, A. (2012). β -Carotene and lycopene affect endothelial response to TNF- α reducing nitro-oxidative stress and interaction with monocytes. *Molecular nutrition & food research*, 56(2), 217-227.
- Djala, F. L., Lyrawati, D., & Soeharto, S. (2016). Ekstrak Daging Putih Semangka (*Citrulus vulgaris*) Menurunkan Kolesterol Total dan Aktivitas Hidroksi-Metilglutaril-KoA Reduktase Tikus Hiperkolesterolemia. *Jurnal Kedokteran Brawijaya*, 29(2), 104-109.
- Durrington, P. N. (2012). Cholesteryl ester transfer protein (CETP) inhibitors. *British Journal of Cardiology*, 19(3), 126.
- Edward FG, Teresa H. (1999). *Tagetes erecta*. Fact Sheet EPS – 569, Institute of food and agriculture, University of Florida
- Edwards, J. A., & Cremer, D. (2019). Corrigendum to “Zeaxanthin: Review of Toxicological Data and Acceptable Daily Intake”. *Journal of ophthalmology*, 2019.
- Elabscience. (2020). Rat SOD1 (Superoxide Dismutase 1, Soluble) ELISA kit. [https://www.elabscience.com/prat_sod1\(superoxide_dismutase_1_soluble\)_elisa_kit-17822.html](https://www.elabscience.com/prat_sod1(superoxide_dismutase_1_soluble)_elisa_kit-17822.html). Diakses tanggal 9 maret 2020, jam 10.59
- Elgawish, R. A., El-Beltagy, M. A., El-Sayed, R. M., Gaber, A. A., & Abdelrazek, H. M. (2020). Protective role of lycopene against metabolic disorders induced by chronic bisphenol A exposure in rats. *Environmental Science and Pollution Research*, 1-10.
- Engelking, L. R. (2014). *Textbook of veterinary physiological chemistry*. Academic Press.
- Fahrial, Y., Eliawardani, E., Rafina, A., Azhar, A., & Asmilia, N. (2014). Profil darah tikus putih (*Rattus norvegicus*) yang diinfeksi Trypanosoma evansi dan diberikan ekstrak kulit batang Jaloh (*Salix tetrasperma* Roxb). *Jurnal Kedokteran Hewan-Indonesian Journal of Veterinary Sciences*, 8(2).
- Farjana, N., Rowshanul, H.M., Zahangir, A.S., Rezaul, M.K., Apurba, K.R. and Shahriar, Z. (2009). Toxicological evaluation of chloroform fraction of flower of *Tagetes erecta* Linn. on rats. *Int J Drug Dev & Res*, 1, p.1.
- Fatmawati, N. K., Ali, M., & Widjajanto, E. (2012). Efek Proteksi Kombinasi Minyak Wijen (Sesame Oil) dengan α -Tocopherol terhadap Steatosis melalui Penghambatan Stres Oksidatif pada Tikus Hiperkolesterolemia. *The Journal of Experimental Life Science*, 2(2), 56-64.

- Feliciano, A., Stefanus, A., Evanda, F., Anthony, P. Y., & Suryanti, I. (2019). Effect of phyllanthus niruri extract on low density lipoprotein of dyslipidemic white rats (*Rattus norvegicus*). *Insight Medical Publishing* (5), 1-4.
- Fitrotun Nisa, r. I. Z. Y. A. (2017). Pengaruh lama perebusan daun yakon (*smallanthus sonchifolia*) terhadap kadar kolesterol mencit (*mus musculus*). *Unesa Journal of Chemistry*, 6(1).
- Fransiska, D. Y. (2017). Pengaruh pemberian kombinasi herba *cymbopogon nardus* l. Dan daun *persea americana* m. Terhadap kadar high density lipoprotein pada *rattus norvegicus* hiperkolesterol (Doctoral Dissertation, University Of Muhammadiyah Malang).
- Fridovich, I. (1989). Superoxide dismutases. An adaptation to a paramagnetic gas. *Journal of Biological Chemistry*, 264(14), 7761-7764.
- Friesen, J. A., & Rodwell, V. W. (2004). The 3-hydroxy-3-methylglutaryl coenzyme-A (HMG-CoA) reductases. *Genome biology*, 5(11), 248.
- Fuhrman, B., Elis, A., & Aviram, M. (1997). Hypocholesterolemic effect of lycopene and β -carotene is related to suppression of cholesterol synthesis and augmentation of LDL-C receptor activity in macrophages. *Biochemical and biophysical research communications*, 233(3), 658-662.
- Fukai, T., & Ushio-Fukai, M. (2011). Superoxide dismutases: role in redox signaling, vascular function, and diseases. *Antioxidants & redox signaling*, 15(6), 1583-1606.
- Gao, L., Lin, Z., Liu, Y., Wang, X., Wan, L., Zhang, L., & Liu, X. (2018). Hypolipidemic effect of *Fragaria nilgerrensis* Schlecht. medicine compound on hyperlipidemic rats. *Lipids in Health and Disease*, 17(1), 222.
- Gao, Y., Liu, X., Xu, H., Zhao, J., Wang, Q., Liu, G., & Hao, Q. (2010). Optimization of supercritical carbon dioxide extraction of lutein esters from marigold (*Tagetes erecta* L.) with vegetable oils as continuous co-solvents. *Separation and Purification Technology*, 71(2), 214-219.
- Giri, R. K., Bose, A., & Mishra, S. K. (2011). Hepatoprotective activity of *Tagetes erecta* against carbon tetrachloride-induced hepatic damage in rats. *Acta poloniae pharmaceutica*, 68(6), 999-1003.
- Gong, Y., Hou, Z., Gao, Y., Xue, Y., Liu, X., & Liu, G. (2012). Optimization of extraction parameters of bioactive components from defatted marigold (*Tagetes erecta* L.) residue using response surface methodology. *Food and bioproducts processing*, 90(1), 9-16.
- Gong, Y., Liu, X., He, W. H., Xu, H. G., Yuan, F., & Gao, Y. X. (2012). Investigation into the antioxidant activity and chemical composition of alcoholic extracts from defatted marigold (*Tagetes erecta* L.) residue. *Fitoterapia*, 83(3), 481-489.
- Gopi, G., Elumalai, A., & Jayasri, P. (2012). A concise review on *Tagetes erecta*. *International Journal of Phytopharmacy Research*, 3(1), 16-19.

- Gusmayani, Y. (2018). Perbedaan kadar kolesterol serum metode spektrofotometri dan metode point of care testing (poc) (doctoral dissertation, Universitas Muhammadiyah Semarang).
- Harikumar, K. B., Nimita, C. V., Preethi, K. C., Kuttan, R., Shankaranarayana, M. L., & Deshpande, J. (2008). Toxicity profile of lutein and lutein ester isolated from marigold flowers (*Tagetes erecta*). *International Journal of Toxicology*, 27(1), 1-9.
- Harikumar, K. B., Nimita, C. V., Preethi, K. C., Kuttan, R., Shankaranarayana, M. L., & Deshpande, J. (2008). Toxicity profile of lutein and lutein ester isolated from marigold flowers (*Tagetes erecta*). *International Journal of Toxicology*, 27(1), 1-9.
- Harini, M., & Astirin, O. P. (2009). Blood cholesterol levels of hypercholesterolemic rat (*Rattus norvegicus*) after VCO treatment. *Nusantara Bioscience*, 1(2).
- Herlina, H., Untari, B., Solihah, I., & Santia, M. (2019). Antihyperlipidemic Activity of Ethanol Extract Mindi's Leaves (*Melia azedarach* Linn.) in Male Wistar Rats Induced Propiltiouracil. *Science and Technology Indonesia*, 4(1), 24-30.
- Hernayanti, H., Santoso, S., & Muntafiah, A. (2017). Likopen dalam tomat sebagai antiinflamasi dan antinefrotoksitas pada tikus putih terpapar kadmium. *Prosiding*, 7(1).
- Hervas, S. M., & Ascaco, J. F. (2018). Hypercholesterolemia. *Encyclopedia Endocrin Disease. Huhtaniemi I and Martini L. 2nd Ed. Academic Press, London*.
- Heryani, R. (2016). Pengaruh ekstrak buah naga merah terhadap profil lipid darah tikus putih hiperlipidemia. *Jurnal Ipteks Terapan*, 10(1), 9-17.
- Hidayat, A. A. (2010). Metode penelitian kesehatan paradigma kuantitatif. *Surabaya: Health Books Publishing*.
- Hojnik, M., Škerget, M., & Knez, Z. (2008). Extraction of lutein from marigold flower petals experimental kinetics and modeling. *LWT – Food Science and Technology*, 41, 2008–2016.
- Hsu Y. M., Lai C. H., Chang C. Y., Fan C. T., Chen C. T., Wu C. H. (2008). Characterizing the lipid-lowering effects and antioxidant mechanisms of tomato paste. *Biosci. Biotechnol. Biochem.* 72, 677–685. 10.1271/bbb.70402
- Ighodaro, O. M., & Akinloye, O. A. (2018). First line defence antioxidants-superoxide dismutase (SOD), catalase (CAT) and glutathione peroxidase (GPX): Their fundamental role in the entire antioxidant defence grid. *Alexandria Journal of Medicine*, 54(4), 287-293.
- Imlay, J. A., & Fridovich, I. (1991). Assay of metabolic superoxide production in *Escherichia coli*. *Journal of Biological Chemistry*, 266(11), 6957-6965.

- Irianti, T. Nuranto, S. Kuswandi. Sugiyanto. (2018). *Antioksidant*. Universitas Gajah Mada Press
- Islamian, J. P., & Mehrali, H. (2015). Lycopene as a carotenoid provides radioprotectant and antioxidant effects by quenching radiation-induced free radical singlet oxygen: an overview. *Cell Journal (Yakhteh)*, 16(4), 386.
- Itabe, H. (2009). Oxidative modification of LDL-C: its pathological role in atherosclerosis. *Clinical reviews in allergy & immunology*, 37(1), 4-11.
- Jacobs, J. J., Engelberts, A., Croes, A. F., & Wullems, G. J. (1994). Thiophene synthesis and distribution in young developing plants of *Tagetes patula* and *Tagetes erecta*. *Journal of experimental botany*, 45(10), 1459-1466.
- Jiang, W., Guo, M. H., & Hai, X. (2016). Hepatoprotective and antioxidant effects of lycopene on non-alcoholic fatty liver disease in rat. *World Journal of Gastroenterology*, 22(46), 10180.
- Kadam, P. V., Bhingare, C. L., Sumbe, R. B., Nikam, R. Y., & Patil, M. J. (2013). Pharmacognostic, physicochemical and phytochemical investigation of *Tagetes erecta* Linn flowers (Asteraceae). *Journal of Biological and Scientific Opinion*, 1(3), 21-24.
- Kang, G. J., Han, S. C., Ock, J. W., Kang, H. K., & Yoo, E. S. (2013). Anti-inflammatory effect of quercetageitin, an active component of immature *Citrus unshiu*, in HaCaT human keratinocytes. *Biomolecules & therapeutics*, 21(2), 138.
- Karam, I., Ma, N., Yang, Y. J., & Li, J. Y. (2018). Induce Hyperlipidemia in Rats Using High Fat Diet Investigating Blood Lipid and Histopathology. *Journal of Hematology and Blood Disorders*, 4(1), 1-5.
- Karathanasis, S. K., Freeman, L. A., Gordon, S. M., & Remaley, A. T. (2017). The changing face of HDL-C and the best way to measure it. *Clinical chemistry*, 63(1), 196-210.
- Karwani, G., & Sisodia, S. S. (2015). Hepatoprotective Activity of *Tagetes erecta* Linn. *Ethanol Induced Hepatotoxicity in Rats*. *Scholars Academic Journal of Pharmacy*, 4, 181-189.
- Katzung, B. G., Masters, S. B., & Trevor, A. J., (2012). *Basic and clinical pharmacology*. McGraw-Hill Medical, New York.
- Kee, J. L. (2007). Pedoman pemeriksaan laboratorium dan diagnostik. *Jakarta: EGC*, 35-40.
- Kesh, S. B., Sarkar, D., & Manna, K. (2016). High-fat diet-induced oxidative stress and its impact on metabolic syndrome: a review. *Asian J Pharm Clin Res*, 9(1), 47-52.
- Khaerunnisa, S., Kuswarini, S., Suhartati, S., Lukitasari, L., Humairah, I., & Gwenny, I. P. (2014). Sari etanol, etil asetat alang-alang (*imperata cylindrica*) terhadap superoxide dismutase (SOD). *Indonesian journal of clinical pathology and medical laboratory*, 20(2), 128-132.

- Khoubnasabjafari, M., Ansarin, K., & Jouyban, A. (2015). Reliability of malondialdehyde as a biomarker of oxidative stress in psychological disorders. *BioImpacts: BI*, 5(3), 123.
- Kiranmai, M., & Ibrahim, M. (2012). Antibacterial potential of different extracts of *Tagetes erecta* Linn. *Int J Pharm*, 2(1), 90-6.
- Kleber, M. E., Delgado, G. E., Dawczynski, C., Lorkowski, S., Maerz, W., & von Schacky, C. (2018). Saturated fatty acids and mortality in patients referred for coronary angiography—The Ludwigshafen Risk and Cardiovascular Health Study. *Journal of Clinical Lipidology*, 12(2), 455-463.
- Kong K. W., Khoo H. E., Prasad K. N., Ismail A., Tan C. P., Rajab N. F. (2010). Revealing the power of the natural red pigment likopen. *Molecules* 15, 959–987. 10.3390/molecules15020959
- Kong, K. W., Rajab, N. F., Prasad, K. N., Ismail, A., Markom, M., & Tan, C. P. (2010). Lycopene-rich fractions derived from pink guava by-product and their potential activity towards hydrogen peroxide-induced cellular and DNA damage. *Food chemistry*, 123(4), 1142-1148.
- Kulczyński, B., Gramza-Michałowska, A., Kobus-Cisowska, J., & Kmiecik, D. (2017). The role of carotenoids in the prevention and treatment of cardiovascular disease—Current state of knowledge. *Journal of Functional Foods*, 38, 45-65.
- Kusmiati, Caesarianto, W., Afiati, F., & Hutabarat, R. (2019, July). Effect lutein of marigold flower (*Tagetes erecta* L.) on decreasing glucose and malondialdehyde levels in Alloxan-induced blood mice. In *AIP Conference Proceedings* (Vol. 2120, No. 1, p. 070009). AIP Publishing LLC.
- Lammert, E., & Zeeb, M. (2014). *Metabolism of Human Diseases*. Springer-Verlag Wien.
- Lee, G., & Goosens, K. A. (2015). Sampling blood from the lateral tail vein of the rat. *Journal of visualized experiments: JoVE*, (99).
- Lei, X., & Yang, Y. (2020). Vitexin and an HMG-Co A reductase inhibitor prevent the risks of atherosclerosis in high-fat atherogenic diet fed rats. *Journal of King Saud University-Science*, 32(3), 2088-2095.
- Li, P., Jia, J., Zhang, D., Xie, J., Xu, X., & Wei, D. (2014). In vitro and in vivo antioxidant activities of a flavonoid isolated from celery (*Apium graveolens* L. var. dulce). *Food & function*, 5(1), 50-56.
- Li, W., Gao, Y., Zhao, J., & Wang, Q. (2007). Phenolic, flavonoid, and lutein ester content and antioxidant activity of 11 cultivars of Chinese marigold. *Journal of agricultural and food chemistry*, 55(21), 8478-8484.
- Lin, Y., Vermeer, M. A., Bos, W., van Buren, L., Schuurbiens, E., Miret-Catalan, S., & Trautwein, E. A. (2011). Molecular structures of citrus flavonoids determine their effects on lipid metabolism in HepG2 cells by primarily

- suppressing apoB secretion. *Journal of agricultural and food chemistry*, 59(9), 4496-4503.
- Lingzhi, X., Fei, G., Zengling, Y., Lujia, H., & Xian, L. (2016). Discriminant analysis of terrestrial animal fat and oil adulteration in fish oil by infrared spectroscopy. *International Journal of Agricultural and Biological Engineering*, 9(3), 179-185.
- Linton, M. F., Yancey, P. G., Davies, S. S., Jerome, W. G., Linton, E. F., Song, W. L., ... & Vickers, K. C. (2019). The role of lipids and lipoproteins in atherosclerosis. In *Endotext [Internet]*. MDText. com, Inc..
- Liscum, L. (2008). Cholesterol biosynthesis. In *Biochemistry of lipids, lipoproteins and membranes* (pp. 399-421). Elsevier.
- Lorente, L., Martín, M. M., Abreu-González, P., Domínguez-Rodríguez, A., Labarta, L., Díaz, C., ... & Jiménez, A. (2013). Sustained high serum malondialdehyde levels are associated with severity and mortality in septic patients. *Critical Care*, 17(6), R290.
- Maciejczyk, M., Żebrowska, E., Zalewska, A., & Chabowski, A. (2018). Redox balance, antioxidant defense, and oxidative damage in the hypothalamus and cerebral cortex of rats with high fat diet-induced insulin resistance. *Oxidative medicine and cellular longevity*, 2018.
- Maity, N., Nema, N. K., Abedy, M. K., Sarkar, B. K., & Mukherjee, P. K. (2011). Exploring *Tagetes erecta* Linn flower for the elastase, hyaluronidase and MMP-1 inhibitory activity. *Journal of ethnopharmacology*, 137(3), 1300-1305.
- Manisha., Shaika, R., Satyanarayanab. (2013). Evaluation of anxiolytic activity of flower extracts of *tagetes erecta* linn (asteraceae) in rats. *Journal of Applied Pharmaceutical Science*, 3(12), pp.075-082.
- Manzoni, A. G., Passos, D. F., da Silva, J. L., Bernardes, V. M., Bremm, J. M., Jantsch, M. H., ... & Leal, D. B. (2019). Rutin and curcumin reduce inflammation, triglyceride levels and ADA activity in serum and immune cells in a model of hyperlipidemia. *Blood Cells, Molecules, and Diseases*, 76, 13-21.
- Marques, C., Meireles, M., Norberto, S., Leite, J., Freitas, J., Pestana, D., ... & Calhau, C. (2016). High-fat diet-induced obesity Rat model: a comparison between Wistar and Sprague-Dawley Rat. *Adipocyte*, 5(1), 11-21.
- Martínez, R., Diaz, B., Vásquez, L., Compagnone, R. S., Tillett, S., Canelón, D. J., ... & Suárez, A. I. (2009). Chemical composition of essential oils and toxicological evaluation of *Tagetes erecta* and *Tagetes patula* from Venezuela. *Journal of Essential Oil Bearing Plants*, 12(4), 476-481.
- Mason, R. P., Walter, M. F., & Jacob, R. F. (2004). Effects of HMG-CoA reductase inhibitors on endothelial function: role of microdomains and oxidative stress. *Circulation*, 109(21_suppl_1), II-34.

- Maurice, D. V., Lightsey, S. F., Hsu, K. T., Gaylord, T. G., & Reddy, R. V. (1994). Cholesterol in eggs from different species of poultry determined by capillary GLC. *Food Chemistry*, 50(4), 367-372.
- McEneny, J., Wade, L., Young, I. S., Masson, L., Duthie, G., McGinty, A., ... & Thies, F. (2013). Lycopene intervention reduces inflammation and improves HDL-C functionality in moderately overweight middle-aged individuals. *The Journal of nutritional biochemistry*, 24(1), 163-168.
- Menconi, M. J., Unno, N., Smith, M., Aguirre, D. E., & Fink, M. P. (1998). Nitric oxide donor-induced hyperpermeability of cultured intestinal epithelial monolayers: role of superoxide radical, hydroxyl radical, and peroxynitrite. *Biochimica et Biophysica Acta (BBA)-General Subjects*, 1425(1), 189-203.
- Morton, A. M., Furtado, J. D., Mendivil, C. O., & Sacks, F. M. (2019). Dietary unsaturated fat increases HDL-C metabolic pathways involving apoE favorable to reverse cholesterol transport. *JCI insight*, 4(7).
- Mozos I., Luca C. T. (2017). Crosstalk between oxidative and nitrosative stress and arterial stiffness. *Curr. Vasc. Pharmacol.* 15, 446–456. 10.2174/1570161115666170201115428
- Mozos, I., Stoian, D., Caraba, A., Malainer, C.. & Atanasov, A.G. (2018). *Likopen* and vascular health. *Frontiers in pharmacology*, 9.
- Müller, L., Caris-Veyrat, C., Lowe, G., & Böhm, V. (2016). Lycopene and its antioxidant role in the prevention of cardiovascular diseases—a critical review. *Critical reviews in food science and nutrition*, 56(11), 1868-1879.
- Munisa, A., Manalu, W., Wresdiyati, T., & Kusumorini, N. (2015). The effect of clove leaf methanol extract on the profiles of superoxide dismutase and malondialdehyde in the liver of rabbits under hypercholesterolemia condition. *Transl. Biomed*, 6(2).
- Munshi, R. P., Joshi, S. G., & Rane, B. N. (2014). Development of an experimental diet model in rats to study hyperlipidemia and insulin resistance, markers for coronary heart disease. *Indian journal of pharmacology*, 46(3), 270.
- Murwani, S., Ali, M., & Muliarta, K. (2013). Diet aterogenik pada tikus putih (*Rattus novergicus* strain Wistar) sebagai model hewan aterosklerosis. *Jurnal Kedokteran Brawijaya*, 22(1), 6-9.
- Nidhi, B., & Baskaran, V. (2013). Acute and Subacute Toxicity Assessment of Lutein in Lutein-Deficient Mice. *Journal of food science*, 78(10), T1636-T1642.
- Nikkon, F., Habib, M. R., Saud, Z. A., & Karim, M. R. (2011). *Tagetes erecta* Linn. and its mosquitocidal potency against *Culex quinquefasciatus*. *Asian Pacific Journal of Tropical Biomedicine*, 1(3), 186-188.
- Nikkon, F., Habib, M. R., Saud, Z. A., Karim, M. R., Roy, A. K., & Zaman, S. (2009). Toxicological evaluation of chloroform fraction of flower of *Tagetes*

- erecta L. on rats. *International Journal of Drug Development and Research*, 1(1), 161-165.
- Nimpf, J., & Schneider, W. J. (2000). From cholesterol transport to signal transduction: low density lipoprotein receptor, very low density lipoprotein receptor, and apolipoprotein E receptor-2. *Biochimica et Biophysica Acta (BBA)-Molecular and Cell Biology of Lipids*, 1529(1-3), 287-298.
- Organization for Economic Cooperation and Development (OECD). (2012). Guideline for Testing of Chemicals, Test guideline 423: acute oral toxicity, acute toxic class methods.
- Oršolić, N., Landeka Jurčević, I., Đikić, D., Rogić, D., Odeh, D., Balta, V., ... & Jutrić, D. (2019). Effect of propolis on diet-induced hyperlipidemia and atherogenic indices in mice. *Antioxidants*, 8(6), 156.
- Pacher, P., Beckman, J. S., & Liaudet, L. (2007). Nitric oxide and peroxynitrite in health and disease. *Physiological reviews*, 87(1), 315-424.
- Palozza, P. A. O. L. A., Catalano, A., Simone, R. E., Mele, M. C., & Cittadini, A. (2012). Effect of lycopene and tomato products on cholesterol metabolism. *Annals of Nutrition and Metabolism*, 61(2), 126-134.
- Park, Y. H., Lee, J. J., Son, H. K., Kim, B. H., Byun, J., & Ha, J. H. (2020). Antiobesity effects of extract from *Spergularia marina* Griseb in adipocytes and high-fat diet-induced obese rats. *Nutrients*, 12(2), 336.
- Pelley, J. W. (2011). *Elsevier's Integrated Review Biochemistry E-Book: with student consult Online Access*. Elsevier Health Sciences.
- Pereira B. L. B., Reis P. P., Severino F. E., Felix T. F., Braz M. G., Nogueira F. R., et al. . (2017). Tomato (*Lycopersicon esculentum*) or likopen supplementation attenuates ventricular remodeling after myocardial infarction through different mechanistic pathways. *J. Nutr. Biochem.* 46:117–124. 10.1016/j.jnutbio.2017.05.010
- Phillips, M. C. (2014). Molecular mechanisms of cellular cholesterol efflux. *Journal of Biological Chemistry*, 289(35), 24020-24029.
- Phrutivorapongkul, A., Kiattisin, K., Jantrawut, P., Chansakaow, S., Vejabhikul, S., & Leelapornpisid, P. (2013). Appraisal of biological activities and identification of phenolic compound of African marigold (*Tagetes erecta*) flower extract. *Pak. J. Pharm. Sci*, 26(6), 1071-1076.
- Piccaglia, R., Marotti, M., & Grandi, S. (1998). Lutein and lutein ester content in different types of *Tagetes patula* and *T. erecta*. *Industrial Crops and Products*, 8(1), 45-51.
- Pirinccioglu, A. G., Gökalp, D., Pirinccioglu, M., Kizil, G., & Kizil, M. (2010). Malondialdehyde (MDA) and protein carbonyl (PCO) levels as biomarkers of oxidative stress in subjects with familial hypercholesterolemia. *Clinical biochemistry*, 43(15), 1220-1224.

- Polat, E. S., Citil, O. B., & Garip, M. (2013). Fatty acid composition of yolk of nine poultry species kept in their natural environment. *Animal science papers and reports*, 31(4), 363-368.
- Prakoso, Z. (2006). *Pengaruh Pemberian Vitamin C Terhadap Kadar LDL-C dan HDL-C Kolesterol Serum Tikus Wistar Jantan Hiperlipidemia Setelah Perlakuan Jus Lidah Buaya (Aloe Vera Linn)* (Doctoral dissertation, Faculty of Medicine).
- Pramitha, D. A. I., Suaniti, N. M., & Sibarani, J. (2018). Aktivitas Antioksidan Bunga Pacar Air Merah (*Impatiens balsamina* L.) dan Bunga Gemitir (*Tagetes erecta* L.) dari Limbah Canang. *Chimica et Natura Acta*, 6(1), 8-11.
- Probosari, E., Hertanto, W. S., & Puruhita, N. (2011). Pemberian Teh Rosela (*Hibiscus sabdariffa* Linn), Simvastatin dan Profil Lipid serta Serum ApoB pada Tikus Hiperkolesterolemi. *Media Medika Indonesiana*, 45(1), 41-48.
- Pulungan, A., & Pane, Y. S. (2020). The benefit of cinnamon (*Cinnamomum burmannii*) in lowering total cholesterol levels after consumption of high-fat containing foods in white mice (*Mus musculus*) models. *F1000Research*, 9(168), 168.
- Raghuveer, R., Sreeja, K., Sindhuri, T., & Kumar, S. A. (2011). Antihyperlipidemic effect of *Tagetes erecta* in cholesterol fed hyperlipidemic rats. *Der Pharmacia Lettre*, 3(5), 266-270.
- Rajvanshi, S. K., & Dwivedi, D. H. (2017). Phytochemical screening studies of bioactive compounds of African marigold (*Tagetes erecta* L.). *Journal of Pharmacognosy and Phytochemistry*, 6(4), 524-527.
- Ram, H., Jaipal, N., Charan, J., Kashyap, P., Kumar, S., Tripathi, R., ... & Abd_Allah, E. F. (2020). Phytoconstituents of an ethanolic pod extract of *Prosopis cineraria* triggers the inhibition of HMG-CoA reductase and the regression of atherosclerotic plaque in hypercholesterolemic rabbits. *Lipids in Health and Disease*, 19(1), 6.
- Rane, B. T., Worlikar, P. S., Mulkalwar, S. A., Tilak, A. V., & Dabhade, S. A. (2019). Evaluation of the effect of lycopene on lipid profile, serum antioxidant enzymes and blood sugar level in New Zealand white rabbits. *International Journal of Basic & Clinical Pharmacology*, 8(3), 431.
- Rao, A. V., Ray, M. R., & Rao, L. G. (2006). Lycopene. *Advances in food and nutrition research*, 51, 99-164.
- Ratulangi, L. C., Wowor, P., & Mambo, C. (2016). Uji efek perasan daging buah labu kuning (*Cucurbita moschata* D.) terhadap kadar kolesterol total darah tikus wistar (*Rattus norvegicus*). *eBiomedik*, 4(1).
- Ridker, P. M., Brown, N. J., Vaughan, D. E., Harrison, D. G., & Mehta, J. L. (2004). Established and emerging plasma biomarkers in the prediction of first atherothrombotic events. *Circulation*, 109(25_suppl_1), IV-6.

- Ried, K., & Fakler, P. (2011). Protective effect of lycopene on serum cholesterol and blood pressure: Meta-analyses of intervention trials. *Maturitas*, 68(4), 299-310.
- Rios, F. J. O., & Cămara, N. O. S. (2013). Counteracting the Inflammatory Response in the Atherosclerosis Bioactive Products. In *Bioactive Food as Dietary Interventions for Cardiovascular Disease* (pp. 647-656). Academic Press.
- RISKESDAS (2013). Riset kesehatan dasar (Riskesdas) 2013. *Lap Nas*, 2013(1), 384.
- Robles-Sánchez, M., Astiazarán-García, H., Martín-Belloso, O., Gorinstein, S., Alvarez-Parrilla, E., Laura, A., ... & González-Aguilar, G. A. (2011). Influence of whole and fresh-cut mango intake on plasma lipids and antioxidant capacity of healthy adults. *Food Research International*, 44(5), 1386-1391.
- Rodwell, V., Bender, D., Botham, K.M., Kennelly, P.J. and Weil, P.A. (2015). *Harpers illustrated biochemistry 30th edition*. McGraw Hill Professional.
- Sa'adah, N. N., Nurhayati, A. P. D., & Purwani, K. I. (2018, August). Antihyperlipidemic and anti-obesity effects of the methanolic extract of parijoto (*Medinilla speciosa*). In *AIP Conference Proceedings* (Vol. 2002, No. 1, p. 020046). AIP Publishing LLC.
- Sagay, S., Simbala, H. E., & de Queljoe, E. (2019). Uji aktivitas antihiperlipidemia ekstrak etanol buah pinang yaki (*areca vestiaria*) pada tikus putih jantan galur wistar (*rattus norvegicus*) yang diinduksi pakan hiperlipidemia. *Pharmacon*, 8(2), 442-448.
- Şahin, E., & Gümüşlü, S. (2007). Stress-dependent induction of protein oxidation, lipid peroxidation and anti-oxidants in peripheral tissues of rats: comparison of three stress models (immobilization, cold and immobilization-cold). *Clinical and Experimental Pharmacology and Physiology*, 34(5-6), 425-431.
- Sangle, G. V., & Shen, G. X. (2010). Signaling mechanisms for oxidized LDL-C-induced oxidative stress and the upregulation of plasminogen activator inhibitor-I in vascular cells. *Clinical Lipidology*, 5(2), 221-232.
- Sari, D. P., Susilo, I., & Khotib, J. (2016). The mechanism of alpha lipoic acid on reducing the mda level and mcp-1 expression in endothelial dysfunction of hypercholesterolemia rat (*rattus norvegicus*) model. *Folia Medica Indonesiana*, 52(3), 154-159.
- Sari, N. K. I., & Febriana, M. (2018). Perbedaan pengaruh ekstrak daun kelor (*moringa oleifera*) dan ekstrak kacang hijau (*phaseolus radiatus*) terhadap kadar mda pada tikus putih (*rattus norvegicus*) yang dibuat hiperkolesterolemia. In *prosiding seminar nasional cendekiawan* (pp. 471-476).

- Schmeda-Hirschmann, G., Tapia, A., Theoduloz, C., Rodríguez, J., López, S., & Feresin, G. E. (2004). Free radical scavengers and antioxidants from *Tagetes mendocina*. *Zeitschrift für Naturforschung C*, 59(5-6), 345-353.
- Schmeltz, L., & Metzger, B. (2007). Therapeutic Areas I: Central Nervous System, Pain, Metabolic Syndrome, Urology, Gastrointestinal and Cardiovascular. *Comprehensive Medicinal Chemistry II*. Amsterdam: Elsevier Science.
- Scialò, F., Fernández-Ayala, D. J., & Sanz, A. (2017). Role of mitochondrial reverse electron transport in ROS signaling: potential roles in health and disease. *Frontiers in physiology*, 8, 428.
- Setiawan, D. I., Tjahyono, K., & Afifah, D. N. (2016). Pemberian kecambah kacang kedelai terhadap kadar malondialdehid (MDA) dan superoxide dismutase (SOD) tikus Sprague Dawley hiperkolesterolemia. *Jurnal Gizi Klinik Indonesia*, 13(1), 20-26.
- Shah, D., Mahajan, N., Sah, S., Nath, S. K., & Paudyal, B. (2014). Oxidative stress and its biomarkers in systemic lupus erythematosus. *Journal of biomedical science*, 21(1), 1-13.
- Sharp, P., & Villano, J. S. (2012). *The Laboratory Rat, Second Edition*. New York: CRC Press.
- Shelness, G. S., & Sellers, J. A. (2001). Very-low-density lipoprotein assembly and secretion. *Current opinion in lipidology*, 12(2), 151-157.
- Shetty, L.J., Harikiran, H. and Fernandes, J. (2009). Pharmacological evaluation of ethanolic extract of flowers of *Tagetes erecta* on epilepsy. *Journal of Pharmacy Research*, 2(6), pp.1035-1038.
- Shi, J., & Maguer, M. L. (2000). Lycopene in tomatoes: chemical and physical properties affected by food processing. *Critical reviews in food science and nutrition*, 40(1), 1-42.
- Shinde, M. N. V., Kanase, K. G., Shilimkar, V. C., Undale, V. R., & Bhosale, A. V. (2009). Antinociceptive and Anti-Inflammatory Effects of Solvent Extracts of *Tagetes erectus* Linn (Asteraceae). *Tropical Journal of Pharmaceutical Research*, 8(4).
- Singh, P., Krishna, A., Kumar, V., Krishna, S., Singh, K., Gupta, M., & Singh, S. (2016). Chemistry and biology of industrial crop *Tagetes* Species: a review. *Journal of Essential oil Research*, 28(1), 1-14.
- Singh, U. N., Kumar, S., & Dhakal, S. (2017). Study of oxidative stress in hypercholesterolemia. *Int J Con-temp Med Res*, 4, 1204-1207.
- Singh, Z., Karthigesu, I. P., Singh, P., & Rupinder, K. A. U. R. (2014). Use of malondialdehyde as a biomarker for assessing oxidative stress in different disease pathologies: a review. *Iranian Journal of Public Health*, 43(Supple 3), 7-16.

- Siriamornpun, S., Kaisoon, O., & Meeso, N. (2012). Changes in colour, antioxidant activities and carotenoids (lycopene, β -carotene, lutein) of marigold flower (*Tagetes erecta* L.) resulting from different drying processes. *Journal of Functional Foods*, 4(4), 757-766.
- Šivel, M., Kráčmar, S., Fišera, M., Klejdus, B. and Kubáň, V. (2014). Lutein content in marigold flower (*Tagetes erecta* L.) concentrates used for production of food supplements. *Czech Journal of Food Sciences*.
- Sowbhagya, H. B., Sushma, S. B., Rastogi, N. K., & Naidu, M. M. (2013). Effect of pretreatments on extraction of pigment from marigold flower. *Journal of food science and technology*, 50(1), 122-128.
- Srinivasan M, Sudheer AR, Pillai KR, et al... (2007). Likopen as a natural protector against gamma-radiation induced DNA damage, lipid peroxidation and antioxidant status in primary culture of isolated rat hepatocytes in vitro. *Biochim Biophys Acta*. 2007;1770(4):659–665.
- Story, E. N., Kopec, R. E., Schwartz, S. J., & Harris, G. K. (2010). An update on the health effects of tomato lycopene. *Annual review of food science and technology*, 1, 189-210.
- Sugondo S (2009). Obesitas. In: Sudoyo AW, Setiyohadi B, Alwi I, Simadibrata M, Setiati S, editor. Buku ajar ilmu penyakit dalam. 5th ed. Jakarta, Pusat Penerbitan Departemen Ilmu Penyakit Dalam Diponegoro, p 1973-82
- Suhendra, A. T., Awaloei, H., & Wuisan, J. (2016). Uji efek ekstrak biji alpukat (*Persea americana* Mill.) terhadap kadar kolesterol total pada tikus wistar (*Rattus norvegicus*). *eBiomedik*, 4(1).
- Sultan Alvi S., Ansari I. A., Khan I., Iqbal J., Khan M. S. (2017). Potential role of likopen in targeting proprotein convertase subtilisin/kexin type-9 to combat hypercholesterolemia. *Free Radic. Biol. Med.* 108, 394–403. 10.1016/j.freeradbiomed.2017.04.012
- Sun, C., Dai, L., & Gao, Y. (2016). Binary complex based on zein and propylene glycol alginate for delivery of quercetagenin. *Biomacromolecules*, 17(12), 3973-3985.
- Surendranath, R., Ganga, M., Jawaharlal, M., & Anitha, K. (2016). Extraction and quantification of marigold lutein using different solvent systems. *culture*, 19, 24.
- Syadza, M. N., & Isnawati, M. (2014). *Pengaruh pemberian Jus pare (Momordica charantia Linn.) dan jus jeruk nipis (Citrus aurantifolia) terhadap peningkatan kadar kolesterol HDL-C (High Density Lipoprotein) tikus Sprague dawley dislipidemia* (Doctoral dissertation, Diponegoro University).
- Tontonoz, P., Nagy, L., Alvarez, J. G., Thomazy, V. A., & Evans, R. M. (1998). PPAR γ promotes monocyte/macrophage differentiation and uptake of oxidized LDL-C. *Cell*, 93(2), 241-252.

- Treml, J., & Šmejkal, K. (2016). Flavonoids as potent scavengers of hydroxyl radicals. *Comprehensive reviews in food science and food safety*, 15(4), 720-738.
- Tsikas, D. (2017). Assessment of lipid peroxidation by measuring malondialdehyde (MDA) and relatives in biological samples: Analytical and biological challenges. *Analytical biochemistry*, 524, 13-30.
- USA Environmental Protection Agency (USEPA). (2012). Biopesticides registration action document: Tagetes Oil. USA Environmental Protection Agency, 1-22.
- Valko, M., Leibfritz, D., Moncol, J., Cronin, M. T., Mazur, M., & Telser, J. (2007). Free radicals and antioxidants in normal physiological functions and human disease. *The international journal of biochemistry & cell biology*, 39(1), 44-84.
- Verghese M., Richardson J. E., Boateng J., Shackelford L. A., Howard C., Walker L. T., et al. (2008). Dietary likopen has a protective effect on cardiovascular disease in New Zealand male rabbits. *J. Biol. Sci.* 8, 268–277. 10.3923/jbs.2008.268.277
- Wagner E., Basso F., Kim C., Amar M., (2014). ABC lipid transporters. Access Science. McGraw-Hill Education
- Wahyudi, T., Widyastuti, S. K., & Suarsana, I. N. (2015). Profil lipoprotein plasma tikus dalam kondisi hiperglikemia. *Hiperglikemia (4)*: 116â, 121.
- Wang X., Lv H., Gu Y., Wang X., Cao H., Tang Y., et al. . (2014). Protective effect of likopen on cardiac function and myocardial fibrosis after acute myocardial infarction in rats via the modulation of p38 and MMP-9. *J. Mol. Histol.* 45, 113–120. 10.1007/s10735-013-9535-2
- Wang, W., Xu, H., Chen, H., Tai, K., Liu, F., & Gao, Y. (2016). In vitro antioxidant, anti-diabetic and antilipemic potentials of quercetagen extracted from marigold (*Tagetes erecta* L.) inflorescence residues. *Journal of food science and technology*, 53(6), 2614-2624.
- Wang, Y. X., Li, Y., Sun, A. M., Wang, F. J., & Yu, G. P. (2014). Hypolipidemic and antioxidative effects of aqueous enzymatic extract from rice bran in rats fed a high-fat and-cholesterol diet. *Nutrients*, 6(9), 3696-3710.
- Werdhasari, A. (2014). Peran antioksidan bagi kesehatan. *Jurnal Biotek Medisiana Indonesia*. Vol, 59, 68.
- Werdiningsih, W., & Suhartati, S. (2018). Effects of red pitaya (*Hylocereus polyrhizus*) on lipid profile of male white rats (*Rattus norvegicus*) receiving high fat diet. *Folia Medica Indonesiana*, 54(1), 16-21.
- WHO, (2019). World Health Organization, diunduh 25 April 2019, jam 00.45 wib, <[https://www.who.int/en/news-room/fact-sheets/detail/cardiovascular-diseases-\(cvds\)](https://www.who.int/en/news-room/fact-sheets/detail/cardiovascular-diseases-(cvds))>.

- Xia, Y., & Zweier, J. L. (1997). Superoxide and peroxynitrite generation from inducible nitric oxide synthase in macrophages. *Proceedings of the National Academy of Sciences*, 94(13), 6954-6958.
- Xu, Q., Choksi, S., Qu, J., Jang, J., Choe, M., Banfi, B., ... & Liu, Z. G. (2016). NADPH oxidases are essential for macrophage differentiation. *Journal of Biological Chemistry*, 291(38), 20030-20041.
- Xu, S., Ogura, S., Chen, J., Little, P. J., Moss, J., & Liu, P. (2013). LOX-1 in atherosclerosis: biological functions and pharmacological modifiers. *Cellular and Molecular Life Sciences*, 70(16), 2859-2872.
- Yan, S., Li, X., Zhang, L., Zeng, Y., Liu, S., Liu, X., ... & Wang, J. (2020). Moderate quantity of lard mixed with sunflower oil attenuate lipid accumulation in mice. *Oil Crop Science*.
- Yang, R. L., Shi, Y. H., Hao, G., Li, W., & Le, G. W. (2008). Increasing oxidative stress with progressive hyperlipidemia in human: relation between malondialdehyde and atherogenic index. *Journal of clinical biochemistry and nutrition*, 43(3), 154-158.
- Yang, X., Kang, S. M., Jeon, B. T., Kim, Y. D., Ha, J. H., Kim, Y. T., & Jeon, Y. J. (2011). Isolation and identification of an antioxidant flavonoid compound from citrus-processing by-product. *Journal of the Science of Food and Agriculture*, 91(10), 1925-1927.
- Yanuartono, Y. (2007). Role of High Cholesterol and High Fat Diet on Lipid Profiles in Sprague Dawley Rats. *Indonesian Journal of Veterinary Science*, 25(2), 139850.
- Yin, Q., Ma, Y., Hong, Y., Hou, X., Chen, J., Shen, C., ... & Pei, J. J. (2014). Lycopene attenuates insulin signaling deficits, oxidative stress, neuroinflammation, and cognitive impairment in fructose-drinking insulin resistant rats. *Neuropharmacology*, 86, 389-396.
- Yolanda. (2012). Pengaruh pemberian tepung daun dan bunga marigold (*tagetes erecta*) dalam pakan terhadap kualitas dan kandungan vitamin a telur ayam. Skripsi. Departemen ilmu nutrisi dan teknologi pakan, Fakultas Peternakan, Institut Pertanian Bogor
- Yoshida, H., Kisugi, R. (2010). Mechanisms of LDL-C oxidation. *Clinica chimica acta; international journal of clinical chemistry* 411(23-24):1875-82.
- Young, A. (2009). *Pharmacology, A Handbook for Complementary Healthcare Professionals*, EM Aldred, Elsevier Churchill Livingstone (2008), 376 pp., ISBN-13: 978-0443068980.
- Zagayko, A. L., Kravchenko, A. B., Voloshchenko, M. V., & Krasilnikova, O. A. (2012). Antioxidant complexes and lipoprotein metabolism—experience of grape extracts application under metabolic syndrome and neurogenic stress. *Lipoproteins—Role in Health and Diseases*, 445-488.

- Zhang, X. L. (2015). Direct superoxide anion scavenging effect of lycopene from *Blakeslea trispora* by EPR spectroscopy. In *Advanced Materials Research* (Vol. 1073, pp. 106-109). Trans Tech Publications Ltd.
- Zheng, Z., Yin, Y., Lu, R., & Jiang, Z. (2019). Lycopene ameliorated oxidative stress and inflammation in Type 2 diabetic rats. *Journal of food science*, 84(5), 1194-1200.
- Zhu, J., Wang, C. G., & Xu, Y. G. (2011). Lycopene attenuates endothelial dysfunction in streptozotocin-induced diabetic rats by reducing oxidative stress. *Pharmaceutical Biology*, 49(11), 1144-1149.