

DAFTAR PUSTAKA

- Al-Himdani S, Ud-Din S, Gilmore S, Bayat A. 2014. Striae distensae: A comprehensive review and evidencebased evaluation of prophylaxis and treatment. *Br J Dermatol*, 170(3):527-47.
- Alster T, Zaulyanov SL. 2009. Laser scar revision: a review. *Dermatol surg*, 33(2): 131-40.
- Alves RO, Boin MFC, Crocco EI. 2015. Striae after topical corticosteroid: treatment with nonablative fractional LASER 1540nm. *J Cosmet Ther*, 93(2):1-5.
- Alajlan AM, Alsuwaidan SN. 2011. Acne scars in ethnic skin treated with both non-ablative fractional 1,550 nm and ablative fractional CO2 lasers: comparative retrospective analysis with recommended guidelines. *Lasers Surg Med*, 43(08):787–91.
- Barlow RJ. 2010. LASER and Flashlamps in the Treatment of Skin Disorders. In: Burns T, Breathnach S, Cox N, Griffiths C, editors. *Rook's Textbook of Dermatology*. 8th ed, volume 4. United Kingdom: Wiley-Blackwell Publishing. p. 4197-212.
- Busse B. 2016. Introduction to wound healing. In: Busse B. Editor *Wound management in urgent care*. Philadelphia: Springer International Publishing. p. 1-5.
- Chandrashekar BS, Shenoy C, Madura C. 2019. Complications of LASER and light-based devises therapy in patients with skin of color. *Indian J Dermatol Venereol leprol*, 85:24-31.
- Chan YS, Tay YK, Kwok C. 2010. Fractional ablative carbon dioxide laser in the treatment of atrophic acne scarring in Asian patients: a pilot study. *J Cosmet Laser Ther*,12(02):61–4.
- Chapas AM, Brightman L, Sukal S. 2011. Successful treatment of acneiform scarring with CO2 ablative fractional resurfacing. *Lasers Surg Med*, 40(06):381–86.

- Clementoni MT, Lavagno R. 2015. A novel 1565 nm non-ablative fractional device for stretch marks: a preliminary report. *J Cosmet LASER Ther*, 89:1–8.
- Crocco EI, Mantovani PA, Volpini BMF. 2012. In search of treatments for striae rubra and striae alba: a dermatologists' challenge. *Surg Cosmet Dermatol*, 4(4):332-7.
- DeBruler DM, Blackstone BN, Bauman ME. 2017. Inflammatory responses, matrix remodeling, and re-epithelialization after fractional LASER treatment for scars. *LASERS in Surgery and Medicine*, 49(7):675-85.
- Del Bino S, Duval C, Bernerd F. 2018. Clinical and biological characterization of skin pigmentation diversity and its consequences on UV impact. *Int J Mol Sci*, 29:219-26.
- Emmy MG, Tanzi EL, Alster TS. 2011. Side effects and complications of fractional laser photothermolysis: Experience with 961 treatment. *Dermatol surg*, 34:301-7.
- Falanga V, Imamoto S. 2012. Mechanisms of wound repair, wound healing, and wound dressing. In: Goldsmith LA, Katz SI, Gilchrist BA, Paller AS, Leffel DJ, Wolff K, editor. *Fitzpatrick's Dermatology in general medicine*. 8th edition. New York: Mc Graw Hill Companies. p. 2984-96.
- Fabbrocini G, Annunziata MC, Arco VD, Vita VD, Lodi G, Mauriello MC et al. 2010. Review article: Acne scars: pathogenesis, classification and treatment. *Dermatol research*, 129(9): 2136-41.
- Garg GA, Sao PP, Khopkar US. 2011. Effect of carbon dioxide laser ablation followed by intralesional steroids on keloids. *J Cutan Aesthet Surg*, 4(1): 2-6.
- Gauglitz GG. 2013. Management of keloids and hypertrophic scars: current and emerging options. *Clin Cosmet Investig Dermatol*, 6:103-24.

- Gianfaldoni S, Tchernev G, Wollina U, Fioranelli M, Roccia MG, Gianfaldoni R, et al. 2017. An overview of LASER in dermatology: the past, the present and the future. Open Access Maced J Med Sci, 5(4):526-30.
- Gonzales DFM, Navalta JTP. 2012. The efficacy and safety of fractional ablative resurfacing using 10,600nm CO2 pulse wave in the treatment of striae distensae among filipino women with skin types III-V, a preliminary investigation and initial results. Am J Clin Dermatol, 19(3):405-23.
- Hantas BM, Mahmood MB. 2011. Fractional Fotothermolysis: A Novel Aesthetic LASER Surgery Modality. Dermatol Surg, 33(5):525-34.
- Harumi O, Tan L, Tan WP, GOH CL. 2017. Treatment of facial acne scarring with fractional carbon dioxide laser in Asians, a retrospective analysis of efficacy and complications. Dermatol Surg, 0: 1-7.
- Houk LD, Humphreys T. 2010. Masers to magic bullets: an updated history of LASERs in dermatology. Clin Dermatol, 25(5): 434-42.
- Holland DB, Jeremy AH, roberts SG. 2014. Inflammation in acne scarring: a comparison of the responses in lesions from patients prone and not prone to scar. Br J Dermatol, 150:72–81.
- Hsiao PF, Lin YC, Huang CC, Wu YH. 2013. Efficacy and safety of a single treatment using a 10,600-nm carbon dioxide fractional laser for mild-to-moderate atrophic acne scars in Asian skin. Zhonghua Pifuke Yixue Zazhi, 31(02):59–63.
- Huang L. 2013. A new modality for fractional CO2 laser resurfacing for acne scars in Asians. Lasers Med Sci, 28(02):627–32.

- Kenneth R, Lipozencic J, Mokos ZB, Buzina DS, Kostovic K. 2010. Why don't we have more effective treatment for keloids?. *Acta Dermatovenereol Croat*, 18(3):195-200.
- Landthaler M, Baumler W, Hohenleutner U. 2012. LASER and Flashlamps in Dermatology. In: Goldsmith LA, Katz SI, Gilchrest BA, Paller AS, Leffell DJ, Wolff K. (Eds). *Fitzpatrick's Dermatology in General Medicine*. 8th ed, volume 2. New York: The McGraw-Hill Companies. p. 2869-89.
- Lee SM, Kim MS, Kim YJ, Won CH, Lee MW, Choi JH et al. 2014. Adverse Event of Non Ablative Fractional Photothermolysis: A Retrospective of Study 856 Treatment in 362 Patient. *Int J of Dermatol*, 25(4):304-7.
- Lloyd AA, Graves MS, Ross EV. 2018. LASER-Tissue Interactions. In: Nouri Keyvan (Eds). *LASERs in Dermatology and Medicine*. 2nd ed. Miami: Springer. p. 1-6.
- Magnani LR, Schweiger ES. 2014. Fractional CO2 lasers for the treatment of atrophic acne scars: a review of the literature. *J Cosmet Laser Ther*, 16(02):48-56.
- Manstein D, Laubach HJ, Iglesia S, Dorminishian A, Estarabadi AR, Nouri K. 2018. Fractional Photothermolysis. In: Nouri Keyvan (Eds). *LASERs in Dermatology and Medicine*. 2nd ed. Miami: Springer. p.123-56.
- Naeini FF, Behfar S, Naeini BA, Keyvan S, Pourazizi M. 2016. Promising option for treatment of striae alba: fractionated microneedle radiofrequency in combination with fractional carbon dioxide laser. *Dermatol Res Pract*, 62(3):1-7.
- Osman H, Rubeiz N, Tamim H, Nassar AH. 2007. Risk factors for the development of striae gravidarum. *Am J Obstet Gynecol*, 196:62.e1-e5.
- Patil UA, Dhama LD. 2012. Overview of LASERs. *Indian J Plast Surg*, 41(3):S101-13.

- Pongsrihadulchai N, Chalermchai T, Ophaswongse S, Pongsawat S, Udompataikul M. 2017. An efficacy and safety of nanofractional radiofrequency for the treatment of striae alba. *J Cosmet Dermatol*, 16(1):84-90.
- Qian H, Lu Z, Ding H, Yan S, Xiang L, Gold MH. 2012. Treatment of acne scarring with fractional CO2 laser. *J Cosmet Laser Ther*, 14(04):162–5
- Rahmantlyo B, Listiawan MY, Murtiastutik D. 2018. Perbandingan terapi kombinasi LASER CO2 – injeksi triamsinolon dengan injeksi Triamsinolon monoterapi pada keloid . *Berkala Ilmu Kesehatan Kulit dan Kelamin*. 30(2):128-37.
- Reinke MJ, Sorg H. 2012. Wound repair and regeneration. *European Surg Research*. p. 35-43.
- Rkein A, Ozog D, Waibel JS. 2014. Treatment of atrophic scars with fractionated CO2 LASER facilitating delivery of topically applied poly-l-lactic acid. *American Society for Dermatologic Surg*,40: 624-31.
- Ryu HW, Kim SA, Jung HR, Ryoo YW, Lee KS, Cho JW. 2013. Clinical improvement of striae distensae in korean patients using a combination of fractionated microneedle radiofrequency and fractional carbon dioxide LASER. *Dermatol Surg*, 11(12):12108-17.
- Saedi N, Jalian HR, Petelin A, and Zachary C. 2012. Fractionation: Past, Present, Future. In: *Seminars in Cutaneous Medicine and Surgery*. Chicago: Elsevier. p.138-60.
- Sakarnoto FH, Jalian HR, Anderson RR. 2013. Understanding LASERs, lights and Tissue Interactions. In Hruza GJ, Avram MM, Dover JS, Alam M (Eds). *LASER and Lights*. 3rd ed. New York: Sauders Elsevier. p. 1-9.

- Scrimali L, Lomeo G, Nolfo C, Pompili G, Tamburino S, Catalani A. 2010. Treatment of hypertrophic scar and keloids with fractional CO2 laser: a personal experience. *J Cosmet Laser Ther*; 12:218-21.
- Ud-Din S, McGeorge D, Bayat A. 2016. Topical management of striae distensae (stretch marks): prevention and therapy of striae rubrae and albae. *JEADV*, 30:211–22.
- Waibel JS, Wulkan AJ, Shumaker PR. 2013. Treatment of hypertrophic scars using laser and laser assisted corticosteroid delivery. *Lasers Surg Med*; 45:135–40.
- Xu Y, Deng Y. 2015. Ablative fractional CO2 laser for facial atrophic acne scars. *Facial Plast Surg*, 37(05): 596-603.