

DAFTAR PUSTAKA

- Abdel Moneim, W. M., Abdel Hady, R. H., Abdel Maaboud, R. M., Fathy, H. M. and Hamed, A. M. (2008) 'Identification of Sex Depending on Radiological Examination of Foot and Patella', *The American Journal of Forensic Medicine and Pathology*, 29(2), pp. 136–140. doi: 10.1097/PAF.0b013e318173f048.
- Abiko, K., Usui, A., Hosokai, Y., Nakajima, A., Kozakai, M., Funayama, M., et al. (2014) *Sex determination based on measurements of the subpubic and greater sciatic notch angles using three-dimensional computed tomography images*. Sendai, Japan. doi: 10.1594/ecr2014/C-0749.
- Akhlaghi, M., Bakhtavar, K., Moarefdoost, J., Kamali, A. and Rafeifar, S. (2016) 'Frontal sinus parameters in computed tomography and sex determination', *Legal Medicine*, 19, pp. 22–27. doi: 10.1016/j.legalmed.2016.01.008.
- Albanese, J. (2003) 'A Metric Method for Sex Determination Using the Hipbone and the Femur', *Journal of Forensic Sciences*, 48(2), p. 2001378. doi: 10.1520/JFS2001378.
- Amonoo-Kuofi, U. S. (1992) 'Changes in the Lumbosacral Angle, Sacral Inclination and the Curvature of the Lumbar Spine during Aging', *Cells Tissues Organs*, 145(4), pp. 373–377. doi: 10.1159/000147392.
- Arand, C., Wagner, D., Richards, R. G., Noser, H., Kamer, L., Sawaguchi, T., et al. (2019) '3D statistical model of the pelvic ring – a CT based statistical evaluation of anatomical variation', *Journal of Anatomy*, 234(3), pp. 376–383. doi: 10.1111/joa.12928.
- Benazzi, S., Stansfield, E., Milani, C. and Gruppioni, G. (2009) 'Geometric morphometric methods for three-dimensional virtual reconstruction of a fragmented cranium: The case of Angelo Poliziano', *International Journal of Legal Medicine*, 123(4), pp. 333–344. doi: 10.1007/s00414-009-0339-6.
- Betti, L. (2017) 'Human Variation in Pelvic Shape and the Effects of Climate and Past Population History', *The Anatomical Record*, 300(4), pp. 687–697. doi: 10.1002/ar.23542.
- Bruzek, J. (2002) 'A method for visual determination of sex, using the human hip bone', *American Journal of Physical Anthropology*, 117(2), pp. 157–168. doi: 10.1002/ajpa.10012.
- Budinoff, L. C. and Tague, R. G. (1990) 'Anatomical and developmental bases

- for the ventral arc of the human pubis', *American Journal of Physical Anthropology*, 82(1), pp. 73–79. doi: 10.1002/ajpa.1330820109.
- Dabbs, G. R. and Moore-Jansen, P. H. (2010) 'A Method for Estimating Sex Using Metric Analysis of the Scapula', *Journal of Forensic Sciences*, 55(1), pp. 149–152. doi: 10.1111/j.1556-4029.2009.01232.x.
- Decker, S. J., Davy-Jow, S. L., Ford, J. M. and Hilbelink, D. R. (2011) 'Virtual Determination of Sex: Metric and Nonmetric Traits of the Adult Pelvis from 3D Computed Tomography Models', *Journal of Forensic Sciences*, 56(5), pp. 1107–1114. doi: 10.1111/j.1556-4029.2011.01803.x.
- Dibennardo, R. and Taylor, J. V. (1983) 'Multiple discriminant function analysis of sex and race in the postcranial skeleton', *American Journal of Physical Anthropology*, 61(3), pp. 305–314. doi: 10.1002/ajpa.1330610305.
- Diederich, S., Lentschig, M., Overbeck, T., Wormanns, D. and Heindel, W. (2001) 'Detection of pulmonary nodules at spiral CT: comparison of maximum intensity projection sliding slabs and single-image reporting', *European Radiology*, 11(8), pp. 1345–1350. doi: 10.1007/s003300000787.
- Djorojevic, M., Roldán, C., García-Parra, P., Alemán, I. and Botella, M. (2014) 'Morphometric sex estimation from 3D computed tomography os coxae model and its validation in skeletal remains', *International Journal of Legal Medicine*, 128(5), pp. 879–888. doi: 10.1007/s00414-014-1033-x.
- Đurić, M., Rakočević, Z. and Đonić, D. (2005) 'The reliability of sex determination of skeletons from forensic context in the Balkans', *Forensic Science International*, 147(2–3), pp. 159–164. doi: 10.1016/j.forsciint.2004.09.111.
- Franklin, D., Cardini, A., Flavel, A., Kuliukas, A., Marks, M. K., Hart, R., et al. (2013) 'Concordance of traditional osteometric and volume-rendered MSCT interlandmark cranial measurements', *International Journal of Legal Medicine*, 127(2), pp. 505–520. doi: 10.1007/s00414-012-0772-9.
- Franklin, D., Cardini, A., Flavel, A. and Marks, M. K. (2014) 'Morphometric analysis of pelvic sexual dimorphism in a contemporary Western Australian population', *International Journal of Legal Medicine*, 128(5), pp. 861–872. doi: 10.1007/s00414-014-0999-8.
- Garvey, C. J. (2002) 'Computed tomography in clinical practice', *BMJ*, 324(7345), pp. 1077–1080. doi: 10.1136/bmj.324.7345.1077.
- Gehweiler, D., Wähnert, D., Meier, N., Spruit, M., Raschke, M. J., Richards, R. G., et al. (2017) 'Computational anatomy of the dens axis evaluated by quantitative computed tomography: Implications for anterior screw fixation', *Journal of Orthopaedic Research*, 35(10), pp. 2154–2163. doi: 10.1002/jor.23512.

- González, P. N., Bernal, V., Ivan Perez, S. and Barrientos, G. (2007) 'Analysis of dimorphic structures of the human pelvis: its implications for sex estimation in samples without reference collections', *Journal of Archaeological Science*, 34(10), pp. 1720–1730. doi: 10.1016/j.jas.2006.12.013.
- Gonzalez, P. N., Bernal, V. and Perez, S. I. (2009) 'Geometric morphometric approach to sex estimation of human pelvis', *Forensic Science International*, 189(1–3), pp. 68–74. doi: 10.1016/j.forsciint.2009.04.012.
- Grivas, C. R. and Komar, D. A. (2008) 'Kumho, Daubert, and the nature of scientific inquiry: Implications for forensic anthropology', *Journal of Forensic Sciences*, 53(4), pp. 771–776. doi: 10.1111/j.1556-4029.2008.00771.x.
- Igbigbi, P. and Msamati, B. (2009) 'Sex determination from femoral head diameters in black Malawians', *East African Medical Journal*, 77(3). doi: 10.4314/eamj.v77i3.46611.
- Jordaan, H. V (1976) 'The differential development of the hominid pelvis.', *South African medical journal = Suid-Afrikaanse tydskrif vir geneeskunde*, 50(19), pp. 744–8. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/818723>.
- Klales, A. R., Ousley, S. D. and Vollner, J. M. (2012) 'A revised method of sexing the human innominate using Phenice's nonmetric traits and statistical methods', *American Journal of Physical Anthropology*, 149(1), pp. 104–114. doi: 10.1002/ajpa.22102.
- Kolesova, O., Kolesovs, A. and Vētra, J. (2017) 'Age-related trends of lesser pelvic architecture in females and males: a computed tomography pelvimetry study', *Anatomy & Cell Biology*, 50(4), p. 265. doi: 10.5115/acb.2017.50.4.265.
- Kolesova, O. and Vētra, J. (2012) 'Sexual dimorphism of pelvic morphology variation in live humans', *Papers on Anthropology*, 20, p. 209. doi: 10.12697/poa.2011.20.21.
- Krishan, K., Chatterjee, P. M., Kanchan, T., Kaur, S., Baryah, N. and Singh, R. K. (2016) 'A review of sex estimation techniques during examination of skeletal remains in forensic anthropology casework', *Forensic Science International*. Elsevier Ireland Ltd, 261, pp. 165.e1-165.e8. doi: 10.1016/j.forsciint.2016.02.007.
- Lamecker, H., Seebass, M., Hege, H.-C. and Deufflhard, P. (2004) 'A 3D statistical shape model of the pelvic bone for segmentation', in Fitzpatrick, J. M. and Sonka, M. (eds), p. 1341. doi: 10.1117/12.534145.
- Leong, A. (2006) 'Sexual dimorphism of the pelvic architecture: a struggling

response to destructive and parsimonious forces by natural & mate selection.’, *McGill journal of medicine : MJM : an international forum for the advancement of medical sciences by students*, 9(1), pp. 61–6. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/19529812>.

Li, A. E. and Fishman, E. K. (2003) ‘Cervical spine trauma: evaluation by multidetector CT and three-dimensional volume rendering’, *Emergency Radiology*, 10(1), pp. 34–39. doi: 10.1007/s10140-002-0256-1.

Mahfouz, M., Badawi, A., Merkl, B., Fatah, E. E. A., Pritchard, E., Kesler, K., et al. (2007) ‘Patella sex determination by 3D statistical shape models and nonlinear classifiers’, *Forensic Science International*, 173(2–3), pp. 161–170. doi: 10.1016/j.forsciint.2007.02.024.

Mostafa, E., Gad, A., Dessouki, S., Hashish, R. and Khafagy, A. (2017) ‘Sex Determination Using Three-Dimensional Computed Tomography of Pelvis Measurements in Adult Egyptian population..’, *European Journal of Forensic Sciences*, 4(2), p. 1. doi: 10.5455/ejfs.231267.

Mostafa, E. M. A., M. Dessouki, S. K., Hashish, R. K., M. Gad, A. A. and M. Khafagy, A. A. (2016) ‘Adult Sex Identification Using Three-Dimensional Computed Tomography (3D-CT) of the Pelvis: A Study Among a Sample of the Egyptian Population’, *Arab Journal of Forensic Sciences and Forensic Medicine*. doi: 10.12816/0026460.

Noser, H., Hammer, B. and Kamer, L. (2010) ‘A Method for Assessing 3D Shape Variations of Fuzzy Regions and its Application on Human Bony Orbits’, *Journal of Digital Imaging*, 23(4), pp. 422–429. doi: 10.1007/s10278-009-9187-7.

Patriquin, M. L., Loth, S. R. and Steyn, M. (2003) ‘Sexually dimorphic pelvic morphology in South African whites and blacks’, *HOMO*, 53(3), pp. 255–262. doi: 10.1078/0018-442X-00049.

Patriquin, M. L., Steyn, M. and Loth, S. R. (2005) ‘Metric analysis of sex differences in South African black and white pelvises’, *Forensic Science International*, 147(2–3), pp. 119–127. doi: 10.1016/j.forsciint.2004.09.074.

Pelin, C., Duyar, İ., Kayahan, E. M., Zağ yapan, R., Ağ ildere, A. M. and Erar, A. (2005) ‘Body Height Estimation Based on Dimensions of Sacral and Coccygeal Vertebrae’, *Journal of Forensic Sciences*, 50(2), pp. 1–4. doi: 10.1520/JFS2004010.

Peloschek, P., Sailer, J., Weber, M., Herold, C. J., Prokop, M. and Schaefer-Prokop, C. (2007) ‘Pulmonary Nodules: Sensitivity of Maximum Intensity Projection versus That of Volume Rendering of 3D Multidetector CT Data’, *Radiology*, 243(2), pp. 561–569. doi: 10.1148/radiol.2432052052.

- Perandini, S., Faccioli, N., Zaccarella, A., Re, T. and Mucelli, P. (2010) 'The diagnostic contribution of CT volumetric rendering techniques in routine practice', *Indian Journal of Radiology and Imaging*, 20(2), p. 92. doi: 10.4103/0971-3026.63043.
- Radetzki, F., Mendel, T., Noser, H., Stoevesandt, D., Röllinghoff, M., Gutteck, N., et al. (2013) 'Potentialities and limitations of a database constructing three-dimensional virtual bone models', *Surgical and Radiologic Anatomy*, 35(10), pp. 963–968. doi: 10.1007/s00276-013-1118-0.
- Ramsthaler, F., Kettner, M., Gehl, A. and Verhoff, M. A. (2010) 'Digital forensic osteology: Morphological sexing of skeletal remains using volume-rendered cranial CT scans', *Forensic Science International*, 195(1–3), pp. 148–152. doi: 10.1016/j.forsciint.2009.12.010.
- Robinson, C., Eisma, R., Morgan, B., Jeffery, A., Graham, E. A. M., Black, S., et al. (2008) 'Anthropological measurement of lower limb and foot bones using multi-detector computed tomography', *Journal of Forensic Sciences*, 53(6), pp. 1289–1295. doi: 10.1111/j.1556-4029.2008.00875.x.
- Salvolini, L., Bichi Secchi, E., Costarelli, L. and De Nicola, M. (2000) 'Clinical applications of 2D and 3D CT imaging of the airways — a review', *European Journal of Radiology*, 34(1), pp. 9–25. doi: 10.1016/S0720-048X(00)00155-8.
- Sarkalkan, N., Weinans, H. and Zadpoor, A. A. (2014) 'Statistical shape and appearance models of bones', *Bone*, 60, pp. 129–140. doi: 10.1016/j.bone.2013.12.006.
- Schulter-Ellis, F. P., Schmidt, D. J., Hayek, L.-A. and Craig, J. (1983) 'Determination of Sex with a Discriminant Analysis of New Pelvic Bone Measurements: Part I', *Journal of Forensic Sciences*, 28(1), p. 12249J. doi: 10.1520/JFS12249J.
- Shim, V., Höch, A., Grunert, R., Peldschus, S. and Böhme, J. (2017) 'Development of a Patient-Specific Finite Element Model for Predicting Implant Failure in Pelvic Ring Fracture Fixation', *Computational and Mathematical Methods in Medicine*, 2017, pp. 1–11. doi: 10.1155/2017/9403821.
- Spradley, M. K. (2016) 'Metric Methods for the Biological Profile in Forensic Anthropology: Sex, Ancestry, and Stature', *Academic Forensic Pathology*, 6(3), pp. 391–399. doi: 10.23907/2016.040.
- Steyn, M. and İşcan, M. Y. (2008) 'Metric sex determination from the pelvis in modern Greeks', *Forensic Science International*, 179(1), pp. 86.e1-86.e6. doi: 10.1016/j.forsciint.2008.04.022.
- Steyn, M., Pretorius, E. and Hutten, L. (2004) 'Geometric morphometric analysis

- of the greater sciatic notch in South Africans', *HOMO*, 54(3), pp. 197–206. doi: 10.1078/0018-442X-00076.
- Tague, R. G. (1995) 'Variation in pelvic size between males and females in nonhuman anthropoids', *American Journal of Physical Anthropology*, 97(3), pp. 213–233. doi: 10.1002/ajpa.1330970302.
- Thali, M. J., Braun, M., Buck, U., Aghayev, E., Jackowski, C., Vock, P., et al. (2005) 'VIRTOPSY—Scientific Documentation, Reconstruction and Animation in Forensic: Individual and Real 3D Data Based Geo-Metric Approach Including Optical Body/Object Surface and Radiological CT/MRI Scanning', *Journal of Forensic Sciences*, 50(2), pp. 1–15. doi: 10.1520/JFS2004290.
- Torimitsu, S., Makino, Y., Saitoh, H., Sakuma, A., Ishii, N., Yajima, D., et al. (2017) 'Sex determination based on sacral and coccygeal measurements using multidetector computed tomography in a contemporary Japanese population', *Journal of Forensic Radiology and Imaging*, 9, pp. 8–12. doi: 10.1016/j.jofri.2017.01.001.
- Uysal Ramadan, S., Türkmen, N., Dolgun, N. A., Gökharman, D., Menezes, R. G., Kacar, M., et al. (2010) 'Sex determination from measurements of the sternum and fourth rib using multislice computed tomography of the chest', *Forensic Science International*, 197(1–3), pp. 120.e1-120.e5. doi: 10.1016/j.forsciint.2009.12.049.
- Vacca, E. and Di Vella, G. (2012) 'Metric characterization of the human coxal bone on a recent Italian sample and multivariate discriminant analysis to determine sex', *Forensic Science International*, 222(1–3), pp. 401.e1-401.e9. doi: 10.1016/j.forsciint.2012.06.014.
- Walker, P. L. (2008) 'Sexing skulls using discriminant function analysis of visually assessed traits', *American Journal of Physical Anthropology*, 136(1), pp. 39–50. doi: 10.1002/ajpa.20776.
- Washburn, S. L. (1948) 'Sex differences in the pubic bone', *American Journal of Physical Anthropology*, 6(2), pp. 199–208. doi: 10.1002/ajpa.1330060210.
- Zech, W. D., Hatch, G., Siegenthaler, L., Thali, M. J. and Löscher, S. (2012) 'Sex determination from os sacrum by postmortem CT', *Forensic Science International*, 221(1–3), pp. 39–43. doi: 10.1016/j.forsciint.2012.03.022.
- Zhan, M., Fan, F., Qiu, L., Peng, Z., Zhang, K. and Deng, Z. (2018) 'Estimation of stature and sex from sacrum and coccyx measurements by multidetector computed tomography in Chinese', *Legal Medicine*, 34, pp. 21–26. doi: 10.1016/j.legalmed.2018.07.003.