

DAFTAR PUSTAKA

- Depkes RI. (2018). InfoDatin Tuberculosis. *Kementerian Kesehatan RI*, 1.
- Heriyanto, H. (2018). Thematic Analysis sebagai Metode Menganalisa Data untuk Penelitian Kualitatif. *Anuva*, 2(3), 317. <https://doi.org/10.14710/anuva.2.3.317-324>
- Lestari Muslimah, D. D. (2019). Physical Environmental Factors and Its Association with the Existence of Mycobacterium Tuberculosis: A Study in The Working Region of Perak Timur Public Health Center. *Jurnal Kesehatan Lingkungan*, 11(1), 26. <https://doi.org/10.20473/jkl.v11i1.2019.26-34>
- Zarova, C., Chiwaridzo, M., Tadyanemhandu, C., Machando, D., & Dambi, J. M. (2018). The impact of social support on the health-related quality of life of adult patients with tuberculosis in Harare, Zimbabwe: a cross-sectional survey. *BMC research notes*, 11(1), 795. <https://doi.org/10.1186/s13104-018-3904-6>
- Yen, Y. F., Pan, S. W., Su, V. Y., Chuang, P. H., Feng, J. Y., & Su, W. J. (2018). Influenza Vaccination and Incident Tuberculosis among Elderly Persons, Taiwan¹. *Emerging infectious diseases*, 24(3), 498–505. <https://doi.org/10.3201/eid2403.152071>
- Cheng, J., Sun, Y., Zhang, C. *et al.* Incidence and risk factors of tuberculosis among the elderly population in China: a prospective cohort study. *Infect Dis Poverty* 9, 13 (2020). <https://doi.org/10.1186/s40249-019-0614-9>
- Soh AZ, Chee CBE, Wang Y, et al. Alcohol drinking and cigarette smoking in relation to risk of active tuberculosis: prospective cohort study *BMJ Open Respiratory Research* 2017;4:e000247. doi: 10.1136/bmjresp-2017-000247
- Imtiaz, Sameer & Shield, Kevin & Roerecke, Michael & Samokhvalov, Andriy & Lönnroth, Knut & Rehm, Jurgen. (2017). Alcohol consumption as a risk factor for tuberculosis: Meta-analyses and burden of disease. *European Respiratory Journal*. 50. 10.1183/13993003.00216-2017.
- Fenner, L., Atkinson, A., Boulle, A., Fox, M. P., Prozesky, H., Zürcher, K., Ballif, M., Furrer, H., Zwahlen, M., Davies, M. A., Egger, M., & International Epidemiology Database to Evaluate AIDS in Southern Africa (IeDEA-SA) (2017). HIV viral load as an independent risk factor for tuberculosis in South Africa: collaborative analysis of cohort studies. *Journal of the International AIDS Society*, 20(1), 21327. <https://doi.org/10.7448/IAS.20.1.21327>

- Kim, S. J., Ye, S., Ha, E., & Chun, E. M. (2018). Association of body mass index with incident tuberculosis in Korea. *PloS one*, *13*(4), e0195104. <https://doi.org/10.1371/journal.pone.0195104>
- L., Moyo, S., Molebatsi, K., Thami, P. K., Anderson, M., Mogashoa, T., Iketleng, T., Makhema, J., Marlink, R., Kasvosve, I., Essex, M., Musonda, R. M., & Gaseitsiwe, S. (2018). Immunological non-response and low hemoglobin levels are predictors of incident tuberculosis among HIV-infected individuals on Truvada-based therapy in Botswana. *PloS one*, *13*(1), e0192030. <https://doi.org/10.1371/journal.pone.0192030>
- Budi, I., Ardillah, Y., Sari, I., & Septiawati, D. (2018). Analisis Faktor Risiko Kejadian penyakit Tuberculosis Bagi Masyarakat Daerah Kumuh Kota Palembang. *Jurnal Kesehatan Lingkungan Indonesia*, *17*(2), 87-94. <https://doi.org/10.14710/jkli.17.2.87-94>
- Nurjana, Made A. "Faktor Risiko Terjadinya Tuberculosis Paru Usia Produktif (15-49 Tahun) di Indonesia." *Media Penelitian dan Pengembangan Kesehatan*, vol. 25, no. 3, Sep. 2015, doi:10.22435/mpk.v25i3.4387.163-170.
- Christian, Medi & Irwansyah, Budi & Rahayu, Shinta. (2020). Faktor Risiko Kejadian Tuberculosis Paru di Wilayah Kerja Puskesmas Malinau Kecamatan Malinau Kota Kabupaten Malinau Tahun 2019. *KESMAS UWIGAMA: Jurnal Kesehatan Masyarakat*. 5. 62. 10.24903/kujkm.v5i2.832.