

DAFTAR PUSTAKA

- Adatara, P., Afaya, A., Salia, S. M., Afaya, R. A., Konlan, K. D., Agyabeng-Fandoh, E., Agbinku, E., Ayandayo, E. A., & Boahene, I. G. ,2019, Risk Factors Associated with Neonatal Sepsis: A Case Study at a Specialist Hospital in Ghana. *The Scientific World Journal*, 2019,1-8.
- Aliyanto, W., & Putriana, Y. , 2015, Faktor Ibu dan Janin yang Mempengaruhi Asfiksa, *Jurnal Keperawatan*, 9(2), 279–292.
- Afsharpaiman, S., Torkaman, M., Saburi, A., Farzaampur, A., Amirsalari, S., &Kavehmanesh Z, 2012, ‘Trends in incidence of neonatal sepsis and antibiotic susceptibility of causative agents in two neonatal intensive care units in tehran’, I.R iran, *Journal of clinical neonatology*, 1(3), 124–130.
- Aggarwal, R., Sarkar, N., Deorari, A.K. & Paul V.K., 2001, ‘Sepsis in the newborn’, *Indian J Pediatr* ,68, 1143–1147.
- Amaliya, S., 2020, Karakteristik Ibu dan Bayi Dengan Sepsis Neonatorum Di Ruang Perinatologi Rumah Sakit Pendidikan Jawa Timur: Penelitian Awal. *Dunia Keperawatan J Keperawatan dan Kesehat*. 8(3):337
- American Academy of Pediatrics Committee on Fetus and Newborn, 2015, ‘The Apgar Score’, *Pediatrics*, 136(4), 819-822.
- American College of Obstetricians and Gynecologist, 2013, ‘Definition of Term Pregnancy’, *Obstet Gynecol*, 3(2), 1139-1140.
- Antonucci, R., Porcella, A., & Pilloni M.D, 2014, ‘Perinatal asphyxia in the term newborn’. *J Pediatr Neonat Individual Med*, 3(2),1-14.
- Arbainy, Y., 2016, Perbandingan Kejadian Sepsis Neonatorum Antara Persalinan Pervaginam dengan Persalinan Seksio Sesarea di RSUDZA Banda Aceh,

- Tesis, Banda Aceh, Fakultas Kedokteran Universitas Syiah Kuala, 36.
- Aslam, H. M. , Saleem, S., Afzal, R., Iqbal, U., Saleem, S. M., Shaikh, M. W. A., & Shahid, N. , 2014, Risk factors of birth asphyxia. *Italian Journal of Pediatrics*, 40, 94.
- Barker, D., & Rutter, N. ,1995, Exposure to invasive procedures in neonatal intensive care unit admissions. *Archives of Disease in Childhood*, 72(1), 47–48.
- Basu, M. & Das, P.K., 2019, ‘Role of Reactive Oxygen Species in Infection by the Intracellular Leishmania Parasites’. In: Chakraborti S., Chakraborti T., Chattopadhyay D., Shaha C. (eds) *Oxidative Stress in Microbial Diseases*, Singapura, Springer.
- Baxter, D., 2010, Impaired functioning of immune defenses to infection in premature and term infants and their implications for vaccination. *Hum Vaccin*. 2010 Jun;6(6):494-505.
- Cancelier, A. C., Petronilho, F., Reinke, A., Constantino, L., Machado, R., Ritter, C., & Dal-Pizzol, F ,2009, Inflammatory and oxidative parameters in cord blood as diagnostic of early-onset neonatal sepsis: a case-control study. *Pediatric critical care medicine : a journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 10(4), 467–471.
- Carrera, J. M., Carbonel, X., & Fabre E., 2007, Recommendations and Guidelines for Perinatal Medicine, Barcelona, Matres Mundi.
- Carvalho, J. K., Moore, D. B., Luz, R. A., Xavier-Elsas, P. P., & Gaspar-Elsas, M. I. C. ,2013, Prediction of sepsis-related outcomes in neonates through systematic

genotyping of polymorphisms in genes for innate immunity and inflammation: a narrative review and critical perspective *Sao Paulo Medical Journal*, 131(5), 338–350.

Chen S. & Shi Y. ,2019, Progress of Research in Neonatal Sepsis. In: Fu X., Liu L. Severe Trauma and Sepsis. Springer, Singapore.

Chiabi, A., Kago, D.A., Moyo, G.K & Obadeyi B., 2019, ‘Relevance and Applicability of the Apgar Score in Current Clinical Practice’, *EC Paediatrics*, 8.(11), 1-7.

Conway S.P., Dear P.R., & Smith I, 1985, Immunoglobulin profile of the preterm baby. *Arch Dis Child*,60,208–12.

Cutland, C. L., Lackritz, E. M., Mallett-Moore, T., Bardají, A., Chandrasekaran, R., Lahariya, C., Nisar, M. I., Tapia, M. D., Pathirana, J., Kochhar, S., Muñoz, F. M., & Brighton Collaboration Low Birth Weight Working Group, 2017, Low birth weight: Case definition & guidelines for data collection, analysis, and presentation of maternal immunization safety data. *Vaccine*, 35(48 Pt A), 6492–6500.

Doron, M. W., Makhlof, R. A., Katz, V. L., Lawson, E. E., & Stiles, A. D. ,1994, Increased incidence of sepsis at birth in neutropenic infants of mothers with preeclampsia, *The Journal of Pediatrics*, 125(3), 452–458.

Departemen Kesehatan RI dan Kes.Sos, 2000, Panduan Konseliig Bagi Petugas Klinik Sanitasi di Puskesmas, Jakarta, Departemen Kesehatan IU.

Dini, F. N., Andayani, P., & Rosida, L. , 2015, Sepsis neonatorum di RSUD Ulin Banjarmasin periode juni 2014-juni 2015, *Berkala Kedokteran*, 12, 175–185.

Djajakusli, S., Harianto, A., Etika, R., Utomo, M.T., & Budiono, 2017, ‘Profil Kematian Neonatus di RSUD dr. Soetomo’, *Sari Pediatri*, 18(6), 474-80.

- Edison, E., Chundrayetti, E., & Yerizel, E. ,2016, Hubungan Kategori Berat Badan Lahir Rendah dengan Nilai Apgar di RSUP Dr. M. Djamil Padang Periode Januari-Desember 2013. *Jurnal Kesehatan Andalas*, 5.
- Faisal, A., Tjipta, G., Lubis, B., & Aldy, D. , 2016, Comparison of absolute neutrophil count between premature and term infants, *Paediatrica Indonesiana*, 44(5), 197-200.
- Finken, M., van der Voorn, B., Hollanders, J.J., Ruys, C. A., de Waard, M., van Goudoever, J. B., & Rotteveel J, 2017, ‘Programming of the Hypothalamus-Pituitary-Adrenal Axis by Very Preterm Birth’, *Annals of Nutrition & Metabolism*, 70(3), 170–174.
- Galal, M., Symonds, I., Murray, H., Petraglia, F., & Smith R., 2012, ‘Postterm Pregnancy. Facts, Views & Vision’, *ObGyn*, 4, 175-187.
- Gebremedhin, D., Berhe, H., & Gebrekirstos K., 2015, ‘Risk Factors for Neonatal Sepsis in Public Hospitals of Mekelle City, North Ethiopia, 2015: Unmatched Case Control Study’, *PLoS One*, 11(5), 1-10.
- Getabelew, A., Aman, M., Fantaye, E., & Yeheyis T, 2018, ‘Prevalence of Neonatal Sepsis and Associated Factors among Neonates in Neonatal Intensive Care Unit at Selected Governmental Hospitals in Shashemene Town, Oromia Regional State, Ethiopia 2017’, *International journal of pediatrics*, 1-7.
- Gillam, K.M. & Gowen Jr, C.W., 2020, ‘Birth Asphyxia’, StatPearls, Florida, StatPearls Publishing.
- Goldstein, B., Giroir, B., & Randolph A., 2005, ‘International pediatric sepsis consensus conference: Definitions for sepsis and organ dysfunction in pediatrics’, *Pediatric Critical Care Medicine*, 6(1), 2–8.

- Gollehom, N., 2019, Neonatal Sepsis, Diakses: 21 April 2020, dari: <https://emedicine.medscape.com/article/978532-overview#a4>
- Grumach, A. S., Ceccon, M. E., Rutz, R., Fertig, A., & Kirschfink, M. ,2014, Complement profile in neonates of different gestational ages. *Scandinavian Journal of Immunology*, 79(4), 276–281.
- Gyawali, B., Ramakrishna, K., & Dhamoon, A.S., 2019, ‘Sepsis: The Evolution in Definition, Pathophysiology, and Management’, *SAGE Open Med*, 7.
- Hasanah, N.M & Lestari H, 2017, Analisis Faktor Risiko Jenis Kelamin Bayi, Bblr, Persalinan Prematur, Ketuban Pecah Dini Dan Tindakan Persalinan Dengan Kejadian Sepsis Neonatus Di Rumah Sakit Bahteramas Provinsi Sulawesi Tenggara Tahun 2016, *Jurnal Ilmiah Mahasiswa Kesehatan Masyarakat*, 1(3), 1–12
- Hayek, I., Schatz, V., Bogdan, C., Jantsch, J., & Lührmann, A. ,2021, Mechanisms controlling bacterial infection in myeloid cells under hypoxic conditions, *Cellular and Molecular Life Sciences*, 78(5), 1887–1907.
- Hayun, M., Alasiry, E., Dau, D., Febriani, D.B., & Madjid D., 2015, ‘The Risk Factors of Early Onset Neonatal Sepsis’, *American Journal of Clinical and Experimental Medicine*, 3(3), 78-82.
- Hidayati, N., & Ibrahimy, A. K., 2015, Hubungan Riwayat BBLR dengan Kejadian Sepsis Neonatorum, *Oksitosin Kebidanan*, 2(1), 7–14.
- Ivanisevic, M., Djelmis, J. & Bukovic, D., 2001, ‘Review on prostaglandin and oxytocin activity in preterm labor’, *Coll Antropol*, 25(2), 687-694.
- Jaya, I., Suryawan, I.W., & Rahayu, P.P, 2019, Hubungan prematuritas dengan kejadian sepsis neonatorum yang dirawat di ruang perinatologi dan neonatal intensive care unit (NICU) RSUD Wangaya kota Denpasar, *Intisari Sains*

Medis, 10.

- Kardana, I., M., 2011 Incidence and factors associated with mortality of neonatal sepsis. *Paediatrica Indonesiana*, 51(3), 144.
- Kesumah, A., Rustini, R., & Rasyid, R., 2020, Perbandingan Nilai APGAR Bayi yang Lahir melalui Sectio Caesarea dengan Anestesia umum dan Anestesia Spinal dari Ibu Eklampsia di RSUP Dr. M. Djamil Padang. *Jurnal Kesehatan Andalas*, 9.
- Kosim, M.S., 2016, Pemeriksaan Kekeruhan Air Ketuban, *Sari Pediatri*, 11(5), 379.
- Kosim, M.S., Yunanto, A., Dewi, R., Sarosa, G.I. & Usman A., 2012, Buku Ajar Neonatologi, Jakarta, Badan Penerbit IDAI.
- Kovach, M. A., & Standiford, T. J., 2012, The function of neutrophils in sepsis. *Current opinion in infectious diseases*, 25(3), 321–327.
- Letouzey, M., Foix-L'Hélias, L., Torchin, H., Mitha, A., Morgan, A. S., Zeitlin, J., Kayem, G., Maisonneuve, E., Delorme, P., Khoshnood, B., Kaminski, M., Ancel, P.-Y., Boileau, P., Lorthe, E., Boileau, P., Foix-L'Hélias, L., Gras-Le Guen, C., Kayem, G., Kuhn, P., ... Infections, T. E.-2 W. G. On, 2021, Cause of preterm birth and late-onset sepsis in very preterm infants: the EPIPAGE-2 cohort study. *Pediatric Research*.
- Leuthner, S.R., & Das U.G., 2004, ' Low Apgar scores and the definition of birth asphyxia', *Pediatric clinics of North America*, 51(3), 737–745.
- Lihawa, Y., M., Mantik, M., & Rocky W., 2013 Hubungan jenis persalinan dengan kejadian sepsis neonatorum di RSUP Prof. Dr. R.D Kandau Manado, tesis, Manado, Universitas Sam Ratulangi.
- Medeiros, F. do V. A., Alves, V. H., Valete, C. O. S., Paiva, E. D., & Rodrigues, D. P., 2016, The correlation between invasive care procedures and the occurrence of

- neonatal sepsis. *Acta Paul. Enferm*, 29(5), 573–578.
- Munro, D. & Treberg, J.R., 2017, 'A radical shift in perspective: mitochondria as regulators of reactive oxygen species', *Journal of Experimental Biology*, 220, 1170 – 1180.
- Nilasari, N., Kharisma, B., & Puti, A , 2019, Analisis Faktor Penyebab Kejadian Asfiksia pada Bayi Baru Lahir. *Jurnal Ners Dan Kebidanan*, 6(2), 251–262.
- Nunez, A, Benavente, I., Blanco, D., Boix, H., Cabanas, F. & Chaffanel, M., 2018, 'Oxidative stress in perinatal asphyxia and hypoxic-ischaemic encephalopathy', *An Pediatr(Barc)*, 88(4), 228.e1-228.e9.
- Nurjayanti, P.D, 2016, Hubungan Paritas dan Umur Kehamilan dengan Kejadian Asfiksia pada bayi baru lahir di RSUD Wonosari Tahun 2016, tesis, Yogyakarta, Politeknik Kesehatan Kementerian Kesehatan.
- Obsa, M. S., Shanka, G. M., Menchamo, M. W., Fite, R. O., & Awol, M. A. ,2020, Factors Associated with Apgar Score among Newborns Delivered by Cesarean Sections at Gandhi Memorial Hospital, Addis Ababa. *Journal of Pregnancy*, 2020, 5986269.
- Oliveira, C.O.P, Souza, J.R.S., Machado, R.G., Feijao, A.R. & Souza, N.L, 2016,' Risk Factors for Neonatal Sepsis in Neonatal Intensive Care Unit : Evidence Study', *Cogitare Enferm*, 21(2), 1-9.
- Olusanya, B.O., 2013,' Full-Term Newborns with Normal Birth Weight Requiring Special Care in A Resource-Constrained Setting'. *The Pan African medical journal*, 15, 36.
- Ozdemir, S., Ozer, E. A., Kose, S., Ilhan, O., Ozturk, C., & Sutcuoglu, S. ,2016, Reference values of serum IgG and IgM levels in preterm and term newborns. *Journal of Maternal-Fetal and Neonatal Medicine*, 29(6), 972–976.

- Palmeira, P., Quinello, C., Silveira-Lessa, A. L., Zago, C. A., & Carneiro-Sampaio, M., 2012, 'IgG placental transfer in healthy and pathological pregnancies', *Clinical & developmental immunology*, 2012, 985646.
- Prawirohardjo, 2010, Ilmu Kebidanan Edisi Keempat, Jakarta : Bina Pustaka Sarwono
- Pusponegoro, T.S., 2000, 'Sepsis Pada Neonatus' , *Sari Pediatri*, 2(2), 96-102.
- Putra, P., J., 2012, Insiden dan Faktor-Faktor yang Berhubungan dengan Sepsis Neonatus di RSUP Sanglah Denpasar, *Sari Pediatri*, 14(3), 205-210.
- Quinn, J. A., Munoz, F. M., Gonik, B., Frau, L., Cutland, C., Mallett-Moore, T., Kissou, A., Wittke, F., Das, M., Nunes, T., Pye, S., Watson, W., Ramos, A. A., Cordero, J. F., Huang, W. T., Kochhar, S., & Buttery J., 2016, 'Preterm birth: Case definition & guidelines for data collection, analysis, and presentation of immunisation safety data', *Vaccine*, 34(49), 6047–6056.
- Rahmawati, P., Mayetti, M. & Rahman S, 2018, Hubungan Sepsis Neonatorum dengan Berat Badan Lahir pada Bayi di RSUP Dr. M. Djamil Padang, *Jurnal Kesehatan Andalas*. 7(3), 405-410.
- Ratnasari, D. & Siti R., 2016, Hubungan antara bayi berat lahir rendah terhadap terjadinya sepsis neonatorum Di RSUD Cilacap. *Jurnal Ilmiah Ilmu Kesehatan*, 14(3), 37–44.
- Roeslani , R.D., Amir, I., Nasrulloh, M.H. & Suryani, 2013, 'Penelitian awal: Faktor Risiko Pada Sepsis Neonatorum Awitan Dini', *Sari Pediatri*, 14(6), 363- 368.
- Rüdiger, M., Küster, H., Herting, E., Berger, A., Müller, C., Urlesberger, B., Simma, B., Poets, C. F., Wauer, R. R., & Tschirch, E. ,2009, Variations of Apgar score of very low birth weight infants in different neonatal intensive care units. *Acta paediatrica*, 98(9), 1433–1436.
- Sandberg, K., Fasth, A., Berger, A., Eibl, M., Isacson, K., Lischka, A., Pollak, A.,

- Tessin, I., & Thiringer, K. ,2000, Preterm infants with low immunoglobulin G levels have increased risk of neonatal sepsis but do not benefit from prophylactic immunoglobulin G, *Journal of Pediatrics*, 137(5), 623–628.
- Schelonka, R.L., 1998, Infante AJ. *Neonatal immunology*. Semin Perinatol, 22,2-14.
- Shattuck, K.E. & Chonmaitree T., 1992, ‘The Changing Spectrum of Neonatal Meningitis over a fifteen year period’, *Clin Pediatr* , 31, 130-136.
- Simbolon, D., 2008, ‘Faktor Risiko Sepsis Pada Bayi Baru Lahir di RSUD Curup Kabupaten Rejang Lebong. Bul. Penel’, *Kesehatan*, 36(3), 127 – 134
- Simonsen, K.A., Anderson-Berry, A.L., Delair, S.F. & Davies, H.D., 2014, ‘Early-Onset Neonatal Sepsis’, *Clin Microbiol Rev*, 27(1), 21–47.
- Singh, G., Chouhan, R., & Sidhu, K. ,2009, Maternal Factors for Low Birth Weight Babies. *Medical journal Armed Forces India*, 65(1), 10–12.
- Singh M, Alsaleem M & Gray CP, 2021, Neonatal Sepsis. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2021 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK531478/>
- Sulistriani, D. & Berliana, S. M., 2016, ‘Faktor-Faktor yang Memengaruhi Kelahiran Prematur di Indonesia : Analisis Data Riskesdas 2013’, *E-Journal Widya Kesehatan dan Lingkungan*, 1(2), 109-112.
- Svenvik, M., Brudin, L., & Blomberg, M. , 2015, Preterm Birth: A Prominent Risk Factor for Low Apgar Scores, *BioMed Research International*, 2015.
- Suman, V. & Luther E.E., 2019, ‘Preterm Labor’, *In: StatPearls* .
- Couto, R. C., Pedrosa, T. M. G., Tofani, C. de P., & Pedroso, E. R. P. , 2006, Risk Factors for Nosocomial Infection in a Neonatal Intensive Care Unit. *Infection Control & Hospital Epidemiology*, 27(6), 571–575.

- Tiku, V., Tan, M. W., & Dikic I, 2020, 'Mitochondrial Functions in Infection and Immunity', *Trends in cell biology*, 30(4), 263–275.
- Turhan, E. E., Gürsoy, T., & Ovalı, F. (2015). Factors which affect mortality in neonatal sepsis. *Türk pediatri arsivi*, 50(3), 170–175.
- Utomo, M. T. ,2010, Risk Factors of Neonatal Sepsis: A Preliminary Study in Dr. Soetomo Hospital. *Indonesian Journal of Tropical and Infectious Disease*, 1(1), 23.
- Wattal, C., Kler, N., Oberoi, J. K., Fursule, A., Kumar, A., & Thakur, A., 2020, Neonatal Sepsis: Mortality and Morbidity in Neonatal Sepsis due to Multidrug-Resistant (MDR) Organisms: Part 1. *Indian journal of pediatrics*, 87(2), 117–121.
- WHO, 2018, Preterm Birth , diakses : 1 Juli 2020, dari : <https://www.who.int/news-room/fact-sheets/detail/preterm-birth>
- WHO, 2006, Newborns with low birth weight diakses : 22 April 2021, dari : <https://www.who.int/whosis/whostat2006NewbornsLowBirthWeight.pdf>
- Widayati, K., Kurniati, D., & Windiani, G. , 2016, Faktor Risiko Sepsis Neonatorum di Ruang Perinatologi Rumah Sakit Umum Pusat Sanglah Denpasar., *Public Health and Preventive Medicine Archive*, 4, 67.
- Wilar, R., Kumalasari, E., Suryanto, D.Y., & Gunawan S., 2010, 'Faktor Resiko Sepsis Awitan Dini', *Sari Pediatri*, 12(4), 265-269.
- Wu, H.H., Yeh, G. P., Hsieh, T. C., & Lin, K.C, 2007, Fulminant sepsis after second-trimester amniocentesis in pregnant women by in vitro fertilization and embryo transfer, *Fetal diagnosis and therapy*, 22(3), 217–220.
- Wynn, J.L. & Wong H.R., 2010, ' Pathophysiology and treatment of septic shock in neonates', *Clinics in perinatology*, 37(2), 439–479.

- Zaidi, A.K., Thaver, D., Ali, S.A & Khan, T.A., 2009, 'Pathogens Associated With Sepsis in Newborns and Young Infants in Developing Countries', *The Pediatric Infectious Disease Journal*, 28(1), 10-18.
- Zulfikri, Z., 2016, 'Diagnosis Sepsis Neonatal', *Sari Pediatri*, 6(2), 81-84.