

DAFTAR PUSTAKA

- Aksöz, B.E., Ertan, R., 2012, Spectral properties of chalcones II, *Fabad J. Pharm. Sci.* **37**, 205–216.
- Al-Ayed, A.S., Hamdi, N., 2014, A new and efficient method for the synthesis of novel 3-Acetyl coumarins oxadiazoles derivatives with expected biological activity, *Molecules* **19**, 911–924.
- Ayuningtyas, D.R., 2020, Pengaruh Gugus Penarik dan Pendorong Elektron terhadap Reaksi Aldol Silang pada Sintesis Turunan Calkon-Tiourea, *Skripsi*, Universitas Airlangga, Surabaya.
- Bramley, S.E., Dupplin, V., Goberdhan, D.G.C., Meakins, G.D., 1987, The Hantzsch thiazole synthesis under acidic conditions: change of regioselectivity, *J. Chem. Soc. Perkin Trans.* **12**, 639.
- Claudio Viegas-Junior, Eliezer J. Barreiro, Carlos Alberto Manssour Fraga, 2007, Molecular Hybridization: A Useful Tool in the Design of New Drug Prototypes, *Curr. Med. Chem.* **14**, 1829–1852.
- Clayden, J., Greeves, N., Warren, S., 2012, *Organic Chemistry Second Edition*, Oxford University Press, Oxford, England.
- Das, D., Sikdar, P., Bairagi, M., 2016, Recent developments of 2-aminothiazoles in medicinal chemistry, *Eur. J. Med. Chem.* **109**, 89–98.
- DiMasi, J.A., Hansen, R.W., Grabowski, H.G., 2003, The price of innovation: New estimates of drug development costs, *J. Health Econ.* **22**, 151–185.
- Domínguez, J.N., León, C., Rodrigues, J., De Domínguez, N.G., Gut, J., Rosenthal, P.J., 2005, Synthesis and evaluation of new antimalarial phenylurenyl chalcone derivatives, *J. Med. Chem.* **48**, 3654–3658.
- Fischer, R., Richardi, J., Fries, P.H., Krienke, H., 2002, The solvation of ions in acetonitrile and acetone. II. Monte Carlo simulations using polarizable solvent models, *J. Chem. Phys.* **117**, 8467–8478.
- Gençer, N., Bilen, Ç., Demir, D., Atahan, A., Ceylan, M., Küçükislamoğlu, M., 2013, In vitro inhibition effect of some chalcones on erythrocyte carbonic anhydrase i and II Artif. Cells, *Nanomedicine Biotechnol.* **41**, 384–388.
- Gottlieb, H.E., Kotlyar, V., Nudelman, A., 1997, NRM Chemicals Shifts of common laboratory solvents as traces impurities, *J. org. Chem* **62**, 7512–7515.
- Guangcheng, W., Zhiyun, P., Dianxiong, H., Wenchao, L., Jian, Y., Yangyang, J., 2015, Preparation of (E)-N'- arylmethylene-4-(coumarin-3-yl)thiazole-2-hydrazide compounds as antimicrobial agents, *Chinese patent CN*

104817552. Beijing: China National Intellectual Property Administration.
- Hassan, M.A., Sayed, G.H., El-nagar, A.M., Hussien, A.M., 2014, A Convenient Synthesis of Some Diarylurea and Thiourea Derivatives as Antimicrobial, *Compounds* **25**, 1–12.
- Joshi, G., Patil, R.D., Adimurthy, S., 2012, Green bromine: In situ generated catalyst for the selective oxidation of alcohols using H₂O₂ as a benign oxidant, *RSC Adv.* **2**, 2235–2239.
- Khamees, H.A., Mohammed, Y.H.E., Swamynayaka, A., Al-Ostoot, F.H., Sert, Y., Alghamdi, S., Khanum, S.A., Madegowda, M., 2019, Molecular Structure, DFT, Vibrational Spectra with Fluorescence Effect, Hirshfeld Surface, Docking Simulation and Antioxidant Activity of Thiazole Derivative, *ChemistrySelect* **4**, 4544–4558.
- Klenc, J., Raux, E., Barnes, S., Sullivan, S., Duszynska, B., Bojarski, A.J., Strekowski, L., 2009, Synthesis of 4-Substituted 2- (4-Methylpiperazino) pyrimidines and Quinazoline Analogs as Serotonin 5-HT 2A Receptor Ligands, *J. Heterocycl. Chem.* **46**, 1259–1265.
- Meunier, B., 2008, Hybrid molecules with a dual mode of action: Dream or reality? *Acc. Chem. Res.* **41**, 69–77.
- Nasir Abbas Bukhari, S., Jasamai, M., Jantan, I., Ahmad, W., 2013, Review of Methods and Various Catalysts Used for Chalcone Synthesis, *Mini. Rev. Org. Chem.* **10**, 73–83.
- Nasr, T., Bondock, S., Youns, M., 2014, Anticancer activity of new coumarin substituted hydrazide–hydrazone derivatives, *Eur. J. Med. Chem.* **76**, 539–548.
- Osman, H., Yusufzai, S.K., Khan, M.S., Abd Razik, B.M., Sulaiman, O., Mohamad, S., Gansau, J.A., Ezzat, M.O., Parumasivam, T., Hassan, M.Z., 2018, New thiazolyl-coumarin hybrids: Design, synthesis, characterization, X-ray crystal structure, antibacterial and antiviral evaluation, *J. Mol. Struct.* **1166**, 147–154.
- Pavia, D.L., Lampman, G.M., Kriz, G.S., Vyvyan, J.R., 2009, *Introduction to Spectroscopy Fourth Edition*, Brooks/Cole, Belmont, CA, USA.
- Perkin, W.H., 1868, XXIII.—On the hydride of aceto-salicyl, *J. Chem. Soc.* **21**, 181–186.
- Podgoršek, A., Stavber, S., Zupan, M., Iskra, J., 2007, Bromination of ketones with H₂O₂–HBr “on water”, *Green Chem.* **9**, 1212–1218.
- Preat, J., Jacquemin, D., Wathélet, V., André, J.M., Perpète, E.A., 2006, TD-DFT investigation of the UV spectra of pyranone derivatives, *J. Phys. Chem. A*

110, 8144–8150.

- Reddy, M.R.D., Prasad, A.R.G., Spoorthy, Y.N., Ravindranath, L.R.K.R., 2013, Synthesis, characterization and antimicrobial activity of certain novel aryl hydrazone pyrazoline-5-ones containing thiazole moiety, *Adv. Pharm. Bull.* **3**, 153–159.
- Sa'adah, N.L., 2020, Pengaruh Substituen Penarik dan Pendorong Elektron pada Dihidropirimidintion dalam Sintesis Senyawa Hibrida Tiazolopirimidin-Kumarin, *Skripsi*, Universitas Airlangga, Surabaya.
- Sajan, D., Erdogdu, Y., Reshmy, R., Dereli, Ö., Kurien Thomas, K., Joe, I.H., 2011, DFT-based molecular modeling, NBO analysis and vibrational spectroscopic study of 3-(bromoacetyl)coumarin, *Spectrochim. Acta - Part A Mol. Biomol. Spectrosc.* **82**, 118–125.
- Salem, M.A., Helal, M.H., Gouda, M.A., Ammar, Y.A., El-Gaby, M.S.A., Abbas, S.Y., 2018, An overview on synthetic strategies to coumarins, *Synth. Commun.* **48**, 1534–1550.
- Sashidhara, K. V., Kumar, A., Kumar, M., Sarkar, J., Sinha, S., 2010, Synthesis and in vitro evaluation of novel coumarin-chalcone hybrids as potential anticancer agents, *Bioorganic Med. Chem. Lett.* **20**, 7205–7211.
- Sashidhara, K. V., Rao, K.B., Kushwaha, P., Modukuri, R.K., Singh, P., Soni, I., Shukla, P.K., Chopra, S., Pasupuleti, M., 2015, Novel Chalcone-Thiazole Hybrids as Potent Inhibitors of Drug Resistant Staphylococcus aureus, *ACS Med. Chem. Lett.* **6**, 809–813.
- Shaabani, A., Ghadari, R., Rezayan, A.H., 2011, Synthesis of functionalized coumarins, *Iran. J. Chem. Chem. Eng.* **30**, 19–22.
- Silverstein, R.M., Webster, F.X., Kiemle, D.J., 2005, *Spectrometric Identification of Organic Compounds Seventh Edition*, John Wiley & Sons, Inc., Hoboken, NJ, USA.
- Skoog, D.A., Holler, F.J., Crouch, S.R., 2016, *Principles of Instrumental Analysis Seventh Edition*, Cengage Learning, Boston, MA, USA.
- Song, S., Li, X., Sun, X., Yuan, Y., Jiao, N., 2015, Efficient bromination of olefins, alkynes, and ketones with dimethyl sulfoxide and hydrobromic acid, *Green Chem.* **17**, 3285–3289.
- Sonmez, F., Sevmezler, S., Atahan, A., Ceylan, M., Demir, D., Gencer, N., Arslan, O., Kucukislamoglu, M., 2011, Evaluation of new chalcone derivatives as polyphenol oxidase inhibitors, *Bioorganic Med. Chem. Lett.* **21**, 7479–7482.
- Srikrishna, D., Tasqeeruddin, S., Kumar Dubey, P., 2014, Synthesis of 3-

substituted Coumarins: An Efficient Green Approach Using L-proline as Catalyst in Triethanolamine Medium, *Lett. Org. Chem.* **11**, 556–563.

Wade, L.G., 2013, *Organic Chemistry Eighth Edition*, John Wiley & Sons, Inc., Hoboken, NJ, USA.