

Daftar Pustaka

- Allen, C, and Bayraktutan, U, 2008, 'Risk Factors for Ischaemic Stroke', *International Journal of Stroke*, vol 3, pp.105-116.
- Allred, D.C, Harvey, J.M, Berardo, M, and Clark, G.M, 1998, 'Prognostic and predictive factors in breast cancer by immunohistochemical analysis', *Modern pathology: an official journal of the United States and Canadian Academy of Pathology, Inc*, vol 11, pp.155-168.
- Anrather, J, and Iadecola, C, 2016, 'Inflammation and Stroke: An Overview', *Neurotherapeutics*, vol 13, pp.661-670.
- Arab, L, Liu, W, and Elashoff, D, 2009, 'Green and Black Tea Consumption and Risk of Stroke', *Stroke*, vol 40, pp 1786-1792.
- Azad, A, Rajaram, M, Metz, W, Cope, F, Blue, M, Vera, D, and Schlesinger, L, 2015, ' γ -Tilmunocept, a New Radiopharmaceutical Tracer for Cancer Sentinel Lymph Nodes, Binds to the Mannose Receptor (CD206)', *The Journal of Immunology*, vol 195, pp.2019-2029.
- Azad, A, Rajaram, M, and Schlesinger, L, 2014, 'Exploitation of the macrophage mannose receptor (CD206) in infectious disease diagnostics and therapeutics', *Journal of Cytology & Molecular Biology*, vol 01.
- Bao, J, Liu, W, Zhou, H, Gui, Y, Yang, Y, Wu, M, Xiao, Y, Shang, J, Long, G, and Shu, X, 2020, 'Epigallocatechin-3-gallate Alleviates Cognitive Deficits in APP/PS1 Mice', *Current Medical Science*, vol 40, pp.18-27.
- Benesch, C, and Holloway, R, 1998, 'Economic Impact of Stroke and Implications for Interventions', *CNS Drugs*, vol 9, pp 19-39.
- Bertani, F, Mozetic, P, Fioramonti, M, Iuliani, M, Ribelli, G, Pantano, F, Santini, D, Tonini, G, Trombetta, M, Businaro, L, Selci, S, and Rainer, A, 2017, 'Classification of M1/M2-polarized human macrophages by label-free hyperspectral reflectance confocal microscopy and multivariate analysis', *Scientific Reports*, vol 7.
- Brandtzaeg, P, 1998, 'The increasing power of immunohistochemistry and immunocytochemistry', *Journal of Immunological Methods*, vol 216, pp.49-67.
- Brandtzaeg, P, Halstensen, T, S, Huitfeldt, H, Valnes, K, 1997b, Immunofluorescence and immunoenzyme histochemistry, In: Johnstone, A, P, Turner, M, W, eds., *Immunochemistry 2- A Practical Approach*. Oxford: Oxford University Press, pp. 71.

Centers for Disease Control and Prevention 2020, Types Of Stroke | Cdc.Gov.
 [online] Cdc.gov, Retrieved: May 2, 2020, from
https://www.cdc.gov/stroke/types_of_stroke.htm.

Chiang, T, Messing, R, and Chou, W, 2011, ‘Mouse Model of Middle Cerebral Artery Occlusion’, *Journal of Visualized Experiments*,.

Choi, J, Kim, J, Kim, J, Park, J, Lee, W, and Lee, J, 2017, ‘M2 Phenotype Microglia-derived Cytokine Stimulates Proliferation and Neuronal Differentiation of Endogenous Stem Cells in Ischemic Brain’, *Experimental Neurobiology*, vol 26, pp.33-41.

Colton, C, 2009, ‘Heterogeneity of Microglial Activation in the Innate Immune Response in the Brain’, *Journal of Neuroimmune Pharmacology*, vol 4, pp.399-418.

Delvaeye, M, and Conway, E, 2009, ‘Coagulation and innate immune responses: can we view them separately?’, *Blood*, vol 114, pp.2367-2374.

Dewi, K, 2008, ‘Pengaruh Ekstrak Teh Hijau (*Camellia sinensis* Var. Assamica) Terhadap Penurunan Berat Badan, Kadar Trigliserida Dan Kolesterol Total Pada Tikus Jantan Galur Wistar’, *Maranatha Journal of Medicine and Health*, vol. 7.

Fakultas Farmasi Unair, 2021, Produk Unggulan Fakultas Farmasi Universitas Airlangga., [online] Ff.unair.ac.id. Available at: <<http://ff.unair.ac.id/files/downloads/produkunggulanffua.pdf>> [Accessed 28 January 2021].

Fernández-Arjona, M, Grondona, J, Granados-Durán, P, Fernández-Llebrez, P, and López-Ávalos, M, 2017, ‘Microglia Morphological Categorization in a Rat Model of Neuroinflammation by Hierarchical Cluster and Principal Components Analysis’, *Frontiers in Cellular Neuroscience*, vol 11.

Giunta, B, Obregon, D, Hou, H, Zeng, J, Sun, N, Nikolic, V, Ehrhart, J, Shytle, D, Fernandez, F, and Tan, J, 2006, ‘EGCG mitigates neurotoxicity mediated by HIV-1 proteins gp120 and Tat in the presence of IFN- γ : Role of JAK/STAT1 signaling and implications for HIV-associated dementia’, *Brain Research*, vol 1123, pp.216-225.

Graham, H, 1992, ‘Green tea composition, consumption, and polyphenol chemistry’, *Preventive Medicine*, vol 21, pp 334-350.

Habtemariam, S., 2019, The chemical and pharmacological basis of tea (*Camellia sinensis* (L.) Kuntze) as potential therapy for type 2 diabetes and metabolic syndrome. In: Habtemariam, S., 2019, Medicinal Foods as Potential Therapies for Type-2 Diabetes and Associated Diseases, 1st ed., London: Academic Press, pp.839-906.

- Hagiwara, M, and Matsushita, K, 2014, 'Epigallocatechin gallate suppresses LPS endocytosis and nitric oxide production by reducing Rab5-caveolin-1 interaction', *Biomedical Research*, vol 35, pp.145-151.
- Hawes, D, Shi, S, Dabbs, D, Taylor, C, and Cote, R, 2009, Immunohistochemistry. In: Weidner, N, Cote, R, J, Suster, S, Weiss, L,M, eds., Modern surgical pathology Modern Surgical Pathology. 2nd ed., Philadelphia: Saunders Elsevier, pp.48-70.
- Heinrich, F, Lehmbecker, A, Raddatz, B, Kegler, K, Tipold, A, Stein, V, Kalkuhl, A, Deschl, U, Baumgärtner, W, Ulrich, R, and Spitzbarth, I, 2017, 'Morphologic, phenotypic, and transcriptomic characterization of classically and alternatively activated canine blood-derived macrophages *in vitro*', *PLOS ONE*, vol 12, p.e0183572.
- Hu, X, Li, P, Guo, Y, Wang, H, Leak, R, Chen, S, Gao, Y, and Chen, J, 2012, 'Microglia/Macrophage Polarization Dynamics Reveal Novel Mechanism of Injury Expansion After Focal Cerebral Ischemia', *Stroke*, vol 43, pp.3063-3070.
- Huck, J, Freyer, D, Böttcher, C, Mladinov, M, Muselmann-Genschow, C, Thielke, M, Gladow, N, Bloomquist, D, Mergenthaler, P, and Priller, J, 2015, 'De Novo Expression of Dopamine D2 Receptors on Microglia after Stroke', *Journal of Cerebral Blood Flow & Metabolism*, vol 35, pp.1804-1811.
- Hui, C, Tadi, P, Patti, L, 2020, Ischemic Stroke, In: StatPearls [Internet], Treasure Island (FL): StatPearls Publishing. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK499997/>.
- Integrated Taxonomic Information System 2018, *Camellia sinensis* (L.) Kuntze, Retrieved: August 6, 2020, from https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=506801#null.
- Itoh, T, Imano, M, Nishida, S, Tsubaki, M, Mizuguchi, N, Hashimoto, S, Ito, A, and Satou, T, 2012, '(-)-Epigallocatechin-3-gallate increases the number of neural stem cells around the damaged area after rat traumatic brain injury', *Journal of Neural Transmission*, vol 119, pp.877-890.
- Jayaraj, R., Azimullah, S, Beiram, R, Jalal, F, and Rosenberg, G, 2019, 'Neuroinflammation: friend and foe for ischemic stroke', *Journal of Neuroinflammation*, vol 16.
- Johnson, W, Onuma, O, Owolabi, M, and Sachdev, S, 2016, Stroke: A Global Response Is Needed, Bulletin of the World Health Organization, p. 634.
- Kaliyappan, K, Palanisamy, M, Duraiyan, J, and Govindarajan, R, 2012, 'Applications of immunohistochemistry', *Journal of Pharmacy and Bioallied Sciences*, vol 4, p.307.

- Kleinschnitz, C, Fluri, F, and Schuhmann, M, 2015, ‘Animal models of ischemic stroke and their application in clinical research’, *Drug Design, Development and Therapy*, vol 9, pp.3445–3454.
- Koizumi, J, Yoshida, Y, Nakazawa, T, and Ooneda, G, 1986, ‘Experimental studies of ischemic brain edema’, *Nosotchu*, vol 8, pp.1-8.
- Komisi Etik Penelitian dan Pengembangan Kesehatan Nasional Kementerian Kesehatan Republik Indonesia, 2017, Pedoman dan Standar Etik Penelitian dan Pengembangan Kesehatan Nasional, Kementerian Kesehatan Republik Indonesia, pp.82-83.
- Lehrmann, E, Christensen, T, Zimmer, J, Diemer, N, and Finsen, B, 1997, ‘Microglial and macrophage reactions mark progressive changes and define the penumbra in the rat neocortex and striatum after transient middle cerebral artery occlusion’, *The Journal of Comparative Neurology*, vol 386, pp.461-476.
- Longa, E, Weinstein, P, Carlson, S, and Cummins, R, 1989, ‘Reversible middle cerebral artery occlusion without craniectomy in rats’, *Stroke*, vol 20, pp.84-91.
- Machin, A 2020. ‘PENGHAMBATAN PROSES KEMATIAN SEL NEURON MENGGUNAKAN *Camillia Sinensis* DENGAN BAHAN AKTIF EGCG PADA *Rattus Norvegicus* MODEL STROKE ISKEMIK AKUT’, Disertasi, Surabaya, Universitas Airlangga, pp. 72-92.
- Machin, A, Purwanto, D, A, Nasronuddin, Sugianto, P, Aulanni’am, A, Subadi, I, Susilo, I, Adianto, Ch, Hidayati, A, N, Utomo, B, 2020, ‘*Camellia sinensis* with its active compound EGCG can decrease necroptosis via inhibition of HO-1 expression’, *Eurasia J Biosci*, vol 14, pp.1813-1820.
- Martinez-Pomares, L, 2012, ‘The mannose receptor’, *Journal of Leukocyte Biology*, vol 92, pp.1177-1186.
- Menegazzi, M, Campagnari, R, Bertoldi, M, Crupi, R, Di Paola, R, and Cuzzocrea, S, 2020, ‘Protective Effect of Epigallocatechin-3-Gallate (EGCG) in Diseases with Uncontrolled Immune Activation: Could Such a Scenario Be Helpful to Counteract COVID-19?’, *International Journal of Molecular Sciences*, vol 21, p.5171.
- Mohr, J, P, 1992. ‘Middle cerebral artery disease’. *Stroke: pathophysiology, diagnosis, and management*, pp.361-417.
- Mozaffarian, D, Benjamin, E, Go, A, Arnett, D, Blaha, M, Cushman, M, Das, S, de Ferranti, S, Després, J, Fullerton, H, Howard, V, Huffman, M, Isasi, C, Jiménez, M, Judd, S, Kissela, B, Lichtman, J, Lisabeth, L, Liu, S, Mackey, R, Magid, D, McGuire, D, Mohler, E, Moy, C, Muntner, P, Mussolino, M, Nasir, K, Neumar, R, Nichol, G, Palaniappan, L, Pandey, D, Reeves, M, Rodriguez, C, Rosamond, W, Sorlie, P, Stein, J, Towfighi, A, Turan, T, Virani, S, Woo, D, Yeh, R, and Turner, M, 2016, ‘Heart Disease and Stroke Statistics—2016 Update’, *Circulation*, vol 133.

Novus Biologicals 2020, MMR/CD206/Mannose Receptor Antibody, Retrieved: August 8, 2020, from: https://www.novusbio.com/products/mmr-cd206-mannose-receptor-antibody_nb1-90020.

Ortiz-López, L, Márquez-Valadez, B, Gómez-Sánchez, A, Silva-Lucero, M, Torres-Pérez, M, Téllez-Ballesteros, R, Ichwan, M, Meraz-Ríos, M, Kempermann, G, and Ramírez-Rodríguez, G, 2016, ‘Green Tea Compound Epigallo-Catechin-3-Gallate (EGCG) Increases Neuronal Survival In Adult Hippocampal Neurogenesis *In vivo And In vitro*’. *Neuroscience*,.

Páramo, B, Montiel, T, Hernández-Espinosa, D, Rivera-Martínez, M, Morán, J, and Massieu, L, 2013, ‘Calpain activation induced by glucose deprivation is mediated by oxidative stress and contributes to neuronal damage’, *The International Journal of Biochemistry & Cell Biology*, vol 45, pp.2596-2604.

Pae, M, and Wu, D, 2013, ‘Immunomodulating effects of epigallocatechin-3-gallate from green tea: mechanisms and applications’, *Food & Function*, vol 4, p.1287.

Philip-Ephraim, E, 2019, ‘Emergency Management of Acute Ischaemic Stroke’, *Essentials of Accident and Emergency Medicine*,.

Proto, J, Doran, A, Gusarova, G, Yurdagul, A, Sozen, E, Subramanian, M, Islam, M, Rymond, C, Du, J, Hock, J, Kuriakose, G, Bhattacharya, J, and Tabas, I, 2018, ‘Regulatory T Cells Promote Macrophage Efferocytosis during Inflammation Resolution’, *Immunity*, vol 49, pp.666-677.e6.

Rőszer, T, 2015, ‘Understanding the Mysterious M2 Macrophage through Activation Markers and Effector Mechanisms’, *Mediators of Inflammation*, pp.1-16.

Sacco, R, Kasner, S, Broderick, J, Caplan, L, Connors, J, Culebras, A, Elkind, M, George, M, Hamdan, A, Higashida, R, Hoh, B, Janis, L, Kase, C, Kleindorfer, D, Lee, J, Moseley, M, Peterson, E, Turan, T, Valderrama, A, and Vinters, H, 2013, ‘An Updated Definition of Stroke for the 21st Century’, *Stroke*, vol 44, pp.2064-2089.

Saqib, U, Sarkar, S, Suk, K, Mohammad, O, Baig, M, and Savai, R, 2018, ‘Phytochemicals as modulators of M1-M2 macrophages in inflammation’, *Oncotarget*, vol 9, pp. 17937-17950.

Schäfer, M, Schwaebel, W, Post, C, Salvati, P, Calabresi, M, Sim, R, Petry, F, Loos, M, and Weihe, E, 2000, ‘Complement C1q Is Dramatically Up-Regulated in Brain Microglia in Response to Transient Global Cerebral Ischemia’, *The Journal of Immunology*, vol 164, pp.5446-5452.

Schwamm, L, Ali, S, Reeves, M, Smith, E, Saver, J, Messe, S, Bhatt, D, Grau-Sepulveda, M, Peterson, E, and Fonarow, G, 2013, ‘Temporal Trends in Patient Characteristics and Treatment With Intravenous Thrombolysis Among Acute Ischemic Stroke Patients at Get With the Guidelines–Stroke Hospitals’, *Circulation: Cardiovascular Quality and Outcomes*, vol 6, pp.543-549.

- Scodeller, P, Simón-Gracia, L, Kopanchuk, S, Tobi, A, Kilk, K, Säälik, P, Kurm, K, Squadrito, M, Kotamraju, V, Rinken, A, De Palma, M, Ruoslahti, E, and Teesalu, T, 2017, ‘Precision Targeting of Tumor Macrophages with a CD206 Binding Peptide’, *Scientific Reports*, vol 7.
- Sharma, N, Vashist, H, and Kumar, A, 2018, ‘Reputation of Herbal Drugs in Treatments of Liver Cancer’, *Innovat International Journal Of Medical & Pharmaceutical Sciences*, vol 3, pp.9-16.
- Shin, J, Lim, S, Jeong, S, Kang, J, and Park, E, 2014, ‘Noggin improves ischemic brain tissue repair and promotes alternative activation of microglia in mice’, *Brain, Behavior, and Immunity*, vol 40, pp 143-154.
- Singh, N, Mandal, A, and Khan, Z, 2016, ‘Potential neuroprotective properties of epigallocatechin-3-gallate (EGCG)’, *Nutrition Journal*, vol 15.
- Smith, H, Russell, J, Granger, D, and Gavins, F, 2015, ‘Critical differences between two classical surgical approaches for middle cerebral artery occlusion-induced stroke in mice’, *Journal of Neuroscience Methods*, vol 249, pp.99-105.
- Streit, W, Walter, S, and Pennell, N, 1999, ‘Reactive microgliosis’, *Progress in Neurobiology*, vol 57, pp.563-581.
- Suzuki, Y, Miyoshi, N, and Isemura, M, 2012, ‘Health-promoting effects of green tea’, *Proceedings of the Japan Academy, Series B*, vol 88, pp 88-101.
- Suzuki, Y, Shirai, M, Asada, K, Yasui, H, Karayama, M, Hozumi, H, Furuhashi, K, Enomoto, N, Fujisawa, T, Nakamura, Y, Inui, N, Shirai, T, Hayakawa, H, and Suda, T, 2018, ‘Macrophage mannose receptor, CD206, predict prognosis in patients with pulmonary tuberculosis’, *Scientific Reports*, vol 8.
- Szalay, G, Martinecz, B, Lénárt, N, Környei, Z, Orsolits, B, Judák, L, Császár, E, Fekete, R, West, B, Katona, G, Rózsa, B, and Dénes, Á, 2016, ‘Microglia protect against brain injury and their selective elimination dysregulates neuronal network activity after stroke’, *Nature Communications*, vol 7.
- Wang, Q, Tang, X, and Yenari, M, 2007, ‘The inflammatory response in stroke’, *Journal of Neuroimmunology*, vol 184, pp.53-68.
- Wang, S, Cao, M, Xu, S, Shi, J, Mao, X, Yao, X, and Liu, C, 2019, ‘Luteolin Alters Macrophage Polarization to Inhibit Inflammation’, *Inflammation*, vol 43, pp.95-108.
- Wang, Y, Li, M, Xu, X, Song, M, Tao, H, and Bai, Y, 2012, ‘Green tea epigallocatechin-3-gallate (EGCG) promotes neural progenitor cell proliferation and sonic hedgehog pathway activation during adult hippocampal neurogenesis’, *Molecular Nutrition & Food Research*, vol 56, pp 1292-1303.

World Health Organization 2012, Global Health Estimates, World Health Organization. Retrieved: March 25, 2020, from https://www.who.int/healthinfo/global_burden_disease/en/.

Wu, D, Wang, J, Pae, M, and Meydani, S, 2012, ‘Green tea EGCG, T cells, and T cell-mediated autoimmune diseases’, *Molecular Aspects of Medicine*, vol 33, pp.107-118.

Xu, Z, Gu, Y, Wang, C, Jin, Y, Wen, X, Ma, J, Tang, L, Mao, Z, Qian, J, and Lin, J, 2019, ‘The M2 macrophage marker CD206: a novel prognostic indicator for acute myeloid leukemia’, *OncoImmunology*, vol 9, p.1683347.

Yu, J, Jia, Y, Guo, Y, Chang, G, Duan, W, Sun, M, Li, B, and Li, C, 2010, ‘Epigallocatechin-3-gallate protects motor neurons and regulates glutamate level’, *FEBS Letters*, vol 584, pp.2921-2925.

Zhang, J, Xu, H, Yuan, Y, Chen, J, Zhang, Y, Lin, Y, and Yuan, S, 2016, ‘Delayed Treatment with Green Tea Polyphenol EGCG Promotes Neurogenesis After Ischemic Stroke in Adult Mice’, *Molecular Neurobiology*, vol 54, pp.3652-3664.

Zhong, Y, Chiou, Y, Pan, M, and Shahidi, F, 2012, ‘Anti-inflammatory activity of lipophilic epigallocatechin gallate (EGCG) derivatives in LPS-stimulated murine macrophages’, *Food Chemistry*, vol 134, pp.742-748.