

Daftar Pustaka

- Afifah, L. (2019). Hubungan Pendapatan , Tingkat Asupan Energi dan Karbohidrat dengan Status Gizi Balita Usia 2-5 Tahun di Daerah Kantong Kemiskinan The Correlation of Income , Level of Energy and Carbohydrate Intake with Nutritional Status of Toddlers Aged 2-5 Years in Poo. *Jurnal Universitas Airlangga*, 3(3), 183–188. <https://doi.org/10.2473/amnt.v3i3.2019.183-188>
- Almatsier, S. (2002). *Prinsip dasar ilmu gizi*. Retrieved from <https://books.google.co.id/books?id=aEmYNwAACAAJ>
- Bera, R., Das, S., & Behera, R. R. (2019). *Child nutritional status in Odisha : A study of trends , regional patterns and socioeconomic correlates*. 10(3), 90–103.
- Carrero, J. J., Hecking, M., Chesnaye, N. C., & Jager, K. J. (2018). Sex and gender disparities in the epidemiology and outcomes of chronic kidney disease. *Nature Reviews Nephrology*, 14(3), 151–164. <https://doi.org/10.1038/nrneph.2017.181>
- Cegielski, J. P., & McMurray, D. N. (2004). The relationship between malnutrition and tuberculosis: evidence from studies in humans and experimental animals. *The International Journal of Tuberculosis and Lung Disease : The Official Journal of the International Union against Tuberculosis and Lung Disease*, 8(3), 286–298.
- Chan, J., Tian, Y., Tanaka, K. E., Tsang, M. S., Yu, K., Salgame, P., ... Bloom, B. R. (1996). Effects of protein calorie malnutrition on tuberculosis in mice. *Proceedings of the National Academy of Sciences of the United States of America*, 93(25), 14857–14861. <https://doi.org/10.1073/pnas.93.25.14857>
- Cohen, A. K., Rai, M., Rehkopf, D. H., & Abrams, B. (2013). Educational attainment and obesity: A systematic review. *Obesity Reviews*, 14(12), 989–1005. <https://doi.org/10.1111/obr.12062>
- Dargie, B., Tesfaye, G., & Worku, A. (2016). Prevalence and associated factors of undernutrition among adult tuberculosis patients in some selected public health facilities of Addis Ababa, Ethiopia: a cross-sectional study. *BMC Nutrition*, 2(1), 1–9. <https://doi.org/10.1186/s40795-016-0046-x>

- Diana, R., Yuliana, I., Yasmin, G., & Hardinsyah, D. (2013). Faktor Risiko Kegemukan pada Wanita dewasa Indonesia (Risk Factors of Overweight among Indonesian Women). *Jurnal Gizi Dan Pangan*, 8(1), 1–8. Retrieved from <http://jesl.journal.ipb.ac.id/index.php/jgizipangan/article/viewFile/7226/5647>
- Dinas Kesehatan Kota Surabaya. (2017). *Profil kesehatan kota surabaya 2016*.
- Dinas Kesehatan Kota Surabaya. (2018). *Profil Kesehatan Kota Suabaya 2017*. Surabaya City.
- Dinas Kesehatan Kota Surabaya. (2019). *Laporan Tahunan 2019*.
- Dodor, E. (2008). Evaluation of Nutritional Status of New Tuberculosis Patients at the Effia-Nkwanta Regional Hospital. *Ghana Medical Journal*, 42, 22–28.
- Endang, N., Ratu, A., & Dewi, A. (2010). Faktor Risiko Obesitas pada Orang Dewasa Urban dan Rural Obesity Risk Factors in Urban and Rural Adults. *Jurnal Kesehatan Masyarakat Nasional*, 5, 29–34. Retrieved from <http://jurnalkesmas.ui.ac.id/index.php/kesmas/article/download/159/160>
- Francisco, P. M. S. B., Assumpção, D. de, Borim, F. S. A., & Malta, D. C. (2019). Prevalence and factors associated with underweight among Brazilian older adults. *Ciencia & Saude Coletiva*, 24(7), 2443–2452. <https://doi.org/10.1590/1413-81232018247.21512017>
- Gariballa, S., & Forster, S. (2009). Effects of smoking on nutrition status and response to dietary supplements during acute illness. *Nutrition in Clinical Practice*, 24(1), 84–90. <https://doi.org/10.1177/0884533608329441>
- Gupta, A., Kapil, U., Khandelwal, R., Khenduja, P., Sareen, N., Pandey, R. M., & Upadhyay, A. D. (2018). Prevalence and Risk Factors of Underweight, Overweight and Obesity Among a Geriatric Population Living in a High-Altitude Region of Rural Uttarakhand, India. *Public Health Nutrition*, 21(10), 1904–1911. <https://doi.org/DOI: 10.1017/S1368980018000447>
- Gupta Harshita, Surya Kant, Jain Amita , Ahluwalia Savita, N. S. M. (2013). Association of Nutritional Factors with Tuberculosis Treatment Outcome. *IJCA Journal*, 6–13. Retrieved from <http://www.ijcaonline.org/proceedings/nsaails/number1/10378-1002>
- Gupta, K., Gupta, R., Atreja, A., Verma, M., & Vishvkarma, S. (2009). Tuberculosis and nutrition. *Lung India*, 26(1), 9–16.

<https://doi.org/10.4103/0970-2113.45198>

Gurung, L. M., Bhatt, L. D., Karmacharya, I., & Yadav, D. K. (2018). Dietary Practice and Nutritional Status of Tuberculosis Patients in Pokhara: A Cross Sectional Study. *Frontiers in Nutrition*, 5, 63.

<https://doi.org/10.3389/fnut.2018.00063>

Hapsari, P. N. F., & Isfandiari, M. A. (2017). Hubungan Sosioekonomi Dan Gizi Dengan Risiko Tuberkulosis Pada Penderita Dm Tipe 2. *Jurnal Berkala Epidemiologi*, 5(2), 185–194. <https://doi.org/10.20473/jbe.v5i2.2017.185-194>

Hastono, S. P. (2017). *Statistik Kesehatan*. (Patent No. 086582).

Herman, K., Ardern, C., Mason, C., Brien, S., & Katzmarzyk, P. (2007). Trends in physical activity research in Canada. *Applied Physiology, Nutrition, and Metabolism = Physiologie Appliquée, Nutrition et Métabolisme*, 32, 400–408. <https://doi.org/10.1139/h06-118>

Ismail, M., & CL., T. (2000). Prevalence of obesity in Malaysia. In: The Asia-Pacific perspective: redefining obesity and its treatment. *Geneva, Switzerland: World Health Organization*, p. 56. <https://doi.org/0-9577082-1-1>

Karumbi, J., & Garner, P. (2015). Directly observed therapy for treating tuberculosis (Review). *Cochrane Database of Systematic Reviews*, (5). <https://doi.org/10.1002/14651858.CD003343.pub4>. www.cochranelibrary.com

Karyadi, E., West, C. E., Schultink, W., Nelwan, R. H. H., Gross, R., Amin, Z., ... van der Meer, J. W. M. (2002). A double-blind, placebo-controlled study of vitamin A and zinc supplementation in persons with tuberculosis in Indonesia: effects on clinical response and nutritional status. *The American Journal of Clinical Nutrition*, 75(4), 720–727. <https://doi.org/10.1093/ajcn/75.4.720>

Kementerian Kesehatan Republik Indonesia. (2014). *Pedoman Nasional Pengendalian Tuberkulosis*.

Kementerian Kesehatan Republik Indonesia. (2017). TUBERKULOSIS (TB). Retrieved from <http://www.kemkes.go.id/development/site/depkes/pdf.php?id=1->

17042500005

- Kusnanto, K., Pradanie, R., & Alifi Karima, I. (2016). Spiritual Emotional Freedom Technique (SEFT) terhadap Kualitas Hidup Penderita Tuberkulosis Paru. *Jurnal Keperawatan Padjadjaran*, *v4(n3)*, 213–224. <https://doi.org/10.24198/jkp.v4n3.1>
- Kusumaningroh, D., Susilowati, T., & Wulandari, R. (2018). The Correlation of Physical Activity and Treatment Phase with Nutritional Status on Patients Of Lungs Tuberculosis. *Jurnal Ners Dan Kebidanan*, 1–7. <https://doi.org/10.26699/jnk.v5i1.ART.p001>
- Lapau, B., & Birwin, A. (2017). *Prinsip & Metode Epidemiologi* (p. 190). p. 190.
- Lemeshow S., Hosmer D. W., Klar J., Lwanga S. K., & World Health Organization. (1990). *Adequacy of sample size in health studies*. Retrieved from <https://apps.who.int/iris/handle/10665/41607>
- Macallan, D. C., McNurlan, M. A., Kurpad, A. V, de Souza, G., Shetty, P. S., Calder, A. G., & Griffin, G. E. (1998). Whole body protein metabolism in human pulmonary tuberculosis and undernutrition: evidence for anabolic block in tuberculosis. *Clinical Science (London, England : 1979)*, *94(3)*, 321–331. <https://doi.org/10.1042/cs0940321>
- Ministry of Health RI. (2019). *Indonesian Health Profile in 2018*. Jakarta.
- Mokti, K., Isa, Z., Abdul Manaf, M. R., Hayati, F., & Syed Abd Rahim, S. S. (2020). Nutritional burden in tuberculosis and inter-sectoral nutritional management for tuberculosis patients in Malaysia. *Turkiye Klinikleri Journal of Medical Sciences*, *40(1)*, 83–95. <https://doi.org/10.5336/medsci.2019-70810>
- Muchtadi, D. (2014). *Pengantar Ilmu Gizi*. Bandung: ALFABETA.
- Notoadmodjo, S. (2014). *Promosi kesehatan teori dan aplikasi*.
- Par'i, H. M., Wiyono, S., & Harjatmo, T. P. (2017). Penilaian status gizi. *Jakarta Selatan: Pusat Pendidikan Sumber Daya Manusia Kesehatan*.
- Pednekar, M. S., Hakama, M., & Gupta, P. C. (2012). *Tobacco Use or Body Mass – Do They Predict Tuberculosis Mortality in Mumbai , India ? Results from a Population-Based Cohort Study*. 7(7). <https://doi.org/10.1371/journal.pone.0039443>

- Perronne, C. (1999, April). Tuberculosis, HIV infection, and malnutrition: an infernal trio in central Africa. *Nutrition (Burbank, Los Angeles County, Calif.)*, Vol. 15, pp. 321–322. [https://doi.org/10.1016/s0899-9007\(99\)00011-8](https://doi.org/10.1016/s0899-9007(99)00011-8)
- Prihartini, R. S., Afandi, M. I. A., & Nahariani, P. (2013). Hubungan Tingkat Sosial Ekonomi Dengan Angka Kejadian TB Paru BTA Positif di Wilayah Kerja Puskesmas Peterongan Jombang Tahun 2012. *Jurnal Metabolisme*, 2(3), 31–38.
- Punjabi, C. D., Perloff, S. R., & Zuckerman, J. M. (2016). Preventing Transmission of Mycobacterium tuberculosis in Health Care Settings. *Infectious Disease Clinics of NA*. <https://doi.org/10.1016/j.idc.2016.07.003>
- Putri, W. A., Munir, S. M., & Christianto, E. (2016). Gambaran Status Gizi pada Pasien Tuberkulosis Paru (Tb Paru) yang Menjalani Rawat Inap di RSUD Arifin Achmad Pekanbaru. *Jurnal Online Mahasiswa Fakultas Kedokteran Universitas Riau*, 3(2), 1–16.
- Ramirez-Rueda, R. Y. (2016). Mycobacterium tuberculosis: clinical and microbiological aspects. In *The Microbiology of Respiratory System Infections* (pp. 153–166). <https://doi.org/10.1016/B978-0-12-804543-5/00011-7>
- Ramli, Agho, K. E., Inder, K. J., Bowe, S. J., Jacobs, J., & Dibley, M. J. (2009). Prevalence and risk factors for stunting and severe stunting among under-fives in North Maluku province of Indonesia. *BMC Pediatrics*, 9, 64. <https://doi.org/10.1186/1471-2431-9-64>
- Rawal, L. B., Kanda, K., Mahumud, R. A., Joshi, D., Mehata, S., Shrestha, N., ... Renzaho, A. (2018). Prevalence of underweight, overweight and obesity and their associated risk factors in Nepalese adults: Data from a Nationwide Survey, 2016. *PLOS ONE*, 13(11), e0205912. Retrieved from <https://doi.org/10.1371/journal.pone.0205912>
- Rook, G. A., & Hernandez-Pando, R. (1996). The pathogenesis of tuberculosis. *Annual Review of Microbiology*, 50, 259–284. <https://doi.org/10.1146/annurev.micro.50.1.259>
- Santika, I. G. P. N. A. (2015). Hubungan Indeks Massa Tubuh (IMT) dan Umur Terhadap Daya Tahan Umum (Kardiovaskuler) Mahasiswa Putra Semester II

Kelas A Fakultas Pendidikan Olahraga dan Kesehatan IKIP PGRI Bali Tahun 2014. *Jurnal Pendidikan Kesehatan Rekreasi*, 1, 45.

- Sarkar, M., Baidya, S., & Bhattacharya, H. (2018). Undernutrition Among Pulmonary Tuberculosis Patients In West Tripura: A Cross Sectional Study. *World Journal of Pharmaceutical Research*, 6(3), 782–789. <https://doi.org/10.20959/wjpr20173-7902>
- Shadrina, A. N., & Atikah, T. (2019). *Haemoglobin Level and Nutritional Status Changes Among Under-*. 43–51.
- Sri Sulistyowati, Yuniarti, I. E. S. (2016). the Correlation Between Energy Protein Intake and Drug ' S Dherence With Nutritional Status. *Jurnal Gizi Klinik Indonesia*, 1–6.
- Suhaimi, A. (2019). *Pangan, Gizi Dan Kesehatan*.
- Tang, A. M., Forrester, J., Spiegelma, D., Knox, T. A., Tchetgen, E., & Gorbach, S. L. (2002). *Weight_Loss_and_Survival_in_HIV_Positive_Patients*.14.pdf. *Journal of Acquired Immune Deficiency Syndromes*. <https://doi.org/10.1097/01.QAI.0000026514.98625.8F>
- Tangkudung, J. P. M. (2014). Proses Adaptasi Menurut jenis Kelamin dalam Menunjang Studi Mahasiswa FISIP Universitas Sam Ratulangi. *Jurnal Kesehatan*, 3(4), 1–20.
- Tjiptoherijanto, P., & Soesetyo, B. (1994). *Ekonomi kesehatan*. Retrieved from <https://books.google.co.id/books?id=SS9GAQAIAAJ>
- Waspadji, S., Soewondo, P., Subekti, I., Soebardi, S., Harbuwono, D. S., Pramono, L. A., & Supali, T. (2013). Ende diabetes study: Diabetes and its characteristics in rural area of East Nusa Tenggara. *Medical Journal of Indonesia*, 22(1), 30–38. <https://doi.org/10.13181/mji.v22i1.517>
- WHO. (2018). *Global Tuberculosis Report*.
- World Health Organization. (2019). *Global Tuberculosis Report*. Geneva.
- Yen, Y.-F., Chuang, P.-H., Yen, M.-Y., Lin, S.-Y., Chuang, P., Yuan, M.-J., ... Deng, C.-Y. (2016). Association of Body Mass Index With Tuberculosis Mortality: A Population-Based Follow-Up Study. *Medicine*, 95(1). Retrieved from https://journals.lww.com/md-journal/Fulltext/2016/01050/Association_of_Body_Mass_Index_With_Tuber

culosis.15.aspx

- Yolanda Sari, C., Sarumpaet, S., & Aguslina Siregar, F. (2018). Determinant Analysis of Recovery Treatment for Tuberculosis Patients in Medan City. *Advances in Health Sciences Research*, 9(PHICo 2017), 95–100. <https://doi.org/10.2991/phico-17.2018.30>
- Yunus, M., Rasmin, M., Hudoyo, A., Mulawarman, A., & Swidarmoko, B. (2002). *Pulmonologi Klinik*. Jakarta: Penerbit FK UI.
- Zachariah, R., Spielmann, M. P., Harries, A. D., & Salaniponi, F. M. L. (2002). Moderate to severe malnutrition in patients with tuberculosis is a risk factor associated with early death. *Transactions of the Royal Society of Tropical Medicine and Hygiene*, 96(3), 291–294. [https://doi.org/10.1016/S0035-9203\(02\)90103-3](https://doi.org/10.1016/S0035-9203(02)90103-3)