

DAFTAR PUSTAKA

- Arikan, A.A., Zappitelli, M., Goldstein, S.L., Naipaul, A., Jefferson, L.S., Loftis, L.L., 2012. Fluid overload is associated with impaired oxygenation and morbidity in critically ill children*: Pediatric Critical Care Medicine 13, 253–258. <https://doi.org/10.1097/PCC.0b013e31822882a3>
- Bagshaw, S.M., George, C., Bellomo, R., the ANZICS Database Management Committee, 2008. Early acute kidney injury and sepsis: a multicentre evaluation. Critical Care 12, R47. <https://doi.org/10.1186/cc6863>
- Balamuth, F., Weiss, S.L., Neuman, M.I., Scott, H., Brady, P.W., Paul, R., Farris, R.W.D., McClead, R., Hayes, K., Gaieski, D., Hall, M., Shah, S.S., Alpern, E.R., 2014. Pediatric Severe Sepsis in U.S. Children's Hospitals*: Pediatric Critical Care Medicine 15, 798–805. <https://doi.org/10.1097/PCC.0000000000000225>
- Basu, R.K., Chawla, L.S., Wheeler, D.S., Goldstein, S.L., 2012. Renal angina: an emerging paradigm to identify children at risk for acute kidney injury. Pediatric Nephrology 27, 1067–1078. <https://doi.org/10.1007/s00467-011-2024-5>
- Basu, R.K., Kaddourah, A., Goldstein, S.L., Akcan-Arikan, A., Arnold, M., Cruz, C., Goldsworthy, M., Jaimon, N., Alexander, S., Festa, M., Hahn, D., Brown, L., Jeon, A., Deep, A., Askenazi, D., Bagshaw, S., Morgan, C., Alobaidi, R., Basu, R., Cooper, D., Goldstein, S., Kaddourah, A., Mottes, T., Terrell, T., Arnold, P., Metcalf, C., Woodley, S., Bogdanović, R., Stajić, N., Kovacevic, B., Peco-Antic, A., Paripovic, A., Brophy, P., Bunchman, T., Williams, D., Hoot, M., Chadha, V., Davis, K., Dharnidharka, V., Walther, L., Faustino, V., Taft, J., Tala, J., Gist, K., Soranno, D., Ha, I.S., Kang, H.G., Hackbarth, R., Avendt-Reeber, M., Butler, C., DeGraaf, D., Eding, D., Hautala, N., Ndika, A., Hidayati, E.L., Huang, S., Kennedy, S., Didsbury, M., Kushartono, H., Prasetyo, R., Mammen, C., Paden, M., Stone, C., Picca, S., Connola, F., Schneider, J., Sweborg, T., Kessel, A., Selewski, D., Hieber, S., Spasojević-Dimitrijeva, B., Ivanisevic, I., Putnik, J., Ristic, S., Sutherland, S., Staples, A., Wong, C., Hadid, S., Joseph, C., Woroniecki, R., Zappitelli, M., Elsaerafy, N., Zaritsky, J., 2018. Assessment of a renal angina index for prediction of severe acute kidney injury in critically ill children: a multicentre, multinational, prospective observational study. The Lancet Child & Adolescent Health 2, 112–120. [https://doi.org/10.1016/S2352-4642\(17\)30181-5](https://doi.org/10.1016/S2352-4642(17)30181-5)
- Basu, R.K., Wang, Y., Wong, H.R., Chawla, L.S., Wheeler, D.S., Goldstein, S.L., 2014a. Incorporation of Biomarkers with the Renal Angina Index for Prediction of Severe AKI in Critically Ill Children. Clinical Journal of the American Society of Nephrology 9, 654–662. <https://doi.org/10.2215/CJN.09720913>

- Basu, R.K., Zappitelli, M., Brunner, L., Wang, Y., Wong, H.R., Chawla, L.S., Wheeler, D.S., Goldstein, S.L., 2014b. Derivation and validation of the renal angina index to improve the prediction of acute kidney injury in critically ill children. *Kidney International* 85, 659–667. <https://doi.org/10.1038/ki.2013.349>
- Bezemer, R., Legrand, M., Klijn, E., Heger, M., Post, I.C.J.H., van Gulik, T.M., Payen, D., Ince, C., 2010. Real-time assessment of renal cortical microvascular perfusion heterogeneities using near-infrared laser speckle imaging. *Optics Express* 18, 15054. <https://doi.org/10.1364/OE.18.015054>
- Bouglé, A., Duranteau, J., 2011. Pathophysiology of Sepsis-Induced Acute Kidney Injury: The Role of Global Renal Blood Flow and Renal Vascular Resistance, in: Kellum, J.A., Ronco, C., Vincent, J.-L. (Eds.), Contributions to Nephrology. KARGER, Basel, pp. 89–97. <https://doi.org/10.1159/000329243>
- Carvajal, D.N., Rowe, P.C., 2010. Research and Statistics: Sensitivity, Specificity, Predictive Values, and Likelihood Ratios. *Pediatrics in Review* 31, 511–513. <https://doi.org/10.1542/pir.31-12-511>
- Davis, A.L., Carcillo, J.A., Aneja, R.K., Deymann, A.J., Lin, J.C., Nguyen, T.C., Okhuysen-Cawley, R.S., Relvas, M.S., Rozenfeld, R.A., Skippen, P.W., Stojadinovic, B.J., Williams, E.A., Yeh, T.S., Balamuth, F., Brierley, J., de Caen, A.R., Cheifetz, I.M., Choong, K., Conway, E., Cornell, T., Doctor, A., Dugas, M.-A., Feldman, J.D., Fitzgerald, J.C., Flori, H.R., Fortenberry, J.D., Graciano, A.L., Greenwald, B.M., Hall, M.W., Han, Y.Y., Hernan, L.J., Irazuzta, J.E., Iselin, E., van der Jagt, E.W., Jeffries, H.E., Kache, S., Katyal, C., Kissoon, N. (Tex), Kon, A.A., Kutko, M.C., MacLaren, G., Maul, T., Mehta, R., Odetola, F., Parbuoni, K., Paul, R., Peters, M.J., Ranjit, S., Reuter-Rice, K.E., Schnitzler, E.J., Scott, H.F., Torres, A., Weingarten-Abrams, J., Weiss, S.L., Zimmerman, J.J., Zuckerberg, A.L., 2017. American College of Critical Care Medicine Clinical Practice Parameters for Hemodynamic Support of Pediatric and Neonatal Septic Shock: *Critical Care Medicine* 45, 1061–1093. <https://doi.org/10.1097/CCM.0000000000002425>
- De Backer, D., Donadello, K., Taccone, F.S., Ospina-Tascon, G., Salgado, D., Vincent, J.-L., 2011. Microcirculatory alterations: potential mechanisms and implications for therapy. *Annals of Intensive Care* 1. <https://doi.org/10.1186/2110-5820-1-27>
- De Backer, D., Orbegozo Cortes, D., Donadello, K., Vincent, J.-L., 2014. Pathophysiology of microcirculatory dysfunction and the pathogenesis of septic shock. *Virulence* 5, 73–79. <https://doi.org/10.4161/viru.26482>
- Deep, A., Goonasekera, C.D.A., Wang, Y., Brierley, J., 2013. Evolution of haemodynamics and outcome of fluid-refractory septic shock in children.

Intensive Care Medicine 39, 1602–1609. <https://doi.org/10.1007/s00134-013-3003-z>

Dellinger, R.P., Levy, M.M., Rhodes, A., Annane, D., Gerlach, H., Opal, S.M., Sevransky, J.E., Sprung, C.L., Douglas, I.S., Jaeschke, R., Osborn, T.M., Nunnally, M.E., Townsend, S.R., Reinhart, K., Kleinpell, R.M., Angus, D.C., Deutschman, C.S., Machado, F.R., Rubenfeld, G.D., Webb, S.A., Beale, R.J., Vincent, J.-L., Moreno, R., 2013. Surviving Sepsis Campaign: International Guidelines for Management of Severe Sepsis and Septic Shock. Critical Care Medicine 41, 580–637. <https://doi.org/10.1097/CCM.0b013e31827e83af>

El-Nawawy, A., Mohsen, A.A., Abdel-Malik, M., Taman, S.O., 2017. Performance of the pediatric logistic organ dysfunction (PELOD) and (PELOD-2) scores in a pediatric intensive care unit of a developing country. European Journal of Pediatrics 176, 849–855. <https://doi.org/10.1007/s00431-017-2916-x>

Emlet, D.R., Shaw, A.D., Kellum, J.A., 2015. Sepsis-Associated AKI: Epithelial Cell Dysfunction. Seminars in Nephrology 35, 85–95. <https://doi.org/10.1016/j.semephrol.2015.01.009>

Fitzgerald, J.C., Basu, R.K., Akcan-Arikan, A., Izquierdo, L.M., Piñeres Olave, B.E., Hassinger, A.B., Szczepanska, M., Deep, A., Williams, D., Sapru, A., Roy, J.A., Nadkarni, V.M., Thomas, N.J., Weiss, S.L., Furth, S., 2016. Acute Kidney Injury in Pediatric Severe Sepsis: An Independent Risk Factor for Death and New Disability. Critical Care Medicine 44, 2241–2250. <https://doi.org/10.1097/CCM.0000000000002007>

Glassford, N.J., Eastwood, G.M., Young, H., Peck, L., Schneider, A.G., Bellomo, R., 2011. Rationalizing the Use of NGAL in the Intensive Care Unit. American Journal of Respiratory and Critical Care Medicine 184, 142–142. <https://doi.org/10.1164/ajrccm.184.1.142>

Goldstein, S.L., 2011. Acute kidney injury biomarkers: renal angina and the need for a renal troponin I. BMC Medicine 9. <https://doi.org/10.1186/1741-7015-9-135>

Gomez, H., Ince, C., De Backer, D., Pickkers, P., Payen, D., Hotchkiss, J., Kellum, J.A., 2014. A Unified Theory of Sepsis-Induced Acute Kidney Injury: Inflammation, Microcirculatory Dysfunction, Bioenergetics, and the Tubular Cell Adaptation to Injury. Shock 41, 3–11. <https://doi.org/10.1097/SHK.0000000000000052>

Kaddourah, A., Basu, R.K., Bagshaw, S.M., Goldstein, S.L., 2017. Epidemiology of Acute Kidney Injury in Critically Ill Children and Young Adults. New England Journal of Medicine 376, 11–20. <https://doi.org/10.1056/NEJMoa1611391>

Kawasaki, T., 2017. Update on pediatric sepsis: a review. Journal of Intensive Care 5. <https://doi.org/10.1186/s40560-017-0240-1>

- Leteurtre, S., Duhamel, A., Salleron, J., Grandbastien, B., Lacroix, J., Leclerc, F., 2013. PELOD-2: An Update of the PEdiatric Logistic Organ Dysfunction Score. *Critical Care Medicine* 41, 1761–1773. <https://doi.org/10.1097/CCM.0b013e31828a2bbd>
- Levey, A.S., de Jong, P.E., Coresh, J., Nahas, M.E. I., Astor, B.C., Matsushita, K., Gansevoort, R.T., Kasiske, B.L., Eckardt, K.-U., 2011. The definition, classification, and prognosis of chronic kidney disease: a KDIGO Controversies Conference report. *Kidney International* 80, 17–28. <https://doi.org/10.1038/ki.2010.483>
- Mårtensson, J., Bellomo, R., 2015. Sepsis-Induced Acute Kidney Injury. *Critical Care Clinics* 31, 649–660. <https://doi.org/10.1016/j.ccc.2015.06.003>
- on behalf of the Acute Disease Quality Initiative Workgroup 16., Chawla, L.S., Bellomo, R., Bihorac, A., Goldstein, S.L., Siew, E.D., Bagshaw, S.M., Bittleman, D., Cruz, D., Endre, Z., Fitzgerald, R.L., Forni, L., Kane-Gill, S.L., Hoste, E., Koyner, J., Liu, K.D., Macedo, E., Mehta, R., Murray, P., Nadim, M., Ostermann, M., Palevsky, P.M., Pannu, N., Rosner, M., Wald, R., Zarbock, A., Ronco, C., Kellum, J.A., 2017. Acute kidney disease and renal recovery: consensus report of the Acute Disease Quality Initiative (ADQI) 16 Workgroup. *Nature Reviews Nephrology* 13, 241–257. <https://doi.org/10.1038/nrneph.2017.2>
- Plunkett, A., Tong, J., 2015. Sepsis in children. *BMJ* 350, h3017–h3017. <https://doi.org/10.1136/bmj.h3017>
- Priyatininggi, Latief, A., Pudjiadi, A., 2016. Karakteristik sepsis di pediatric intensive care unit RSUPN dr. Cipto Mangunkusumo. *Fakultas Kedokteran Universitas Indonesia*.
- Rady, H.I., Mohamed, S.A., Mohssen, N.A., ElBaz, M., 2014. Application of different scoring systems and their value in pediatric intensive care unit. *Egyptian Pediatric Association Gazette* 62, 59–64. <https://doi.org/10.1016/j.epag.2014.10.003>
- Rajendram, R., Prowle, J.R., 2014. Venous congestion: are we adding insult to kidney injury in sepsis? *Critical Care* 18, 104. <https://doi.org/10.1186/cc13709>
- Rhodes, A., Evans, L.E., Alhazzani, W., Levy, M.M., Antonelli, M., Ferrer, R., Kumar, A., Sevransky, J.E., Sprung, C.L., Nunnally, M.E., Rochwerg, B., Rubenfeld, G.D., Angus, D.C., Annane, D., Beale, R.J., Bellinghan, G.J., Bernard, G.R., Chiche, J.-D., Coopersmith, C., De Backer, D.P., French, C.J., Fujishima, S., Gerlach, H., Hidalgo, J.L., Hollenberg, S.M., Jones, A.E., Karnad, D.R., Kleinpell, R.M., Koh, Y., Lisboa, T.C., Machado, F.R., Marini, J.J., Marshall, J.C., Mazuski, J.E., McIntyre, L.A., McLean, A.S., Mehta, S., Moreno, R.P., Myburgh, J., Navalesi, P., Nishida, O., Osborn, T.M., Perner, A., Plunkett, C.M., Ranieri, M., Schorr, C.A., Seckel, M.A., Seymour, C.W., Shieh, L., Shukri, K.A.,

- Simpson, S.Q., Singer, M., Thompson, B.T., Townsend, S.R., Van der Poll, T., Vincent, J.-L., Wiersinga, W.J., Zimmerman, J.L., Dellinger, R.P., 2017. Surviving Sepsis Campaign: International Guidelines for Management of Sepsis and Septic Shock. *Critical Care Medicine* 45, 486–552. <https://doi.org/10.1097/CCM.0000000000002255>
- Saraswati, D., Dewi, 2014. Faktor Resiko yang Berperan pada Mortalitas Sepsis. *Sari Pediatri* 15, 281–288.
- Section 2: AKI Definition, 2012. . *Kidney International Supplements* 2, 19–36. <https://doi.org/10.1038/kisup.2011.32>
- Singer, M., Deutschman, C.S., Seymour, C.W., Shankar-Hari, M., Annane, D., Bauer, M., Bellomo, R., Bernard, G.R., Chiche, J.-D., Coopersmith, C.M., Hotchkiss, R.S., Levy, M.M., Marshall, J.C., Martin, G.S., Opal, S.M., Rubenfeld, G.D., van der Poll, T., Vincent, J.-L., Angus, D.C., 2016. The Third International Consensus Definitions for Sepsis and Septic Shock (Sepsis-3). *JAMA* 315, 801. <https://doi.org/10.1001/jama.2016.0287>
- Singh, P., Okusa, M.D., 2011. The Role of Tubuloglomerular Feedback in the Pathogenesis of Acute Kidney Injury, in: Kellum, J.A., Ronco, C., Vincent, J.-L. (Eds.), Contributions to Nephrology. KARGER, Basel, pp. 12–21. <https://doi.org/10.1159/000329229>
- The Surviving Sepsis Campaign Guidelines Committee including The Pediatric Subgroup*, Dellinger, R.P., Levy, M.M., Rhodes, A., Annane, D., Gerlach, H., Opal, S.M., Sevransky, J.E., Sprung, C.L., Douglas, I.S., Jaeschke, R., Osborn, T.M., Nunnally, M.E., Townsend, S.R., Reinhart, K., Kleinpell, R.M., Angus, D.C., Deutschman, C.S., Machado, F.R., Rubenfeld, G.D., Webb, S., Beale, R.J., Vincent, J.-L., Moreno, R., 2013. Surviving Sepsis Campaign: International Guidelines for Management of Severe Sepsis and Septic Shock, 2012. *Intensive Care Medicine* 39, 165–228. <https://doi.org/10.1007/s00134-012-2769-8>
- Tiwari, M.M., Brock, R.W., Megyesi, J.K., Kaushal, G.P., Mayeux, P.R., 2005. Disruption of renal peritubular blood flow in lipopolysaccharide-induced renal failure: role of nitric oxide and caspases. *American Journal of Physiology-Renal Physiology* 289, F1324–F1332. <https://doi.org/10.1152/ajprenal.00124.2005>
- Unit Kerja Koordinasi Emergensi dan Rawat Intensif Anak bekerjasama dengan Infeksi dan Penyakit Tropik Ikatan Dokter Anak Indonesia, 2016. Konsensus Diagnosis dan Tatalaksana Sepsis pada Anak, 1st ed. Badan Penerbit Ikatan Dokter Anak Indonesia, Jakarta.
- Valentine, S.L., Sapru, A., Higgerson, R.A., Spinella, P.C., Flori, H.R., Graham, D.A., Brett, M., Convery, M., Christie, L.M., Karamessinis, L., Randolph, A.G., 2012. Fluid balance in critically ill children with acute

- lung injury*: Critical Care Medicine 40, 2883–2889.
<https://doi.org/10.1097/CCM.0b013e31825bc54d>
- Ventura, A.M.C., Shieh, H.H., Bousso, A., Góes, P.F., Fernandes, I. de C.F.O., de Souza, D.C., Paulo, R.L.P., Chagas, F., Gilio, A.E., 2015. Double-Blind Prospective Randomized Controlled Trial of Dopamine Versus Epinephrine as First-Line Vasoactive Drugs in Pediatric Septic Shock: Critical Care Medicine 43, 2292–2302.
<https://doi.org/10.1097/CCM.0000000000001260>.
- Weiss, S.L., Fitzgerald, J.C., Pappachan, J., Wheeler, D., Jaramillo-Bustamante, J.C., Salloo, A., Singhi, S.C., Erickson, S., Roy, J.A., Bush, J.L., Nadkarni, V.M., Thomas, N.J., 2015. Global Epidemiology of Pediatric Severe Sepsis: The Sepsis Prevalence, Outcomes, and Therapies Study. American Journal of Respiratory and Critical Care Medicine 191, 1147–1157. <https://doi.org/10.1164/rccm.201412-2323OC>
- Zafrani, L., Payen, D., Azoulay, E., Ince, C., 2015. The Microcirculation of the Septic Kidney. Seminars in Nephrology 35, 75–84.
<https://doi.org/10.1016/j.semephrol.2015.01.008>
- Zappitelli, M., Bernier, P.-L., Saczkowski, R.S., Tchervenkov, C.I., Gottesman, R., Dancea, A., Hyder, A., Alkandari, O., 2009. A small post-operative rise in serum creatinine predicts acute kidney injury in children undergoing cardiac surgery. Kidney International 76, 885–892.
<https://doi.org/10.1038/ki.2009.270>
- Zappitelli, M., Washburn, K.K., Arikian, A.A., Loftis, L., Ma, Q., Devarajan, P., Parikh, C.R., Goldstein, S.L., 2007. Urine neutrophil gelatinase-associated lipocalin is an early marker of acute kidney injury in critically ill children: a prospective cohort study. Critical Care 11, R84.
<https://doi.org/10.1186/cc6089>
- Zarbock, A., Gomez, H., Kellum, J.A., 2014. Sepsis-induced acute kidney injury revisited: pathophysiology, prevention and future therapies. Current Opinion in Critical Care 20, 588–595.
<https://doi.org/10.1097/MCC.0000000000000153>