

DAFTAR PUSTAKA

1. Lu R, Zhao X, Li J, et al. Genomic characterization and epidemiology of 2019 novel coronavirus: implications of virus origins and receptor binding. *Lancet*. 2020;395(10224):565–74.
2. World Health Organization. Coronavirus disease (COVID-19) outbreak. <https://www.who.int>.
3. Chan JF-W, Yuan S, Kok K-H, et al. A familial cluster of pneumonia associated with the 2019 novel coronavirus indicating person-to-person transmission: a study of a family cluster. *Lancet*. 2020;S0140-6736(20): 30154–9.
4. Rochweg B, Granton D, Wang DX, et al. High flow nasal cannula compared with conventional oxygen therapy for acute hypoxemic respiratory failure: A systematic review and meta-analysis. *Intensive Care Med*. 2019;45(5):563-572.
5. Li J, Jing GQ, Scott JB. Year in Review 2019: High-Flow Nasal Cannula (HFNC) Oxygen Therapy for Adult Patients. *Respir Care*, 2020, 65 (4) 545-557
6. Delorme M, Bouchard PA, Simon M, et al. Effects of high-flow nasal cannula on the work of breathing in patients recovering from acute respiratory failure. *Crit Care Med* 2017;45:1981
7. Huang HW, Sun XM, Shi ZH, et al. Effect of high-flow nasal cannula oxygen therapy versus conventional oxygen therapy and noninvasive ventilation on reintubation rate in adult patients after extubation: a systematic review and meta-analysis of randomized controlled trials. *J Intensive Care Med* 2017;doi: 10.1177/0885066617705118.
8. Pascarella, G., Strumia, A., Piliego, C., Bruno, F., Del Buono, R., Costa, F., Scarlata, S. and Agrò, F., 2020. COVID-19 diagnosis and management: a comprehensive review. *Journal of Internal Medicine*.

9. Perhimpunan Dokter Paru Indonesia. (2020). Panduan Praktik Klinis: Pneumonia 2019-nCoV. PDPI: Jakarta.
10. Singhal, T., 2020. A Review of Coronavirus Disease-2019 (COVID-19). *The Indian Journal of Pediatrics*, 87(4), pp.281-286.
11. Sohrabi, C., Alsafi, Z., O'Neill, N., Khan, M., Kerwan, A., Al-Jabir, A., Iosifidis, C. and Agha, R., 2020. World Health Organization declares global emergency: A review of the 2019 novel coronavirus (COVID-19). *International Journal of Surgery*, 76, pp.71-76.
12. Harapan, H., Itoh, N., Yufika, A., Winardi, W., Keam, S., Te, H., Megawati, D., Hayati, Z., Wagner, A. and Mudatsir, M., 2020. Coronavirus disease 2019 (COVID-19): A literature review. *Journal of Infection and Public Health*, 13(5), pp.667-673.
13. Wang, Z., Qiang, W., Ke, H. (2020). A Handbook of 2019-nCoV Pneumonia Control and Prevention. Hubei Science and Technology Press. China.
14. Yuki, K., Fujiogi, M. and Koutsogiannaki, S., 2020. COVID-19 pathophysiology: A review. *Clinical Immunology*, 215, p.108427.
15. Huang C, Wang Y, Li X, et al. Clinical features of patients with 2019 novel coronavirus in Wuhan, China. *Lancet*. 2020;395(10223):497–506. doi: 10.1016/S0140-6736(20)30183-5.
16. Wang D, Hu B, Hu C, et al. Clinical characteristics of 138 hospitalized patients with 2019 novel coronavirus-infected pneumonia in Wuhan, China. *JAMA*. 2020. 10.1001/jama.2020.1585.
17. Chung M, Bernheim A, Mei XY, et al. CT imaging features of 2019 novel coronavirus (2019-nCoV) *Radiology*. 2020;295(1):202–207. doi: 10.1148/radiol.2020200230.
18. Ou X, Hua Y, Liu J, et al. Effect of high-flow nasal cannula oxygen therapy in adults with acute hypoxemic respiratory failure: a meta-analysis of randomized controlled trials. *CMAJ*. 2017;189:E260–E2E7. doi: 10.1503/cmaj.160570.

19. World Health Organization. (2020) . Clinical management of severe acute respiratory infection when novel coronavirus (2019-nCoV) infection is suspected: interim guidance, 28 January 2020. World Health Organization. <https://apps.who.int/iris/handle/10665/330893>.
20. Segovia B, Velasco D, Jaureguizar Oriol A, Díaz Lobato S. Combination Therapy in Patients with Acute Respiratory Failure: High-Flow Nasal Cannula and Non-Invasive Mechanical Ventilation. *Arch. Bronconeumol.* 2019 Mar;55(3):166-167.
21. Mündel T, Feng S, Tatkov S, Schneider H. Mechanisms of nasal high flow on ventilation during wakefulness and sleep. *J. Appl. Physiol.* 2013 Apr;114(8):1058-65.
22. Di Mussi R, Spadaro S, Stripoli T, Volta CA, Trerotoli P, Pierucci P, Staffieri F, Bruno F, Camporota L, Grasso S. High-flow nasal cannula oxygen therapy decreases postextubation neuroventilatory drive and work of breathing in patients with chronic obstructive pulmonary disease. *Crit Care.* 2018 Aug 02;22(1):180.
23. Hernández G, Vaquero C, González P, Subira C, Frutos-Vivar F, Rialp G, Laborda C, Colinas L, Cuenca R, Fernández R. Effect of Postextubation High-Flow Nasal Cannula vs Conventional Oxygen Therapy on Reintubation in Low-Risk Patients: A Randomized Clinical Trial. *JAMA.* 2016 Apr 05;315(13):1354-61.
24. Frat JP, Thille AW, Mercat A, et al; FLORALI Study Group; REVA Network: High-flow oxygen through nasal cannula in acute hypoxemic respiratory failure. *N Engl J Med* 2015; 372:2185–2196