

**DAFTAR PUSTAKA**

- Abbas KA, 2019. Transportation and the Use Of Oxygen. IJAR, vol. 1, no. 2, pp. 58-63.
- Alexander JH and Smith PK, 2016. Coronary-Artery Bypass Grafting. N Engl J Med, vol. 374, no 20, pp. 1954-64. DOI : 10.1056/NEJMra1406944.
- Antonucci E et al., 2014. Neutrophil gelatinase-associated lipocalin(NGAL) : a promising biomarker for the early diagnosis of acute kidney injury (AKI), Acta Biomed, vol. 85, no. 1, pp. 289-94.
- Benjamin EJ et al., 2019. Heart Disease and Stroke Statistics 2019 Update. A Report from the American Heart Association, Circulation, vol. 39, pp. e56-e528.. Diakses 22 Desember 2019 (www.ahajournals.org). DOI : 10.1161/CIR.0000000000000659.
- De Geus HRH et al., 2016. The cardiac surgery associated neutrophil gelatinase tubular-associated lipocalin (CSA-NGAL) score : A potential tool to monitor acute tubular damage, vol. 151, no.6, pp 1476-81.
- Elmistekawy E et al., 2014. Clinical Impact of Mild Acute Kidney Injury After Cardiac Surgery, Ann Thorac Surg, vol. 98, pp. 815-22. DOI : 10.1016/j.athoracsur.2014.05.008.
- El-Sharkawy AM et al., 2019. Hyperosmolar dehydration : a predictor of kidney injury and outcome in hospitalised older adults, Clinical Nutrition. Article in Press. DOI : 10.1016/j.clnu.2019.11.030.
- Farhan S et al., 2019. Calculated Serum Osmolality, Acute Kidney Injury and Relationship to Mortality after Percutaneous Coronary Intervention, Cardiorenal Med vol. 9, pp.160-7.
- Fadel FI et al., 2012. Plasma neutrophil gelatinase-associated lipocalin as an early biomarker for prediction in acute kidney injury after cardio-pulmonary bypass in cardiac surgery, Arch Med Sci, vol.8, no. 2, pp. 250-5.
- Frenette AJ et al., 2014. Albumin administration is associated with acute kidney injury in cardiac surgery : a propensity score analysis, Critical Care, vol. 18, no. 602, pp. 1-11. DOI : 10.1186/s13054-014-0602-1.
- Ghijssels I et al, 2016. Safety of gelatin solutions for the priming of cardiopulmonary bypass in cardiac surgery : a systematic review and meta-analysis, Perfusion, pp. 1-13 DOI : 10.1177/0267659116685418.
- Gu YJ and Boonstra PW, 2006. Selection of priming solutions for cardiopulmonary bypass in adults. Multimedia Manual of Cardiothoracic Surgery, pp. 1-8. DOI: 10.1510/mmcts.2005.001198

- Hessel EA and Shann KG, 2016. Blood Pumps, Circuitary, and Cannulation Techniques in Cardiopulmonary Bypass, in Gravlee GP, Davis RF, Hammon JW, Kussman BD (ed). Cardiopulmonary Bypass and Mechanical Support 4th ed, Wolters Kluwer, Chapter 2, pp.19-93.
- Infodatin Pusat Data dan Informasi Kementerian Kesehatan RI. Diakses di [www.kemkes.go.id](http://www.kemkes.go.id). Tanggal 8 Mei 2020.
- Kellum JA et al., 2012. Kidney Disease Improving Global Outcomes (KDIGO) Acute Kidney Injury Work Group. KDIGO Clinical Practice Guideline for Acute Kidney Injury, *Kidney inter*, Suppl. No. 2, pp. 1-138. ([www.kidney-international.org](http://www.kidney-international.org)).
- Kellum JA et al., 2015. Classifying AKI by urine output versus serum creatinine level, *J Am Soc Nephrol*, vol. 26, no. 9, pp. 2231-8. DOI : 10.1681/ASN.201470724.
- Kumar AB and Suneja MS., 2011. Cardiopulmonary Bypass-associated Acute Kidney Injury, *Anesthesiology*, vol. 114, no.4, pp. 964-70.
- Koponen T et al., 2019. Vasoactive-inotropic score and the prediction of morbidity and mortality after cardiac surgery, *BJA*, vol. 122, no. 4, pp. 428-36. DOI : 10.1016/j.bja.2018.12.019.
- Lee EH et al., 2016. Effect of Exogenous Albumin on the incidence of Postoperative Acute Kidney Injury in Patients Undergoing Off-pump Coronary Artery Bypass Surgery with a preoperative Albumin Level of Les Than 4,0 g/dl, *Anesthesiology*, vol. 124, no. 5, pp. 1001-11. DOI : 10.1097/ALN.0000000000001051.
- Lin SY et al., 2015. Incidence and Risk Factors for Acute Kidney Injury Following Mannitol Infusion in Patient With Acute Stroke, *Medicine*, vol. 94, no. 47, pp. e2032. DOI : 10.1097/MD.0000000000002032.
- Liu ALY et al., 2018. Low, rather than High, Body Mass Index is a Risk Factor for Acute Kidney Injury in Multiethnic Asia Patients: A Retrospective Observational Study, *In J Nephro*, pp 1-17. DOI : 10.1155/2018/3284612
- Mageed L, 2018. Coronary Artery Disease : Pathogenesis, Progression on Atherosclerosis and Risk Factors, *Open J Cardiol Heart Dis*. Vol. 2, no. 4, pp. 1-7. DOI : 10.31031/OJCHD.2018.02.000545.
- Moore PK et al., 2018. Management of Acute Kidney Injury : Core Curriculum 2018, *Am J Kidney Dis*, vol. 72, no. 1, pp. 136-48. DOI : 10.1053/j.ajkd.2017.11.021.
- Mosa OF, 2018, Prognostic Significance of Serum NGAL and Troponin I against Acute Kidney Injury in Egyptian ICU Patients after OpenHeart Surgery : A Pilot Study, *Kidney Dis*, vol. 4, pp. 246-54. DOI : 10.1159/000490246

- Nadim MK et al., 2018. Cardiac Vascular Surgery-Associated Acute Kidney Injury : The 20th International Consensus Conference of the ADQI (Acute Disease Quality Initiative) Group, *J Am Heart Assoc*, vol. 7, pp. e008834. DOI : 10.1161/JAHA.118.008834.
- Ostermann M and Joannidis M, 2016. Acute Kidney Injury 2016 : diagnosis and diagnostic workup, *Critical Care*, vol. 20, no. 299, pp. 1-13. DOI : 10.1186/s13054-016-1478-z.
- O'Neal JB et al., 2016. Acute kidney injury following cardiac surgery: current understanding and future directions, *Critical Care*, vol. 20, no. 187, pp. 1-9. DOI : 10.1186/s13054-016-1352-z.
- Patel J et al, 2016. Comparison of Albumin, Hydroxyethyl Starch and Ringer Lactate Solution as Priming Fluid for Cardiopulmonary Bypass in Paediatric Cardiac Surgery, *Journal of Clinical and Diagnostic Research*, vol. 10, no. 6, pp. 1-4. DOI : 10.7860/JCDR/2016/18465.7918.
- Russel JA et al., 2004. Albumin Versus Crystalloid for Pump Priming in Cardiac Surgery : Meta-Analysis of Controlled Trials, *JCVA*, vol. 18, no. 4, pp. 429-37.
- Rasmussen SR et al., 2020. Association between transfusion of blood products and acute kidney injury following cardiac surgery, *Acta Anaesthesiol Scand*. DOI : 10.1111/aas.13664.
- Sarkar M and Prabhu V, 2017. Basics of cardiopulmonary bypass, *Indian J Anesth*, vol. 61, no.9, pp. 760-7. DOI : 10.4103/ija.IJA\_379\_17.
- Silva JA et al., 2014. Determining the risk factors for acute kidney injury in heart surgery with circulation extracorporeal (CEC) Long, *RACCV*, vol. 12, no. 2, pp. 21-31.
- Xu S et al., 2019. Cardiopulmonary bypass time is an independent risk factor for acute kidney injury in emergent thoracic aortic surgery: aretrospective cohort study, *Journal of Cardiothoracic Surgery*, vol. 14, no. 90, pp. 2-11. DOI : 10.1186/s13019-019-0907.
- Yamauchi T et al., 2017. Risk Index for Postoperative Acute Kidney Injury After Valvular Syrgery Using Cardiopulmonary Bypass, *Ann Thorac Surg*, vol. 104, pp. 868-76.
- Thongprayoon C et al., 2018. U-Shape association of serum albumin level and acute kidney injury risk in hospitalized patients, *PLoS ONE*, vol. 13, no. 6, pp. :1-12. DOI : 10.1371/journal.pone.0199153
- Tanaka A et al., 2015. Cardiovascular surgery in Jehovah's Witness patients : The role of preoperative optimization. *The Journal of Thoracic and Cardiovascular Surgery*, vol. 150, no. 4, pp. 976-83. DOI : 10.1016/j.jtcvs.2015.06.059.

- Wahba A et al, 2019. 2019 EACTS/EACTA/EBCP Guidelines on Cardiopulmonary Bypass in Adult Cardiac Surgery, European Journal of Cardio-Thoracic Surgery 00, pp. 1-42. DOI : 10.1093/ejcts/ezz267.
- Wei Q et al., 2016. The Characteristics and Mortality Risk Factors for Acute Kidney Injury in Different Age Groups in China – aCross sectional Study, Renal Failure, pp. 1-5 DOI: 10.1080/0886022X.2016.1227618
- WHO Expert Consultation, 2014. “Appropriate body-mass index for Asian populations and its implications for policy and intervention strategies”, The Lancet, vol. 363, no. 9403, pp. 157–63.
- Wu B et al., 2019. Biomarkes of Acute Kidney Injury after Cardiac Surgery : A Narrative Review, BioMed Research International, pp. 1-11. Article ID 7298635. DOI : 10.1155/2019/7298635.