

**DAFTAR PUSTAKA**

- Smith HE, Mosher TJ, Dardzinski BJ, Collins BG, Collins CM, Yang QX, et al. Spatial variation in cartilage T2 of the knee. *J Magn Reson Imaging* 2001;14:50–5.
- Roughley PJ. Cartilage and Bone Biochemistry and Physiology. *Cell Physiol*. 2002:1-33. Radiology and Imaging Sciences, Chettinad Hospital and Research Institute, Chettinad Hospital and Research Institute - Chennai/IN.
- Liess C, Lüsse S, Karger N, Heller M, Glüer C-C. 2002. Detection of changes in cartilage water content using MRI T2-mapping in vivo. *Osteoarthritis Cartil.*;10(12):907-913.
- Cohen ZA, Mow VC, Henry JH, Levine WN, Ateshian GA. Templates of the cartilage layers of the patellofemoral joint and their use in the assessment of osteoarthritic cartilage damage. *Osteoarthritis Cartilage* 2003;11:569e79.
- C. Glaser, R. Burgkart, A. Kutschera, K.-H. Englmeier, M. Reiser, and F. Eckstein. 2003. “Femoro-tibial cartilage metrics from coronal MR image data: technique, test-retest reproducibility, and findings in osteoarthritis,” *Magnetic Resonance in Medicine*, vol. 50, no. 6, pp. 1229–1236,.
- Peterfy CG, Guermazi A, Zaim S, et al. 2004. Whole-Organ Magnetic Resonance Imaging Score (WORMS) of the knee in osteoarthritis. *Osteoarthritis Cartilage*;12(3):177–190.
- Vignon E. 2004. Radiographic Issues in Imaging the Progression of Hip and Knee Osteoarthritis. *The Journal of Rheumatology* 31(Supp) : 70.

Peterfy CG, Guermazi A, Zaim S, Tirman PF, Miaux Y, White D, Kothari M, Lu Y, Fye K, Zhao S, Genant HK. 2004. Whole-Organ Magnetic Resonance Imaging Score (WORMS) of the Knee in Osteoarthritis. *Osteoarthritis Cartilage*, 2004;12: 177–90.

Kornaat PR, Ceulemans RY, Kroon HM, et al. 2005. MRI assessment of knee osteoarthritis: Knee Osteoarthritis Scoring System (KOSS)—inter-observer and intra-observer reproducibility of a compartment-based scoring system. *Skeletal Radiol*;34(2):95–102.

Kornaat PR, Ceulemans RYT, Kroon HM, et al. MRI assessment of knee osteoarthritis: Knee Osteoarthritis Scoring System (KOSS)--interobserver and intra-observer reproducibility of a compartment-based scoring system. *Skeletal Radiol*. 2005;34(2):95-102. doi:10.1007/s00256-0040828-0

Ramachandran M. *Basic Orthopaedic Science: The Stanmore Guide*. United States: CRC Press; 2006.

Eckstein F, Burstein D, Link TM. Quantitative MRI of cartilage and bone: degenerative changes in osteoarthritis. *NMR Biomed*. 2006;19(7):822-854. doi:10.1002/nbm.1063.

Eckstein, F. M.D. F. Cicuttini Ph.D.z. J.-P. Raynauld M.D. F.R.C.P.Cx. J. C. Waterton Ph.D.k and C. Peterfy M.D., Ph.D. 2006. Magnetic resonance imaging (MRI) of articular cartilage in knee osteoarthritis (OA): morphological assessment. *OsteoArthritis and Cartilage* (2006) 14, A46eA75. OsteoArthritis Research Society International (OARSI).

Published by Elsevier Ltd. All rights reserved.

doi:10.1016/j.joca.2006.02.026.

Mugler JP III. Basic principles. In: Edelman RR, Hesselink JR, Zlatkin MB, Crues JV, eds. *Clinical magnetic resonance imaging*. 3rd ed. Philadelphia, Pa: Saunders Elsevier, 2006; 23–57.

Choi YS, Potter HG, Chun TJ. MR imaging of cartilage repair in the knee and ankle. *RadioGraphics* 2008;28(4):1043–1059

Mazzuca S, Hellio Le Graverand MP, Vignon E, Hunter DJ, Jackson C, Kraus VB, et al. 2008. Performance of A Nonfluoroscopically Assisted Substitute for the Lyon-Schuss Knee Radiograph: Quality and Reproducibility of Positioning and Sensitivity to Joint Space Narrowing in Osteoarthritic Knees. *Osteoarthritis Cartilage* 16:1555–1559.

Hunter DJ, Lo GH, Gale D, Grainger AJ, Guermazi A, Conaghan PG. The reliability of a new scoring system for knee osteoarthritis MRI and the validity of bone marrow lesion assessment: BLOKS (Boston Leeds Osteoarthritis Knee Score). *Ann Rheum Dis* 2008;67(2):206–211.

Chavhan G, B. Babyn P, S. Jankharia B, G. Cheng H, L. Shroff M, M. 2008. Steady-state MR imaging sequences: physics, classification, and clinical applications. *RadioGraphics* ;28:1147–1160.

Chu Jh. Dkk. 2009. MR T2 Map Technique: How to Assess Changes in Cartilage of Patients with Osteoarthritis of the Knee. *Koorean J Med Phys*, (4): 298-307

- D. J. Hunter, J. Niu, Y. Zhang et al., 2009. "Change in cartilage morphometry: a sample of the progression cohort of the Osteoarthritis Initiative," *Annals of the Rheumatic Diseases*, vol. 68, no. 3, pp. 349–356.
- Govind B. Chavhan, MD, DNB • Paul S. Babyn, MD • Bejoy Thomas, MD  
Manohar M. Shroff, MD • E. Mark Haacke, PhD. 2009. Principles, Techniques, and Applications of T2\*-based MR Imaging and Its Special Applications. RSNA. Education Exhibit. National Institutes of Health [grant number 62983-04].
- Harjinder J. S. Bining & Rui Santos & Gordon Andrews & Bruce B. Forster. 2009  
Can T2 relaxation values and color maps be used to detect chondral damage utilizing subchondral bone marrow edema as a marker. Springer. Scientific Article. *Skeletal Radiol* 38:459–465 DOI 10.1007/s00256-008-0629-y.
- Hunter DJ, Le Graverand MH, Eckstein F. 2009. Radiologic Markers of Osteoarthritis Progression. *Curr Opin Rheumatol* 21:110–117.
- Kijowski R, Blankenbaker DG, Davis KW, Shinki K, Kaplan LD, De Smet AA. 2009. Comparison of 1.5- and 3.0-T MR imaging for evaluating the articular cartilage of the knee joint. *Radiology*;250(3): 839–848.
- Sellam J dkk. Osteoarthritis : pathogenesis, clinical aspects and diagnosis. In *EULAR Compendium in Rheumatic disease*, 2009: 444-63.
- Trattinig S, Domayer S, Welsch GW, Mosher T, Eckstein F. MR imaging of cartilage and its repair in the knee: a review. *Eur Radiol* 2009;19(7):1582–1594.

- W. Wirth, M.-P. Hellio Le Graverand, B. T. Wyman et al., 2009. "Regional analysis of femorotibial cartilage loss in a subsample from the Osteoarthritis Initiative progression subcohort," *Osteoarthritis and Cartilage*, vol. 17, no. 3, pp. 291–297.
- Guermazi A, Daichi Hayashi D, Crema MD, Roemer FW. 2010. Current Trends in Osteoarthritis Imaging – An Update from a Radiological Viewpoint. *European Musculoskeletal Review*, 5(1):30–5
- Bekkers JEJ, Creemers LB, Dhert WJA, Saris DBF. Diagnostic Modalities for Diseased Articular Cartilage-From Defect to Degeneration: A Review. *Cartilage*. 2010;1(3):157-164. doi:10.1177/1947603510364539.
- Cotofana, S. Ring-Dimitriou, M. Hudelmaier, M. Himmer, W. Wirth, A.M. Sanger, F. Eckstein. 2010. Effects of Exercise Intervention on Knee Morphology in Middle-Aged Women: A Longitudinal Analysis Using Magnetic Resonance Imaging. Paper. *Tissues Organs* 2010;192:64–72 DOI:10.1159/000289816.
- Hasan M, Shuckett R. 2010. Clinical Features and Pathogenetic Mechanisms of Osteoarthritis of The Hip and Knee. *BCMJ*, Vol. 52, No. 8, October 2010, page(s) 393-398.
- Felix Eckstein. Wolfgang Wirth. 2011. Quantitative Cartilage Imaging in Knee Osteoarthritis. Hindawi Publishing Corporation *Arthritis* Volume 2011, Article ID 475684, 19 pages doi:10.1155/2011/475684.
- Frank, W. Roemer, MD. Michel D. Crema, MD. Siegfried Trattnig, MD. Ali Guermazi, MD. 2011. *Advances in Imaging of Osteoarthritis and Cartilage*.

reviews and commentary. RSNA. Radiology: Volume 260: Number 2 August 2011.

Mardiyanti, DF. Sugiyanto. Kartikasari, Y. 2019. Analisis Informasi Citra Anatomi Antara Penggunaan Aplikasi Constance Level Appearance (CLEAR) dan Non CLEAR pada pemeriksaan MRI Cervical Irisan Sagital T2WI FSE Pada Kasus HNP. Semarang. Jurnal. JlmeD, Vol.1,No.2. ISSN 2356-301X. Poltekkes Semarang.

Michel D. Crema, MD, Frank W. Roemer, MD, Monica D. Marra, MD, Deborah Burstein, PhD, Garry E. Gold, MD, MSEE, Felix Eckstein, MD, Thomas Baum, MD, Timothy J. Mosher, MD, John A. Carrino, MD, MPH Ali Guermazi, MD. 2011. Articular Cartilage in the Knee: Current MR Imaging Techniques and Applications in Clinical Practice and Research. RadioGraphics. Article. RSNA 10.1148/rg.311105084.

Timothy J. Mosher, MS, MD. Yi Liu, MD. Collin M. Torok, MD. 2011. Functional Cartilage MRI T2 Mapping: Evaluating the Effect of Age and Training on Knee Cartilage Response to Running. Osteoarthritis Cartilage. National Institutes of Health. March; 18(3): 358–364. doi: 10.1016/j.joca.2009.11.011.NIH.

R. B. Frobell, M. C. Nevitt, M. Hudelmaier et al., 2010. “Femorotibial subchondral bone area and regional cartilage thickness—a cross-sectional description in healthy reference cases and various radiographic stages of osteoarthritis in 1003 knees from the Osteoarthritis Initiative,” *Arthritis Care Res* (Hoboken), vol. 62, no. 11, pp. 1612–1623.

- Sumual AS. Pengaruh Berat Badan Terhadap Gaya Gesek Dan Timbulnya Osteoarthritis Pada Orang Di Atas 45 Tahun Di RSUP Prof. Dr. R. D. Kandou Manado. Skripsi. Manado: Bagian Fisika Fakultas Kedokteran Universitas Sam Ratulangi Manado; 2012
- Rachel K, Surowiec. Erin P, Lucas. Charles P, Ho. 2013. Quantitative MRI in the evaluation of articular cartilage health: reproducibility and variability with a focus on T2 mapping. Springer-Verlag Berlin Heidelberg 2013. Experimental Study. Knee Surg Sports Traumatol Arthrosc DOI 10.1007/s00167-013-2714-6
- Jie C. Nguyen, Arthur A. De Smet, Ben K. Graf, Humberto G. Rosas. MR Imaging–based Diagnosis and Classification of Meniscal Tears. 2014. RadioGraphics. 34 (4): 981-99. doi:10.1148/rg.344125202 - Pubmed
- Pascual-Garrido C, Hao J, Schrock J, Mei-Dan O, Chahla J. Arthroscopic Juvenile Allograft Cartilage Implantation for Cartilage Lesions of the Hip. Arthrosc Tech. 2016;5(4):e929-e933. doi:10.1016/j.eats.2016.04.018.
- Panduan Pengguna READY View Manual Operator. 2016. Buku. Bahasa Indonesia 5757797-1ID (12/2016) Rev. 2 ©GeneralElectricCompany
- F. Abubacker Sulaiman; Chennai, TN/IN. 2017. Diagnostic evaluation of articular cartilage of the knee joint value of adding T2 mapping sequence to a routine magnetic resonance imaging protocol. Europe Society of Radiology. Electronic Presentation Online System. Scientific Exhibit. DOI: 10.1594/ecr2017/C-1685.

Shannon N, Edd. Hugo Babel. Nadia Kerkour. Brigitte M, Jolles. Patrick Omoumi. Julien Favre. 2019. Comprehensive description of T2 value spatial variations in non-osteoarthritic femoral cartilage using three-dimensional registration of morphological and relaxometry data. A Department of Musculoskeletal Medicine (DAL), Lausanne University Hospital (CHUV), Lausanne, Switzerland. Article. 0968-0160/© 2019 Elsevier B.V. All rights reserved.