

## DAFTAR PUSTAKA

- Ageberg, E., Cronström, A., 2018. Agreement between test procedures for the single-leg hop for distance and the single-leg mini squat as measures of lower extremity function. *BMC Sports Science, Medicine and Rehabilitation*. 10:15.
- Aljowair, F.F., Herrington, L.C., 2018. The Relationship between Hop Performance and Lower Extremities Muscle Strength. *Int. J. Med. Sci. Clin. Invent*. 5, 3714–3720.
- Antman, E.M., Loscalzo, J., 2015. Ischemic Heart Disease. Dalam : Harrison's principles of internal medicine 19th edn. Kasper, D.L., Fauci, A.S., Hauser, S.L., Longo, D.L., Jameson, J.L., Loscalzo, J. (eds). New York : McGraw Hill Education, pp. 1578-1593.
- Baechle, T., Earle, R., 2008. Resistance training. Dalam: Baechle, T., Earle, R. (eds.) *Essentials of Strength Training and Conditioning*. 3rd edn. Hong Kong: Human Kinetics
- Barber, S.D., Noyes, F.R., Mangine, R.E., dkk., 1990. Quantitative assessment of functional limitations in normal and anterior cruciate ligament-deficient knees. *Clinical Orthopaedics and Related Research* 255, pp.204-214.
- Blagrove, R.C., Howatson, G., Hayes, P.R., 2017. Effects of Strength Training on the Physiological Determinants of Middle- and Long-Distance Running Performance: A Systematic Review. *Sport. Med* 1–33.
- Bolgia, L.A., Keskula, D.R., 1997. Reliability of lower extremity functional performance tests. *The Journal of Orthopaedic and Sports Physical Therapy* 26(3), pp.138-142.
- Booher, L.D., Hench, K.M., Worrell, T.W., Stikeleather, J., 1993. Reliability of three single-leg hop tests. *Journal of Sport Rehabilitation* 2(3), pp.165-170.
- Brosky, J.A., Nitz, A.J., Malone, T.R., dkk., 1999. Intrarater reliability of selected clinical outcome measures following anterior cruciate ligament reconstruction. *The Journal of Orthopaedic and Sports Physical Therapy* 29(1), pp.39–48.
- Cailliet R, 1993. *Knee Pain and Disability* 3rd Edition. Singapore : FA Davis Company
- Cardoso, E.A., Bottaro, M., Rodrigues, P., dkk., 2014. Chronic effects of resistance exercise using reciprocal muscle actions on functional and proprioceptive performance of young individuals: randomized controlled trial. *Rev Bras Cineantropom Desempenho Hum* 16, 618–628.

- Cardoso, E.A., Bottaro, M., Rodrigues, P., dkk., 2015. Effects of six weeks of resistance exercise with reciprocal contractions on knee extensors neuromuscular performance: Randomized controlled trial. *Isokinetics and Exercise Science*. 23 : 109–116.
- Cicccone, A.B., Brown, L.E., Coburn, J.W., Galpin, A.J., 2014. Effects of Traditional vs. Alternating Whole-Body Strength Training on Squat Performance. *J. Strength. Cond. Res.* 28(9): 2569–2577.
- Colby dan Borstad. 2018. Resistance Exercise for Impaired Muscle Performance, dalam : Kisner C, Colby A., and Borstad J., Therapeutic exercise Foundations and Techniques, Seventh Edition. F. A Davis Company, Philadelphia, Hlm. 169-199
- Cunha, R., Carregaro, R.L., Martorelli, A., Vieira, A., Oliveira, A.B., Bottaro, M., 2013. Effects of short-term isokinetic training of the reciprocal knee extensors agonist and antagonist muscle actions: A controlled and randomized study. *Braz J Phys Ther.* 17(2):137-145.
- De Freitas, M.C., Gerosa-Neto, J., Zanchi, N.E., Lira, F.S., Rossi, F.E., 2017. Role of Metabolic Stress for Enhancing Muscle Adaptations: Practical Applications. *World J. Methodol.* 7(2): 46-54.
- Decarlo, M.S., Sell, K.E. 1997. Normative data for range of motion and single-leg hop in high school athletes. *Journal of Sport Rehabilitation* 6(3), pp.246-255.
- DeCarlo, .., Shelbourne, K.D., Oneacre, K., 1999. Rehabilitation program for both knees when the contralateral autogenous patellar tendon graft is used for primary anterior cruciate ligament reconstruction: a case study. *Journal of Orthopaedic and Sports Physical Therapy* 29(3):144-159.
- Desai MS, Patil V, Naik R. Assessment of Functional Performance of Lower Extremity and Effect of Leg Dominance on The Same in Young Asymptomatic Individuals. *Int J Physiother Res* 2016;4(2):1423–1428.
- Deschenes, M.R., Kraemer, W.J., 2002. Performance and Physiologic Adaptations to Resistance Training. *Am. J. Phys. Med. Rehabil.* 81 : S3–S16.
- De Souza, J.A.A.A., Paz, G.A., Miranda, H., 2017. Blood Lactate Concentration and Strength Performance between Agonist-antagonist Paired Set, Superset and Traditional Set Training. *Arch. Med. Deporte.* 34(3):145-150.
- De Souza, J.A.A.A., Scudese, E., Paz, G.A., dkk., 2018. Acute Hormone Responses Subsequent to Agonist-antagonist Paired Set vs. Traditional Straight Set Resistance Training. *J. Strength Cond. Res.* 20(10): 000–000.
- Evetovich, T., Ebersole, K., 2006. Adaptations to Resistance Training. Dalam: ACSM's Resource Manual for Guidelines for Exercise Testing and

- Prescription 5<sup>th</sup> edn. Philadelphia: Lippincott Williams & Wilkins, pp. 325-335.
- Fisher, J., Steele, J., Smith, D., 2013. Evidence Based Resistance Training Recommendations for Muscular Hypertrophy. *Medicina Sportiva*. 17 (4): 217-235.
- Fitzgerald, G.K., Lephart, S.M., Hwang, H.J., Wainner, M.R.S., 2001. Hop Tests as Predictors of Dynamic Knee Stability. *J. Orthop. Sport. Phys. Ther.* 31, 588–597.
- Ford, dkk., 2015. The effects of age and skill level on knee musculature co-contraction during functional activities : a systematic review. *Br J Sports Med* 2008;42:561–566
- Goh, S., Boyle, J. 1997. Self evaluation and functional testing two to four years post ACL reconstruction. *The Australian Journal of Physiotherapy* 43(4):255-262
- Greenberger, H.B., Paterno, M.V., 1995. Relationship of knee extensor strength and hopping test performance in the assessment of lower extremity function. *The Journal of Orthopaedic and Sports Physical Therapy* 22(5):202-206
- Hamilton, R.T., Shultz, S.J., Schmitz, R.J., Perrin, D.H., 2008. Triple-hop distance as a valid predictor of lower limb strength and power. *Journal of Athletic Training* 43(2):144-151.
- Han, J., Waddington, G., Adams, R., Anson, J., Liu, Y., 2016. Assessing proprioception: A critical review of methods. *Journal of Sport and Health Science*. 5 : 80–90.
- Hoffman, M.D., Kraemer, W.J., Judelson, D.A., 2010. Therapeutic Exercise. Dalam: Hoffman, dkk., *Physical Medicine and Rehabilitation Principle and Practice* 5<sup>th</sup> edn. Philadelphia: Lippincott Williams & Wilkins, pp. 1619-1672.
- Keays, S.L., Bullock-Saxton, J.E., Newcombe, P. and Keays, A.C. 2003. The relationship between knee strength and functional stability before and after anterior cruciate ligament reconstruction. *Journal of Orthopaedic Research* 21(2):231-237
- Kim, C., Tan, J.C.C., 2008. Strength of thigh muscles and ground reaction force on landing from vertical drop jumps. *Impact of Technology on Sport II: Singapore*, 1 September, 2007. pp.619-623.
- Kisner, C., Colby, L.A., 2012. Resistance Exercise for Impaired Muscle Performance. Dalam: *Therapeutic Exercise* 6th edn. Philadelphia : F.A. Davis Company, pp.157-232.

- Kotchen, T.A., 2015. Hypertensive Vascular Disease. Dalam: Kasper, D.L., Fauci, A.S., Hauser, S.L., Longo, D.L., Jameson, J.L., Loscalzo, J. (eds)., *Harrison's principles of internal medicine 19th edn*. New York : McGraw Hill Education, pp. 1611-1627.
- Kramer, J.F., Nusca, D., Fowler, P., Webster-Bogaert, S., 1992. Test-retest reliability of the one-leg hop test following ACL reconstruction. *Clinical Journal of Sport Medicine* 2(4):240-243.
- Li, R.C., Maffulli, N., Hsu, Y.C., Chan, K.M., 1996. Isokinetic strength of the quadriceps and hamstrings and functional ability of anterior cruciate deficient knees in recreational athletes. *Br J Sport. Med* 30, 161–164.
- Lippert L, 2011. *Clinical Kinesiology and Anatomy 5th Edition*. Philadelphia : FA Davis Company. pp. 259 – 326.
- Maia, M.F., Paz, G.A., Miranda, H., dkk., 2015. Maximal repetition performance, rating of perceived exertion, and muscle fatigue during paired set training performed with different rest intervals. *Journal of Exercise Science & Fitness*. 20: 17.
- Maia, M.F., Willardson, J.M., Paz, G.A., dkk., 2014. Effects of different rest intervals between antagonist paired sets on repetition performance and muscle activation. *J. Strength Cond. Res*. 28:2529-2535.
- Manske, R., Reiman, M., 2013. Functional Performance Testing for Power and Return to Sports. *Sports Health*. 5(3) :244-250.
- Maynard, J., Ebben, W.P., 2003. The Effects of Antagonist Prefatigue on Agonist Torque and Electromiography. *J. Strength Cond. Res*. 17: 469–474.
- McNitt-Gray, J.L., 1993. Kinetics of the lower extremities during drop landings from three heights. *Journal of Biomechanics* 26(9):1037-1046.
- Milner, C.E., 2008. *Functional Anatomy for Sport and Exercise Quick Reference*, Routledge Taylor & Francis Group, New York, pp. 57 – 75.
- Molloy, W., 1982. Standardized mini-mental state examination (SMMSE). *American Journal of Psychiatry*. 139: 1136-1139.
- Mukherjee D. dan Eagle K. 2010. The Importance of Early Diagnosis and Treatment in Peripheral Arterial Disease: Insights From the PARTNERS and REACH Registries. *Curr Vasc Pharmacol* 8(3):293-300.
- Munro, A.G., Herrington, L.C., 2011. Between-session reliability of four hop tests and the agility T-test. *The Journal of Strength and Conditioning Research* 25(5):1470-1477

- Nishimura, A., Sugita, M., Kato, K., Fukuda, A., Sudo, A., Uchida, A., 2010. Hypoxia Increases Muscle Hypertrophy Induced by Resistance Training. *Int. J. Sports Physiol. Perform.* 5: 497-508.
- Noyes, F.R., Barber, S.D., Mangine, R.E., 1991. Abnormal lower limb symmetry determined by functional hop tests after anterior cruciate ligament rupture. *The American Journal of Sports Medicine* 19(5):513-518
- Pasanen, K., Parkkari, J., Pasanen, M., Kannus, P., 2009. Effect of a Neuromuscular Warm-Up Programme on Muscle Power, Balance, Speed and Agility: A Randomised Controlled Study. *Br J Sport. Med* 43, 1073–1078.
- Paterno, M.V., Greenberger, H.B., 1996. The test-retest reliability of a one legged hop for distance in young adults with and without ACL reconstruction. *Isokinetics and Exercise Science* 6(1):1-6.
- Paz, G.A., Robbins, D.W., de Oliveira, C.G., Bottaro, M., Miranda, H., 2017. Volume Load and Neuromuscular Fatigue during an Acute Bout of Agonist-antagonist Paired-Set vs. Traditional Set Training. *J. Strength. Cond. Res.* 31(10): 2777–2784.
- Paz, G.A., Willardson, J.M., Simão, R., Miranda, H., 2013. Effects of different antagonist protocols on repetition performance and muscle activation. *Med Sport.* 17:106-12.
- Pescatello, L.S., Arena, R., Riebe, D., Thompson, P.D., (eds). 2014. Health-related Physical Fitness Testing and Interpretation. ACSM's Guidelines for Exercise Testing and Prescription 9th edn. Philadelphia: Lippincott Williams & Wilkins, pp. 73-75; 181-185.
- Petschnig, R., Baron, R., Albrecht, M., 1998. The relationship between isokinetic quadriceps strength test and hop tests for distance and one-legged vertical jump test following anterior cruciate ligament reconstruction. *The Journal of Orthopaedic and Sports Physical Therapy* 28(1):23-31.
- Pincivero, D.M., Lephart, S.M., Karunakara, R.G., 1997. Relation between open and closed kinematic chain assessment of knee strength and functional performance. *Clinical Journal of Sport Medicine* 7(1):11-16.
- Reid, A., Birmingham, T.B., Stratford, P.W., Alcock, G.K., Giffin, J.R., 2007. Hop testing provides a reliable and valid outcome measure during rehabilitation after anterior cruciate ligament reconstruction. *Physical Therapy* 87(3):337-349.
- Robbins, D.W., Young, W.B., Behm, D.G., Payne, W.R., 2009. Effects of Agonist-antagonist Complex Resistance Training on Upper Body Strength and Power Development. *J Sport Sci.* 27: 1617–1625.

- Robbins, D.W., Young, W.B., Behm, D.G., Payne, W.R., 2010. Agonist-antagonist Paired Set Resistance Training : a Brief Review. *J. Strength Cond. Res.* 24(10) : 2873–2882.
- Ross, M.D., Langford, B., Whelan, P.J., 2002. Test-retest reliability of 4 single-leg horizontal hop tests. *Journal of Strength and Conditioning Research* 16(4):617–622
- Rudolph, K.S., Axe, M.J., Snyder-Mackler, L., 2000. Dynamic stability after ACL injury: who can hop?. *Knee Surgery, Sports Traumatology, Arthroscopy* 8(5):262-269.
- Schoenfeld, B.J., 2010. The mechanisms of muscle hypertrophy and their application to resistance training. *Journal of Strength and Conditioning Research*. National Strength and Conditioning Association.
- Schoenfeld, B.J., 2013. Potential Mechanisms for a Role of Metabolic Stress in Hypertrophic Adaptations to Resistance Training. *Sports Med.* 43:179–194.
- Sekiya, I., Muneta, T., Ogiuchi, T., Yagishita, K., Yamamoto, H., 1998. Significance of the Single-Legged Hop Test to the Anterior Cruciate Ligament-Reconstructed Knee in Relation to Muscle Strength and Anterior Laxity. *Am J Sport. Med* 26:384–388.
- Sell, T.C., Chu, Y., Abt, J.P., dkk., 2010. Minimal additional weight of combat equipment alters air assault soldiers' landing biomechanics. *Military Medicine* 175(1):41-47.
- Sheppard, J.M., Triplett, N.T., 2016. Program Design for Resistance Training. Dalam: Haff GG and Triplett NT (eds)., *Essentials of strength training and conditioning / National Strength and Conditioning Association* 4<sup>th</sup> edn. Champaign, IL : Human Kinetics.
- Stefan, L., Sporis, G., Kamija, S., 2015. Organism Adaptations On Resistance Training : Systematic Review. *Sport Science* 8. Suppl 1: 15-19.
- Stock, M.S.T., Beck, W., Defreitas, J.M., 2012. Effects of Fatigue on Motor Unit firing Rate vs. Recruitment Threshold Relationships. *Muscle Nerve.* 45: 100–109
- Tippett, E.R., Voight, M.L., 1995. *Functional Progressions for Sport Rehabilitation*. Champaign, IL: Human Kinetics.
- Unger, C.L., Wooden, M.J., 2000. Effect of foot intrinsic muscle strength training on jump performance. *The Journal of Strength and Conditioning Research* 14(4):373-378.
- Van Melick, N.B., Meddeler, M., Hoogeboom, T.J., Nijhuis-van der Sanden, M.W.G., van Cingel, R.E.H., 2017. How to Determine Leg Dominance:

The Agreement between Self-reported and Observed Performance in Healthy Adults. *PLoS ONE*. 12(12).

- Walker, S., 2019. Neural Adaptations to Strength Training. Dalam: Schumann, M., Rønnestad, B.R. (Eds), *Concurrent Aerobic and Strength Training Scientific Basics and Practical Applications*.
- Wikstrom EA, Tillman MD, Chmielewski TL, Borsa PA. Measurement and Evaluation of Dynamic Joint Stability of The Knee and Ankle After Injury. *Sport Med* 2006;36(5):393–410
- Wilk, K.E., Romaniello, W.T., Soscia, S.M., dkk., 1994. The relationship between subjective knee scores, isokinetic testing, and functional testing in the ACL-reconstructed knee. *The Journal of Orthopaedic and Sports Physical Therapy* 20(2):60-73
- Williams, G.N., Chmielewski, T., Rudolph K.S., Buchanan, T.S., Snyder-Mackler, L., 2001. Dynamic knee stability: Current theory and implications for clinicians and scientists. *Journal of Orthopaedic and Sports Physical Therapy* 31(10):546-566
- Wilson G, Murphy A, Walshe A. The specificity of strength training: the effect of posture. *Eur J Physiol* 1996;73(3–4):346–352.
- Worrell, T. W., Borchert, B., Erner, K., Fritz, J., Leerar, P., 1993. Effect of a lateral stepup exercise protocol on quadriceps and lower extremity performance. *The Journal of Orthopaedic and Sports Physical Therapy* 18(6):646-653.
- Zatsiorsky VM, Kraemer WJ. *Science and Practice of Strength Training*. Second Edi. 2008.