

DAFTAR PUSTAKA

- Abadiga, M. (2019). Magnitude and associated factors of postpartum depression among women in Nekemte town, East Wollega zone, west Ethiopia, 2019: A community-based study. *PLoS ONE*, 14(11).
<https://doi.org/10.1371/journal.pone.0224792>
- Abdollahi, F., & Zarghami, M. (2018). Effect of postpartum depression on women's mental and physical health four years after childbirth. *Eastern Mediterranean Health Journal*, 24(10), 1002–1009.
<https://doi.org/10.26719/2018.24.10.1002>
- Afiyah, R. K., Sari, R. Y., Faizah, I., & Nahdlatul. (2020). *Dukungan suami berhubungan dengan pencapaian peran ibu menggunakan pendekatan teori ramona t. mercer pada ibu primipara*. 10(3), 417–428.
- Agnafors, S., Bladh, M., Svedin, C. G., & Sydsjö, G. (2019). Mental health in young mothers, single mothers and their children. *BMC Psychiatry*, 19(1), 1–7. <https://doi.org/10.1186/s12888-019-2082-y>
- Ahlers-Schmidt, C. R., Hervey, A. M., Neil, T., Kuhlmann, S., & Kuhlmann, Z. (2020). Concerns of women regarding pregnancy and childbirth during the COVID-19 pandemic. *Patient Education and Counseling*, 103(12), 2578–2582. <https://doi.org/10.1016/j.pec.2020.09.031>
- Almuttaqi, A. I. (2020). The Chaotic Response To Covid-19 In Indonesia. *The Habibie Center Insights*, 1(13), 1–7.
<http://habibiecenter.or.id/img/publication/66f28c42de71fefelc6fcdee37a5c1a6.pdf>
- Amalia, A., Ramadhana, M., & Faradiba, A. T. (2019). Peran Dukungan Suami Terhadap Kecenderungan Depresi Paska Melahirkan. *Journal Psikogenesis*, 7(1), 13–17. <https://doi.org/10.24854/jps.v7i1.872>
- An, R., Chen, X., Wu, Y., Liu, J., Deng, C., Liu, Y., & Guo, H. (2021). A survey of postpartum depression and health care needs among Chinese postpartum

- women during the pandemic of COVID-19. *Archives of Psychiatric Nursing*, 35(2), 172–177. <https://doi.org/10.1016/j.apnu.2021.02.001>
- Ardiani, A., Soemanto, S., & Murti, B. (2020). Meta-Analysis: The Association between Social Support and Postpartum Depression. *Journal of Maternal and Child Health*, 5(6), 641–650. <https://doi.org/10.26911/thejmch.2020.05.06.04>.
- Arimurti, I. S., PRATIWI, R. D., & Ramadhina, A. R. (2020). Studi Literatur Faktor-Faktor Yang Mempengaruhi Kejadian Depresi Post Partum. *Edu Dharma Journal: Jurnal Penelitian Dan Pengabdian Masyarakat*, 4(2), 29. <https://doi.org/10.52031/edj.v4i2.53>
- Ariyanti, R., Nurdianti, D. S., & Astuti, D. A. (2020). Pengaruh jenis persalinan terhadap risiko depresi postpartum pada ibu nifas. *Jurnal Kebidanan Dan Keperawatan Aisyiyah*, 12(2), 123–128. <https://doi.org/10.31101/jkk.304>
- Azad, R., Fahmi, R., Shrestha, S., Joshi, H., Hasan, M., Khan, A. N. S., Chowdhury, M. A. K., Arifeen, S. El, & Billah, S. M. (2019). Prevalence and risk factors of postpartum depression within one year after birth in urban slums of Dhaka, Bangladesh. In *PLoS ONE* (Vol. 14, Issue 5). <https://doi.org/10.1371/journal.pone.0215735>
- Blom, E. A., Jansen, P. W., Verhulst, F. C., Hofman, A., Raat, H., Jaddoe, V. W. V., Coolman, M., Steegers, E. A. P., & Tiemeier, H. (2010). Perinatal complications increase the risk of postpartum depression. The Generation R Study. *BJOG: An International Journal of Obstetrics and Gynaecology*, 117(11), 1390–1398. <https://doi.org/10.1111/j.1471-0528.2010.02660.x>
- Brummelte, S., & Galea, L. A. M. (2016). Postpartum depression: Etiology, treatment and consequences for maternal care. *Hormones and Behavior*, 77, 153–166. <https://doi.org/10.1016/j.yhbeh.2015.08.008>
- Cameron, E. E., Joyce, K. M., Delaquis, C. P., Reynolds, K., Protudjer, J. L. P., & Roos, L. E. (2020). Maternal psychological distress & mental health service use during the COVID-19 pandemic. *Journal of Affective Disorders*,

276(July), 765–774. <https://doi.org/10.1016/j.jad.2020.07.081>

- Chandrasekaran, B., & Fernandes, S. (2020). Biology of COVID-19 and related viruses: Epidemiology, signs, symptoms, diagnosis, and treatment. *Best Practice & Research Clinical Anaesthesiology*, 14(4)(January), 337–339.
- Chaves, C., Marchena, C., Palacios, B., Salgado, A., & Duque, A. (2021). Effects of the COVID-19 pandemic on perinatal mental health in Spain: Positive and negative outcomes. *Women and Birth*.
<https://doi.org/10.1016/j.wombi.2021.01.007>
- Chen, C. Y. C., Byrne, E., & Vélez, T. (2021). Impact of the 2020 pandemic of COVID-19 on Families with School-aged Children in the United States: Roles of Income Level and Race. *Journal of Family Issues*.
<https://doi.org/10.1177/0192513X21994153>
- Edipoglu, I. S., & Aslan, D. D. (2021). Association of postpartum depression and epidural analgesia in women during labor: an observational study. *Brazilian Journal of Anesthesiology (English Edition)*, xxxx, 0–5.
<https://doi.org/10.1016/j.bjane.2021.02.021>
- El-Gilany, A. H. (2021). COVID-19 caseness: An epidemiologic perspective. *Journal of Infection and Public Health*, 14(1), 61–65.
<https://doi.org/10.1016/j.jiph.2020.11.003>
- Fairus, M., & Widiyanti, S. (2014). Hubungan Dukungan Suami dengan Kejadian Depresi Postpartum pada Ibu Nifas. *Jurnal Kesehatan Metro Sai Wawai*, VII(1), 11–18. <https://ejurnal.poltekkes-tjk.ac.id/index.php/JKM/article/view/260>
- Fallon, V., Davies, S. M., Silverio, S. A., Jackson, L., De Pascalis, L., & Harrold, J. A. (2021). Psychosoci et a;al experiences of postnatal women during the COVID-19 pandemic. A UK-wide study of prevalence rates and risk factors for clinically relevant depression and anxiety. *Journal of Psychiatric Research*, 136(February), 157–166.
<https://doi.org/10.1016/j.jpsychires.2021.01.048>

- Fidora, I. (2019). Ibu Hamil dan Nifas dalam Ancaman Depresi. *CV. Pena Persada*, 1–14.
- Filaili, N. E. (2020). GAMBARAN RESIKO DEPRESI POSTPARTUM ADA IBU USIA REMAJA Universitas Padjadjaran seorang wanita setelah melahirkan pada umumnya menjadi peristiwa yang paling membahagiakan , apalagi bila anak yang Penegakkan diagnosis depresi postpartum dapat dilakukan melal. *Jurnal Kesehatan Bakti Tunas Husada*, 20, 269–278.
- Fitelson, E., Kim, S., Baker, A. S., & Leight, K. (2011). Treatment of postpartum depression: Clinical, psychological and pharmacological options. *International Journal of Women's Health*, 3(1), 1–14.
<https://doi.org/10.2147/IJWH.S6938>
- Ghaedrahmati, M., Kazemi, A., Kheirabadi, G., Ebrahimi, A., & Bahrami, M. (2017). Postpartum depression risk factors: A narrative review. *Journal of Education and Health Promotion*, 6, 60.
https://doi.org/10.4103/jehp.jehp_9_16
- Han, E. S., Goleman, D., Boyatzis, R., & Mckee, A. (2019). Prosiding Seminar Nasional Promosi Kesehatan dan Pemberdayaan Masyarakat. In *Journal of Chemical Information and Modeling* (Vol. 53, Issue 9).
- Hopkins, J., & Campbell, S. B. (2008). Development and validation of a scale to assess social support in the postpartum period. *Archives of Women's Mental Health*, 11(1), 57–65. <https://doi.org/10.1007/s00737-008-0212-5>
- Kalil, A., Mayer, S., & Shah, R. (2020). *Impact of the COVID-19 Crisis on Family Dynamics in Economically Vulnerable Households*.
- Kebidanan, A., Husada, P., Gerbang, J., & Kutai, K. (2015). *Pengalaman menjadi orang jiwa sebelumnya serta gangguan Menurut penelitian anak dari ibu yang mengalami dapat depresi mengalami tua khususnya seorang ibu kadang kala tidak selalu menjadi hal yang menyenangkan bagi setiap wanita atau pasangan suami istri* . 99–106.

Kemenkes RI. (2020). *Pedoman pelayanan antenatal, persalinan, nifas, dan bayi baru lahir di Era Adaptasi Baru*.

Kementerian Kesehatan Republik Indonesia. (2015). Buku Ajar Kesehatan Ibu dan Anak. In *Departemen Kesehatan Republik Indonesia*.

Kementerian Kesehatan Republik Indonesia. (2020). *PERATURAN MENTERI KESEHATAN REPUBLIK INDONESIA*.

http://hukor.kemkes.go.id/uploads/produk_hukum/PMK_No__9_Th_2020_ttg_Pedoman_Pembatasan_Sosial_Berskala_Besar_Dalam_Penanganan_COVID-19.pdf

Kementrian Kesehatan Direktorat Promosi Kesehatan dan Pemberdayaan Masyarakat. (2020). *Menuju Adaptasi Kebiasaan Baru*.
<https://promkes.kemkes.go.id/menuju-adaptasi-kebiasaan-baru>

Kementrian Kesehatan RI. (2020). *Panduan teknis pelayanan rumah sakit pada masa adaptasi kebiasaan baru*. 1–46.
<https://covid19.go.id/storage/app/media/Protokol/2020/November/panduan-teknis-pelayanan-rumah-sakit-pada-masa-adaptasi-kebiasaan-baru-02-11-2020.pdf>

Knaak, S. (2009). *What is Postpartum Depression?* 1–6.

Koutra, K., Vassilaki, M., Georgiou, V., Koutis, A., Bitsios, P., Kogevinas, M., & Chatzi, L. (2018). Pregnancy, perinatal and postpartum complications as determinants of postpartum depression: The Rhea mother-child cohort in Crete, Greece. *Epidemiology and Psychiatric Sciences*, 27(3), 244–255.
<https://doi.org/10.1017/S2045796016001062>

KPCPEN. (2021). *Peta Sebaran COVID-19 | Covid19.go.id*.
<https://covid19.go.id/peta-sebaran-covid19>

Kusuma, P. D. (2017). Karakteristik Penyebab Terjadinya Depresi Postpartum. *Jurnal Keperawatan Notokusumo*, V(1), 36–45. <http://jurnal.stikes-notokusumo.ac.id/index.php/jkn/article/view/59/47>

- Kusuma, R. (2019). Karakteristik Ibu Yang mengalami Depresi Postpartum. *Jurnal Ilmiah Universitas Batanghari Jambi*, 19(1), 99.
<https://doi.org/10.33087/jiubj.v19i1.571>
- Lanjewar, S., Nimkar, S., & Jungari, S. (2021). Depressed Motherhood: Prevalence and Covariates of Maternal Postpartum Depression among Urban Mothers in India. *Asian Journal of Psychiatry*, 57, 102567.
<https://doi.org/10.1016/j.ajp.2021.102567>
- Lebel, C., MacKinnon, A., Bagshawe, M., Tomfohr-Madsen, L., & Giesbrecht, G. (2020). Elevated depression and anxiety symptoms among pregnant individuals during the COVID-19 pandemic. *Journal of Affective Disorders*, 277(July), 5–13. <https://doi.org/10.1016/j.jad.2020.07.126>
- Liang, P., Wang, Y., Shi, S., Liu, Y., & Xiong, R. (2020). Prevalence and factors associated with postpartum depression during the COVID-19 pandemic among women in Guangzhou, China: a cross-sectional study. *BMC Psychiatry*, 20(1), 1–8. <https://doi.org/10.1186/s12888-020-02969-3>
- Liu, C. H., Erdei, C., & Mittal, L. (2021). Risk factors for depression, anxiety, and PTSD symptoms in perinatal women during the COVID-19 Pandemic. *Psychiatry Research*, 295(November 2020).
<https://doi.org/10.1016/j.psychres.2020.113552>
- Liu, Y., Guo, N., Li, T., Zhuang, W., & Jiang, H. (2020). Prevalence and Associated Factors of Postpartum Anxiety and Depression Symptoms Among Women in Shanghai, China. *Journal of Affective Disorders*, 274, 848–856. <https://doi.org/10.1016/j.jad.2020.05.028>
- MacKinnon, A. L., Yang, L., Feeley, N., Gold, I., Hayton, B., & Zelkowitz, P. (2017). Birth setting, labour experience, and postpartum psychological distress. *Midwifery*, 50(July 2016), 110–116.
<https://doi.org/10.1016/j.midw.2017.03.023>
- Martin, A., Markhvida, M., Hallegatte, S., & Walsh, B. (2020). Socio-Economic Impacts of COVID-19 on Household Consumption and Poverty. *Economics*

of Disasters and Climate Change, 4(3), 453–479.

<https://doi.org/10.1007/s41885-020-00070-3>

Matvienko-Sikar, K., Pope, J., Cremin, A., Carr, H., Leitao, S., Olander, E. K., & Meaney, S. (2020). Differences in levels of stress, social support, health behaviours, and stress-reduction strategies for women pregnant before and during the COVID-19 pandemic, and based on phases of pandemic restrictions, in Ireland. *Women and Birth*.

<https://doi.org/10.1016/j.wombi.2020.10.010>

Mbarak, B., Kilewo, C., Kuganda, S., & Sunguya, B. F. (2019). Postpartum depression among women with pre-eclampsia and eclampsia in Tanzania; A call for integrative intervention. *BMC Pregnancy and Childbirth*, 19(1), 1–8.

<https://doi.org/10.1186/s12884-019-2395-3>

Miranda, A. R., Scotta, A. V., Cortez, M. V., & Soria, E. A. (2021). Triggering of postpartum depression and insomnia with cognitive impairment in Argentinian women during the pandemic COVID-19 social isolation in relation to reproductive and health factors. *Midwifery*, 103072.

<https://doi.org/10.1016/j.midw.2021.103072>

Mizrak, B., & Nur, E. (2020). *Since January 2020 Elsevier has created a COVID-19 resource centre with free information in English and Mandarin on the novel coronavirus COVID- 19 . The COVID-19 resource centre is hosted on Elsevier Connect , the company ' s public news and information . January.*

Mukherjee, S., Coxe, S., Fennie, K., Madhivanan, P., & Trepka, M. J. (2017). Stressful Life Event Experiences of Pregnant Women in the United States: A Latent Class Analysis. *Women 's Health Issues*, 27(1), 83–92.

<https://doi.org/10.1016/j.whi.2016.09.007>

Nikolaidis, A., Paksarian, D., Alexander, L., Derosa, J., Dunn, J., Nielson, D. M., Droney, I., Kang, M., Douka, I., Bromet, E., Milham, M., Stringaris, A., & Merikangas, K. R. (2020). The coronavirus health and impact survey (CRISIS) reveals reproducible correlates of pandemic-related mood states

across the Atlantic. *MedRxiv*, 1–30.

<https://doi.org/10.1101/2020.08.24.20181123>

NIMH. (2020). *Perinatal Depression Overview What is perinatal depression ?* 1–5.

Nurbaeti, I., Deoisres, W., & Hengudomsub, P. (2019). Association between psychosocial factors and postpartum depression in South Jakarta, Indonesia. *Sexual and Reproductive Healthcare*, 20(February 2018), 72–76.
<https://doi.org/10.1016/j.srhc.2019.02.004>

Nurfatimah, N., & Entoh, C. (2018). Hubungan Faktor Demografi Dan Dukungan Sosial Dengan Depresi Pascasalin. *Jurnal Profesi Medika : Jurnal Kedokteran Dan Kesehatan*, 11(2), 89–99.
<https://doi.org/10.33533/jpm.v11i2.229>

Nurhidayati, U., Purnomo, W., & Hargono, R. (2018). *PUSKESMAS PANDANWANGI KOTA MALANG (Characteristic of Post Partum Depression at Puskesmas Pandanwangi Malang City)*. 1–11.

Nursalam. (2016). *Metodologi Penelitian Ilmu Keperawatan - Ners Unair Repository*. <http://eprints.ners.unair.ac.id/982/>

Nursalam. (2020). *Metodologi Penelitian Ilmu Keperawatan* (P. P. Lestari (Ed.); 5th ed.). Salemba Medika.

Paech, M. (2007). Nursing Theorists and Their Work (6th edn). In *Contemporary Nurse* (Vol. 24, Issue 1). <https://doi.org/10.5172/conu.2007.24.1.106a>

Pangesti, W. D. (2018). Adaptasi Psikologis Ibu Hamil Dalam Pencapaian Peran Sebagai Ibu Di Puskesmas Kembaran II Kabupaten Banyumas. *Viva Medika: Jurnal Kesehatan, Kebidanan Dan Keperawatan*, 10(1), 13–21.
<https://doi.org/10.35960/vm.v10i1.395>

Pao, C., Guintivano, J., Santos, H., & Meltzer-Brody, S. (2019). Postpartum depression and social support in a racially and ethnically diverse population of women. *Archives of Women's Mental Health*, 22(1), 105–114.

<https://doi.org/10.1007/s00737-018-0882-6>

Pertiwi, C. E. (2020). *HUBUNGAN DUKUNGAN KELUARGA DAN SELF EFFICACY DENGAN KEJADIAN DEPRESI POSTPARTUM.*

Perzow, S. E. D., Hennessey, E.-M. P., Hoffman, M. C., Grote, N. K., Davis, E. P., & Hankin, B. L. (2021). Mental health of pregnant and postpartum women in response to the COVID-19 pandemic. *Journal of Affective Disorders Reports*, 4, 100123. <https://doi.org/10.1016/j.jadr.2021.100123>

Prime, H., Wade, M., & Browne, D. T. (2020). *Risk and Resilience in Family Well-Being During the COVID-19 Pandemic.*
<https://doi.org/10.1037/amp0000660>

Ria, M. B., Budihastuti, U. R., & Sudiyanto, A. (2018). Risk Factors of Postpartum Depression at Dr. Moewardi Hospital, Surakarta. *Journal of Maternal and Child Health*, 03(01), 81–90.
<https://doi.org/10.26911/thejmch.2018.03.01.08>

Riauwi, H. M., N, Y. H., & Lestari, W. (2014). Efektivitas Pendidikan Kesehatan dengan penerapan The Health Belief Model Terhadap Pengetahuan Keluarga Tentang Diare. *Jom Psik*, 1(2), 1–9.

Sari, R. A. (2020). Literature Review: Depresi Postpartum. *Jurnal Kesehatan*, 11(1), 167. <https://doi.org/10.26630/jk.v11i1.1586>

Selix, N. W., & Goyal, D. (2015). Postpartum Depression Among Working Women: A Call for Practice and Policy Change. *The Journal for Nurse Practitioners*, 11(9), 897–902.
<https://doi.org/10.1016/J.NURPRA.2015.07.003>

Sharma, V., & Sharma, P. (2012). Postpartum Depression: Diagnostic and Treatment Issues. *Journal of Obstetrics and Gynaecology Canada*, 34(5), 436–442. [https://doi.org/10.1016/S1701-2163\(16\)35240-9](https://doi.org/10.1016/S1701-2163(16)35240-9)

Solehati, T., Sriati, A., & Kosasih, C. E. (2020). Intervention To Reduce Post-Partum Depression. *Jurnal Keperawatan Jiwa*, 8(2).

- Sumantri, R. A., & Budiyan, K. (2017). Dukungan Suami Dan Depresi Pasca Melahirkan. *Insight: Jurnal Ilmiah Psikologi*, 17(1), 29.
<https://doi.org/10.26486/psikologi.v17i1.682>
- Suratana, S., Tamornpark, R., Apidechkul, T., Srichan, P., Mulikaburt, T., Wongnuch, P., Kitchanapaibul, S., Yeemard, F., & Udplong, A. (2021). Impacts of and survival adaptations to the COVID-19 pandemic among the hill tribe population of northern Thailand: A qualitative study. In *PLoS ONE* (Vol. 16, Issue 6 June). <https://doi.org/10.1371/journal.pone.0252326>
- Tarabay, A. I., Boogis, D., Tabbakh, A. T., Kemawi, R. A., Boogis, L. A., Tabbakh, A. T., Al-Hadrami, M. M., & Al-Hadrami, M. M. (2020). Prevalence and Factors Associated with Postpartum Depression during the COVID-19 Pandemic among Women in Jeddah, Saudi Arabia: A Cross-Sectional Study. *Open Journal of Obstetrics and Gynecology*, 10(11), 1644–1657. <https://doi.org/10.4236/ojog.2020.10110148>
- Timur, G. J. (2019). *Keputusan Gubernur Jawa Timur Nomor 188/568/KPTS/013/2019 tentang Upah Minimum Kabupaten/Kota di Jawa Timur Tahun 2020*.
- Tolongan, C., Korompis, G. E. ., & Hutaeruk, M. (2019). DUKUNGAN SUAMI DENGAN KEJADIAN DEPRESI PASCA MELAHIRKAN. *E-Journal Keperawatan*, 7(2).
- Topatan, S., & Demirci, N. (2019). Frequency of Depression and Risk Factors among Adolescent Mothers in Turkey within the First Year of the Postnatal Period. *Journal of Pediatric and Adolescent Gynecology*, 32(5), 514–519. <https://doi.org/10.1016/j.jpog.2019.03.009>
- UNICEF, UNDP, Prospera, & SMERU. (2021). *Analysis of the Social and Economic Impacts of COVID-19 on Households and Strategy Policy Recommendations for Indonesia*.
- Unsal Atan, Ozturk, R., Gulec Satir, D., Ildan Çalim, S., Karaoz Weller, B., Amanak, K., Saruhan, A., Şirin, A., & Akercan, F. (2018). Relation between

mothers' types of labor, birth interventions, birth experiences and postpartum depression: A multicentre follow-up study. *Sexual and Reproductive Healthcare*, 18(April), 13–18. <https://doi.org/10.1016/j.srhc.2018.08.001>

World Health Organization. (n.d.). *Coronavirus*. Retrieved April 28, 2021, from https://www.who.int/health-topics/coronavirus#tab=tab_3

World Health Organization. (2016). mhGAP Intervention Guide Mental Health Gap Action Programme Version 2.0 for mental, neurological and substance use disorders in non-specialized health settings. *World Health Organization*, 1–173.

World Health Organization. (2019). *Mental Health and Substance Use*. <https://www.who.int/teams/mental-health-and-substance-use/maternal-mental-health>

Wu, F., Lin, W., Liu, P., Zhang, M., Huang, S., Chen, C., Li, Q., Huang, W., Zhong, C., Wang, Y., & Chen, Q. (2021). Prevalence and contributory factors of anxiety and depression among pregnant women in the post-pandemic era of COVID-19 in Shenzhen, China. *Journal of Affective Disorders*, 291, 243–251. <https://doi.org/10.1016/j.jad.2021.05.014>

Yamada, A., Isumi, A., & Fujiwara, T. (2020). Association between lack of social support from partner or others and postpartum depression among Japanese mothers: A population-based cross-sectional study. *International Journal of Environmental Research and Public Health*, 17(12), 1–15. <https://doi.org/10.3390/ijerph17124270>

Zhao, X. hu, & Zhang, Z. hua. (2020). Risk factors for postpartum depression: An evidence-based systematic review of systematic reviews and meta-analyses. *Asian Journal of Psychiatry*, 53(July). <https://doi.org/10.1016/j.ajp.2020.102353>