

DAFTAR PUSTAKA

- Allman, Ugwechi Amadi, Anderson M. Winkler, Leigh Wilkins, Nicola Filippini, Udo Kischka, Charlotte J Stagg, and Heidi Johansen-Berg. 2016. *Ipsilesional anodal tDCS enhances the functional benefits of rehabilitation in patients after stroke*. Europe PMC Funders Group. Sci Transl Med. 2016 March 16; 8(330): 330re1. doi:10.1126/scitranslmed.aad5651.
- Alia, Spalletti C, Lai S, Panarese A, Lamola A, Bertolucci A, Vallone, Garbo A, Chisari C, Micera S, Caleo M, 2017. *Neuroplastic Changes Following Brain Ischemia and their Contribution to Stroke Recovery: Novel Approaches in Neurorehabilitation*. Frontiers in Cellular Neuroscience. doi: 10.3389/fncel.2017.00076: p 1-22.
- Andrade SM, Batista LM, Nogueira LL, Oliveira RF, Carvalho AG, Lima SS, Santana JRM, Lima E, and Calvo BF. 2017. *Constraint-Induced Movement Therapy Combined with Transcranial Direct Current Stimulation over Premotor Cortex Improves Motor Function in Severe Stroke: A Pilot Randomized Controlled Trial*. Hindawi Rehabilitation Research and Practice Volume 2017, Article ID 6842549, 9 pages <https://doi.org/10.1155/2017/6842549>.
- Bartel, Belandet , Duffy CA, 2011. *Pathophysiology, Medical Management, and Acute Rehabilitation of Stroke Survivors*. Stroke Rehabilitation Fourth Edition. Pages 2-45.
- Bakhti. 2018. *Proximal arm non-use in post-stroke individuals*. Human health and pathology. Université Montpellier, 2017, 1-143
- Bernhardt J, Hayward KS, Kwakkel G, Ward NS, Wolf SL, Borschmann K, Krakauer JW, Boyd LA, Carmichael ST, Corbett D, Cramer SC. 2017. Agreed definitions and a shared vision for new standards in *stroke* recovery research: The *Stroke* Recovery and Rehabilitation Roundtable taskforce. *Int J Stroke*. Jul;12(5):444-450.
- Bikson M, Grossman P, Thomas C, Zannou AL, Jiang J, Adnan T, Mourdoukoutas AP, Kronberg G, Truong D, Boggio P, Brunoni AR, Charvet L, Fregni F, Fritsch B, Gillick B, Hamilton RH, Hampstead BM, Jankord R, Kirton A, Knotkova H, Liebetanz D, Liu A, Loo C, Nitsche MA, Reis J, Richardson JD, Rotenberg A, Turkeltaub PE, Woods AJ. 2016. Safety of transcranial direct current stimulation: evidence based update 2016. *Brain stimulation*. Sep 1;9(5):641-61.
- Bliss dan Cooke, 2011. Long-term potentiation and long-term depression: a clinical perspective. LTP and LTD: a clinical perspective. 10.1590/S1807-59322011001300002. Clinics 2011;66(S1):3-17.
- Butler AJ, Shuster M, O'Hara E, Hurley K, Middlebrooks D, Guilkey K. 2013. A meta-analysis of the efficacy of anodal transcranial direct current

- stimulation for upper limb motor recovery in *stroke* survivors. *Journal of Hand Therapy* 26;162-171
- Cooke dan Gustafsson 2008. *Role of occupational therapy after stroke*. Review Article. Page : 99-107.
- Das S, Holland P, Frens MA, Donchin O. 2016. *Impact of Transcranial Direct Current Stimulation (tDCS) on Neuronal Functions*. *Front. Neurosci.* 10:550. doi: 10.3389/fnins.2016.00550
- DaSilva AF, Volz MS, Bikson M, Fregni F. 2011. Electrode positioning and montage in transcranial direct current stimulation. *J Vis Exp.* 51:2744. doi:10.3791/2744.
- Elsner, Kugler J, Mehrolz J, 2018. *Transcranial direct current stimulation (tDCS) for upper limb rehabilitation after stroke: future directions*. *Journal of NeuroEngineering and Rehabilitation*. doi.org/10.1186/s12984-018-0459-7. p 1-4.
- Edwards SJ, Gallen DB, McCow-Powlen JD, and Suarez MA. 2018. *Hand Grasps and Manipulation Skills Clinical Perspective of Development and Function, 2nd ed.* USA: Slack Incorporated, p. 149-165.
- Furlan, Conforto AB, Cohen LG, Sterr A, 2016. *Upper Limb Immobilisation: A Neural Plasticity Model with Relevance to Poststroke Motor Rehabilitation*. Review Article. Volume 2016, Article ID 8176217, 17 pages.
- Franck, Smeets RJ, Seelen HA, 2019. *Changes in actual arm-hand use in stroke patients during and after clinical rehabilitation involving a well-defined arm-hand rehabilitation program: A prospective cohort study*. Changes in actual arm-hand use in sub-acute stroke patients. P 1-22.
- Harris JE and Eng JJ. 2010. *Strength training improves upper-limb function in individuals with stroke: a meta-analysis*. *Stroke*, 41:136-140.
- Harvey RL, Roth EJ, Yu DT, and Celnik P. 2011. *Stroke syndrome*, in Braddom RL: *Physical Medicine and Rehabilitation*, 4th ed. Philadelphia: Elsevier Saunders, p 1177-89.
- Hatem SM, Saussez G, della Faille M, Prist V, Zhang X, Dispa D, Bleyenheuft Y. 2016 *Rehabilitation of Motor Function after Stroke: A Multiple Systematic Review Focused on Techniques to Stimulate Upper Extremity Recovery*. *Front. Hum. Neurosci.* 10:442. doi: 10.3389/fnhum.2016.00442.
- Harris and Eng. 2007. *Paretic Upper-Limb Strength Best Explains Arm Activity in People With Stroke*. *American Physical Therapy Association*. Volume 87 Number 1. 86-97.
- Hesse, Waldner A, Mehrholz J, Tomelleri C, Pohl M, Werner C., 2011. *Combined Transcranial Direct Current Stimulation and Robot-Assisted Arm Training in Subacute Stroke Patients: An Exploratory, Randomized*

- Multicenter Trial. Neurorehabilitation and Neural Repair. DOI: 10.1177/1545968311413906. 25(9) 838–846.
- Jalali, Fernández-Espejo D, 2019. *Functional Connectivity changes due to primary motor cortex Transcranial Direct Current Stimulation*. Other - Motor network, tDCS, functional connectivity. p1-4.
- Jung, 2017. *Rehabilitation in Subacute and Chronic Stage After Stroke. Stroke Revisited: Diagnosis and Treatment of Ischemic Stroke*. DOI 10.1007/978-981-10-1424-6_33. p 351-361.
- Koh, 1 Jau-Hong Lin, Jiann-Shing Jeng, Sheau-Ling Huang, Ching-Lin Hsieh. 2017. Effects of Transcranial direct current stimulation with sensory modulation on stroke motor rehabilitation: A randomized controlled trial. Department of Physical Medicine and Rehabilitation, National Taiwan University Hospital, Taipei, Taiwan. P 1-35.
- Kubis. 2016. *Non-Invasive Brain Stimulation to Enhance Post-Stroke Recovery Nathalie Kubis*. Front. Neural Circuits 10:56: 1-10.
- Lang, Bland M, Bailey R, Schaefer S, Birkenmeier R, 2013. Assesement of upper extremity impairment, function and activity following stroke: Foundations for clinical decision making. J Hand Ther. doi:10.1016/j.jht.2012.06.005. p23. 104–115.
- Lee SA, Lee SH, Jung BK. 2015. Analysis of cortical activation during three types of therapeutic activity. *Journal of physical therapy science*;27(4):1219-22.
- Neumann DA. 2010. Kinesiology of the Musculoskeletal System, Foundations for Rehabilitation, 2nd Edition. USA: Mosby Elsevier.
- Nudo, Erik J. Plautz, and Shawn B. Frost, 2001. Role of adaptive plasticity in recovery of function after damage to motor cortex. *Plasticity in Motor Cortex. Muscle Nerve* 24: 1000–1019.
- Pavlova E, Kuo MF, Nitsche MA, and Borg J. 2014. Transcranial Directr Current Stimulation of the premotor cortex: effects on hand dexterity. *Brain research* 1576 (2014) 52-62.
- Pedretti LW and Early MB. 2004. Occupational performance and models of practice for physical dysfunction in Occupational therapy practice skills for physical dysfunction . St Louis: Mosby.
- Pedretti LW dan Early MB. 2001. Occupational Therapy: Practice Skills for Physical Dysfunction, 5th ed. Mosby.
- Pelletier and Cicchetti. 2015. Cellular and Molecular Mechanisms of Action of Transcranial Direct Current Stimulation: Evidence from In Vitro and In Vivo Models. *International Journal of Neuropsychopharmacology*, 2015, 1–13.
- PERMENKES. 2014. Peraturan menteri kesehatan republik indonesia nomer 76 tahun 2014: tentang standar pelayanan terapi okupasi. Mei 21, 2016.

http://sinforeg.litbang.depkes.go.id/upload/regulasi/PMK_No._76_ttg_Standar_Pelayanan_Terapi_Okupasi_.pdf.

- Poreisz C, Boros K, Antal A, Paulus W. 2007. Safety aspects of transcranial direct current stimulation concerning healthy subjects and patients. *Brain Res Bull* 72: 208-214.
- Rabadi and Aston, 2017. Effect Transcranial direct current stimulation on Severely affected Arm-Hand Motor Function in Patients after Acute Ischemic Stroke: A Pilot Randomized Control Trial. *American Journal of Physical Medicine and Rehabilitation* 96(10).
- Raghavan P. 2015. Upper limb motor impairment after *stroke*. *Physical Medicine and Rehabilitation Clinics*, 26(4), 599-610.
- Raghavan P, Krakauer JW, Gordon AM. 2006. Impaired anticipatory control of fingertip forces in patients with a pure motor or sensorimotor lacunar syndrome. *Brain*, 129(6):1415–1425.
- Romero JR, Morris J, Pikula A, 2008. Stroke prevention: modifying risk factors. *Ther Adv Cardiovasc Dis*. doi:10.1177/1753944708093847. p 287–303.
- Rilianto B. 2015. Evaluasi dan Mana jemen Status Epileptikus. *Continuing Medical Education*. 42 (10): 750 – 754.
- Roche N, Geiger M, and Bussel B. 2015. Mechanisms underlying transcranial direct current stimulation in rehabilitation. <http://dx.doi.org/10.1016/j.rehab.2015.04.009> 1877-0657/ _ 2015 Published by Elsevier Masson SAS.
- Rozisky JR, Antunes LC, Brietzke AP, de Sousa AC, Caumo W. 2015. Transcranial direct current stimulation and neuroplasticity in: Rogers L. *Transcranial Direct Current Stimulation (tDCS): Emerging Uses, Safety And Neurobiological Effects* p63-75. Nova Pub Inc.<https://www.researchgate.net/publication/305439421>
- Schlaug G, Renga V, Nair D. 2008. Transcranial direct current stimulation in *stroke* recovery. *Arch Neurol*. 2008;65(12):1571-1576. doi:10.1001/archneur.65.12.1571.
- Schjetnan, d Faraji, Metz GA, Tatsuno, Luczak A, 2013. Transcranial Direct Current Stimulation in Stroke Rehabilitation: A Review of Recent Advancements. *Stroke Research and Treatment*. dx.doi.org/10.1155/2013/170256. 14 pages.
- Stagg CJ, Antal A, Nitsche MA. 2018. Physiology of Transcranial Direct Current Stimulation. *J ECT* 2018;00: 00–00.
- Stagg CJ dan Nitsche MA. 2011. Physiological basis of Transcranial Direct current Stimulation. *The Neuroscientist* 17 (1) 37-53.

- Stagg dan Berg, 2013. Studying the effects of transcranial direct-current stimulation in stroke recovery using magnetic resonance imaging. tDCS and MRI in stroke. *Frontiers in Human Neuroscience*: p 1-8.
- Inoue and Taneda. 2019. Transcranial Direct Current Stimulation Modulates GABA Levels Beyond the Stimulated Region: Perspectives for Stroke Rehabilitation. *J. Neurosci.*, March 6, 2019;39(10):1768–1770.
- Thair H, Holloway AL, Newport R, Smith AD. 2017. Transcranial direct current stimulation (tDCS): a beginner's guide for design and implementation. *Frontiers in neuroscience*. Nov 22;11:641.
- Truelsen, Józwiak BP, Bonita, Mathers C, Bogousslavsky J, 2006. Stroke incidence and prevalence in Europe: a review of available data. *European Journal of Neurology*. doi:10.1111/j.1468-1331.2006.01138.x. p 13: 581–598.
- Vöröslakoa, Takeuchi Y, Brinyiczki K, Zombori T, Oliva A, Gábor Kozák, Kincses ZT, Béla Iványi³, Buzsáki G, Berényi A, 2018. Direct effects of transcranial electric stimulation on brain circuits in rats and humans. *Nature Communication*. doi: 10.1038/s41467-018-02928-3. P17: 1-17.
- Weston dan Buckley, 2013. Assessing the Efficiency of Different Upper Limb Hemiparesis Interventions on Improving Health-Related Quality of Life in Stroke Patients: A Systematic Review. *Topics in Stroke Rehabilitation*. doi: 10.1310/tsr2002-171. *Top Stroke Rehabil* 2013;20(2):171–188.
- World Federation of Occupational Therapist. 2012. *Definition of occupational therapy*. London: World Federation of Occupational Therapist. July 21, 2018.<http://www.wfot.org/aboutus/aboutoccupationaltherapy/definitionofoccupation>.
- Xu dan Krakauer, 2015. Motor Control of the Hand Before and After Stroke. *Clinical Systems Neuroscience*. DOI 10.1007/978-4-431-55037-2_14: 271-289.
- Yozbatiran, 2007. A Standardized Approach to Performing the Action Research Arm Test. *The American Society of Neurorehabilitation*. DOI: 10.1177/1545968307305353. p 78-90.