

DAFTAR PUSTAKA

- Aanouz, I., Belhassan, A., El-Khatabi, K., Lakhlifi, T., El-Idriss, M., Bouachrine, M. 2020. Moroccan Medicinal plants as inhibitors against SARS-CoV-2 main protease: Computational investigations. *Journal of Biomolecular Structure and Dynamics*, 1-9.
- Abbas, A. K., Lichtman, A., & Pillai, S. 2011. *Cellular and Molecular Immunology 7th Edition*. Philadelphia: Elsevier.
- Astani, A., Reichling, J., & Schnitzler, P. 2011. Screening for antiviral activities of isolated compounds from essential oils. *Evidence-Based Evidence-Based*, 1-8.
- Astuti, I., & Ysrafil. 2020. Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2): An overview of viral structure and host response. *Diabetes & Metabolic Syndrome: Clinical Research & Reviews*, 1-16.
- Baratawidjaja, K. G., & Rengganis, I. 2009. *Imunologi Dasar Edisi 8*. Jakarta: Balai Penerbit FKUI.
- Boff, L., Munkert, J., Ottoni, F. M., Schneider, N. F. Z., Ramos, G. S., Kreis, W., Andrade, S. F., Filho, J. D., Braga, C. F., Alves, R. J., Padua, R. M., Simoes, C. M. C. 2019. Potential anti-herpes and cytotoxic action of novel semisynthetic digitoxigenin-derivatives. *European Journal of Medicinal Chemistry*, 546–561.
- Ceccarelli, M., Berretta, M., Rullo, E. V., Nunnari, G., & Cacopardo, B. 2020. Differences and similarities between Severe Acute Respiratory Syndrome (SARS)-CoronaVirus (CoV) and SARS-CoV-2. Would a rose by another name smell as sweet?. *European Review for Medical and Pharmacological Sciences*, 2781-2783.
- Chen, C.-J., Michaelis, M., Hsu, H.-K., Tsai, C.-C., Yang, K. D., Wu, Y.-Cinatl Jr, J., Doerr, H. W. 2008. Toona sinensis Roem tender leaf extract inhibits SARS coronavirus replication. *Journal of Ethnopharmacology*, 108-111.

- Chen, H., & Du, Q. 2020. Potential Natural Compounds for Preventing 2019-nCoV Infection. *Preprints*, 1-16.
- Cho, J. K., Curtis-Long, M. J., Lee, K. H., Kim, D. W., Ryu, H. W., Yuk, H. J., & Park, K. H. 2013. Geranylated flavonoids displaying SARS-CoV papain-like protease inhibition from the fruits of *Paulownia tomentosa*. *Bioorganic & Medicinal Chemistry*, 3051–3057.
- Cinatl, J., Morgenstern, B., Bauer, G., Chandra, P., Rabenau, H., & Doerr, H. W. 2003. Glycyrrhizin, an active component of liquorice roots, and replication of SARS-associated coronavirus. *The Lancet*, 361: 2045-2046.
- Cui, J., Li, F., & Shi, Z. 2019. Origin and evolution of Pathogenic coronavirus. *Nature Review Microbiology*, 181-192.
- Dong, L., Xia, J.-W., Gong, Y. I., Chen, Z., Yang, H.-H., Zhang, J. 2014. Effect of Lianhuaqingwen Capsules on Airway Inflammation in Patients with Acute Exacerbation of Chronic Obstructive Pulmonary Disease. *Evidence-Based Complementary and Alternative Medicine*, 14: 1-11.
- Enmozhi, S. K., Raja, K., Sebastine, I., & Joseph, J. 2020. Andrographolide as a potential inhibitor of SARS-CoV-2 main protease: an in silico approach. *Journal of Biomolecular Structure and Dynamics*, 1-7.
- Fakhrudin, N., & Indrasetiawan, P. 2020. Menakar Potensi Tumbuhan Indonesia untuk Pencegahan Virus Corona. Diakses dari <https://farmasi.ugm.ac.id/id/menakar-potensi-tumbuhan-indonesia-untuk-pencegahan-infeksi-virus-corona>, pada 1 September 2020
- Guan, W., Ni, Z., Hu, Y., Liang, W., Ou, C., He, J., Liu, L., Shan, H., Lei, C., Hui, D. S. C., Du, B., Li, L., Zeng, G., Yuen, K-Y., Chen, R., Tang, C., Wang, T., Chen, P., Xiang, J., Li, S., Wang, L-J., Liang, Z., Peng, Y., Wei, L., Liu, Y., Hu, Y-H., Peng, P., Wang, J-M., Liu, J., Chen, Z., Li, G., Zheng., Z., Qiu, S., Luo, J., Ye, C., Zhu, S. 2020. Clinical characteristics of coronavirus disease 2019 in China. *The New England Journal of Medecine*, 1-13.

- Guo, Y.-R., Cao, Q.-D., Hong, Z.-S., Tan, Y.-Y., Chen, S.-D., Jin, H.-J., Tan, K.-S., Wang, D.-Y., Yan, Y. 2020. The origin, transmission and clinical therapies on coronavirus disease 2019 (COVID-19) outbreak – an update on the status. *Military Medical Research*, 1-10.
- Gupta, S., Singh, A. K., Kushwaha, P. P., Prajapati, K. S., Shuaib, M., Senapati, S., & Kumar, S. 2020. Identification of potential natural inhibitors of SARS-CoV2 main protease by molecular docking and simulation studies. *Journal of Biomolecular Structure and Dynamics*, 1-12.
- Ho, T.-Y., Wu, S.-L., Chen, J.-C., Li, C.-C., & Hsiang, C.-Y. 2007. Emodin blocks the SARS coronavirus spike protein and angiotensin-converting enzyme 2 interaction. *Antiviral Research*, 92-101.
- Hoever, G., Baltina, L., Michaelis, M., Kondratenko, R., Baltina, L., Tolstikov, G. A., Doerr, H. W., Cinatl, J. 2005. Antiviral Activity of Glycyrrhizic Acid Derivatives against SARS-Coronavirus. *Journal of Medicinal Chemistry*, 48 (4): 1256-1259.
- Holshue, M. L., DeBolt, C., Lindquist, S., Loft, K. H., Wiesman, J., Bruce, H., Spitters, C., Ericson, K., Wilkerson, S., Tural, A., Diaz, G., Cohn, A., Fox, L., Patel, A., Gaerber, S. I., Kim, L., Tong, S., Lu, X., Lindstrom, S., Pallansch, M. A., Weldon, W. C., Biggs, H. M., Uyeki, T. M., Pillai, S. K. 2020. First Case of 2019 Novel Coronavirus in the United States. *The New England Journal of Medicine*, 929-936.
- Huang, F., Li, Y., Leung, E. L.-H., Liu, X., Liu, K., Wang, Q., Lan, Y., Li, X., Yu, H., Cui, L., Luo, H., Luo, L. 2020. A review of therapeutic agents and Chinese herbal medicines against SARS-COV-2 (COVID-19). *Pharmacological Research*, 1-12.
- Kementrian Kesehatan Republik Indonesia. 2020. Data Kasus COVID-19. Diakses dari <https://www.kemkes.go.id/article/view/20031900002/Dashboard-Data-Kasus-COVID-19-di-Indonesia.html>, pada 11 April 2020
- <https://covid19.go.id/peta-sebaran>, pada 1 September 2020

- Jiang, S., Hillyer, C., & Du, L. 2020. Neutralizing Antibodies against SARS-CoV-2 and Other Human Coronaviruses. *Trends in Immunology*, 1-5.
- Kang, S., Peng, W., Zhu, Y., Lu, S., Zhou, M., Lin, W., Wu, W., Huang, S., Jiang, L., Luo, X., Deng, M. 2020. Recent progress in understanding 2019 novel coronavirus (SARS-CoV-2) associated with human respiratory disease: detection, mechanisms, and treatment. *International Journal of Antimicrobial Agents*, 1-9.
- Katiyar, C., Gupta, A., Kanjilal, S., & Katiyar, S. 2015. Drug discovery from plant sources: An integrated approach. *Ayu Journal*, 1-10.
- Khaerunnisa, S., Kurniawan, H., Awaluddin, R., Suhartati, S., & Soetjipto, S. 2020. Potential Inhibitor of COVID-19 Main Protease (Mpro) from Several Medicinal Plant Compounds by Molecular Docking Study. *Preprints*, 1-14.
- Koparde, A. A., Doijad, R. C., & Magdum, C. S. 2019. Natural Products in Drug Discovery. In S. Perveen, & A. Al-Taweel, *Pharmacognosy-Medical Plant* (pp. 1-19). IntechOpen.
- Lau, K.-M., Lee, K.-M., Koon, C.-M., Cheung, S.-F, C., Lau, C.-P., Ho, H.-M., Lee, M. Y.-H., Au, S. K.-W., Cheng, C. H.-K., Lau, C. B.-S., Tsui, S. K.-W., Wan, D. C.-C., Waye, M. M.-Y., Wong, K.-B., Wong, C.-K., Lam, C. W.-K., Leung, P.-C., Fung, K.-P. 2008. Immunomodulatory and anti-SARS activities of *Houttuynia cordata*. *Journal of Ethnopharmacology*, 79–85.
- Li, S.-Y., Chen, C., Zhang, H.-Q., Guo, H.-Y., Wang, H., Wang, L., Zhang, X., Hua, S.-N., Yu, J., Xiao, P.-G., Li, R.-S., Tan, X. 2005. Identification of natural compounds with antiviral activities against SARS-associated coronavirus. *Antiviral Research*, 18–23.
- Lim, J., Jeon, S., Shin, H. Y., Kim, M. J., Seong, Y. M., Lee, W. J., Choe, K. W., Kang, Y. M., Lee, B., Park, S. J. 2020. Case of the Index Patient Who Caused Tertiary Transmission of Coronavirus Disease 2019 in Korea: the Application of Lopinavir/Ritonavir for the Treatment of COVID-19 Pneumonia Monitored by Quantitative RT-PCR. *Journal of Korean Medical Science*, 1-6.

- Lin, C.-W., Tsai, F.-J., Tsai, C.-H., Lai, C.-C., & L. W. 2005. Anti-SARS coronavirus 3C-like protease effects of *Isatis indigotica* root and plant-derived phenolic compounds. *Antiviral Research*, 36-42.
- Lin, L.-T., Hsu, W.-C., & Lin, C.-C. 2014. Antiviral natural products and herbal medicines. *Journal of Traditional and Complementary Medicine*, 24-35.
- Liu, J., Cao, R., Xu, M., Wang, X., Zhang, H., Hu, H., Li, Y., Hu, Z., Zhong, W., Wang, M. 2020. Hydroxychloroquine, a less toxic derivative of chloroquine, is effective in inhibiting SARS-CoV-2 infection in vitro. *Cell Discovery*, 1-4.
- Lu, C.-C., Chen, M.-Y., & Chang, Y.-L. 2020. Potential therapeutic agents against COVID-19: What we know so far. *Journal of the Chinese Medical Association Publish Ahead of Print*, 1-11.
- Lung, J., Lin, Y.-S., Yang, Y.-H., Chou, Y.-L., Shu, L.-H., Cheng, Y.-C., Cheng, Y.-C., Liu, T. H., Wu, C.-Y. 2020. The potential chemical structure of anti-SARS-CoV-2 RNA-dependent RNA polymerase. *Journal of Medical Virology*, 1-5.
- Luo, W., Su, X., Gong, S., Qin, Y., Liu, W., Li, J., Yu, H., Xu, Q. 2009. Anti-SARS coronavirus 3C-like protease effects of *Rheum palmatum* L. extracts. *BioScience Trends*, 124-126.
- Mani, J. S., Johnson, J. B., Steel, J. C., Broszczak, D. A., Neilsen, P. M., Walsh, K. B., & Naiker, M. 2020. Natural product-derived phytochemicals as potential agents against coronaviruses: A review. *Virus Research*, 1-16.
- Mpiana, P. T., Ngbolua, K.-t.-N., Tshibangu, D. S., Kilembe, J. T., Gbolo, B. Z., Mwanangombo, D. T., Inkoto, C. L., Lengbiye, E. M., Mbadiko, C. M., Matondo, A., Bongo, G. N., Tshilanda, D. D. 2020. Identification of potential inhibitors of SARS-CoV-2 main protease from *Aloe vera* compounds: A molecular docking study. *Chemical Physics Letters*, 1-7.
- Muralidharan, N., Sakthivel, R., Velmurugan, D., & Gromiha, M. M. 2020. Computational studies of drug repurposing and synergism of lopinavir, oseltamivir and ritonavir binding with SARS-Cov-2

- protease against COVID-19. *Journal of Biomolecular Structure and Dynamics*, 1-6.
- Park, J.-Y., Kim, J. H., Kim, Y. M., Jeong, H. J., Kim, D. W., Park, K. H., Kwon, H.-J., Park, S.-J., Lee, W. S., Ryu, Y. B. 2012. Tanshinones as selective and slow-binding inhibitors for SARS-CoV cysteine proteases. *Bioorganic & Medicinal Chemistry*, 5928–5935.
- Park, J.-Y., Yuk, H. J., Ryu, H. W., Lim, S. H., Kim, K. S., Park, K. H., Yu, Y. B., Lee, W. S. 2017. Evaluation of polyphenols from *Broussonetia papyrifera* as coronavirus protease inhibitors. *Journal Of Enzyme Inhibition And Medicinal Chemistry*, 504-512.
- Qin, G.-W., & Xu, R.-S. 1998. Recent advances on bioactive natural products from Chinese medicinal plant. *Medicinal Research Review*, 18(6): 375-382.
- Rabaan, A. A., Al-Ahmed, S. H., Haque, S., Sah, R., Tiwari, R., Malik, Y. S., Dhama, K., Yattoo, M. I., Bonilla-Aldana, D. K., Rodriguez-Morales, A. J. 2020. SARS-CoV-2, SARS-CoV, and MERS-CoV: a comparative overview. *Le Infezioni in Medicina*, 174-184.
- Runfeng, L., Yunlong, H., Jicheng, H., Weiqi, P., Qin Hai, M., Yongxia, S., Chufang, L., Jin, Zhao., Zhenhua, J., Haiming, J., Kui, Z., Shuxiang, H., Jun, D., Xiaobo, H., Xiaotao, H., Lin, Ww., Nanshan, Z., Zifeng, Y. 2020. Lianhuaqingwen exerts anti-viral and anti-inflammatory activity against novel coronavirus (SARS-CoV-2). *Pharmacological Research*, 1-6.
- Ryu, Y. B., Jeong, H. J., Kim, J. H., Kim, Y. M., Park, J.-Y., Kim, D., Nguyen, T. T. H., Park, S.-J., Chang, J. S., Park, K. H., Rhp, M.-C., Lee, W. S. 2010. Biflavonoids from *Torreya nucifera* displaying SARS-CoV 3CLpro inhibition. *Bioorganic & Medicinal Chemistry*, 7940–7947.
- Schoeman, D., & Fielding, B. C. 2019. Coronavirus envelope protein: current knowledge. *Virology Journal*, 1-22.
- Sinha, N., & Balayla, G. 2020. Hydroxychloroquine and COVID-19. *Postgraduate Medical Journal*, 550-555.

- Sohrabi, C., Alsafi, Z., O'Neill, N., Khan, M., Kerwan, A., Al-Jabir, A., Iosifidis, C., Agha, R. 2020. World Health Organization declares global emergency: A review of the 2019 novel coronavirus (COVID-19). *International Journal of Surgery*, 71–76.
- Soleymani, S., Zabihollahi, R., Shahbazi, S., & Bolhassani, A. 2018. Antiviral effects of saffron and its major ingredients. *Current Drug Delivery*, 698–704.
- Sun, P., Lu, X., Sun, W., & Pan, B. 2020. Understanding of COVID-19 based on current evidence. *Journal of Medical Virology*, 548-551
- Thuy, B. T. P., My, T. T., Hai, N. T. T., Hieu, L. T., Hoa, T. T., Loan, H. T., Triet, N. T., Tung, V. T., Huynh, L. K., Nhung, N. T., A. 2020. Investigation into SARS-CoV-2 Resistance of Compounds in Garlic Essential Oil. *ACS Omega*, 8312-8320.
- Velavan, T. P., & Meyer, C. G. 2020. The COVID-19 epidemic. *Tropical Medicine and International Health*, 25(3): 278–280 .
- Walls, A. C., Park, Y.-J., Tortorici, M. A., Wall, A., McGuire, A. T., & Velesler, D. 2020. Structure, Function, and Antigenicity of the SARS-CoV-2 Spike Glycoprotein. *Cell*, 1-12.
- Wang, M., Cao, R., Zhang, L., Yang, X., Liu, J., Xu, M., Shi, Z., Hu, Z., Zhong W., Xiao, G. 2020. Remdesivir and chloroquine effectively inhibit the recently emerged novel coronavirus (2019-nCoV) in vitro. *Cell Research*, 269-271.
- Wen, C.-C., Shyur, L.-F., Jan, J.-T., Liang, P.-H., Kuo, C.-J., Arulselvan, P., Wu, J.-B., Kuo, S.-C., Yang, N.-S. 2011. Traditional Chinese medicine herbal extracts of *Cibotium barometz*, *Gentiana scabra*, *Dioscorea batatas*, *Cassia tora*, and *Taxillus chinensis* inhibit SARS-CoV replication. *Journal of Traditional and Complementary Medicine*, 41-50.
- WHO. 2020. Coronavirus disease (COVID-19) situation reports. <https://www.who.int/emergencies/diseases/novel-coronavirus-2019>, diakses pada 15 April 2020
- Wu, F., Zhao, S., Yu, B., Chen, Y.-M., Wang, W., Song, Z.-G., Yu, H., Tao, Z.-W., Tian, J.-H., Pei, Y.-Y., Yuan, M.L., Zhang, L.-Y., Dai, F.-H,

- Liu, Y., Wang, Q-M., Zheng, J-J., Xu, L., Holmes, E. C., Zhang, Y.-Z.. 2020. A new coronavirus associated with human respiratory disease in China . *Nature*, 265-270.
- Xuan-Yu, Meng, Zhang, H.-X., Mezei, M., & Cui, M. 2011. Molecular Docking: A powerful approach for structure-based drug discovery. *National of Health Institute*, 146-157.
- Yan, H., Ma, L., Wang, H., Wu, S., Huang, H., Gu, Z., Jiang, J., Li, Y. 2019. Luteolin decreases the yield of influenza A virus in vitro by interfering with the coat protein I complex expression. *Journal of Natural Medicines*, 487-496.
- Yang, Y., Islam, M. S., Wang, J., Li, Y., & Chen, X. 2020. Traditional Chinese Medicine in the Treatment of Patients Infected with 2019-New Coronavirus (SARS-CoV-2): A Review and Perspective. *International Journal of Biological Sciences*, 16: 1708-1717.
- Yin, Y., & Wunderink, R. G. 2018. MERS, SARS and other coronaviruses as causes of pneumonia. *Respirology*, 130-137.
- Yu, M.-S., Lee, J., Lee, J. M., Kim, Y., Chin, Y.-W., Jee, J.-G., Keum, Y-S., Jeong, Y-J. 2012. Identification of myricetin and scutellarein as novel chemical inhibitors of the SARS coronavirus helicase, nsP13. *Bioorganic & Medicinal Chemistry Letters*, 4049–4054.
- Zhou, P., Yang, X.-L., Wang, X.-G., Hu, B., Zhang, L., Zhang, W., Si, H-R., Zhu, Y., Li, B., Huang, C-L., Chen, H-D., Chen, J., Luo, Y., Guo, H., Jiang, R-D., Liu, M-Q., Chen, Y., Shen, X-L., Wang, X., Zheng, X-S., Zhao, K., Chen, Q-J., Deng, F., Liu, L-L., Yan, B., Zhan, F-X., Wang, Y-Y., Xiao, G-F., Shi, Z-L. 2020. A pneumonia outbreak associated with a new coronavirus of probable bat origin. *Nature*, 579: 270-286.
- Zhuang, M., Jiang, H., Suzuki, Y., Li, X., Xiao, P., Tanaka, T., Hong, L., Yang, B., Saitoh, H., Zhang, L., Qin, C., Sugamura, K., Hattori, T. 2009. Procyanidins and butanol extract of Cinnamomi Cortex inhibit SARS-CoV infection. *Antiviral Research*, 73-81.