

DAFTAR PUSTAKA

- Abramov, Y., Klamt, A. & Loschen, C., 2012. Rational coformer or solvent selection for pharmaceutical cocrystallization or desolvation. *Journal of Pharmaceutical Science*, Volume 101, pp. 3687-3697.
- Aekerooy, C. B. & Salmon, D. J., 2005. Building co-cystals with molecular sense and supramolecular sensibility. *CrystEngComm*, 7(2), pp. 439-448.
- Ahuja, D., Ramisetty, K. A., Sumanth, P. K., Crowley, C. M., Lusi, M., & Rasmuson, A. C., 2020. Microwave assisted slurry conversion crystallization for manufacturing of new co-crystals of sulfamethazine and sulfamerazine. *CrystEngComm*, 22(8), 1381–1394.
- Aljamal, M., Abul-Haj, M. & Kayali, I., 2018. Salicylic Acid and Lactic Acid Co-Crystal. *Acta Scientific Medical Sciences*, 2(7), pp. 96-102.
- Auer, M. E., Griesser, U. J. & Sawatzki, J., 2003. Qualitative and quantitative study of polymorphic forms in drug formulations by near infrared FT-Raman spectroscopy. *Journal of Molecular Structure*, Volume 661-662, pp. 307-317.
- Barikah, K. Z., 2018. Traditional and Novel Methods for Cocrystal Formation : A Mini Review. *Systematic Reviews in Pharmacy*, 9(1), pp. 79-82.
- Barmapalexis, P. *et al.* 2018. Preparation of pharmaceutical cocrystal formulations via melt mixing technique: A thermodynamic perspective. *European Journal of Pharmaceutics and Biopharmaceutics*, Volume 131, pp. 130–140
- Bavishi, D. D. & Borkhataria, C. H., 2016. Spring and parachute : How cocrystals enhance solubility. *Progress in Crystal and Characterization of Materials*, Volume 62, pp. 1-8.
- Berry, D. J., Seaton, C. C., Clegg, W., Harrington, R. W., Coles, S. J., Horton, P. N., Hursthouse, M. B., Storey, R., Jones, W., Friščić, T., & Blagden, N., 2008. Applying hot-stage microscopy to co-crystal screening: A study of nicotinamide with seven active pharmaceutical ingredients. *Crystal Growth and Design*, 8(5), 1697–1712
- Bis, J. A., Vishweshwar, P., Weyna, D. & Zawarotko, M. J., 2007. Hierarchy of Supramolecular Synthons: Persistent Hydroxyl Pyridine Hydrogen Bonds in Cocrystal That Contain a Cyano Receptor. *Molecular Pharmaceutics*, Volume 4, pp. 401-416.

- Blagden, Nicholas, Berry, D. J., Parkin, A., Javed, H., Ibrahim, A., Gavan, P. T., De Matos, L. L., & Seaton, C. C., 2008. Current directions in co-crystal growth. *New Journal of Chemistry*, 32(10), 1659–1672.
- Blagden, N., Matas, M. d. & Gavan, P. T., 2007. Crystal engineering of active pharmaceutical ingredients to improve solubility and dissolution rates. *Advanced Drug Delivery Reviews*, Volume 59, pp. 617-630.
- Budiman, A., Megantarab, S., Raraswati, P. & A., T. Q., 2018. Solid Dosage Form Development of Glibenclamide with Increasing the Solubility and Dissolution Rate Using Cocrystallization. *International Journal of Applied Pharmaceutics*, 10(6), pp. 181-186.
- Chatel, G. & Varma, R. S., 2019. Ultrasound and microwave irradiation: contributions of alternative physicochemical activation methods to Green Chemistry. *Royal Society of Chemistry*, Volume 21, pp. 6043-6050.
- Chemical Book Cas-Database list of 4-methoxycinnamate acid. Diakses dari https://www.chemicalbook.com/ChemicalProductProperty_EN_CB8152938.htm pada tanggal 19 November 2020.
- Chemicaland21 Chemical Information of 4-methoxycinnamate. Diakses dari <http://chemicaland21.com/specialtychem/nh/4-METHOXYCINNAMATE.htm> pada tanggal 19 November 2020.
- Cheney, M. L. *et al.*, 2010. Supramolecular Architectures of Meloxicam Carboxylic Acid Cocrystals, a Crystal Engineering Case Study. *Crystal Growth & Design*, Volume 10, pp. 4401-4413.
- Childs, S. L. *et al.*, 2008. Screening strategies based on solubility and solution composition pharmaceutically acceptable cocrystals of carbamazepine. *CrystEngComm*, Volume 10, pp. 856-864.
- Davis, R. E., Lorimer, K. A., Wilkowski, M. A. & Rivers, J. H., 2004. Studies of Phase Relationship in Cocrystal Systems. *American Crystallographic Association*, Volume 39, pp. 41-61.
- Departemen Kesehatan Republik Indonesia, 2020. *Farmakope Indonesia*. 6th ed. Jakarta: Departemen Kesehatan Republik Indonesia.
- Douroumis, D., Ross, S. A. & Nokhodchi, A., 2017. Advanced methodologies for cocrystal synthesis. *Advanced Drug Delivery Reviews*.
- Fukte, S. R., Wagh, M. P. & Rawat, S., 2014. Coformer Selection : An Important Tool in Cocrystal Formation. *International Journal of Pharmacy and Pharmaceutical Science*, 6(7), pp. 9-14.
- Fulias, A., Vlase, G., Vlase, T., Şuta, L. M., Şoica, C., & Ledeti, I., 2015. Screening and characterization of cocrystal formation between carbamazepine and succinic acid. *Journal of Thermal Analysis and Calorimetry*, 121(3), 1081–1086

- Gillespie, P. M., 2004. *Microwave Chemistry - An Approach To The Assessment of Chemical Reaction Hazards*. Manchester, IChemE.
- HMDB. The Metabolomics Innovation Centre. Metabocard for 4-methoxycinnamic acid. Diakses dari <https://hmdb.ca/metabolites/HMDB0002040>, pada 18 November 2020.
- Hohne, G., Hemminger, W. & Flammersheim, H. J., 2003. *Differential Scanning Calorimetry*. 2nd ed. Berlin: Springer-Verlag Berlin Heidelberg.
- Inkson, B., 2016. Scanning electron microscopy (SEM) and transmission electron microscopy (TEM) for material characterization. In: G. Huebschen, I. Altpeter, R. Tschuncky & H. Herrmann, eds. ***Materials Characterization Using Nondestructive Evaluation (NDE) Methods***. Cambridge: Woodhead Publishing, pp. 17-43.
- Issa, N., Karamertzanis, P. G., Welch, G. W. A. & Price, S. L., 2009. Can the Formation of Pharmaceutical Cocrystals Be Computationally Predicted? I. Comparison of Lattice Energies. ***Crystal Growth & Design***, 9(1), pp. 442-453.
- Izutsu, K.-i. *et al.*, 2016. Characterization and Quality Control of Pharmaceutical Cocrystals. ***Chem. Pharm. Bull.***, Volume 64, pp. 1421-1430.
- Kamis, M. N. A. A., Zaki, H. M., Anuar, N. & Jalil, M. N., 2020. Synthesis, Characterization and Morphological Study of Nicotinamide and p-Coumaric Acid Cocrystal. ***Indones. J. Chem.***, 20(3), pp. 661-679.
- Kappe, C. O., 2004. Controlled Microwave Heating in Modern Organic Synthesis. ***Angew. Chem. Int.***, Volume 43, pp. 6250-6284.
- Karagianni, A., Malamataris, M. & Kachrimanis, K., 2018. Pharmaceutical Cocrystals : New Solid Phase Modification Approaches for the Formulation of APIs. ***Pharmaceutics***, Volume 10, pp. 1-30.
- Karimi-Jafari, M., Padrela, L., Walker, G. M. & Croker, D. M., 2018. Creating Cocrystals: A Review of Pharmaceutical Cocrystal Preparation Routes and Applications. ***Crystal Growth&Design***, Volume 18, pp. 6370-6387.
- Krishnan, S. *et al.*, 2008. Optical and dielectric studies on succinic acid single crystals. ***Cryst. Res. Technol.***, 43(8), pp. 845-850.
- Kumar, S. & Nanda, A., 2017. Pharmaceutical Cocrystals: An Overview. ***Indian Journal of Pharmaceutical Science.***
- Lemmerer, A., Esterhuysen, C. & Bernstein, J., 2010. Synthesis, Characterization, and Molecular Modeling of a Pharmaceutical Co-Crystal: (2-Chloro-4-Nitrobenzoic Acid): (Nicotinamide). ***Journal of Pharmaceutical Science***, 99(9), pp. 4054-4071.
- Liu, J., 2006. Physical Characterization of Pharmaceutical Formulations in Frozen and Freeze-Dried Solid States: Techniques and Applications in Freeze-Drying

- Development. *Pharmaceutical Development and Technology*, Volume 11, pp. 3-28.
- Liu, M., Hong C., Yao Y., Shen H., Ji G., Li G., & Xie Y., 2016. Development of a pharmaceutical cocrystal with solution crystallization technology: preparation, characterization, and evaluation of myricetin-proline cocrystals. *European Journal of Pharmaceutics and Biopharmaceutics*, pp. 1-33.
- Maharani, N. A., 2020. Karakterisasi Fisikokimia Kokristal Asam p-Metoksisinamat-Asam Suksinat yang Dibuat dengan Metode Penguapan Pelarut. *Skripsi*. Universitas Airlangga
- Malamatari, M., Ross, S. A., Douroumis, D. & Velaga, S. P., 2017. Experimental cocrystal screening and solution based scale-up cocrystallization methods. *Advanced Drug Delivery Reviews*, Volume 117, pp. 162-177.
- Miroshnyk, I., Mirza, S. & Sandler, N., 2009. Pharmaceutical co-crystals-an opportunity for drug product enhancement. *Expert Opinion Drug Delivery*, 6(4), pp. 333-341.
- Mohammad, M. A., Alhalaweh, A. & Velaga, S. P., 2011. Hansen solubility parameter as a tool to predict cocrystal formation. *International Journal of Pharmaceutics*, Volume 407, pp. 63-71.
- Moradiya, H. et al., 2013. Continuous Cocrystallization for Dissolution Rate Optimization of a Poorly Water-Soluble Drug. *Crystal Growth&Design*, Volume 14, pp. 189-198.
- Nafie, L. A., 2001. Theory of Raman Scattering. In: I. R. Lewis & H. G. M. Edwards, eds. *Handbook of Raman Spectroscopy*. New York: Marcel Dekker, pp. 15-24.
- Naqvi, A., Ahmad, M., Minhas, M. U., Khan, K. U., Batool, F., & Rizwan, A., 2020. Preparation and evaluation of pharmaceutical co-crystals for solubility enhancement of atorvastatin calcium. *Polymer Bulletin*, 77(12), 6191–6211
- Nawatila, R., W, A. N., Siswodihardjo, S. & Setyawan, D., 2017. Preparation of Acyclovir-Nicotinamide Cocrystal by Solvent Evaporation Technique With Variation of Solvent. *Asian Journal of Pharmaceutical and Clinical Research*, 10(3), pp. 283-287.
- Nghiem, N. P., Kleff, S. & Schwengmann, S., 2017. Succinic Acid : Technology Development and Commercialization. *Fermentation*, Volume 3, pp. 1-14.
- Nugrahani, I., Utami D., Ayuningtyas L., Garmana A.N., & Oktaviary R., 2019. New preparation method using microwave, kinetics, in vitro dissolution-diffusion; and anti-inflammatory study of diclofenac-proline co-crystal. *ChemPubSocEurope*, Volume 4, pp. 13396-13403.

- Nugrahani, I., Asyarie, S., Soewandhi, S. N. & Ibrahim, S., 2008. The Cold Contact Method as a Simple Drug Interaction Detection System. *Research Letters in Physical Chemistry*, pp. 1-4.
- Ober, C. A. & Gupta, R. B., 2012. Formation of Itraconazole-Succinic Acid Cocrystals by Gas Antisolvent Cocrystallization. *AAPS PharmSciTech*, 13(4), pp. 1396-1406.
- Padrela, L., Azevedo, E. G. d. & Velaga, S. P., 2012. Powder X-ray diffraction method for the quantification of cocrystals in the crystallization mixture. *Drug Development and Industrial Pharmacy*, 38(8), pp. 923-929.
- Pagire, S. *et al.*, 2013. Microwave assisted synthesis of caffeine/maleic acid cocrystals: the role of dielectric and physicochemical properties of the solvent. *CrystEngComm*, Volume 15, pp. 3705-3710.
- Pavia, D. L., Lampman, G. M., Kriz, G. S. & Vyvyan, J. R., 2015. *Introduction to Spectroscopy*. 5th ed. Washington: Cengage.
- Pindelska, E., Sokal, A. & Kolodziejcki, W., 2017. Pharmaceutical cocrystals, salts and polymorphs: Advanced characterization technique. *Advanced Drug Delivery Reviews*, Volume 117, pp. 111-146.
- pkCSM. Pharmacokinetic Prediction. Para-methoxy cinnamic acid. Diakses dari <http://biosig.unimelb.edu.au/pkcsml/prediction>, pada 11 Maret 2021
- Qiao, N. *et al.*, 2011. Pharmaceutical cocrystals: An overview. *International Journal of Pharmaceutics*, Volume 419, pp. 1-11.
- Rahman, F., Winantari, A. N., Siswandono & Setyawan, D., 2017. Comparison Study of Grinding and Slurry Method on Physicochemical Characteristic of Acyclovir-Succinic Acid Cocrystal. *Asian Journal of Pharmaceutical and Clinical Research*, 10(3), pp. 153-158.
- Ravichandran, S. & Karthikeyan, E., 2011. Microwave Synthesis - A Potential Tool for Green Chemistry. *International Journal of ChemTech Research*, 3(1), pp. 466-470.
- Rodrigues, M., Baptista, B., Lopes, J. A. & Sarraguca, M. C., 2018. Pharmaceutical cocrystallization techniques. Advances and challenges. *International Journal of Pharmaceutics*, Volume 547, pp. 404-420.
- Sadono, H.D., 2000. Ketersediaan Hayati Profil Farmakokinetik Kristal APMS (Isolat Bahan Aktif Serbuk Rimpang Kencur) pada Hewan Coba Kelinci. Laporan Penelitian, Lemlit UNAIR.
- Saganowska, P. & Wesolowski, M., 2017. DSC as a screening tool for rapid co-crystal detection in binary mixtures of benzodiazepines with co-formers. *Journal of Thermal Analysis and Calorimetry*, Volume 133, pp. 785-795.

- Sathisaran, I. & Dalvi, S. V., 2018. Engineering Cocrystals of Poorly Water-Soluble Drugs to Enhance Dissolution in Aqueous Medium. *Pharmaceutics*, Volume 10, pp. 1-74.
- Savjani, K. T., Gajjar, A. K. & Savjani, J. K., 2012. Drug Solubility: Importance and Enhancement Techniques. *International Scholarly Research Network*, pp. 1-10.
- Saxena, R., Saran, S., Isar, J. & Kaushik, R., 2017. Production and Application of Succinic Acid. In: S. N. C. R. S. Ashok Pandey, ed. *Current Developments in Biotechnology and Bioengineering: Production, Isolation and Purification of Industrial Products*. New Delhi: Elsevier, pp. 601-630.
- Schulteiss, N. & Newman, A., 2009. Pharmaceutical Cocrystals and Their Physicochemical Properties. *Crystal Growth & Design*, Volume 9, pp. 2950-2967.
- Setyawan, D., Jovita, R. O., Iqbal, M., Paramanandana, A., Yusuf, H., & Lestari, M. L. A. D., 2018. Co-crystalization of quercetin and malonic acid using solvent-drop grinding method. *Tropical Journal of Pharmaceutical Research*, 17(6), 997–100
- Setyawan, D., Permata, S. A., Zainul, A. & Lestari, M. L. A. D., 2018. Improvement In vitro Dissolution Rate of Quercetin Using Cocrystallization of Quercetin-Malonic Acid. *Indones. J. Chem*, 18(3), pp. 531-536.
- Setyawan, D., Sari, R., Yusuf, H. & Primaharinastiti, R., 2014. Preparation and Characterization of Artesunate-Nicotinamide Cocrystal by Solvent Evaporation and Slurry Method. *Asian Journal of Pharmaceutical and Clinical Research*, 7(1), pp. 62-65.
- Shah, P., Goodyear, B. & Michniak-Kohn, B. B., 2017. A review : Enhancement of solubility and oral bioavailability of poorly soluble drug. *Advance Pharmaceutical Journal*, 2(5), pp. 161-173.
- Shan, N. & Zaworotko, M. J., 2008. The role of cocrystals in pharmaceutical science. *Drug Discovery Today*, Volume 13, pp. 440-446.
- Smith, G. P. S., Gordon, K. C. & Huff, G. S., 2016. Investigating Crystallinity Using Low Frequency Raman Spectroscopy: Application in Pharmaceutical Analysis. *Spectroscopy*, Volume 31, pp. 42-50.
- Subositi, D., Kurnianingrum, N., Mujahid, R. & Widiyastuti, Y., 2020. Kaempferia galanga L. A Medicinal Plant Used By Indonesian Ethnic Groups: Genetic Diversity Based on Inter-Simple Sequence Repeats (ISSR). *Journal of Agricultural Science*, 42(1), pp. 45-52.
- Thakral, N. K., Zanon, R. L., Kelly, R. C. & Thakral, S., 2018. Applications of Powder X-Ray Diffraction in Small Molecule Pharmaceuticals: Achievements and Aspirations. *Journal of Pharmaceutical Sciences*, pp. 1-14.

- Thakuria, R. *et al.*, 2013. Pharmaceutical cocrystals and poorly soluble drugs. *International Journal of Pharmaceutics*, Volume 453, pp. 101-125.
- Thayyil, A. R., Juturu, T., Nayak, S. & Kamath, S., 2020. Pharmaceutical Co-Crystallization: Regulatory Aspects, Design, Characterization and Applications. *Advanced Pharmaceutical Bulletin*, 10(2), pp. 203-212.
- Trask, A. V. & Jones, W., 2005. Crystal Engineering of Organic Cocrystals by the Solid-State Grinding Approach. In: F. Toda, ed. *Organic Solid Reactions. Topics in Current Chemistry*. Berlin: Springer, pp. 41-70..
- Vasisht, K., Chadha, K., Karan, M., Bhalla, Y., Jena, A. K., & Chadha, R., 2016. Enhancing biopharmaceutical parameters of bioflavonoid quercetin by cocrystallization. *CrystEngComm*, 18(8), 1403–1415
- Vishweshwar, P., McMahon, J. A., Bis, J. A. & Zaworotko, M. J., 2006. Pharmaceutical Co-Crystals. *Journal of Pharmaceutical Sciences*, Volume 95, pp. 499-516.
- Wicaksono, Y., Setyawan, D. & Siswandono, 2020. Analysis of Solid-State Interactions of Ketoprofen-Coformer Binary Mixtures by DCS and Hot Stage Microscopy. *Molekul*, 15(2), pp. 121-129.
- Wicaksono, Y., Setyawan, D., Siswandono & Siswoyo, T. A., 2019. Preparation and Characterization of a Novel Cocrystal of Atorvastatin Calcium with Succinic Acid Coformer. *Indones. J. Chem*, 19(3), pp. 660-667.
- Winantari, A. N., Setyawan, D. & Siswodihardjo, S., 2017. Cocrystallization Acyclovir-Succinic Acid Using Solvent Evaporation Methods. *Asian Journal of Pharmaceutical and Clinical Research*, 10(6), pp. 91-94.
- Wisudyaningsih, B., Setyawan, D. & Siswandono, 2019. Co-crystallization of quercetin and isonicotinamide using solvent evaporation method. *Tropical Journal of Pharmaceutical Research*, 18(4), pp. 697-702.
- Yamashita, H., Hirakura, Y., Yuda, M., Teramura, T., & Terada, K., 2012. Detection of cocrystal formation based on binary phase diagrams using thermal analysis. *Pharmaceutical Research*, 30(1), 70–80
- Yuliandra, Y., Zaini, E., Syofyan, S., Pratiwi, W., Putri, L. N., Pratiwi, Y. S., & Arifin, H., 2018. Cocrystal of ibuprofen–nicotinamide: Solid-state characterization and in vivo analgesic activity evaluation. *Scientia Pharmaceutica*, 86(2)
- Zaini, E., Halim, A., Soewandhi, S. N. & Setyawan, D., 2011. Peningkatan Laju Pelarutan Trimetoprim Melalui Metode Ko-kristalisasi dengan Nikotinamida. *Jurnal Farmasi Indonesia*, 5(4), pp. 205-212.
- Zaini, E., Afriyani, Fitriani, L., Ismed, F., Horikawa, A., & Uekusa, H., 2020. Improved solubility and dissolution rates in novel multicomponent crystals of piperine with succinic acid. *Scientia Pharmaceutica*, 88(2)