

On modification and application of Lotka-Volterra competition model

Cite as: AIP Conference Proceedings **2268**, 050007 (2020); <https://doi.org/10.1063/5.0017242>
 Published Online: 17 September 2020

Windarto Windarto, and Eridani Eridani



View Online



Export Citation

ARTICLES YOU MAY BE INTERESTED IN

[Comparison of particle swarm optimization and firefly algorithm in parameter estimation of Lotka-Volterra](#)


AIP Conference Proceedings **2268**, 050008 (2020); <https://doi.org/10.1063/5.0017245>

[Stability analysis of mathematical model of virus therapy and chemotherapy for cancer](#)

AIP Conference Proceedings **2268**, 050005 (2020); <https://doi.org/10.1063/5.0017021>

[The relation between \$F^\alpha\$ - absolutely continuous of order \$\alpha \in \(0, 1\)\$ and function of bounded variation](#)

AIP Conference Proceedings **2268**, 060003 (2020); <https://doi.org/10.1063/5.0019249>



Your Qubits. Measured.

Meet the next generation of quantum analyzers

- Readout for up to 64 qubits
- Operation at up to 8.5 GHz, mixer-calibration-free
- Signal optimization with minimal latency

Find out more



On Modification and Application of Lotka-Volterra Competition Model

Windarto Windarto ^{a)} and Eridani Eridani

Department of Mathematics, Faculty of Science and Technology, Universitas Airlangga, Indonesia.

^{a)}Corresponding author: windarto@fst.unair.ac.id

Abstract. Lotka-Volterra competition model has been applied in many areas, including in biological systems and market-share competition in economics. In this paper, we study a modified version of the two-species competition model where the growth of the first population follows the exponential growth model. The modified model has three equilibria namely the extinction equilibrium, the coexistence equilibrium, and the extinction of first population equilibrium. We found that the extinction equilibrium and the coexistence equilibrium are unstable. We also found that the extinction of the first population is conditionally asymptotically stable. Furthermore, we estimated parameters of the modified model from competition data of two Paramecium species, where the data cited from literature.

Keywords: competition model, equilibrium stability, Paramecium competition.

INTRODUCTION

Organisms live in an ecological community, a collection of populations of at least two different species that directly and indirectly interact in a particular geographical area [1]. There are several classes of interactions between organisms found in many habitats and ecosystems. Ecological interactions can be divided into two types of interactions, namely intraspecific interactions and interspecific interactions. Intraspecific interactions are interactions between individuals of the same species, whereas interactions that occur between two or more species are called interspecific interactions. Interspecific interactions include competition, predation, herbivory, and symbiosis [2].

In ecology, interspecific competition is a form of competition in which individuals from different species compete to obtain the same resources in an ecosystem. Competition is an interaction of individuals who compete to obtain shared resources where the availability of these resources is limited. Competition can also be defined as a direct or indirect interaction of organisms that leads to changes in fitness when organisms share the same resources. The impact of competition usually produces negative effects on weaker species [2]. One example of competition is the competition of leopards and lions in hunting for prey. Interspecific competition also occurs when several plant species absorb nutrients from the soil. If natural resources cannot support both populations, this can reduce the growth and survival of a population. The result is the extinction of the population in an ecosystem. The interspecific competition in populations has been formulated into a mathematical model, called the Lotka-Volterra competition model. The Lotka-Volterra competition model which describes competition of two different species is given by [3, 4]:

$$\frac{dz_1}{dt} = r_1 z_1 \left(1 - \frac{z_1}{K_1} \right) - b_1 z_1 z_2 \quad (1)$$

$$\frac{dz_2}{dt} = r_2 z_2 \left(1 - \frac{z_2}{K_2} \right) - b_2 z_1 z_2 \quad (2)$$

Here $z_1(t), z_2(t)$ are number of first species and second species respectively. Parameters r_1, r_2 are the growth rate, while K_1, K_2 are carrying capacity parameters of first and second species respectively. Hence the reduction rate of first species and second species due to interspecific competition are represented by b_1, b_2 parameters respectively.

Many researchers applied the Lotka-Volterra competition model to describe competition in social sciences. Lee et al. used the model to describe competition of the Korean stock market [5]. Hung et al. described retail industry competition in Taiwan by using the Lotka-Volterra model [6]. Hung et al. also employed the model to explain retailing formats competition [7]. Recently Fatmawati et al. applied the competition model to describe competition between commercial banks and rural banks in Indonesia [8]. However in some real cases, either parameter K_1 or K_2 in the model indicate to have infinite value. Here we propose a modification of the competition mathematical model as presented in eqs. (1)-(2).

A MODIFICATION OF LOTKA-VOLTERRA COMPETITION MODEL

The modification of competition mathematical model uses the following assumptions:

- (1) There are only two different species compete some natural resources in an ecosystem.
 - (2) There is no species migration in the system.
 - (3) Growth of the first species follows the exponential growth, while second species growth follows the logistic growth.
 - (4) Reduction rates of both species due to interspecific competition are assumed to be constant.
- From the assumptions, we proposed the following modification model of interspecific competition between two different species:

$$\frac{dz_1}{dt} = r_1 z_1 - b_1 z_1 z_2 \quad (3)$$

$$\frac{dz_2}{dt} = r_2 z_2 \left(1 - \frac{z_2}{K_2}\right) - b_2 z_1 z_2 \quad (4)$$

The proposed model in eqs. (3)-(4) has three equilibria, namely the extinction equilibrium (P1), the coexistence equilibrium (P2) and the extinction of first population equilibrium (P3). Equilibria of the proposed model are given by:

$$\begin{aligned} P_1(z_1, z_2) &= (0, 0), \\ P_2(z_1, z_2) &= \left(\frac{r_2}{b_2 b_1 K_2} (b_1 K_2 - r_1), \frac{r_1}{b_1}\right), \\ P_3(z_1, z_2) &= (0, K_2), \end{aligned}$$

respectively. The extinction equilibrium and the extinction of first population equilibrium are always exist, while the coexistence equilibrium P_2 exists if $r_1 < b_1 K_2$ (the growth rate of first population is lower than its removal rate due to competition). Jacobian matrix of the proposed model in eqs. (3)-(4) is given by

$$J = \begin{bmatrix} r_1 - b_1 z_2 & -b_1 z_1 \\ -b_2 z_2 & r_2 - 2r_2 \frac{z_2}{K_2} - b_2 z_1 \end{bmatrix}. \quad (5)$$

Theorem 1 gives instability of the extinction equilibrium.

Theorem 1. *The extinction equilibrium P_1 is unconditionally unstable.*

Proof. The Jacobian matrix of the proposed model evaluated at the extinction equilibrium is given by

$$J(P_1) = \begin{bmatrix} r_1 & 0 \\ 0 & r_2 \end{bmatrix}.$$

Eigenvalues of $J(P_1)$ are $\lambda_1 = r_1, \lambda_2 = r_2$. Hence $\lambda_1, \lambda_2 > 0$. Therefore, the extinction equilibrium P_1 is unconditionally unstable. ■

Theorem 2 gives instability of the coexistence equilibrium.

Theorem 2. *The coexistence equilibrium P_2 is unconditionally unstable.*

Proof. The coexistence equilibrium P_2 exists if $r_1 < b_1 K_2$. Hence we may assume $r_1 < b_1 K_2$. The Jacobian matrix of the proposed model evaluated at the coexistence equilibrium is given by

$$J(P_2) = \begin{bmatrix} 0 & -\frac{r_2}{b_2 K_2} (b_1 K_2 - r_1) \\ -\frac{r_1 b_2}{b_1} & -\frac{r_1 r_2}{b_1 K_2} \end{bmatrix}.$$

Eigenvalues of $J(P_2)$ are satisfy the following characteristic equation

$$\lambda^2 + \frac{r_1 r_2}{b_1 K_2} \lambda - \frac{r_2 r_1}{K_2 b_1} (b_1 K_2 - r_1) = 0.$$

Since $-\frac{r_2 r_1}{K_2 b_1} (b_1 K_2 - r_1) < 0$ then one of the eigenvalue of $J(P_2)$ is positive. Hence the coexistence equilibrium is unconditionally unstable. ■

Theorem 3 gives stability of the extinction of first species equilibrium.

Theorem 3. *The extinction of first species equilibrium P_3 is asymptotically stable if $r_1 < b_1 K_2$.*

Proof. Let $r_1 < b_1 K_2$. The Jacobian matrix of the proposed model evaluated at the extinction of first species equilibrium is given by

$$J(P_3) = \begin{bmatrix} r_1 - b_1 K_2 & 0 \\ -b_2 K_2 & -r_2 \end{bmatrix}.$$

Eigenvalues of $J(P_3)$ are $\lambda_1 = r_1 - b_1 K_2, \lambda_2 = -r_2$. Since $\lambda_1, \lambda_2 < 0$ then the extinction of first species is asymptotically stable. ■

APPLICATION OF THE MODIFIED COMPETITION MODEL

In this section, we apply the proposed model to describe interspecific competition between *Paramecium caudatum* and *Paramecium aurelia* species, two kind of Protozoa species. In 1934, Gause conducted some experiments to describe competition between two Protozoa species. The experimental data from Gause is shown in the Table 1. Data in the Table 1 is cited from literature [4].

TABLE 1. *Paramecium caudatum* and *Paramecium aurelia* data (number of individual/cc) [4]

Time (days)	Paramecium caudatum (z_1)	Paramecium aurelia (z_2)	Time (days)	Paramecium caudatum (z_1)	Paramecium aurelia (z_2)
0	2	2	9	15	150
1	8	4	10	12	175
2	20	29	11	9	260
3	25	66	12	12	276
4	24	141	13	6	285
5	-	162	14	9	225
6	-	219	15	3	222
7	-	153	16	0	220
8	21	162			

Here we estimate parameters of the proposed model by using Firefly algorithm. We estimate the parameters such that the mean square error (MSE)

$$MSE = \frac{1}{n_1 + n_2} \left(\sum_{i=1}^{n_1} (z_{1i} - \widehat{z}_{1i})^2 + \sum_{i=1}^{n_2} (z_{2i} - \widehat{z}_{2i})^2 \right)$$

is minimum. Here n_1, n_2 are number of observation data of *Paramecium caudatum* and *Paramecium aurelia* respectively. We estimate the parameter values by using Firefly algorithm from 20 trials. The algorithm is stopped after 100 iterations. Statistics of the MSE and the best results from the firefly algorithm are presented in the Table 2 and Table 3 respectively.

TABLE 2. Statistics of the MSE

Statistics of MSE	MSE
Minimum (The best result)	488.0929
Maximum	488.1176
Mean	488.1003
Standard deviation	0.0061

TABLE 3. Best parameters from Firefly algorithm

r_1	b_1	r_2	b_2	K_2	MSE
1.0346	0.00697	1.58997	0.01583	250.96	488.0929

By using parameters from the Table 3, we perform numerical simulation of the proposed model. In the Figure 1 and Figure 2, we present the simulation results.




FIGURE 1. Dynamics of *Paramecium caudatum*




FIGURE 2. Dynamics of *Paramecium aurelia*

From numerical simulation results, we found that *Paramecium caudatum* species dies, while *Paramecium aurelia* exist. This predicted results are in agreement with the data. We also found that the results from the model do not significantly differ with the data. This indicates the proposed model could be used to describe interspecific competition between *Paramecium caudatum* species and *Paramecium aurelia* species.

CONCLUSIONS


We have proposed a modification of the Lotka-Volterra competition model. We also apply the proposed model to describe *Paramecium caudatum* and *Paramecium aurelia* competition, where the data is cited from literature. Simulation results from the model are in agreement with the data. This results indicates that the proposed model can be used as an alternative model to describe interspecific competition between two different species.

ACKNOWLEDGMENTS

The authors would like to thank the Ministry of Research, Technology and Higher Education Republik Indonesia for supporting this research.

REFERENCES

1. Booker, R.W., Callaway, R.M., Cavieres, L.A., Kikvidze, Z., Lortie, C.J., Michalet, R., Pugnaire, F.I., Valiente-Banuet, A. & Whitham, G., Don't Diss Integration: A Comment on Ricklefs's Disintegrating Communities. *American Naturalist* 174, pp. 919-927, 2009.
2. Lang, J. M. & Benbow, M. E. Species Interactions and Competition. *Nature Education Knowledge* 4(4):8, 2013.
3. Gotelli, N.J., *A Primer of Ecology*, fourth edition., Sinauer Associates, Sunderland, Massachusetts, 2008.
4. Brauer, F. & Castillo-Chavez, C., *Mathematical Models in Population Biology and Epidemiology*, second edition, Springer, New York, 2012.
5. Lee, S., Lee, D., Oh, H., Technological forecasting at the Korean stock market: A dynamic competition analysis using Lotka–Volterra model, *Technological Forecasting and Social Change* 72(8), pp. 1044-1057, 2005.
6. Hung, H., Tsai, Y. & Wu, M., A modified Lotka–Volterra model for competition forecasting in Taiwan's retail industry, *Computers & Industrial Engineering* 77, pp. 70–79, 2014.
7. Hung, H., Chiu, Y., Huang, H., & Wu, M., An enhanced application of Lotka–Volterra model to forecast the sales of two competing retail formats, *Computers & Industrial Engineering* 109, pp. 325–334, 2017.
8. Fatmawati, Khan, M.A., Azizah, M., Windarto & Ullah, S., A fractional model for the dynamics of competition between commercial and rural banks in Indonesia, *Chaos, Solitons and Fractals* 122, pp. 32–46, 2019.



Endpoint Protection Guide

Uncover the 5 critical elements your next endpoint security solution needs.

CrowdStrike®

[Open](#)

AIP Conference Proceedings

COUNTRY

United States



Universities and research institutions in United States

SUBJECT AREA AND CATEGORY

Physics and Astronomy
Physics and Astronomy
(miscellaneous)

PUBLISHER

American
Institute of
Physics

H-INDEX

75



Scopus Indexed Journal

Call for Papers
August Issue

Fast Track Peer
Reviewed Publication.

tojqi.net

[OPEN](#)

PUBLICATION TYPE

Conferences and Proceedings

ISSN

0094243X, 15517616

COVERAGE

1974-1978,

INFORMATION

[Homepage](#)

1983-1984,
1993, 2000-
2001, 2003-
2020

How to
publish in
this journal

confproc@ai
p.org

Scopus Indexed Journal
Call for Papers August 1
Fast Track Peer Reviewed Papers
tojqi.net

OPEN

SCOPE


Today, AIP Conference Proceedings contain over 100,000 articles published in 1700+ proceedings and is growing by 100 volumes every year. This substantial body of scientific literature is testament to our 40-year history as a world-class publishing partner, recognized internationally and trusted by conference organizers worldwide. Whether you are planning a small specialist workshop or organizing the largest international conference, contact us, or read these testimonials, to find out why so many organizers publish with AIP Conference Proceedings.

Join the conversation about this journal

International Conference 2021

Learn more

SJR




Total Documents







Total Cites

Self-Cites



Citations per document

Learn more



AIP Conference Proceedings ← Show this widget in your own website

Not yet assigned quartile

SJR 2020 0.18

Just copy the code below and paste within your html code:

```
<a href="https://www.scimaç
```

powered by scimagojr.com

SCImago Graphica

Explore, visually communicate and make sense of data with our **new free tool**.

Get it



Metrics based on Scopus® data as of April 2021

Dr Kumutha D 2 weeks ago

Dear Sir,
Greetings!!!!

What is the Q value? Because, in our institution Q1, Q2, Q3 is very much necessary... Through conference i planned to submit a paper... Please let me know

Thanks

reply



Melanie Ortiz 2 weeks ago

SCImago Team

Dear Dr Kumutha,
Thank you for contacting us. Please see comments below.
Best regards, SCImago Team

F **Fathi awad** 4 weeks ago

Hi
I am asking about the Q factor for AIP proceedings.

Thank you very much

reply



Melanie Ortiz 3 weeks ago

SCImago Team

Dear Fathi,
Thank you for contacting us. Please see comments below.
Best Regards, SCImago Team

G **Ghazwan Jreou** 2 months ago

Dear sir
respects
would you please let me know in which Q is your journal (conferences and proceeding) classified?
according to Scopus Q classification list .
with regards.

reply



Melanie Ortiz 2 months ago

SCImago Team

Dear Ghazwan,
Thank you for contacting us. We calculate the SJR data for all the publication's types, but
the Quartile's data are only calculated for Journals and Book Series.
Best regards, SCImago Team

A **ASHOK KUMAR K** 4 months ago

As per the information in SJR portal the coverage period for AIP conference proceedings is up to
2020. I want to know whether the period of validity or coverage gets extended or not? If gets

extended when can we see those updates in the SJR portal?

reply



Melanie Ortiz 4 months ago

SCImago Team

Dear Ashok,

Thank you very much for your comment.

All the metadata have been provided by Scopus /Elsevier in their last update sent to SCImago, including the Coverage's period data. The SJR for 2019 was released on 11 June 2020. Therefore, the indicators for 2020 will be available in June 2021.

We suggest you consult the Scopus database directly to see the current index status as SJR is a static image of Scopus, which is changing every day.

Best Regards, SCImago Team

K Kay 7 months ago

My university is going to organise a conference in social science on 27-28 Oct 2021. We would like to publish our conference papers in your proceeding as our official proceeding. What are the procedures and publication fees?

Regards.

reply



Melanie Ortiz 7 months ago

SCImago Team

Dear Kay,

thank you for contacting us.

We are sorry to tell you that SCImago Journal & Country Rank is not a publication. SJR is a portal with scientometric indicators of journals indexed in Elsevier/Scopus.

Unfortunately, we cannot help you with your request, we suggest you visit the homepage or contact the editorial staff , so they could inform you more deeply.

Best Regards, SCImago Team

R Ruslan 8 months ago

I have published articles on AIP, but until now I have not received confirmation for my Scopus ID, please explain. thank you

reply



Melanie Ortiz 8 months ago

SCImago Team

Dear Ruslan,

thank you very much for your comment, unfortunately we cannot help you with your request. We suggest you contact Scopus support:

V **Vikas** 11 months ago

currently, the journal is not assigned quartile (Q indexing). When we can expect the assignment.

reply



Melanie Ortiz 11 months ago

SCImago Team

Dear Vikas,

Thank you for contacting us. We calculate the SJR data for all the publication's types, but the Quartile's data are only calculated for Journals and Book Series.

Best regards, SCImago Team

S **Siddik** 1 year ago

This will come under scopus journal list?

reply



Melanie Ortiz 1 year ago

SCImago Team

Dear Siddik,

Thank you very much for your comment.

All the metadata have been provided by Scopus /Elsevier in their last update sent to SCImago, including the Coverage's period data. The SJR for 2019 was updated on June 2020, 11. We suggest you consult the Scopus database directly to see the current index status as SJR is a static image of Scopus, which is changing every day.

Best Regards, SCImago Team

H **Hassan Yassein** 1 year ago

ISSN of this journal different of ISSN in Scopus, although the data of SJR depends on the scopes

reply



Melanie Ortiz 1 year ago

SCImago Team

Dear Hassan,

Thank you for contacting us.

SJR is a portal with scientometric indicators of journals indexed in Scopus. All the data (Title, ISSN, etc.) have been provided by Scopus /Elsevier and SCImago doesn't have the authority over this data which are property of Scopus/Elsevier. SCImago has a signed

agreement that limits our performance to the generation of scientometric indicators derived from the metadata sent in the last update (April/May 2020).

The next SCImago update will be made throughout June 2020 with the new update sent by Scopus. We suggest you wait for that date in order to see if there are any changes regarding this matter.

Best Regards, SCImago Team



Khairil 1 year ago

Is this proceeding ranked Q4?

reply

A **ali mohammed** 1 year ago

why this journal dont have any rank yet ?
it is dont belong to Q1,2,3,4 ?

reply



Melanie Ortiz 1 year ago

SCImago Team

Dear Ali,
Thank you for contacting us. We calculate the SJR data for all the publication types, but the Quartile data are only calculated for Journal type's publications. Best regards,
SCImago Team

A **Akshya Sekar** 1 year ago

Hi mam/sir,
I want to know whether this AIP conference proceeding is indexed in SCI or not?

Thanks

reply



Melanie Ortiz 1 year ago

SCImago Team

Dear Akshya,
Thank you for contacting us. SJR is a portal with scientometric indicators of journals indexed in Elsevier/Scopus. Unfortunately, we cannot help you with your request referring the index status. We suggest you to consult Scopus database (see the current status of the journal) or other databases (like WoS). Best Regards, SCImago Team



Khairil 2 years ago

Your IP (036.071.233.236) is blocked.

Block Reason: This IP was identified as infiltrated and is being used by sci-hub as a proxy.

How to unblock this my IP for access AIP site?

thanks

reply



Melanie Ortiz 2 years ago

SCImago Team

Dear Khairil,

thank you for contacting us.

Sorry to tell you that SCImago Journal & Country Rank is not a journal. SJR is a portal with scientometric indicators of journals indexed in Elsevier/Scopus.

Unfortunately, we cannot help you with your request, we suggest you to contact the journal's editorial staff by e-mail. Best Regards, SCImago Team

D Duha Ahmed 2 years ago

dear Admin

about the AIP Conference Proceeding can you see the Scopus site because the date end to 2019 is there any update about this time or change it to 2020 in the near future and you will see it in the site of Scopus

<https://www.scopus.com/sourceid/26916>

I hope the AIP Conference Proceeding is still in the Scopus for 2020

with my best wishes

Miss Duha

reply



Melanie Ortiz 2 years ago

SCImago Team

Dear Duha,

Thank you for contacting us. Unfortunately, we cannot see what will happen in the future with this journal. Best Regards, SCImago Team

M mohammed 2 years ago

Is the (AIP Conference Proceeding) out of Scopes because I tried to search for it in Scopes and I did not find it

Please answer me

reply



Melanie Ortiz 2 years ago

Dear Mohammed,

thank you for contacting us. You can find it in Scopus:
<https://www.scopus.com/sourceid/26916>

Best Regards, SCImago Team

T **Thanh Quang Khai Lam** 2 years ago

Dear Elena Corera!

Can you tell me "Lecture notes in civil engineering" in Q4?

i don't see in Scimago.

Thank you

reply



Melanie Ortiz 2 years ago

Dear Thanh,

Thank you for contacting us. We calculate the SJR data for all the publication types, but the Quartile data are only calculated for Journal type's publications. Best regards,
SCImago Team

T **Teo Jin Chuan** 2 years ago

Dear Admin,

Can i know is this journal Q1,Q2,Q3 or Q4. Thank you.

Regards

reply



Melanie Ortiz 2 years ago

Dear Teo, thank you very much for your request. You can consult that information in SJR website. Best Regards, SCImago Team

H **Hassan Abdulhadi** 3 years ago

I ASKE ABOUT AIP CONFERENCE PROCEEDINGS WITHIN SCOPUS OR THOMSON REUTERS
WITH BEST WISHES

reply

H **Hassan Abdulhadi** 3 years ago

I ASKE ABOUT AIP CONFERENCE PROCEEDINGS WITHIN SCOPUS OR THOMSON REUTERS WITH BEST WISHES



Elena Corera 3 years ago

SCImago Team

Dear Hassan,

thank you for your request, all the journals included in SJR are indexed in Scopus. Elsevier / Scopus is our data provider.

Best Regards,
SCImago Team

T **Tarik** 3 years ago

Dear. Elena

Hi

Please can we concedar AIP conference proceeding as journal .What i mean ,the publication type could be journal of AIP conference proceedings .

Best regards

Tarik AlOmran

reply



Elena Corera 3 years ago

SCImago Team

Dear Tarik,

thank you very much for your comment. Unfortunately, we cannot help you with your request, we suggest you contact journal's editorial staff so they could inform you more deeply. You can find contact information in SJR website <https://www.scimagojr.com>

Best regards,
SCImago Team

D **Dunia** 3 years ago

dear

did the AIP conference (TMREES 18)have Thomson roeters or scopus or SJR Rank or not?

reply



Elena Corera 3 years ago

SCImago Team

Dear Dunia,

thank you very much for your comment. SCImago Journal & Country Ranks shows all the journal's available information in Open Access. If you do not locate the journal in the search engine, Scopus / Elsevier has not provided us those data.

Best Regards,
SCImago Tea

B Budi Adiperdana 3 years ago

Dear Admin,

Could you please add the Quartile Rank for AIP Conference Proceedings

Best regards,
Budi

reply



Elena Corera 3 years ago

SCImago Team

Dear Budi, for Conferences and Proceedings the SJR is not calculated. Best Regards,
SCImago Team

Leave a comment

Name

Email

(will not be published)

I'm not a robot

reCAPTCHA
[Privacy](#) - [Terms](#)

Submit

The users of Scimago Journal & Country Rank have the possibility to dialogue through comments linked to a specific journal. The purpose is to have a forum in which general doubts about the processes of publication in the journal, experiences and other issues derived from the publication of papers are resolved. For topics on particular articles, maintain the dialogue through the usual channels with your editor.

Developed by:



Powered by:



Follow us on @ScimagoJR

Scimago Lab, Copyright 2007-2020. Data Source: Scopus®

EST MODUS IN REBUS
Horatio (Satire 1,1,106)
