

OPEN ACCESS MACEDONIAN  
JOURNAL OF MEDICAL SCIENCES

oa  
mjms



Public  
Health



Public Health Institute of the Republic of Macedonia, 5500, Skopje

# Open Access Macedonian Journal of Medical Sciences

[About](#) ▾ [Announcements](#) [Current](#) ▾ [Archives](#) [NCBI](#) ▾ [EU](#) ▾ [Scopus](#) ▾ [CABI](#) ▾  
[Indexation](#) ▾ [Membership](#) ▾ [No Publication Fee:](#) ▾

 

[Home](#) / [Editorial Team](#)

## Editorial Team

### Journal Manager

Dr. Eli Djulejic, Open Access Macedonian Journal of Medical Sciences, Belgrade, Serbia

### Editor-in-Chief

[Prof. Dr. Mirko Zhivko Spiroski](#), Scientific Foundation SPIROSKI, Rajko Zhinzifov No 48, 1000 Skopje, Republic of Macedonia

### Section Editors (Deputy Editors-in-Chief)

Dimitrov Borislav D, MD. Academic Unit of Primary Care and Population Sciences Faculty of Medicine University of Southampton South Academic Block (Level C) Southampton General Hospital Southampton SO166YD England, UK

Mukaetova-Ladinska Elizabeta, MD, PhD, MRCPsych. Old Age Psychiatry, Newcastle University, United Kingdom

Branislav FilipoviÄ‡, MD, PhD. University of Belgrade, Faculty of Medicine, Institute of Anatomy â€œNiko Miljanicâ€

Address: 4/2 Dr Subotica Starijeg, Belgrade, Serbia

Spiroski Igor, MD. University Clinic of Cardiology, Faculty of Medicine, Ss Cyril and Methodius University of Skopje, Skopje, Republic of Macedonia

Stoleski Sasho, MD, PhD. Institute for Occupational Health of Republic of Macedonia - Skopje, WHO Collaborating Center, GAZLEN Collaborating Center, II Makedonska brigada 43, 1000 Skopje, Republic of Macedonia

Hristomanova-Mitkovska Slavica, MD, MSc. Institute for Human Genetics of the Faculty of Medicine in GÄttingen, Germany

Bogoeva Ksenija, MD, PhD. PHO Prof Bogoev, Skopje, Republic of Macedonia

Stojanovski, Sinisa, MD, PhD.

### **Layout Editor and Electronic Publishing**

MSc, Eng Ivo Spiroski, ID Design 2012, Skopje, Republic of Macedonia

### **Copyeditor**

Sinjore, India

### **Evidence Based Medicine**

Prof. Dr. Katarina Stavric, Children Hospital Skopje, Macedonia, Vodnjanska 17, University "Ss Cyril and Methodius", Skopje, Republic of Macedonia

### **Editorial Board**

DDS, MS, PhD, Associate Professor Nikola Angelov, Director of the Pre-Doctoral Periodontics Clinic, Loma Linda University School of Dentistry, Department of Periodontics. Loma Linda, CA, 92350, United States

Assist. Prof. Dr. Ramush Bejiqi, University Clinical Centre of Kosovo, Paediatric Clinic, Albania

Prof. Semra Aćevaljuga, Department of Epidemiology and Biostatistics, Faculty of Medicine, Sarajevo, Bosnia and Herzegovina

MD Pei-Yi Chu, Diagnostic and research pathologist, Department of Surgical Pathology, Changhua Christian Hospital, Taiwan. Address: 135 Nan-Shiao Street, Changhua 500-06., Taiwan, Province of China

MD, PhD Ivo Donkov, Staff Urologist, Lincoln County Hospital, United Kingdom

Prof. Dr. Aleksandar Dimovski, Institute of Pharmaceutical Chemistry, Faculty of Pharmacy, University "Ss Kiril and Metodij", Skopje, Republic of Macedonia

MD, PhD Andrew J. Dwork, Departments of Pathology and Cell Biology and Psychiatry, College of Physicians and Surgeons of Columbia University; Division of Molecular Imaging and Neuropathology, New York State Psychiatric Institute, Unit 62, 722 West 168th Street, New York, NY 10032, United States

Adriana Galan, Department of Health Programmes and Health Promotion, Institute of Public Health, Bucharest, Romania

Prof. Tania Santos Giani, Estacio de Sa University, in Health Sciences, Brazil

PhD Iva Ivanovska, Harvard Medical School, Department of Genetics, 77 Avenue Louis Pasteur, NRB room 239, Boston, MA 02115, United States

MD, PhD Jerzy Jabłocki, Associate Professor, Division of General Surgery St. Jadwiga of Silesia Hospital, Trzebnica; Head, Subdepartment of Hand Surgery and Replantation St. Jadwiga of Silesia Hospital, Trzebnica; Professor, Department of Public Health, State Higher Professional Medical School, Opole, Poland. 55-100 Trzebnica, ul. Prusicka 53, Poland

MD Mehrdad Jalalian Hosseini, Khorasan-e Razavi Blood Center, Mashhad, Iran, Islamic Republic of

PhD Radka Kaneva, Department of Medical Chemistry and Biochemistry, Medical University - Sofia, Bulgaria

Prof. Dr. Kostandina Leonida Korneti-Pekevaska, Ss Cyril and Methodius University of Skopje, Faculty of Medicine, Skopje, Republic of Macedonia

MD, PhD Branko Malenica, Department of Immunology, Clinical Hospital Center Zagreb, Zagreb University School of Medicine, Zagreb, Croatia

Prof. Dr. Elida Mitevska, Institute of Histology and Embriology, Faculty of Medicine, Ss Cyril and Methodius University of Skopje, Skopje, Republic of Macedonia

MD, PhD Marija Mostarica-Stojković, Institute of Microbiology and Immunology, University of Belgrade School of Medicine, Belgrade, Serbia

PhD Vesna Nikolova-Krsteovski, Harvard Institutes of Medicine, HIM-201, 4 Blackfan Circle, Boston, MA, 02134, United States

Prof. Dr. Nikola Panovski, Institute of Microbiology and Parasitology, Faculty of Medicine, Skopje, Republic of Macedonia

MD, BIDMC Iva Petkovska, Beth Israel Deaconess Medical Center Radiology W CC - 3 330 Brookline Ave. Boston, MA 02215, United States

Prof. Dr. Gordana Petrusavska, Institute of Pathology, Medical Faculty, University of "Ss. Cyril and Methodius" Skopje, Republic of Macedonia

Prof. Enver Roshi, Dean of Faculty of Public Health, Medical University of Tirane, Chief of Epidemiological Observatory, National Institute of Public Health. Address: Rruga e Dibrës, Str. 371, Tirana, Albania

MD, PhD Gorazd B. Rosoklija, Professor at Columbia University and member of the Macedonian Academy of Sciences and Arts, United States

Prof. Dr. Aleksandar Sikole, University Clinic for Nephrology, Faculty of Medicine, Ss Cyril and Methodius University of Skopje, Skopje, Republic of Macedonia

MD, FESC Gianfranco Sinagra, Department of Cardiology, "Ospedali Riuniti" and University of Trieste, Ospedale Cattinara "Strada di Fiume, 447, 34149 Trieste, Italy

MD, PhD Rumen Stefanov, Information Centre for Rare Diseases and Orphan Drugs (ICRDOD), Bulgaria; Department of Social Medicine, Medical University of Plovdiv, Bulgaria

Prof. Dr. Vesna Velikj Stefanovska, Department of Epidemiology and Biostatistics with Medical Informatics, Medical Faculty, UKIM, Skopje, Republic of Macedonia

MD, MBA Milenko Tanasijevic, Director, Clinical Laboratories Division and Clinical Program Development, Pathology Department, Brigham and Women's Hospital, Dana Farber Cancer Institute, Associate Professor of Pathology, Harvard Medical School, United States

PhD Mirko Trajkovski, ETH Zürich, Wolfgang-Pauli-Str. 16/HPT D57, 8093 Zürich-CH, Switzerland

MD, FRCPC Kiril Trpkov, Associate Professor, University of Calgary, Department of Pathology and Laboratory Medicine, Calgary Laboratory Services. 7007 14 st, Calgary SW, Canada

MD, PhD Igor Tulevski, Department of Cardiology, Academic Medical Center, Amsterdam, 1100 DD, T 020 707 2930; F 020 707 2931, Netherlands

PhD Zoran Zdravkovski, Institute of Chemistry, Faculty of Natural Sciences and Mathematics, Ss Cyril and Methodius University of Skopje, Skopje, Republic of Macedonia

## Past Members of Editorial Team

Prof. Dr Doncho Donev, Institute of Social Medicine, Medical Faculty, Ss Cyril and Methodius University of Skopje, Skopje, Republic of Macedonia

Prof. Dr Olivera Stojceva Taneva, University Clinic of Nephrology, Republic of Macedonia

Prof. Dr Petar Miloshevski, from 2008-2014, Institute of Preclinical and Clinical Pharmacology with Toxicology, Faculty of Medicine, Skopje, Republic of Macedonia

Prof. Dr Sonja Topuzovska, Institute of Medical and Experimental Biochemistry, Faculty of Medicine, Skopje, Republic of Macedonia

## Open Journal Systems

### Information

[For Readers](#)

[For Authors](#)

[For Librarians](#)

[Make a Submission](#)

### Browse

#### Categories

[A - Basic Sciences](#)

[B - Clinical Sciences](#)

[C - Case Reports](#)

[D - Dental Sciences](#)

[E - Public Health](#)

[F - Review Articles](#)

[T - Thematic Issues](#)

T1 - Thematic Issue "Coronavirus Disease (COVID-19)"

T2 - Thematic Issue "Public Health and Nutrition Sciences in the Current Millennial Era"

T3 - Thematic Issue "Neuroscience, Neurology, Psychiatry and General Medicine"

### Current Issue

ATON

KES

ESS

#### Published by



#### About us

[About the Journal](#)

Editorial Team

Author Fees

Online Payments

Bibliographic Information

Journal History

#### Information

[For readers](#)

[For authors](#)

[For librarians](#)

[For](#)

[Reviewers](#)

Transparency

#### Contact

Publisher

Co

publisher

Registration

Contact

Privacy

statement

Platform &  
workflow by  
**OJS / PKP**

# Open Access Macedonian Journal of Medical Sciences

[About](#) ▾ [Announcements](#) [Current](#) ▾ [Archives](#) [NCBI](#) ▾ [EU](#) ▾ [Scopus](#) ▾ [CABI](#) ▾  
[Indexation](#) ▾ [Membership](#) ▾ [No Publication Fee:](#) ▾

 [Search](#)

[Home](#) / [Archives](#) / [Vol. 8 No. E \(2020\): E - Public Health](#)

## Vol. 8 No. E (2020): E - Public Health



**Published:** 2020-01-02

### Public Health Education and Training

#### [Risk Factors of Antibiotics Self-medication Practices among University Students in Cairo, Egypt](#)

Nesreen Mohamed Kamal Elden, Hebatallah A. Nasser, Aliaa Alii, Nayra Mahmoud, Mai Ahmed Shawky, Abady Abo Elazayem Ahmed Ibrahim, Abdelrahmn Karam Fahmy (Author)

7-12



PDF

#### [Intervention Study to Upgrade Patient Safety Practices in Pediatric Intensive Care Units of Cairo University Children Hospital](#)

Mona Adel Soliman, Amira Aly Hegazy, Hafez Mahmoud Bazaraa, Nargis Albert, Henci Aly Sabry (Author)

65-72



PDF

#### [The Effect of Anemia Free Club Interventions to Improve Knowledge and Attitude of Nutritional Iron Deficiency Anemia Prevention among Adolescent Schoolgirls in Bandar Lampung City, Indonesia](#)



Reni Zuraida, Nur Indrawati Lipoeto, Masrul Masrul, Judhiastuty Februhartanty (Author)

36-40



PDF

### **Health Behavior Prediction Model Based on Health Literacy among Mothers with Obesity Children**

Siti Syamsiah, Nur Indrawati Lipoeto, Adnil Edwin Nurdin, Adang Bachtiar (Author)

87-90



PDF

### **Knowledge and Awareness of Diabetes Mellitus Disease among High School Students in King Abdulaziz Military City, Tabuk, Saudi Arabia**

Mohammed Ahmad Alenazi, Solaiman Hosaian Alenezi, Maniee Nasser Alhablani, Muhannad Ahmed Matar Alanazi, Waleed H. Alenazi, Majed Saeed AlQahtani, Dana Alenezi, Qasem Abdu Mahzari (Author)

91-97



PDF

### **Internal Locus of Control as a Driving Factor of Early Detaction Behavior of Servical Cancer by Inspection Visual of Acetic Acid Method**

Abdul Muhith, Eko Winarti, S. S. Idola Perdana, Sri Haryuni, Kun Ika Nur Rahayu, Anwar Mallongi (Author)

113-116



PDF

### **Adherence of Umm Al-Qura University Dental Students to Infection Control Guidelines: A Four Year – Auditing Report**

Omair M. Bukhari, Ayman A. Ahmed , Ibtisam K. Afifi (Author)

19-26



PDF

### **The Effect of Health Education on Control Glycemic at Type 2 Diabetes Mellitus Patients**

Rusdiana Rusdiana, Maya Savira, Sry Suryani Widjaja, Dedi Ardinata (Author)

133-137



PDF

### **Improved Knowledge, Attitudes, and Practices of Balanced Nutrition after Educational Intervention Based on the Self-determination Theory: An Intervention Study in Senior School Teachers in Makassar City**

Nurhaedar Jafar, Nurzakiah Hasan, Veni Hadju, Ridwan M. Thaha, Andi I. Arundhana (Author)

228-235



PDF

### **Perceived Stress among Moroccan Nurses Student: Effect of the Emotional Self-efficacy**

Lahcen Bandadi, Nadia Chamkal, Siham Belbachir, Ahmed O. T. Ahami (Author)

155-161



PDF

### **Consumer Awareness, Attitude, and Behavior Related to the Rational Use of Medicines in a Developing Country Context: The Case of Turkey**

Dilaver Tengilimoğlu, Perihan Şenel Tekin, Aysu Zekioglu, Turkan Dursun Kiliç (Author)

162-171



PDF

### **Research Competencies of Medical University Teachers: Evaluation, Perception, and Perspective**

Gulbakit K. Koshmaganbetova, Saule S. Kurmangaliyeva, Alima R. Kashkinbayeva, Kairat B. Kurmangaliyev, Nurgul U. Alekenova (Author)

181-187



PDF

### **The Effects of Community Empowerment on Preventing Dengue Fever in Lampung Province, Indonesia**

Achmad Farich, Nur Indrawati Lipoeto, Hafni Bachtiar, Hardisman Hardisman (Author)

194-197



PDF

### **Effectivity of Indonesia Chronic Disease Management Program (PROLANIS) to Control Hypertension and its Comorbidities at Primary Health Care**

*Effectivity of PROLANIS to Control Hypertension*

Firas Farisi Alkaff, William Putera Sukmajaya, Ryan Enast Intan, Sovia Salamah (Author)

224-227



PDF

### **Profile and Lifestyle of Hypertensive Patients, Cardiovascular Comorbidity , and Complications in a Primary Health Center in Surabaya, Indonesia**

Sulistiawati Sulistiawati, Linda Dewanti, Adikara Pagan Pratama, Atika Atika, Widati Fatmaningrum, Djohar Nuswantoro, Tan Nicko Octora, Dyah Ayu Pradnyaparamitha , Fahmi Aulia Rizqi (Author)

219-223



PDF

### **Body Mass Index and Body Weight Perception among a Population of Female Adolescents**

Siham Lghoul, Mohamed Loukid, Mohamed Kamal Hilali (Author)

308-312



PDF

### **Interactive Training and Education Improves Basic Hypertension Knowledge of Woman Cadres in Surabaya**

**Andrianto Andrianto**, Meity Ardiana, Muhammad Aditya, Sondang Jasmine Sitorus, Dita Aulia Rachmi, Imanita Septianda, Makhyan Jibril Al Farabi (Author)

313-317



PDF

### **"A Child is as important as Life": Reflections on the Value of Children from Infertile Couples**

Oluwakemi S. Iwelumor, Shariffah Suraya Syed Jamaludin, Taye O. George, Seun K. Babatunde, Olawale Y. Olonade (Author)

302-307



PDF

### **A Cross-sectional Study on Awareness of Dyslexia Disorder among University Students**

Vetriselvan Subramanian, Ng Kah Chun, Puteri Nurkhalilah Huda bt Shahrudin, Deshvinderjit Singh A/L Dalvindar Singh, Gasthuri A/P Sivanadam, Low Pei Qi, Mohamed Moosa Musthak Ahamed, Ramasamy Ravi Roshini Priya, Riuman Mohamed Zahir, Vijayalekshmi Kumar Santhi, Wu Yuan Seng, Vinoth Kumarasamy, Neeraj Kumar Fuloria, Shivkanya Fuloria (Author)

251-256



PDF

### **Awareness and Attitude Toward Eye Donation among Medical Students in Qassim University – A Cross-sectional Study, 2019**

Sultan Abdulaziz Alzuhairy, Abdulrahman Sulaiman Alfarraj, Meshari Mubarak Alharbi, Raghad Juidan Alhomidani (Author)

280-283



PDF

### **Public Health Expenditure and Under-five Mortality in Nigeria: An Overview for Policy Intervention**

Dominic E. Azuh, Romanus Osabohien, Mary Orbih, Abigail Godwin (Author)

353-362



PDF

### **Prevalence, Comparison, and Determinants of Smoking among Young Schoolchildren in Kingdom of Saudi Arabia**

Khalid Ansari, Faraz Ahmed Farooqi, Syed Taha Abidi, Jaffar Shawqi Al Mubarak, Saqib Ali (Author)

347-352



PDF

### **Determinants of Unsafe Behavior in Pesticide Usage among Horticulture Farmer**

Eka Lestari Mahyuni, R. Hamdani Harahap, Urip Harahap, Nurmaini Khalik (Author)

341-346



## **Public Health Legislation**

### **Smoke-free Zone in Indonesia: Who is Doing What Now**

Wahyu Sulistiadi, Meita Veruswati, Al Asyary, Maria Holly Herawati, Ririn Arminsih Wulandari, Budi Haryanto (Author)

322-324



## **Public Health Epidemiology**

### **Identification of Rat Density and Ectoparasites in Seaport Area of Manokwari, Papua Province**

Syamsuar Manyullei, Muhammad Fajaruddin Natsir, Anderson Batkunda (Author)

204-208



### **Vitamin D Deficiency and Clinically Detected Scoliosis among Male Adolescents at High-Altitude Area in Southwestern Saudi Arabia**

Abdullah Assiri, Ahmed A. Mahfouz, Nabil J. Awadalla, Ahmed Y. Aboiyazid, Medhat Shalaby (Author)

213-218



### **Regional Employment and Occupational Morbidity Indicators in Western Kazakhstan**

Zhangeldy Shaimbetov, Umit Satybaldieva, Arstan Mamyrbayev (Author)

138-142



### **Epidemiological Characteristics of Great Depression Diseases of Hospitalized Patients in Psychiatric Hospital "Negorci" for a Five-Year Period From 2013 to 2017**

Iliev Biljana, Dimitar Bonevski, Andromahi Naumovska (Author)

150-154



### **Correlation Between Brain-Derived Neurotrophic Factor Levels and Serum Iron Levels in Stunted Children Living in Malaria-Endemic Areas**

Rostika Flora, Mohammad Zulkarnain, Nur Alam Fajar, Achmad Fickry Faisa, Nurlaily Nurlaily, Ikhsan Ikhsan, Samwilson Slamet, Risnawati Tanjung (Author)

318-323



## Public Health Disease Control

### Effects of Lower Extremity Exercises on Ankle-Brachial Index Values among Type 2 Diabetes Mellitus Patients

Dewi Elizadiani Suza, Isni Hijriana, Yesi Ariani, Hariati Hariati (Author)

1-6



### The Prevalence of Obesity among School Students and its Relation to Dietary and Physical Habits

Tariq A. Aljuaid, Faisal M. Albaqami, Hassan D. Alasmari, Bassam A. Alzaidi, Abdullah D. Al-shehri, Khalid Mohammed Alshehri, Khaled Alswat (Author)

13-18



### Effectiveness of Combining Feedback about Lung Age or Exhaled Carbon Monoxide Levels with Very Brief Advice (VBA) and Support for Smoking Cessation in Primary Care Compared to Giving VBA and Support Alone – Protocol for a Randomized Controlled Trial withi

Dragan Gjorgjievski, Radmila Ristovska, Katarina Stavrikj, Amanda Farley, Peymane Adab, Rachel Adams, Andy Dickens, Alexandra Enocson, Gjorgji Stanoevski, Nicola Gale, Sue Jowett, Kiran Rai, Alice Sitch, Aleksandra Stamenova, Emilija Krstevska, Rachel Jordan (Author)

27-35



### Specific work activities and exposure to respiratory hazards - predictors of lung function impairment among crop farmers

Sasho Stoleski, Jordan Minov, Dragan Mijakoski, Aneta Atanasovska, Dragana Bislimovska, Jovanka Karadzinska-Bislimovska (Author)

41-51



### Factors of the Development of Fear of Disease Progression in Patients with Breast Cancer

Tatyana I. Bonkalo, Svetlana Yu. Veprentsova, Natalia Nikitina, Zhanna R. Gardanova, Vyacheslav I. Ilgov (Author)

74-80



### **Risk of Agricultural Pesticide Exposure to Malaria Incidence and Anopheles Susceptibility at an Endemic Area in Central Java, Indonesia – A Case-control Study**

Renti Mahkota, Fajaria Nurcandra, Fitria Dewi Puspita Anggraini, Annisa Ika Putri, Bambang Wispriyono (Author)  
52-59

 PDF

### **L Score as a Novel Anthropometric Measure for Obesity Screening in Adult Individuals: An Exploratory Study**

Devi Prasad Mohapatra, Jaya Prakash Sahoo, Madhusmita Mohanty Mohapatra, Sitanshu Sekhar Kar, Sridharan Kalyani, Ayan Roy (Author)

60-64

 PDF

### **Evaluation of Musculoskeletal Hydatid Cyst Cases in Terms of Clinical Manifestations, Method of Dealing, Treatment, and Recurrence**

Setareh Soltany, Hamid Reza Hemmati, Jafar Alavy Toussy, Hamid Nazifi, Abbas Alibakhshi, Parisa Alavi Toosi (Author)

99-104

 PDF

### **Mild Cognitive Impairment among Type II Diabetes Mellitus Patients Attending University Teaching Hospital**

Ghada A. Abdellatif, Azza M. Hassan, Mohamed S. Gabal, Samia A. Hemeda, Nada H. El-Chami, Iman I. Salama (Author)

105-111

 PDF

### **Blood Cholinesterase Level is Associated with Cognitive Function in Indonesian School-age Children Exposed to Pesticides**

Rusdy Ghazali Malueka, Andrianor Rahman, Ery Kus Dwianingsih, Andre Stefanus Panggabean, Halwan Fuad Bayuangga, Sarastiti Alifaningdyah, Meutia Rizki Innayah, Sri Awalia Febriana, Indarwati Setyaningsih, Cempaka Thursina Srie Setyaningrum, Abdul Gofir, Sri Sutarni, Ismail Setyopranoto (Author)

81-86

 PDF

### **Trend Analysis of Total Affected Water and Total Discharged Wastewater of Nišava District (Serbia)**

Nina Pavićević (Author)

127-132

 PDF

### **Aflatoxins Contamination of Human Food Commodities Collected from Jeddah Markets, Saudi Arabia**

Mahmoud El Tawila, Serdar Sadeq, Alrasheedi Amani Awad, Jamil Serdar, Mohamed Hussein Fahmy Madkour, Mohamed M. Deabas (Author)

117-126



PDF

### **Immunoscore As A Predictor Of Disease Recurrences And Patientsâ€™ Survival in Colon Cancer : A Clinicopathologic Study.**

Reham Shehab El Nemr Esmail, Amr Kamal , Marwa Shabana (Author)

143-149



PDF

### **Physical Activities and Incidence of Obesity among Adolescent in Medan, Indonesia**

Dewi Elizadiani Suza, Vina Miristia, Hariati Hariati (Author)

198-203



PDF

### **Concept Analysis of Futile Care in the Oncology Nursing: A Hybrid Model**

Forough Rafii, Hadi Ranjbar, Mohammadreza Dinmohammadi, Farshid Alazmani Noodeh (Author)

172-180



PDF

### **The Effectiveness of Acupressure Therapy and Aromatherapy of Lemon on the Ability of Coping and Emesis Gravidarum in Trimester I Pregnant Women at Langsa City Community Health Centre, Aceh, Indonesia**

Magfirah Magfirah, S. Fatma, Idwar Idwar (Author)

188-192



PDF

### **Investigation of Medication Errors in a Tertiary Care Hospitals in the Qassim Region, Saudi Arabia**

Amjad Al-Harkan, Njood Al-Harkan, Amai Al-Najjar, Alaa Al-Hunti, Ahmed Al-Rashidi, Abdullah Al-Themery (Author)

209-212



PDF

### **The Effectiveness of School-based and Community-based Deworming Methods in Primary School Children with Soil-transmitted Helminth Infection**

Ridha Putri Sjafii, Oke Rina Ramayani, Syahril Pasaribu, Ayodhia Pitaloka Pasaribu (Author)

296-301

 PDF

### **Factors Affecting Nutritional Status in Children Aged 6–24 months in Lamongan Regency, Indonesia**

Abdul Aziz Alimul Hidayat, Gita Marini, Anaestasia Pangestu Mei Tyas (Author)

291-295

 PDF

### **Naked Eye Detection of $\alpha 0$ Thalassemia --SEA Type using Hydroxynaphthol Blue Loop-mediated Isothermal Amplification**

Somphon Phraephan, Suphatra Watanasatitarpa, Sorasak Intorasoot (Author)

236-240

 PDF

### **Drug Use and High-risk Sexual Behavior among School-Going Adolescents in Nigeria**

Emmanuel Amoo, Olujide A. Adekeye, Florence Omumu, Olubunmi O. Akinpelu, Mofoluwake P. Ajayi, Tomike Olawande, Sussan O. Adeusi (Author)

255-261

 PDF

### **Health Education Intervention on Increasing Early Detection of Depression Based on Family**

Elvi Rosanti, Rizanda Machmud, Adnil Edwin Nurdin, Afrizal Afrizal (Author)

331-333

 PDF

### **Spousal Desertion and Coping Strategies among Ever-married Women with Breast Cancer in Kwara and Ogun States Nigeria**

Emmanuel O. Amoo, Gbemisola W. Samuel, Mofoluwake P. Ajayi, Tolulope Allo, Olujide Adekeye, Adebanke Olawole-Isaac (Author)

271-279

 PDF

### **Tamarillo Consumption Associated with Increased Acetylcholinesterase Activity and Improved Oxidative Stress Markers in Farmers Exposed to Daily Pesticide-related Activities in Baturiti, Bali, Indonesia**

Made Muliarta, Ketut Tirtayasa, Putu Yuda Prabawa, Kadek Adit Wiryadana (Author)

244-250

 PDF



### **Analysis of the Relationship between Nutritional Influence with the Obesity Phenomenon among Primary School Students in Banda Aceh, Aceh Province, Indonesia**

Agus Al Rahmad, Yulia Fitri, Suryana Suryana, Nunung S. Mulyani, Fajriansyah Fajriansyah, Hadi Abdul (Author)  
267-270

 PDF

### **Cognitive Functioning and Life Quality of the Elderly: A Cross-sectional Study**

Mirjana Kralj-Vasilj, Štefica Mikšić, Nikolina Farčić, Dunja Degmenčić, Maja Miškulin, Kasandra Musović, Ivana Barać (Author)

284-290

 PDF

### **Association between Diabetes Consequences and Quality of Life among Patients with Diabetes Mellitus in the Aseer Province of Saudi Arabia**

Sultan M. Alshahrani, Moferrah Alzahrani, Khaled Alakhali, Easwaran Vigneshwaran, Mir Javid Iqbal, Noohu Abdulla Khan, Abdullah Othman, Yaser Al-Worafi, Sirajudeen S. Alavudeen (Author)

325-330

 PDF

### **Microbiota Profile with Stunting Children in West Sumatera Province, Indonesia**

Masrul Masrul, Doddy Izwardy, Ikhwan Resmala Sudji, Idris Purnakarya, Syahrial Syahrial, Ricvan Dana Nindrea (Author)

334-340

 PDF

### **Nurse Needs, Hope, and Satisfaction during Hemodialysis Care in Medan Indonesia**

Cholina Trisa Siregar, Zulkarnain Zuikarnain, Siti Zahara Nasution, Reni Asmara Ariga (Author)

363-366

 PDF

### **The Sociopsychological Profile of Persons with Alcohol Anosognosia in the Context of Social Customer Support**

Konstantin Khvostunov, Raisat Adzhimuradova, Elena Egorova, Olga Lazareva, Svetlana Kazakova, Marina Volkova (Author)

262-265

 PDF

Open Journal Systems

Information

[For Readers](#)

[For Authors](#)

[For Librarians](#)

[Make a Submission](#)

Browse

Categories

[A - Basic Sciences](#)

[B - Clinical Sciences](#)

[C - Case Reports](#)

[D - Dental Sciences](#)

[E - Public Health](#)

[F - Review Articles](#)

[T - Thematic Issues](#)

[T1 - Thematic Issue "Coronavirus Disease \(COVID-19\)"](#)

[T2 - Thematic Issue "Public Health and Nutrition Sciences in the Current Millennial Era"](#)

[T3 - Thematic Issue "Neuroscience, Neurology, Psychiatry and General Medicine"](#)

Current Issue

[HTML](#)

[RSS](#)

[RSS](#)

Published by

About us

Information

Contact

[About the Journal](#)

Editorial Team

Author Fees

[For readers](#)

[For authors](#)

[For librarians](#)

Publisher

Co

publisher



[Online Payments](#)  
[Bibliographic Information](#)  
[Journal History](#)

[For](#)  
[Reviewers](#)  
[Transparency](#)

[Registration](#)  
[Contact](#)  
[Privacy statement](#)

Platform &  
workflow by  
**OJS / PKP**



# Interactive Training and Education Improves Basic Hypertension Knowledge of Woman Cadres in Surabaya

Andrianto Andrianto\*, Meity Ardiana, Muhammad Aditya, Sondang Jasmine Sitorus, Dita Aulia Rachmi, Imanita Septianda, Makhyan Jibril Al-Farabi

Department of Cardiology and Vascular Medicine, Faculty of Medicine, University of Airlangga, Surabaya, Indonesia

## Abstract

**Edited by:** Sinisa Stojanoski  
Citation: Andrianto A, Ardiana M, Aditya M, Sitorus SJ, Rachmi DA, Septianda I, Al-Farabi MJ. Interactive Training and Education Improves Basic Hypertension Knowledge of Woman Cadres in Surabaya. Open Access Maced J Med Sci. 2020 Apr 25; 8(E):313-317. <https://doi.org/10.3889/oamjms.2020.3880>  
Keywords: Cadre; Education; Hypertension; Knowledge; Volunteers

\*Correspondence: Andrianto Andrianto, Department of Cardiology and Vascular Medicine, Faculty of Medicine, Universitas Airlangga, Surabaya, East Java, Indonesia. E-mail: andrianto@fk.unair.ac.id

Received: 13-Oct-2019  
Revised: 27-Feb-2020  
Accepted: 03-Mar-2020

Copyright: © 2020 Andrianto Andrianto, Meity Ardiana, Muhammad Aditya, Sondang Jasmine Sitorus, Dita Aulia Rachmi, Imanita Septianda, Makhyan Jibril Al-Farabi

Funding: This research was funded by the Institute for Research and Community Services, Universitas Airlangga  
Competing Interest: The authors have declared that no competing interest exists

Open Access: This is an open-access article distributed under the terms of the Creative Commons Attribution-NonCommercial 4.0 International License (CC BY-NC 4.0)

**BACKGROUND:** Hypertension is the major risk factor for cardiovascular disease, a leading cause of premature death and disability. Interactive education and training are potentially used to improve hypertension knowledge.

**AIM:** This study aimed to identify the impact of training and education programs toward knowledge in hypertension for women cadres.

**METHODS:** This quasi-experimental study was conducted in Surabaya, Indonesia, involving 100 women cadre. The data were collected through interviews, pre- and post-training using a validated researcher-made questionnaire of demographic characteristics, and knowledge tests of hypertension. Data were analyzed using SPSS 21.

**RESULTS:** Knowledge of cadre was significantly increased by 50% after the training and education program ( $p < 0.001$ ). The median score of the pre-test and post-test was 40.00 (30.00–50.00) and 60.00 (50.00–70.00), respectively. The level of education found to have a negative correlation with the post-test score ( $p = 0.008$ ). There was no difference in knowledge increment after training among age groups ( $p = 0.261$ ), marital status ( $p = 0.849$ ), or occupations type ( $p = 0.827$ ).

**CONCLUSION:** Training and education programs significantly improve the hypertension knowledge of woman cadre. This method can be a preferable early public health intervention to tackle hypertension.

## Introduction

Hypertension is one of the most common worldwide diseases affecting humans which act as a major risk factor for myocardial infarction, stroke, vascular disease, and chronic kidney disease [1]. Hypertension has become a global burden for its associated morbidity, mortality, and cost to society. Thus, prevention and management of hypertension are major public health challenges [2], [3], [4]. The global burden of hypertension is estimated to rise from 0.9 billion in 2000 to 1.6 billion in 2025 [5]. In 2016, 17.9 million deaths globally are due to cardiovascular disease with hypertension as the leading risk factor [6]. In Indonesia, ischemic heart disease and cerebrovascular disease are the leading causes of disability-adjusted life years lost in 2016 [7].

The survey from the Indonesian Health Ministry in 2018 of non-communicable disease revealed that 8.8% of an adult age 18 years old and above had hypertension. About 32.3% of the population were not taking medicine routinely and 13.3% not taking any medicine at all. The two most common reasons for

this improper behavior are asymptomatic patient with hypertension usually perceive themselves as healthy and not routinely going to health-care facilities [8]. These facts showed that sufficient hypertension education is important to ensure optimum hypertension control in society. This strategy is consistent with the government policy which prioritizes health promotion and community development a strategic plan of the Indonesian Health Ministry [9].

Interactive education and workshops are considered as one of the most effective strategies in community-based health education programs in improving knowledge [10]. However, to achieve behavioral change, this approach should be delivered specifically to the correct segment. Conventionally, women as a mother and wife spending most of their time at home to fulfill the needs of their family [11]. In Indonesian culture, women have a central role in the family. They take responsibility for arranging the daily menu, cooking for the family, having an awareness of sick family members, and even being as decision-maker whether it needs to seek medical help [12]. Through their influence, women will be able to influence the family diet and behavior. In addition, women cadre

is socially connected with various community groups, including the elderly and their neighborhoods who are susceptible to and suffer from hypertension [12]. Women will be able to recognize those who need more attention and can act accordingly [12]. Hence, women cadre can be a great candidate to become the front-line health agent to the community and receive proper education about hypertension.

Data from the Health Office of Surabaya Government stated that Mojo district had the third-highest prevalence of hypertension among 68 other districts in Surabaya in 2018. Unfortunately, only 6.43% of the Mojo population has proper hypertension treatment [13]. Based on this finding, we aim to increase community awareness of hypertension, especially in Mojo district, Surabaya, through training and education in women cadre. In this research, we evaluate the impact of interactive education and workshops on the hypertension knowledge of women cadre.

## Materials and Methods

### Design

This one-group pretest-posttest quasi-experimental was conducted in the Mojo district, Surabaya, Indonesia. One hundred women cadres (a neighborhood-based non-physician community health care worker) were invited using quota sampling from 13 neighborhoods in the Mojo district. The inclusion criteria were female which has been worked as health-care cadre in the Mojo region. Exclusion criteria were cadres who were not willing to participate in the study and cadres who did not attend the whole program.

The data were collected using a validated researcher-made questionnaire of demographic characteristics and knowledge tests of hypertension, through interviews pre- and post-training and education programs. Data collection included demographic characteristics. Age was categorized into three groups (29–45 years old; 46–59 years old; and >60 years old). Marital status was categorized into three groups (unmarried; married; and widow). For education level, junior high school or less was labeled as primary education level, while senior high school or higher was labeled as secondary education level. For occupation, the cadre who did not work and only took care of the house was labeled as a housewife, while occupation other than housewife was labeled as non-housewife.

The hypertension knowledge test consisted of 20 questions including definition, etiology, classification, symptoms, risk factors, complications, prevention, treatment, and diet in hypertension. The validity of the hypertension knowledge test was analyzed using factor analysis with KMO and Bartlett's test ( $p = 0.003$ ), and

the reliability was analyzed using Kuder–Richardson Formula 20 ( $r_{KR20} = 0.72$ ). The baseline knowledge of hypertension (pre-test) was collected through interviews. The post-test was collected after the third session.

### Ethical clearance

The research was conducted in accordance with the Helsinki Declaration of 1975 as revised in 2000. All participating patients have signed written informed consent. The study protocol has been approved by the local ethics committee. Data that show patient personal information were omitted.

### The educational and training program

Women cadre was taught and trained by qualified cardiology residents. Cadres took educational and training programs for 3 h session once a month, for 3 months. The first session was about the basic knowledge of hypertension including definition (according to JNC 8), signs and symptoms, risk factors, complications, management, prevention, and follow-up intervals. The second session focused more on the implementation of the DASH diet. The DASH diet educational material in this program focused on the application of daily salt restrictions using a 5 g measuring spoon and the food ingredients selection for daily cooking for hypertension. At the end of the session, a cooking demonstration of two types of food was carried out using predominantly vegetable and egg ingredients and salt of fewer than 5 g a day. The third session highlighted the exercises for hypertension. The exercise education material in this program focused on the type of exercise, duration, and frequency of exercise for hypertension. A healthy heart exercise demonstration consisted of a warm-up, core, and cooling movements. We choose those topics based on the latest recommendation from Centers for Disease Control and Prevention [14].

In each session, cadres were asked to review the previous materials and trained on how to measure blood pressure using a sphygmomanometer. Blood pressure measurement training was done in groups. Cadres were divided into 10 groups; each group was accompanied by three trainers. Blood pressure was measured using a sphygmomanometer and a stethoscope. The procedure for measuring blood pressure was as follows: Subject in a sitting position, arm at heart level, and set the cuff on the upper arm with lower edge cuff at 1 inch above the antecubital fossa. Place the diaphragm stethoscope just below the lower edge of the cuff. Check the radial pulse, expand the cuff until the radial pulse is not palpable, look at the pressure on the sphygmomanometer then add 30 mmHg, listen using the stethoscope while gently releasing air from the cuff. The first knock sound (Korotkoff) is the subject's

systolic pressure. When the knocking sound ends, that is the subject's diastolic pressure.

### Statistical analysis

Data were analyzed using SPSS statistical software for Windows, version 21. Data analysis was performed by comparing the pre-test and post-test knowledge score, and their relationship with sociodemographic characteristics. A paired t-test was used to analyze the mean difference between pre- and post-test knowledge scores, while the Wilcoxon test was used as alternatives. The analysis of mean differences between sociodemographic groups used independent t-test, while the Mann-Whitney U-test or Kruskal-Wallis test was used as an alternative if the data were not normally distributed. Continuous data were presented as mean and standard deviation, or median and interquartile range (IQR) if the data were not normally distributed. Categorical data were presented as proportion. The significance level used was 0.05 and a confidence interval 95%.

understanding of hypertension included asymptomatic hypertension, unmodifiable risk factors of hypertension, untrue statements about the risk factors of hypertension, iatrogenic causes of hypertension, hypertension therapy, and what should be done if one suffers from hypertension.

**Table 2: Pre- and post-test scores of hypertension knowledge of women cadre (n=94)**

Hypertension knowledge score	Mean±SD	Median (IQR)	Mean difference	p*
Pre-test score	42.82 ± 15.25	40.00 (30.00–50.00)	17.55 ± 14.00	<0.001
Post-test score	60.37 ± 15.14	60.00 (50.00–70.00)		

\*Wilcoxon signed-rank test.

Table 4 shows the association between sociodemographic factors in women cadre and the score of hypertension knowledge post-interactive education and training program (post-test score). There was a significant difference in the post-test scores between the primary education level and secondary education level.

## Discussion

From this study, training and education programs were shown to significantly increase the cadre's knowledge. The data showed that the pre-test median score was 40.00, while the post-test was 60.00. Statistical analysis showed significant increase in the level of knowledge by 50%. This median post-test score of basic hypertension knowledge was 60.00 which can be categorized as a moderate level of knowledge [15]. This result was consistent with the previous study that evaluates the effect of interactive education and workshop improved the post-test score between 3% and 40% [16], [17], [18], [19], [20]. Interestingly, this study showed higher post-intervention knowledge score than other previous studies.

In the post-test score evaluation, the question about asymptomatic hypertension had the fewest number of participants with the right answer (9.57%). Interestingly, most of the women cadre could identify symptoms which are not related to hypertension (95.88%). This contradictive finding suggests an uncomprehensive understanding of the signs and symptoms of hypertension among women cadres. In addition, the influence of hypertension myths could further distort their understanding. One of the popular myth said that renal disease can be occurred due to prolonged use of the hypertensive drug. Before training, 74.47% of participants believed that long-term consumption of antihypertensive agent can cause kidney disease. After the training, the percentage was greatly reduced to 27.66% (Table 3, item number 19).

Fifteen out of 20 questions were answered incorrectly by more than 50% of participants before training. However, after training, it remained only seven

## Results

A total of 97 women cadre, of the Mojo district, Surabaya, attended the hypertension interactive education and training, three cadres refused to participate. Their mean age was 49.09 ± 8.48 years. Most of them are married (81 of 94, 86.17%); finished senior high school education (62 of 94, 65.96%); and as a housewife (80 of 94, 85.11%). The demographic characteristic of the women cadre is shown in Table 1.

**Table 1: Demographic characteristics of the women cadre (n=94)**

Variable	n
Age, mean±SD	49.09±8.48
Marital status, n (%)	
Unmarried	2 (2.13)
Married	81 (86.17)
Widow	11 (11.70)
Education level, n (%)	
Not completed primary school	1 (1.06)
Primary school	1 (1.06)
Junior high school	21 (22.34)
Senior high school	62 (65.96)
Associate degree (D3)	3 (3.19)
Undergraduate	6 (6.38)
Occupation, n (%)	
Civil servants	1 (1.06)
Employee of private sector	1 (1.06)
Entrepreneur	5 (5.32)
Retired	3 (3.19)
Housewife	80 (85.11)
Other	4 (4.26)

Post-test scores (median 60.00; IQR 50.00–70.00) knowledge of hypertension in the cadres increased significantly compared to pre-test scores (median 40.00; IQR 30.00–50.00), as shown in Table 2. Post-test results are still not optimal on several questions, as shown in Table 3. The suboptimal

**Table 3: Pre- and post-test correct response comparison of hypertension knowledge**

Item number	Question	Number of respondents with the correct answer (%)		p*
		Pre-test (n=94)	Post-test (n=94)	
1	Definition of hypertension according to the latest guideline	34 (36.17)	81 (86.17)	<0.001
2	Asymptomatic hypertension	9 (9.57)	22 (23.40)	0.005
3	Etiology of primer hypertension	49 (52.13)	71 (75.53)	0.001
4	Hypertension classification	59 (62.77)	74 (78.72)	0.007
5	Definition of secondary hypertension	59 (62.77)	76 (80.85)	0.002
6	Unmodifiable risk factor of hypertension	21 (22.34)	38 (40.43)	0.002
7	Modifiable risk factor of hypertension	28 (29.79)	54 (57.45)	<0.001
8	Etiology of hypertension	24 (25.53)	42 (44.68)	0.005
9	Unrelated symptoms of hypertension	90 (95.74)	92 (97.87)	0.157
10	Iatrogenic cause of hypertension	27 (28.72)	33 (35.11)	0.273
11	Hypertension complication	72 (76.60)	92 (97.87)	<0.001
12	Primary prevention of hypertension	31 (32.98)	52 (55.32)	0.001
13	Secondary prevention of hypertension	27 (28.72)	21 (22.34)	0.289
14	Frequency of visiting medical health care for routine follow-up for people who suffer from hypertension	30 (31.91)	52 (55.32)	<0.001
15	Hypertension therapy	13 (13.83)	34 (36.17)	<0.001
16	Non-pharmacology therapy of hypertension	40 (42.55)	54 (57.45)	0.023
17	Diet plan recommendation for hypertension	84 (89.36)	71 (75.53)	<0.001
18	Management of hypertension	39 (41.49)	49 (52.13)	0.096
19	Myth about hypertension	24 (25.53)	68 (72.34)	<0.001
20	The right way to measure blood pressure	45 (47.87)	59 (62.77)	0.011

\*Wilcoxon signed-rank test.

questions that incorrectly answered. Topics that remain poorly understood were asymptomatic hypertension, the unmodifiable risk factor of hypertension, etiology of hypertension, iatrogenic cause of hypertension, secondary prevention of hypertension, hypertension therapy, and management of hypertension. Thus, we need to try different types of approaches and a more intense learning method to improve their understanding of these particular topics.

**Table 4: Post-test score difference based on sociodemographic characteristics**

Variable	Frequency	Mean±SD	Median (IQR)	p
<b>Age</b>				
29–45 years old	29	57.59 ± 13.27	55.00 (50.00–67.50)	0.261*
46–59 years old	54	60.93 ± 16.54	60.00 (55.00–71.25)	
>60 years old	11	65.00 ± 11.83	65.00 (55.00–75.00)	
<b>Marital status</b>				
Unmarried	2	57.70 ± 3.54	57.50 (55.00–60.00)	0.849**
Married	81	60.68 ± 15.14	60.00 (55.00–70.00)	
Widow	11	58.64 ± 17.04	65.00 (45.00–72.50)	
<b>Level of education a</b>				
Primary education level	23	67.61 ± 12.96	70.00 (60.00–75.00)	0.008**
Secondary education level	71	58.03 ± 15.13	60.00 (50.00–70.00)	
<b>Occupation</b>				
Housewife	80	60.06 ± 15.74	60.00 (50.00–70.00)	0.827*
Non-housewife	14	62.14 ± 11.39	60.00 (55.00–71.25)	

a Junior high school or less was labeled as primary education level, senior high school or higher was labeled as secondary education level. \*Kruskal-Wallis test. \*\*Independent t-test.

From sociodemographic data, we found that there was no difference in knowledge score after training between age groups ( $p = 0.261$ ). The post-test median scores of cadre age 29–45 years old, 46–59 years old, and >60 years old were 55.00 (50.00–67.50), 60.00 (55.00–71.25), and 65.00 (55.00–75.00), respectively. However, in this study, the level of education correlated with the post-test score paradoxically ( $p = 0.008$ ). Cadres with primary education level had a mean score of  $67.61 \pm 12.96$ , while secondary education level was  $58.03 \pm 15.13$ . This finding might be due to the willingness to learn as an individual was more related to motivation than age or level of education factors [21], [22].

The demographic association with the knowledge level of hypertension in this study was similar to the previous study in Jakarta. A study by Fatmah showed no association in knowledge after training in different age groups. However, there was a higher increment of a score in primary than in secondary

education level [19]. In contrary, these findings were different in a study by Pantip. This study found that the level of education has a positive correlation with the increment of knowledge after training, while age was negatively correlated [18]. Furthermore, in this study, we found that occupational status did not correlate with knowledge improvement (Table 4).

There were some limitations in our study which should be taken into account in the interpretation. The limited sample size might affect the lack of significance in the correlation between demographic factors and knowledge level. Since the data were collected from a single location, the result may not be able to be generalized to other populations. This study also only evaluates the effect of training and education on the knowledge after interactive education and training, rather than its real impact on hypertension in the community. Therefore, future studies should be done using more samples from various locations to evaluate the benefit of hypertension knowledge improvement in the women cadre toward public awareness of hypertension and willingness to control their lifestyle and compliance with hypertension treatment [23].

## Conclusion

Interactive education and training can significantly improve the basic knowledge of hypertension for women cadre.

## References

1. World Health Organization. A Global Brief on Hypertension: Silent Killer, Global Public Health Crisis. Geneva: World Health Organization; 2013.

2. National Institute of Health, National Heart Lung and Blood Institute, and National High Blood Pressure Education Program. The Seventh Report of the Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure. Bethesda: National Institute of Health; 2004. <https://doi.org/10.1037/e442802008-001>
3. Roth GA, Johnson C, Abajobir A, Abd-Allah F, Abera SF, Abyu G, et al. Global, regional, and national burden of cardiovascular diseases for 10 causes, 1990 to 2015. *J Am Coll Cardiol.* 2017;70(1):1-25. PMID:28527533
4. Benjamin EJ, Blaha MJ, Chiuve SE, Cushman M, Das SR, Deo R, et al. Heart disease and stroke statistics 2017 update: A report from the American Heart Association. *Circulation.* 2017;135(10):146-603. <https://doi.org/10.1161/cir.0000000000000491> PMID:28122885
5. Kearney PM, Whelton M, Reynolds K, Muntner P, Whelton PK, He J. Global burden of hypertension: Analysis of worldwide data. *Lancet.* 2005;365(9455):217. [https://doi.org/10.1016/S0140-6736\(05\)17741-1](https://doi.org/10.1016/S0140-6736(05)17741-1) PMID:15652604
6. World Health Organization. Global Health Observatory: Mortality and Morbidity. Geneva: World Health Organization; 2012.
7. Mboi N, Surbakti IM, Trihandini I, Elyazar I, Smith KH, Ali PB, et al. On the road to universal health care in Indonesia, 1990-2016: A systematic analysis for the global burden of disease study 2016. *Lancet.* 2018;392(10147):581-91. [https://doi.org/10.1016/S0140-6736\(18\)30595-6](https://doi.org/10.1016/S0140-6736(18)30595-6) PMID:29961639
8. Kementerian Kesehatan Republik Indonesia. Hasil Utama Riskesdas 2018. Jakarta: Kementerian Kesehatan Republik Indonesia; 2018.
9. Kementerian Kesehatan Republik Indonesia. Rencana Strategis Kementerian Kesehatan Tahun 2015-2019; 2019. Available from: <http://www.depkes.go.id/resources/download/info-publik/Renstra-2015.pdf>. [Last accessed on 2019 Sep 12].
10. Lu CH, Tang ST, Lei YX, Zhang MQ, Lin WQ, Ding SH, et al. Community-based interventions in hypertensive patients: A comparison of three health education strategies. *BMC Public Health.* 2015;15:33. <https://doi.org/10.1186/s12889-015-1401-6> PMID:25631224
11. Lantara NF. The roles of woman as leader and housewife. *J Def Manag.* 2015;5:125. <https://doi.org/10.4172/2167-0374.1000125>
12. Kementerian Kesehatan Republik Indonesia. Pedoman Umum Pengelolaan Posyandu. Jakarta: Kementerian Kesehatan Republik Indonesia; 2011.
13. Dinas Kesehatan Kota Surabaya. Standar Pelayanan Medis Pelayanan Penderita Hipertensi Kota Surabaya Tahun 2018. Surabaya: Dinkes Kesehatan Kota Surabaya; 2018. <https://doi.org/10.24198/jmpp.v1i2.19895>
14. Centers for Disease Control and Prevention. Preventing High Blood Pressure: Healthy Living Habits; 2014. Available from: [https://www.cdc.gov/bloodpressure/healthy\\_living.htm](https://www.cdc.gov/bloodpressure/healthy_living.htm). [Last accessed on 2019 Sep 12].
15. Nur AM, Azfar M, Omarulharis S, Azfar H, Maryam A, Hafizah S, et al. Knowledge, attitude, and practice of dengue prevention among sub urban community in Sepang, Selangor. *Int J Public Heal Clin Sci.* 2017;4(2):73-83.
16. Abdel-All M, Thrift AG, Riddell M, Thankappan KR, Mini GK, Chow CK, et al. Evaluation of a training program of hypertension for accredited social health activists (ASHA) in rural India. *BMC Health Serv Res.* 2018;18(1):1-11. <https://doi.org/10.1186/s12913-018-3140-8> PMID:29720161
17. Abdel-All M, Putica B, Praveen D, Abimbola S, Joshi R. Effectiveness of community health worker training programmes for cardiovascular disease management in low-income and middle-income countries: A systematic review. *BMJ Open.* 2017;7(11):e015529. <https://doi.org/10.1136/bmjopen-2016-015529> PMID:29101131
18. Sangprasert P. The effects of a training program for the development of hypertension knowledge and basic skills practice (HK BSP) for Thai community healthcare volunteers. *Siriraj Med J.* 2011;63:163-7.
19. Fatmah F, Nasution Y. Peningkatan pengetahuan dan keterampilan kader posbindu dalam pengukuran tinggi badan prediksi lansia, penyuluhan gizi seimbang dan hipertensi studi di kecamatan Grogol, Petamburan, Jakarta Barat. *Media Med Indones.* 2012;46(1):61-8. <https://doi.org/10.37012/jik.v10i1.15>
20. Noda A, Obara T, Takada K, Kishikawa Y, Abe S, Yoshimachi S, et al. Changes in community pharmacists' knowledge, attitudes, and practice regarding the management of hypertension before and after educational interventions. *Clin Exp Hypertens.* 2020;42(4):322-7. <https://doi.org/10.1080/10641963.2019.1652634> PMID:31423854
21. Remali AM, Ghazali MA, Kamaruddin MK, Kee TY. Understanding academic performance based on demographic factors, motivation factors and learning styles. *Int J Asian Soc Sci.* 2013;3(9):1938-51.
22. Salwa A, Raiz S. Impact of grade sensitivity on learning motivation and academic performance. *Int J Educ Pedagog Sci.* 2016;10(7):2315-9.
23. Patel A, Praveen D, Maharani A, Oceandy D, Pilard Q, Kohli MP, et al. Association of multifaceted mobile technology-enabled primary care intervention with cardiovascular disease risk management in rural Indonesia. *JAMA Cardiol.* 2019;4(10):978-86. <https://doi.org/10.1001/jamacardio.2019.2974> PMID:31461123