

ISSN 2580-4936

Health Notions

Published by: Humanistic Network for Science and Technology



<http://heanoti.com/index.php/hn>

Volume 2 Number 4
April 2018



Health Notions

ISSN: 2580-4936
(online version only)

Published by:
Humanistic Network for Science and Technology

Cemara Street 25, RT.01 RW.02, Ds./Kec. Sukorejo, Ponorogo, East Java, Indonesia
63453

Phone: +6285853252665

Email: hunescite@gmail.com, admin@heanoti.com

<http://heanoti.com/index.php/hn>

"Health Notions" is a media for the publication of articles on research, book review and literature review in the areas of health science and practice such as public health, medicine, dentistry, pharmaceutical, environmental health, nursing, midwifery, nutrition, health technology, clinical laboratories, health education, health information system, health management, and health popular.

EDITORIAL TEAM

Editor in Chief:

Dr. Heru Santoso Wahito Nugroho, S.Kep., Ns., M.M.Kes., C.P.M.C.
Leader & Research Consultant, *Forum Ilmiah Kesehatan* (Scientific Forum of Health);
Lecturer, Health Polytechnic of Health Ministry at Surabaya, Indonesia.

Editors:

Dr. David Ackah-Ph.D, CPMC, FPMP, FCISCM, FCICRM, FCE, PGDPM, M.Sc, B.Sc, Dip.
President, Institute of Project Management Professionals, Ghana.

Dr. Michael Burns-Ph.D.
Director, Medical Practitioner, Med Hospital USA

Dr. Hadi Prayitno, Drs., M.Kes.
Lecturer, University of Jember, Indonesia.

Dr. Noer Saudah, S.Kep., Ns., M.Kes.
Lecturer, College of Health Science "Bina Sehat", Indonesia

Dr. Tri Niswati Utami, S.K.M., M.Kes.
Lecturer, Islamic University of Medan, Indonesia.

Dr. Muhammad Anshari, Apt., M.M.
Lecturer, Muhammadiyah University of Banjarmasin, Indonesia.

Dr. Elvis Lotten,
Dean of Medical School, University of Regional Medicals, Costa Rica.

Dr. Huger Vinnit
Head of Pharmacy Department, University of Science and Technology, China.

Wiwin Martiningsih, S.Kep., Ns., M.Kep, Ph.D., NS (c)
Lecturer, Health Polytechnic of Ministry of Health at Malang, Indonesia.

Joel Rey Ugsang Acob, MA, RN, DNS (c)
Lecturer, Faculty of Nursing, Visayas State University, Philippines.

Auta Tanko Titus, RN, Bsc. Nursing Scie., DPA, ADL, PGDE, MSc. Nur Scie. FWACN
Deputy Director, Nursing Services, MOH & Hospital Services, Minna, Niger State,
Nigeria; Lecturer, College of Nursing Sciences, School of Midwifery, Minna, Niger
State, Nigeria

Dr. Yessy Dessy Arna, S.Kp., M.Kep. Sp.Kom.
Lecturer, Health Polytechnic of Health Ministry at Surabaya, Indonesia.

Dr. Indah Lestari, S.Kep., Ns., M.Kes.
Lecturer, College of Health Science "Bina Sehat", Indonesia.

Dr. Kennedy Edem Kukuia
Neuropharmacologist, University of Ghana Hospital; Lecturer, University of Ghana,
Ghana.

Dr. Sahrir Sillehu, S.K.M., M.Kes.
Lecturer, Institute of Health Science "Maluku Husada", Indonesia.

Dr. K. G. Agyenim Boateng
Physician, University of Ghana Hospital; Lecturer, University of Ghana, Ghana.

Dr. Byba Melda Suhita, S.Kep., Ns., M.Kes.
Lecturer, Institute of Health Science "Surya Mitra", Indonesia

Secretariate:

Suparji, S.S.T., S.K.M., M.Pd.
Secretary, *Forum Ilmiah Kesehatan* (Scientific Forum of Health); Lecturer, Health
Polytechnic of Health Ministry at Surabaya, Indonesia.

FOCUSE AND SCOPE

"Health Notions" is a media for the publication of articles on research and review of the literature. We accept articles in the areas of health science and practice such as public health, medicine, pharmaceutical, environmental health, nursing, midwifery, nutrition, health technology, clinical laboratories, health education, and health popular.

REVIEW

Article submitted to this journal going through two types of reviews. The first is review by peer reviewers, who are not involved in "Health Notions" management. These reviewers have expertise relevant to the articles assigned to them. In this case, applied "BLIND PEER REVIEW", meaning that the author does not know the reviewers to review the article. The end result of peer review is "RECOMMENDATION".

The second is review done by the editor of "Health Notions". The end result of this review is "DECISION". After it is decided that the article is "ACCEPTED", then the article goes to the editing stage, and then will be scheduled for publication.

Researchers can register as a reviewer for stints reviewing articles that are relevant to their area of expertise. Guidelines for review activities are as follows:

1. Sign up for get a username and password
2. LOGIN using username and password
3. Receiving requests to review articles
4. Approved the task of reviewing
5. Check the article (metadata and attached file)
6. Write down the "results of the review". Reviewer can do a review directly on the article file, then upload it
7. Provide a "recommendation"

Note: review is a social duty (non profit).

PRIVACY STATEMENT

The names and email addresses entered in this journal site will be used exclusively for the stated purposes of this journal and will not be made available for any other purpose or to any other party.

ARCHIVING

Health Notions utilizes the Lots of Copies Keep Stuff Safe (LOCKSS) system to create a distributed archiving system among participating libraries and permits those libraries to create permanent archives of the journal for purposes of preservation and restoration.

PROCESSING FEE

This journal charges the following author fees.

Article submission: 0.00 USD (free for charge)

Article publication fee: 120.00 USD (If this article is accepted, you will be asked to pay article publication fee via e-mail).

SUBMISSION PREPARATION CHECKLIST

As part of the submission process, authors are required to check off their submission's compliance with all of the following items, and submissions may be returned to authors that do not adhere to these guidelines.

1. The submission has not been previously published, nor is it before another journal for consideration (or an explanation has been provided in Comments to the Editor).
2. The text typed in article template of this journal.
3. The text adheres to the stylistic and bibliographic requirements outlined in the Author Guidelines.

AUTHOR GUIDELINES

"Health Notions" received the original article in the form of research report, book review, or literature review (must contain the results of previous studies) in the field of health, which has never been published, is equipped with:

1. Research license or endorsement page,
2. If the researcher is more than one person, there must be an agreement signed by the researcher sequence all researchers.

Editor has the authority to accept or reject the incoming articles, and the entire article will not be returned to author. Editor is also authorized to change the article, but will not change the meaning contained therein. In student work article (scientific papers, thesis, dissertation, etc.), student is a primary author.

Terms of the article is as follows:

1. Typed in article template of Health Notions (available at footer of this website)
2. The maximum number is 10 pages and must be submitted by online registration

Article must be written in English and meet the following systematic:

1. The title is written no more than 14 words at the center position.
2. The author's full name without a title written under the title, in bold at the center. Beneath it is written the institutions of author.
3. The word "ABSTRACT" typed in capital letters, at the center, and the contents of the abstract are typed in one paragraph, without indentation. Under the contents of the abstract should be added to the maximum five key words.
4. Introduction is written with indentation 1 cm.
5. Methods is written with indentation 1 cm. The contents adapted to the materials and research methods applied in the study.
6. Results is written with indentation 1 cm. If necessary, this section is equipped with tables and images (photographs, diagrams, illustrations and other forms). The title of the tables are written above the table, the position in the center, while the title of the picture written below the image, with the position in the center.
7. Discussion is with indentation 1 cm. In this section, the results are discussed by referring to the literature and the results of other studies.
8. Conclusions and suggestions written with indentation 1 cm. They are presented in a narrative.
9. References written with a hanging indentation 1 cm, referring to the APA style.

LIST OF ARTICLES

- **Potential Pakraman Village in Achieving Bali Rabies Free**
I Nyoman Jirna, I Gede Sudarmanto, Cok Dewi Widhya Hana Sundari, I A Made Sri Arjani, Dewa Ayu Agustini Posmaningsih, I Wayan Jana, Nur Habibah
406-410
- **Analysis of Factors Related to Patient Satisfaction in Radiology Unit of Prof Dr. W. Z. Johannes Hospital, Kupang**
Yoel Midel Laitabun, Marthen Pellokila, Rafael Paun
411-414
- **Chrome Hole Dermatitis Due to Work Habit of Electroplating Workers in Candi, Sidoarjo, Indonesia**
Abdul Hakim Zakkiy Fasya, M. Farid Dimiyati Lusno, Setya Haksama
415-419
- **Effect of Environmental Noise and Social Environment on Quality Life of Workers at Weaving Department**
Budi Yulianto, Bhisma Murti, Hartono Hartono, Muhammad Masykuri, Nurlailis Saadah
420-425
- **The Relationship Between Severity of Attention Deficit Hyperactivity Disorder (ADHD) and Maternal Anxiety**
Yunias Setiawati, H J Mukono, Joni Wahyuhadi, Endang Warsiki
426-431
- **Patient Satisfaction Analysis Based on Gronroos Method at Obstetric-Gynecology Specialist Clinic, Mitra Keluarga Waru Hospital, Sidoarjo**
Hartatie Hartatie, Setya Haksama
432-438
- **Diphtheria Investigation in Buranga Village of Central Sulawesi, Indonesia**
Nia Asriani, Chatarina Umbul Wahyuni, Supaat Setia Hadi
439-445
- **The Effect of Green Coffee Bean Extract on The Weight Rats with High Fat Diet**
Arie Dwi Alistina, Annis Catur Adi, Rita Ismawati
446-449
- **Work Motivation and Achievement of Health Officers in Basic Program Public Health Center in Sojol District**
Sudirman Sudirman
450-452
- **The Effectiveness of Parenting Class Against Change of Mother's Behavior in Stimulating Growth and Development of 2-5 Years Aged Toddler**
Tutiek Herlina, Triana Septianti Purwanto
453-456
- **Family Factors that Affect Family Empowerment in Caring Children with Leukemia**
Yuni Sufyanti Arief, Nursalam nursalam, I Dewa Gede Ugrasena, Shrimarti Rukmini Devy, Noer Saudah
457-459
- **Spatial Analysis of Dengue Hemorrhagic Fever in The Endemic Area of Magetan**
Budi Joko Santosa, Nurlailis Saadah, Rahayu Sumaningsih, Ayesha Hendriana Ngestiningrum
460-465
- **Involvement of Family Members and Nutrition Care Pattern of Positive Deviance**
Tri Ratnaningsih, Chatarina Umbul Wahyuni, Hari Basuki Notobroto, Annis Catur Adi
466-469
- **Weight gain of Progestin and Combined Contraceptive Users**
Tinuk Esti Handayani, Agung Suharto
470-473
- **Spiritual Experience and Appraisal as Determinants of Depression and Quality of Life in the Elderly**
Lilik Marifatul Azizah, Tri Martiana, Oedojo Soedirham
474-477

- **The Influence of Knowledge, Motivation, Leadership, and Workload toward Public Health Center Midwives' Performance in Facilitative Supervision of MCH Program in Lumajang District**
Isa Ma'rufi, Farida Wahyu Ningtyias, Mardiyanti Mardiyanti
478-482
- **Predisposing Characteristic of MSM (Men who Have Sex with Men) in Utilizing of CST (Care Support and Treatment) Services in Jember District**
M Nur Khamid, Ancah Caesarina Novi Marchianti, Dewi Rokhmah
483-486
- **Education by Peer to Improve Knowledge About Anemia in Female Student**
Nadimin Nadimin
487-489
- **Study of Family Behavior that At Risk For Pneumonia in Under Five Children in Mempawah District**
Ayu Diana Meilantika, Suharyo Hadisaputro, Maria Mexitalia, Kamilah Budhi Rahardjani, Mateus Sakundarno
490-493
- **Trigger, Self Efficacy and Motivation in The Implementation of Cervical Cancer Screening**
Eko Winarti, Budi Santoso, Suhatno Suhatno, Rachmat Hargono
494-499
- **Non-Carcinogenic Health Risk of Trace Metals in Artesian Well Waters**
Delicia C. Inghug
500-504
- **Increase Weight Infant With Family Approach Through Massage Therapy**
Sri Handayani, Rasumawati Rasumawati
505-507
- **Mother's Behavior, Family Income and Availability of Iodized Salt in the Household**
Muhammad Saleh, Intje Picauly, Ina Debora Ratu Ludji
508-511
- **Standardization of Midwifery Education in Efforts to Improve Professionalism in Midwifery Services in Indonesia**
Klanting Kasiati
512-513

<http://heanoti.com/index.php/hn>



RESEARCH ARTICLE

URL of this article: <http://heanoti.com/index.php/hn/article/view/hn20408>

The Effect of Green Coffee Bean Extract on The Weight Rats with High Fat Diet

Arie Dwi Alristina^{1(CA)}, Annis Catur Adi², Rita Ismawati³

^{1(CA)}Faculty Public Health, Airlangga University, Indonesia; dwi183@gmail.com (Corresponding Author)

²Faculty Public Health, Airlangga University, Indonesia; annis_catur@yahoo.com

³Faculty Public Health, Airlangga University, Indonesia

ABSTRACT

WHO declares that obesity is a global epidemic. In 2014, 39% of adults >18 years old were overweight and 13% had obesity. This research aims to determine the effect of green coffee extract on the weight rats fed high-fat diet. Method: This research is true experimental pre-post test with control group design. The animals were grouped into 5 groups, i.e., group1 (negative control), group2 (positive controls fed high-fat diet), group3 (high-fat diet and GCBE dose of 100 mg/kg BW), group4 (high-fat diet and GCBE with dose of 200 mg/Kg BW), group5 (high-fat diet and GCBE dose of 400 mg/Kg BW). The obtained data were tested with one-way ANOVA followed by LSD analysis with $\alpha=0.05$. Results: This research proves that green coffee bean extract with a dose of 100, 200 and 400 mg/kg BW can lower weight of rats with high fat diet. Discussion: Green coffee extract contains active compound of chlorogenic acid that can increase AMPK activity so it has positive impact that can direct the result of metabolite substance, which is useful in decreasing fat synthesis. The high fat oxidation process results in decreased fat synthesis characterized by burning fat into energy thereby decreasing fat cells in adipose tissue.

Keywords: Obesity, Body weight, Chlorogenic acid, Green coffee

INTRODUCTION

Background

Obesity is still a worldwide public health issue. World Health Organization (WHO) declares that obesity is a global epidemic. According to WHO, in 2014, 39% of adults over 18 years old were overweight (39% male and 40% female) and 13% had obesity (11% male and 15% female). Therefore, nearly 2 billion adults across the world were overweight and over half a billion were obese⁽¹⁾.

Overweight and obesity in childhood and adolescence affect obesity in adulthood⁽²⁾. Overweight and obesity in adolescence also affect the occurrence of several degenerative diseases in adulthood. Study on overweight students shows that 58% has risk factors of cardiovascular diseases⁽³⁾.

Until now, black coffee is also used for slimming combined with ephedrine. However, safety level of this combined compound is uncertain⁽⁴⁾. Therefore, there should be an alternative in the processing, which is making green coffee which is coffee bean which isn't fried, roasted, or grilled so that the caffeine content is low. One of them active compounds of green coffee, chlorogenic acid, is able to increase metabolism⁽⁵⁾ and increase fatty acid oxidation⁽⁶⁾.

Green coffee is coffee beans that are not fried, roasted or baked first in processing so that the caffeine content is low, but still high in terms of chlorogenic acid content in it. The effect of coffee roasting is to increase the bitterness of coffee due to the release of caffeine acid and the formation of lactones and other phenol derivatives that are responsible for flavor and aroma. Many researches have reported that by the process of roasting, chlorogenic acid can decompose into phenol derivatives and can cause the value of its content to be reduced in the beans⁽⁷⁾.

Purpose

Researches on green coffee in Indonesia are still rarely studied, especially regarding the given effective dose. Previous researches on the effects of orlistat, green coffee extract and its combination of adiponectin levels and animal lipid profiles of the experiments are conducted. The results prove that giving green coffee ethanol extract 400 mg/Kg BW is efficient in lowering LDL cholesterol, increasing HDL cholesterol, lowering triglycerides and lowering total cholesterol levels of white rats⁽⁸⁾. However, the research uses a single dose and not analyzed body weight of rats so that the effect of green coffee bean extract on the body weight of rats has not known yet.

METHODS

Animals for experiment were (*Rattus norvegicus*) Sprague dawley male strain white rats whose age was 2-3 months old, weight was 100-150 grams and the number was 30 in normal and healthy conditions obtained from Laboratory Faculty of Medicine at Airlangga University of Surabaya. Animals for experiment were kept in cages according to standard.

High-fat diet was duck egg yolk which was standardized by FKH (Faculty of Veterinary Medicine) Unair (Airlangga University). Standard feed ingredients were given during the 7-day acclimation period on ad libitum. An additional high-fat diet of egg yolks was given starting the second week for 7 consecutive days. Feeding was in the form of pellets. Green coffee bean extract was given in the third week for 14 days by way of sonde (food pipes) per oral.

Measurement of body weight was conducted 3 times, that was after acclimation, after feeding high-fat diet and after giving green coffee bean extract.

The green coffee bean extract was obtained by the ethanol extraction process made at the pharmaceutical laboratory of Unair.

This research is true experimental posttest only with control group design with complete randomized design. Animals for experiment are grouped into 5 groups:

1. Group 1, fed standard food only
2. Group 2, fed additional high-fat diet
3. Group 3, fed additional high-fat diet and EBKH dose of 100 mg/Kg BW
4. Group 4, fed additional high-fat diet and EBKH dose of 200 mg/Kg BW
5. Group 5, fed additional high-fat diet and EBKH dose of 400 mg/Kg BW

The variables observed in this research were: body weight of rats before and after administered by green coffee bean extract (GCBE).

Before the hypothesis, statistical normality of data with kolmogorov-smirnov and data variance with levene test was tested. If it qualified both, ANOVA would be tested one way followed by Post Hoc Least Significant Difference (LSD) analysis.

Before performing anova test, data normality test and data variance homogeneity test were performed. Normality test of initial weight (BW1) in this study used Kolmogorov-Smirnov's test with a sample of 30 rats. It results in p value > 0.05, meaning the data was normally distributed. Then, Levene test was performed with p value > 0.05, meaning the data was homogenous. Afterward, anova test could be performed. Anova test showed p value = 0.01, meaning there was significant difference between groups. In post hoc LSD test, it was found that there was difference in the weight between the group not administered with green coffee bean extract and the groups administered with green coffee bean extract. The weight difference was also significant between administered with different dosages of the extract.

RESULTS

There was a tendency of average increase and standard deviation of rat body weight in all groups. The average weight gain occurred in measurements after a high-fat diet, whereas weight loss occurred at the end of the research after giving green coffee seed extract in the K3, K4 and K5 groups.




Figure 1. Weight change in animals for experiment

The figure above shows that weight gain occurs in measurements after a high-fat diet occurs in all groups. While all the groups that get GCBE are on average lose weight. The largest weight loss occurs in the group given GCBE with a dose of 200 mg/Kg BW and 400 mg/Kg BW. The result of post hoc LSD test is known to be the value of BW ratio before treatment with BW after feeding high-fat diet and after significantly different GCBE (p

< 0.05). However, the body weight measurement before treatment and after the end of the research is $p > 0.05$ and thus, it is concluded that there is no significant difference.



Figure 2 Plots of Estimated Marginal Means of Body Weight

Figure 2 showed Anova test result in the plot. Where there was a significant difference between body weight before treatment (BW1) and body weight after being fed a high-fat diet. Weight increases after supplemental high-fat feeding. Anova testing also proved that there was a difference in body weight after rats were given green coffee extract. Shown in figure 2, there is weight loss after 2 weeks given green coffee bean extract. Thus it has been proven that green coffee bean extract has an effect on body weight.

The average weight gain of each group showed significant result with different treatment. The average weight of the mouse group administered with standard feed had stable increase. In the groups which received high fat diet, i.e. groups K2, K3, K4 and K5, there were significant weight gains. Anova test showed significant difference between the weights of the group not administered with high fat diet and the groups administered with high fat diet.

DISCUSSION

There was weight loss in weight measurement after administering green coffee bean extract (BW3) compared with the weight before green coffee bean extract (BW2) administration. Weight loss happened to groups K3, K4, and K5. This was also shown by the result of Anova test which showed significant difference between BW2 (after high fat diet) and BW3 (after green coffee bean extract administration). However, the weight of rats which were administered with standard feed wasn't different from the weight of rats after green coffee bean extract provision. The average weight of rats at the end of the study lowered to the initial weight before treatment. The biggest weight loss happened to the group which was administered with 400 mg/kg weight of green coffee bean extract. Green coffee can be a source of anti-obesity effects⁽⁸⁾. Various researches have shown that chlorogenic acid slows the absorption of fats from food intake and also activates fat metabolism.

Green coffee bean extract was administered at 400 mg/kg weight. The dosage is potentially anti-obesity⁽⁹⁾. Based on the present study, it was evident that 100 mg/kg weight, 200 mg/kg weight and 400 mg/kg weight could lower the weight of the rats significantly. Possible factors behind the weight loss were the effect of chlorogenic acid on sugar absorption from starch and fat synthesis in the body. A study published in 2007 in "The Journal of International Medical Research" states that subjects who consume instant coffee enriched with chlorogenic acid can lower their weight due to reduced glucose absorption⁽¹⁰⁾.

There are some way the body utilizes glucose: (1) The body burns glucose for energy. If not required for energy, glucose will be transformed into glycogen in liver or muscle. If the body has excess glucose, the excess glucose will be transformed into fat by the liver and stored as adipose tissue, or better known as "body fat". It happens after glycogen capacity is full. So, essentially, when the body metabolizes glucose, the body will store the remaining glucose as glycogen, then transforms the rest into adipose tissue or "body fat". (2) The liver regulates fat metabolism as the heart pumps excess fat from the body through bile and into small intestine. What most people don't realize is liver is a tool to control weight. The liver serves as "fat burning" and "fat pumping" organ⁽¹¹⁾. Therefore, there are two important factors in weight gain, i.e. excessive glucose and fat metabolism in the liver.

AMP activated protein kinase (AMPK) is a master sensor and regulator of cellular energy balance. It is activated by various pharmacological, pathological, and metabolic stressors such as metformin, thiazolidinediones, hypoxia and exercise. Activation of AMPK leads to translocation of GLUT4 from intracellular membranes to plasma membranes, thus increasing glucose transport⁽¹²⁾.

Chlorogenic acid stimulated glucose transport in myotubes via increasing expression of GLUT4 and PPAR- γ transcript. Subsequently, previous research investigated the role of Chlorogenic acid in the regulation of glucose transport in skeletal muscle isolated from rats and L6 skeletal muscle cells. The results showed that Chlorogenic acid stimulated glucose transport in L6 myotubes in a dose- and time-dependent manner. In addition, it was demonstrated for the first time that Chlorogenic acid stimulates glucose transport in skeletal muscle via the activation of AMPK⁽¹³⁾. In the following year, Ong et al. further investigated the effects of Chlorogenic acid on glucose tolerance, insulin sensitivity, hepatic gluconeogenesis, lipid metabolism, and skeletal muscle glucose uptake in rats. It was found that in rats, acute treatment with Chlorogenic acid lowered AUC glucose in an OGTT. Chronic administration of Chlorogenic acid inhibited hepatic G-6-Pase expression and activity, attenuated hepatic steatosis, and improved lipid profiles and skeletal muscle glucose uptake, which in turn improved fasting glucose level, glucose tolerance, insulin sensitivity, and dyslipidemia in rats. Furthermore the results of this study showed that Chlorogenic acid activated AMPK, leading to subsequent beneficial metabolic effects, such as suppression of hepatic glucose production and fatty acid synthesis. Inhibition and knockdown of AMPK abrogated these metabolic alterations. It suggested that Chlorogenic acid can improve glucose and lipid metabolism via the activation of AMPK.

Green coffee extract which contains chlorogenic acid inhibits glucose release in the body. It stops the body from storing fat. Glucose is stored as fat is glucogen pocket is hinted to be full. Chlorogenic acid also increases metabolism in the liver. By increasing liver metabolism, green coffee effectively helps keep weight under control by burning fat and pumping fat out⁽¹³⁾.

CONCLUSION

Provision of green coffee extract with a dose of 100 mg/Kg BW, 200 mg/Kg BW and 400 mg/kg body weight is effective in lowering body weight of male wistar rats fed a high-fat diet. However, further researches need to be done to research the side effects and the impact of green coffee bean extract on the stomach and intestines. In addition, it is also necessary to examine the comparison of the effectiveness of the chlorogenic acid effect in robusta green beans between powder preparations, ethanol extract, and chlorogenic acid purification extract.

REFERENCES

1. WHO. A Wealth of Information on Global Public Health. Geneva: World Health Organization; 2014.
2. Stenholm S et al. Obesity History as a Predictor of Walking Limitation at Old Age. *Obesity A Research Journal*. 2007;15(4).
3. Taylor ED, Theim KR, Mirch MC, Ghorbani S, Tanofsky-Kraff M, Adler-Wailes DC, et al. Orthopedic Complications of Overweight in Children and Adolescents. *Pediatrics*. 2006;117(6):2167-74.
4. Warastuti. 2009. The Miracle of Caffeine: Unexpected Benefits of Caffeine based on the Most Recent Research (Manfaat Tak Terduga dari Kafein berdasarkan Penelitian Paling Mutakhir). Bandung: Mizan Media Utama; 2009.
5. Murase T, Misawa K, Minegishi Y, Aoki M, Ominami H, Suzuki Y, Shibuya Y, Hase T. Coffee Polyphenols Suppress Diet-Induced Body Fat Accumulation by Downregulating SREBP-1C and Related Molecules in C57BL/6J Mice. *American Journal of Physiology-Endocrinology and Metabolism*. 2011;300:E122-33. Available from: <http://ajpendo.physiology.org/content/300/1/E122>
6. Cho AS, Jeon SM, Kim MJ, Yeo J, Seo KI, Choi MS, Lee MK. Chlorogenic Acid Exhibits Anti-Obesity Property and Improves Lipid Metabolism in High-Fat Diet-Induced-Obese Mice. *Food and Chemical Toxicology*. 2010;48(3):937-43.
7. Moon, Joon-Kwan, Hyui Sun Y, Takayuki S. Role of Roasting Condition in the Level of Chlorogenic Acid Content in Coffee Beans: Correlation with Coffee Acidity. *J. Agric. Food Chem*. 2009;57(12):5365-5369.
8. Setyono J, Nugroho DA, Mustofa, Saryono. The Effect of Orlistat, Green Coffee Seed Extract and its Combinations on Adiponectin and Lipid Profile (Efek Orlistat, Ekstrak Biji Kopi Hijau dan Kombinasinya terhadap Adiponektin dan Profil Lipid). *Jurnal Ners*. 2014;9(1):26-34.
9. Shimoda H, Seki E, Aitani M. Inhibitory Effect of Green Coffee Bean Extract on Fat Accumulation and Body Weight Gain in Mice. *Biomedical Central: Complementary and Alternative Medicine*. 2006;6:1-9.
10. Chatterjee B. Green Coffee Bean Extract – Infuse Obesity. *International Journal of Research and Development*. 2015;4(11).
11. White S, Zheng J, Zhang Y. The Structural Biology of Type II Fatty Acid Biosynthesis. *Annual Review of Biochemistry*. 2005;74:791–831.
12. Luo Z, Zang M, Guo W. AMPK as A Metabolic Tumor Suppressor: Control of Metabolism and Cell Growth. *Future Oncol*. 2010;6:457-70.
13. Ong KW, Annie H, Kwong HT. Anti-diabetic and Anti-Lipidemic Effects of Chlorogenic Acid are Mediated by AMPK Activation. *Biochemical Pharmacology*. 2013;85:1341-1351.