


JOURNAL

of Parasite Science

J. Parasite Sci.




PUBLISHER COLLABORATION

Journal of Parasite Science



Collaboration
Division of Veterinary Parasitology
Faculty of Veterinary Medicine, Universitas Airlangga
and
Indonesian Veterinary Parasitology Association



EDITOR'S ADDRESS

Editorial Office Journal of Parasite Science

Division of Veterinary Parasitology
Faculty of Veterinary Medicine, Universitas Airlangga
Kampus "C" Jl. Mulyorejo Surabaya 60115
Phone: (031) 5992785; 5993016; Fax. (031) 5993015
e-mail: jparasitol@gmail.com ; jps@fkh.unair.ac.id
Homepage : <https://e-journal.unair.ac.id/JoPS>

EDITORIAL BOARD

Chief Editor

Dr. Kusnoto, DVM., M.Si., Universitas Airlangga, Indonesia

Chief's Assistant Editor

Prof. Muchammad Yunus, DVM., M.Kes., Ph.D., Universitas Airlangga, Indonesia

Editorial Board Member

Prof. Dr. Lucia Tri Suwanti, DVM., MP. Universitas Airlangga, Indonesia

Prof. Dr. Makoto Matsubayashi, DVM., Ph.D., Osaka Prefecture University, Japan

Assoc. Prof. Dr. Mahmut Kabalak, Hacettepe University, Turkey

Dr. Attaur Rahman, Abdul Wali Khan University Mardan, Pakistan

Dr. Muhammad Hassan Mushtaq, University of Veterinary and Animal Sciences Lahore, Pakistan

Aondohemba Samuel Nege, B.Fish., M.Sc., National Taiwan University, Taiwan, Province of China

Muhammad Thohawi Elziyad Purnama, DVM., M.Si. PSDKU Universitas Airlangga, Banyuwangi

Administration Staff

Dyah Ayu Kurniawati, DVM., M.Sc, Universitas Airlangga, Indonesia

Moch Arifudin, Universitas Airlangga, Indonesia

REVIEWERS

Editors, Authors and Readers of Journal of Parasite Science give the highest appreciation and gratitude to the experts below, as reviewers who has reviewed all the articles, whether published or rejected, according to the recommendations submitted to the editor in Vol. 5 No. 1 March 2021

April Hari Wardhana, DVM, M.Sc, Ph.D., Balai Besar Penelitian Veteriner Bogor, Bogor, Indonesia

Prof. Dr. Sri Subekti, DVM., DEA., Perkumpulan Pemberantasan Penyakit Parasit Indonesia

Prof. Dr. Upiek Kesumawati Hadi, DVM., MS., Institut Pertanian Bogor, Bogor, Indonesia

Dr. Raden Wisnu Nurcahyo, DVM., Universitas Gadjah Mada, Yogyakarta, Indonesia

Dr. Dwi Priowidodo, DVM., MP., Universitas Gadjah Mada, Yogyakarta, Indonesia

Dr. Nyoman Adi Suratma, DVM., MP., Universitas Udayana, Bali, Indonesia

Prof. Hiroshi Sato, DVM., Ph.D., Yamaguchi University, Jepang

Prof. Graeme Martin, B.Sc(Agric)., Ph.D W.Aust., University of Western Australia School of Agriculture and Environment, Australia

Prof. Dr. Muhammad Salisu Abubakar., Usmanu Danfodiyo University Sakoto, Nigeria

Dr. Zainab Alwan Makawi., University of Baghdad, Iraq

VISION DAN MISSION

Journal of Parasite Science (JoPS) with registered number [P-ISSN \(2599-0993\)](#) ; [E-ISSN \(2656-5331\)](#) published by the Division of Veterinary Parasitology, Faculty of Veterinary Medicine, Universitas Airlangga.

Journal of Parasite Science (JoPS) presenting research articles, case reports, community development activities and literature studies of veterinary medicine. Published twice a year on March and September. Since 2002 the Faculty of Veterinary Medicine has had Veterinary Medicine Media, because considering that there is only one journal that must accommodate many articles written by lecturers and students, various journals have been developed according to the disciplines in each department, one of which is the JoPS. JoPS can publish articles from various faculties and institutions related to the parasitology. JoPS which has been published since 2017 is here for accommodate publication obligations for undergraduate and postgraduate students as well as other parties conducting research in the field of parasitology. Loading of articles in the JoPS through the Open Journal System (OJS). Complete information for article loading and article writing instructions are available on the website and every issue. Incoming articles will go through a selection process by editors and reviewers.

VISION

To become a leading and reputable journal at the national and international level in veterinary parasitology science.

MISSION

1. Provide scientific communication media of Parasitology to participate in advancing science and technology in related sector;
2. Organizing the publication of scientific journals of Parasitology with a high impact factor in the development of science and technology;
3. Making journals as terms for the advancement and intellectual development of the academic community in welcoming the Universitas Airlangga World Class University;
4. Organizing an accountable and quality journal management to increase the number of intellectual products in the form of scientific journals;
5. Become a leading reference for the academic community and researchers of veterinary parasitology and published as a scientific journal.

Journal Scope: Journal of Parasite Science (JoPS) publishes the results of original research in all aspects of basic and applied parasitology, and ranging from parasites biodiversity, parasites of all wildlife, invertebrate and vertebrate, as well as host-parasite relationships of intrinsic biological interest to those of social and economic importance predominately in veterinary, human medicine and agriculture aspect. Original research includes the development of novel and innovative concepts and ideas, as well as experimental and observational science that raises new theory.

Language:

Main: English

The articles accepted by the Journal of Parasite Science (JoPS) are:

1. Research articles;
2. Case reports;
3. Community development articles;
4. Literature study articles.

TABLE OF CONTENTS

	Page
1. The Potency of Anting Anting (<i>Acalypha indica</i> L.) Leaf Extract as An Acaricide on <i>Boophilus microplus</i> in Larvae and Adult Stages <i>In Vitro</i> (Fitri Nurdiana, Rahmi Sugiharuti, Bambang Sektiari Lukiswanto).....	1 - 4
2. Prevalence and Scabies Severity Rate on a Goat at Mempawah Hilir, Mempawah District West Kalimantan Province (Arum Maula Hidayah, Wiwiek Tyasningsih, Soeharsono, Retno Wulansari).....	5 - 10
3. Gastrointestinal Parasite Infection on Stray Cat and Pet Cat at Blitar Regency, East Java Province (Egga Johar Praptanto, Bambang Purnomo Sunardi, Budiarto, Agus Wijaya).....	11 - 14
4. The Effectiveness of Bandotan (<i>Ageratum conyzoides</i> L.) Leaf Extract on Mortality of <i>Boophilus microplus</i> <i>In Vitro</i> (Dwi Retno Widyawati, Iwan Sahrial Hamid, Moh. Sukmanadi, Sri Agus Sudjarwo, Muhammad Hambal).....	15 - 18
5. Identification of Ectoparasites and Endoparasites on Java Langurs (<i>Trachypithecus</i> sp.) and Silvery Gibbons (<i>Hylobates moloch</i>) in The Aspinall Foundation Indonesia Program (Ghifari Lutfi Fauzi, Endang Suprihati, Poedji Hastutiek, Boedi Setiawan, Retno Wulansari).....	19 - 24
6. Repellent Effectiveness of Permot Leaf Ethanol Extract (<i>Passiflora Foetida</i> Linn.) against <i>Aedes Aegypti</i> Adult Mosquitoes (David Mohamad Qadafi, Poedji Hastutiek, Lilik Maslachah, Endang Suprihati, Muhammad Hambal)	25 - 30
7. Gastrointestinal Endoparasite Infection on Red Foot (<i>Chelonoidis carbonaria</i>) in Surabaya City Based on Fecal Examination (Nurin Ardhiani, Endang Suprihati, Aditya Yudhana, Faisal Fikri).....	31 - 34

AUTHOR INDEX

- Aditya Yudhana,..... 31
Agus Wijaya,..... 11
Ahmed,..... 33, 34
Arum Maula Hidayah,..... 5
Astuti,..... 2, 3, 4
Bambang Purnomo Sunardi,..... 11
Bambang Sektiari Lukiswanto,..... 1
Boedi Setiawan,..... 19
Budiarto,..... 11
David Mohamad Qadafi,..... 25
Dinata,..... 3, 4
Dwi Retno Widyawati,..... 15
Egga Johar Praptanto,..... 11
Endang Suprihati,..... 19, 25, 31
Estuningsih,..... 11, 13
Faisal Fikri,..... 31
Farjana,..... 32, 34
Fitri Nurdiana,..... 1
Ghifari Lutfi Fauzi,..... 19
Gunandini,..... 15, 18
Hanafiah,..... 19, 23
Hartati,..... 8, 9
Hastutiek P,..... 26, 28, 29
Hidayat,..... 12, 13
Husna,..... 1, 4
Iwan Sahrial Hamid,..... 15
Lastuti,..... 5, 9
Lilik Maslachah,..... 25
Manurug,..... 15, 19
Melinda,..... 17, 19
Moh. Sukmanadi,..... 15
Mufasirin,..... 33, 36
Muhammad Hambal,..... 15, 25
Nurin Ardhiani,..... 31
Padmasari,..... 26, 29
Poedji Hastutiek,..... 19, 25
Rahmi Sugihartuti,..... 1
Retno Wulansari,..... 5, 19
Samsudin,..... 16, 17, 19
Sasmita,..... 5, 9
Soeharsono,..... 5
Sri Agus Sudjarwo,..... 15
Suprihati E,..... 23, 36
Susilowati,..... 26, 29
Wardhana,..... 2, 4
Werdiningsih,..... 28, 30
Wiwiek Tyasningsih,..... 5

SUBJECT INDEX

- Acalypha indica*,..... 1, 2, 4, 5
acaricide,..... 1, 3
Adult stage, 1
Aedes aegypti,..... 25, 27, 28, 29, 30
Ageratum conyzoides,..... 15, 16, 18, 19
Blitar regency,..... 11
Boophilus microplus,..... 1, 2, 4, 5, 15, 16, 19
Chelonoidis carbonaria,..... 31, 32, 34, 35
Ectoparasite..... 19, 24
Endoparasite..... 19, 31, 32, 34
ethanol extract..... 25
fecal examination..... 31, 32
Gastrointestinal..... 11, 12, 31, 32, 34
goats..... 5, 6, 7, 8, 9
in vitro, 1, 2, 3
Java Langur..... 19, 20, 23
leaf extract..... 1, 2, 3, 15, 16, 17, 18
Mempawah Hilir..... 5, 6, 8, 9
mosquito..... 25, 26, 27, 28
neguvon..... 15, 16
Passiflora foetida,..... 25, 26, 29, 30
Permot Leaf..... 25
pet cat..... 11, 12, 13
prevalence..... 5, 9, 11, 13, 19, 20, 23
primate..... 19, 23
probit analysis..... 15, 17
Repellent..... 25, 26, 27, 28, 29, 30
scabies..... 5, 6, 7, 8, 9
severity..... 5, 6, 7, 8, 9
Silvery Gibbon..... 19
skin disease..... 5
stray cat..... 11, 12, 13
Surabaya city, 31
tortoise..... 31, 32, 34, 35
Toxocara cati,..... 11, 12, 13

SUBSCRIBED FORM

AREA	Issue* (give sign √)		
	1 year	2 year	3 year
Surabaya	<input type="checkbox"/> Rp. 200.000,-	<input type="checkbox"/> Rp. 350.000,-	<input type="checkbox"/> Rp. 450.000,-
East Java	<input type="checkbox"/> Rp. 250.000,-	<input type="checkbox"/> Rp. 400.000,-	<input type="checkbox"/> Rp. 500.000,-
Other Java	<input type="checkbox"/> Rp. 300.000,-	<input type="checkbox"/> Rp. 450.000,-	<input type="checkbox"/> Rp. 550.000,-
Other Countries	<input type="checkbox"/> USD 50	<input type="checkbox"/> USD 75	<input type="checkbox"/> USD 100

*(published 2 times a year)

I propose to subscribe to Journal of Parasite Science

Name:

Institution:

Office address and Phone No:

.....

Home address and Phone No:

.....

.....

Country:

Fax:

Email:

Postal code:

Date:

Signature:

I pay for this journal subscription using (give sign √):

Western Union Cheque with MTCN No:

Bank transfer / online to:

Bank Mandiri

Account no 142 00 1670625 0

Dr. Kusnoto, drh., M.Si

Send proof of payment with the subscription form to email jps@fkh.unair.ac.id

AUTHOR GUIDELINES

Journal of Parasite Science (JoPS) with registered number [P-ISSN \(2599-0993\)](#) ; [E-ISSN \(2656-5331\)](#) published by the Division of Veterinary Parasitology, Faculty of Veterinary Medicine, Universitas Airlangga.

Journal of Parasite Science (JoPS) presenting research articles, case reports, community development activities and literature studies of veterinary medicine. Published twice a year on March and September. Since 2002 the Faculty of Veterinary Medicine has had Veterinary Medicine Media, because considering that there is only one journal that must accommodate many articles written by lecturers and students, various journals have been developed according to the disciplines in each department, one of which is the JoPS. JoPS can publish articles from various faculties and institutions related to the parasitology. JoPS which has been published since 2017 is here for accommodate publication obligations for undergraduate and postgraduate students as well as other parties conducting research in the field of parasitology. Loading of articles in the JoPS through the Open Journal System (OJS). Complete information for article loading and article writing instructions are available on the website and every issue. Incoming articles will go through a selection process by editors and reviewers. Manuscripts should be typed in double spaced, except for titles, abstracts, titles of tables and tables, headings of figures, reference, and attachments, typed according to separate provisions. Paragraph formatting: new paragraph begins (first line) 0.3 inches. The standard font for writing is Times New Roman 12. Using A4 paper size (8.27 x 11.69)". Using English. Tables / Illustrations / Images must be of high contrast, also include separate scanning files (photos) with papers in JPG file format. Table captions, pictures or other explanations in the attachment should be typed 1 (one) space.

Title should be concise but informative, as far as possible in no more than 12 words.

Abstract written in English, do not exceed 250 words, containing elements of background, material and methods, results and conclusions.

Keywords maximum of 6 (six) words or phrases, written after the abstract in each languages, alphabetically ordered. As far as possible avoid using keywords from the title.

Introduction consists of the background, research objectives, problem formulation and benefits. The background includes four main ideas, namely: problem statement, problem scale, problem chronology and research approach. Contains a description of the facts and expectations for the completion of the research. Described based on concepts built from references in the literature. The research question and/or hypothesis (if any) in the introduction should not write in the form of points or should not be numbered.

Method in details so that other author could do the similar research with the written method in the article. Materials and methods are brief descriptions of the research design, how to conduct research and mention the materials/ objects and tools used.

Results and Discussion compared with other research that ever conducted or discuss based on the theoretical framework that is used in the research. Use up-to-date references such as books that published in the last ten years and journal articles that published in the last five years (except the reference that being recommended by the reviewer in this field).

Tables are made without vertical lines (use only lines at the top and bottom of the table as well as for separating heading from the main table), with table title placed before the table, numbered in Arabic numerals (Table X), and have to be referred in the text. The description of the table is placed after the table; it must be concise but clear enough so that the table separately can be understood without referring to the text. The table along with the title and description are placed after the References.

Figures presented are only those that support the findings of the study, and not restatement of data from tables in the form of figures. When resulted data in the form of figure is more informative, interesting or significant,

presentation of data in table form is not required. Figure title is placed after the figure, numbered in Arabic numerals (Figure Y), and have to be referred in the text. The description of the figure is placed under the title of the figure; it must be concise but clear enough so that the figure separately can be understood without referring to the text. Image (in JPEG format) is sent in separate file. The title and description of the figure are placed after the References.

Conclusion in one until two paragraphs without using the bullet points or number.

Approval of Ethical Commission have to be stated (number and institution) if the manuscript is constructed based on a research using live animals.

Acknowledgements are delivered to the research funders (state the name, number and recipient name of the grant, if applicable), and to those who have helped carry out the research.

References should be written according to the APA guidelines, that uses the family name of the author at the beginning of the sequence. Example: Family Name, Abbreviated the First Name and the Middle Name. Do not use commas or point for the abbreviated name. For the year of the references give bracket without points. The reference from a journal article, anthology books or book chapter must include the page. References from the internet not journals are not recommended.

The example of the references as below:

Online journal article

Johnson, K. D., Winkelman, C., Burant, C. J., Dolansky, M., & Totten, V. (2014). The factors that affect the frequency of vital sign monitoring in the emergency department. *JEN: Journal of Emergency Nursing*, 12(2), 27-35.
<https://doi.org/10.1016/j.jen.2012.07.023>

Book (authored or entire book) *

Judd, D. M., Sitzman, K., & Davis, M. (2010). *A history of American nursing: Trends and eras*. Jones and Bartlett Publishers.

Chapter in an edited book *

Lynch, S. (2010). Pain management. In S. R. Hardin and R. Kaplow (Eds.), *Cardiac surgery essentials for critical care nursing* (3rd ed., pp. 287-309). Jones & Bartlett.

PowerPoint slides (from classroom website)

Nicholson, A. (n.d.). RN to BSN program orientation [PowerPoint slides]. Canvas @UIowa: <https://uiowa.instructure.com/>

Webpage

Nelson, L. (2019). Nurses say violent assaults against healthcare workers are a silent epidemic. <https://nurse.org/articles/-/workplace-violence-in-nursing-and-hospitals/>

Report

Institute of Medicine (2010). The future of nursing: Leading change, advancing health [report brief]. <https://www.nap.edu/resource/12956/Future-of-Nursing-2010-Report-Brief.pdf>

Review Article

Journal of Parasite Science received review articles on topics included in the scope of the journal which are of current interest. Reviews are invited by the editor. The review must be a comprehensive analysis and perspective on the state of the field and where it is heading. Reviews will be subject to the same peer review process as is applied for original papers. The manuscript is arranged in the same way as the original article with an unstructured abstract (maximum of 250 words). Manuscripts should be typed in double spaced, except for titles, abstracts, titles of tables and tables, headings of figures, reference, and attachments, typed according to separate provisions. Paragraph formatting: new paragraph begins (first line) 0.3 inches. The standard font for writing is Times New Roman 12. Using A4 paper size (8.27 x 11.69)". Using English. Tables / Illustrations / Images must be of high contrast, also include separate scanning files (photos) with papers in JPG file format. Table captions, pictures or other explanations in the attachment should be typed 1 (one) space.

Case reports:

Journal of Parasite Science receives quality and interesting case reports with topics included in the scope of this journal. All reports are peer reviewed as is applied for original articles. All instructions are the same as for the original articles.

Indexing By :



Plagiarism Checker



Management Reference Tools



Division of Veterinary Parasitology
Faculty of Veterinary Medicine, Universitas Airlangga
Kampus "C" Jl. Mulyorejo Surabaya 60115
Phone: (031) 5992785; 5993016; Fax. (031) 5993015
e-mail: jparasitol@gmail.com ; jps@fkh.unair.ac.id
Website : <https://e-journal.unair.ac.id/JoPS>





Home > Archives > Vol 5, No 1 (2021)

VOL 5, NO 1 (2021) JOURNAL OF PARASITE SCIENCE

TABLE OF CONTENTS

FRONT MATTER

Front Matter Vol 5 No 1, 2021 PDF
i-iv

BACK MATTER

Back Matter Vol 5 No 1, 2021 PDF
v-ix

ORIGINAL RESEARCH

The Potency of Anting Anting (*Acalypha indica* L.) Leaf Extract as An Acaricide on *Boophilus microplus* in Larvae and Adult Stages In Vitro

PDF
1-4

10.20473/jops.v5i1.29955

Fitri Nurdiana, Rahmi Sugihartuti, Bambang Sektiari Lukiswanto

Prevalence and Scabies Severity Rate on a Goat at Mempawah Hilir, Mempawah District West Kalimantan Province

PDF
5-10

10.20473/jops.v5i1.29956

Arum Maula Hidayah, Wiwiek Tyasningsih, Soeharsono Soeharsono, Retno Wulansari

Gastrointestinal Parasite Infection on Stray Cat and Pet Cat at Blitar Regency, East Java Province

PDF
11-14

10.20473/jops.v5i1.29958

Egga Johar Praptanto, Bambang Purnomo Sunardi, Budiarto Budiarto, Agus Wijaya

The Effectiveness of Bandotan (*Ageratum conyzoides* L.) Leaf Extract on Mortality of *Boophilus microplus* In Vitro

PDF
15-18

10.20473/jops.v5i1.29959

Dwi Retno Widyawati, Iwan Sahrial Hamid, Moh. Sukmanadi, Sri Agus Sudjarwo, Muhammad Hambal

Identification of Ectoparasites and Endoparasites on Java Langurs (*Trachypithecus* sp.) and Silvery Gibbons (*Hylobates moloch*) in The Aspinal Foundation Indonesia Program

PDF
19-24

10.20473/jops.v5i1.29960

Ghifari Lutfi Fauzi, Endang Suprihati, Poedji Hastutiek, Boedi Setiawan, Retno Wulansari

Repellent Effectiveness of Permot Leaf Ethanol Extract (*Passiflora Foetida* Linn.) against *Aedes Aegypti* Adult Mosquitoes

PDF
25-30

10.20473/jops.v5i1.29962

David Mohamad Qadafi, Poedji Hastutiek, Lilik Maslachah, Endang Suprihati, Muhammad Hambal

Gastrointestinal Endoparasite Infection on Red Foot (*Chelonoidis carbonaria*) in Surabaya City Based on Fecal Examination

PDF
31-34

10.20473/jops.v5i1.29963

Instruction for Author

[Guide for Authors](#)

[Online Submission](#)

[Download Document](#)

Journal Policy

[Focus and Scope](#)

[Publication Ethics](#)

[Article Processing Charge](#)

[Peer Reviewers](#)

[Peer Reviewers Process](#)

[Editorial Team](#)

[Open Access Statement](#)

[Archiving](#)

[Plagiarism](#)

[Copyright](#)

[Contact](#)

In Collaboration With



Citations

Tools

USER

Username

Password

Remember me

NOTIFICATIONS

[View](#)
[Subscribe](#)

JOURNAL OF PARASITE SCIENCE INDEXING BY :



**Editorial Office
Journal of Parasite Science**

Division of Veterinary Parasitology
Faculty of Veterinary Medicine, Universitas Airlangga
Kampus "C" Jl. Mulyorejo Surabaya 60115
Phone: (031) 5992785; 5993016; Fax. (031) 5993015
e-mail: jparasitol@gmail.com ; jps@fkh.unair.ac.id

00023819

[View My Stats](#)



JoPS by Unair is licensed under a [Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License](#).



Pusat Pengembangan Jurnal dan Publikasi Ilmiah
Universitas Airlangga
copyright@2017 Template PPJPI

JOURNAL CONTENT

Search

Search Scope

All

Search

Browse

- [By Issue](#)
- [By Author](#)
- [By Title](#)
- [Other Journals](#)

INFORMATION

- [For Readers](#)
- [For Authors](#)
- [For Librarians](#)

Visitors



FLAG counter

CURRENT ISSUE

- [ATOM 1.0](#)
- [RSS 2.0](#)
- [RSS 1.0](#)

Identification of Ectoparasites and Endoparasites on Java Langurs (*Trachypithecus* sp.) and Silvery Gibbons (*Hylobates moloch*) in The Aspinall Foundation Indonesia Program

¹⁾Ghifari Lutfi Fauzi, ²⁾Endang Suprihati^{ID}, ²⁾Poedji Hastutiek, ³⁾Boedi Setiawan, ⁴⁾Retno Wulansari

¹⁾ Student, Faculty of Veterinary Medicine, Universitas Airlangga, ghifarilutfifauzi@gmail.com

²⁾ Division of Veterinary Parasitology, Faculty of Veterinary Medicine, Universitas Airlangga

³⁾ Division of Veterinary Clinic, Faculty of Veterinary Medicine, Universitas Airlangga

⁴⁾ Veterinary Internal Medicine Division, Department of Clinic, Reproduction and Pathology, Faculty of Veterinary Medicine, IPB University

Corresponding author: esuprihati@yahoo.co.id

Abstract

This study aimed to determine the prevalence rate and to identify parasites (endoparasite and ectoparasite) on Java Langur and Silvery Gibbon, these primates are rehabilitated in The Aspinall Foundation Indonesia Program. This research was conducted from February until October 2020. The fecal examination methods used in this research were native method and ovatec flotation method, while the ectoparasite examination used native method, mounting method, and scraping method. Based on a total of 68 samples examined, the result showed that 10 samples were positive infected by *Trichuris trichiura* and 2 samples were infested by *Pedicinus ancoratus*. The conclusion of this study indicated that the prevalence rate of *Trichuris trichiura* was 21.1% and *Pedicinus ancoratus* was 5.3% on 19 West Java Langurs, the prevalence rate of *Trichuris trichiura* was 3.3% and *Pedicinus ancoratus* was 3.3% on 30 East Java Langurs, the prevalence rate of *Trichuris trichiura* was 26.3% and no infestation of *Pedicinus ancoratus* was found on 19 Silvery Gibbons.

Keywords: Ectoparasite, Endoparasite, Java Langur, Silvery Gibbon, prevalence, primate

Introduction

Indonesia is a country with a high potential regarding wildlife diversity (Hanafiah *et al.*, 2018). Moreover, almost 25% of the world's primate species are found in Indonesia and 24 of them are categorized as endemic primates (Fauzi *et al.*, 2017). The distribution of primate populations in Indonesia is quite wide (Comanesi *et al.*, 2017). Java Island has various endemic primate species, including the Java Gibbon (*Hylobates moloch*) and Java Lutung (*Trachypithecus* sp.). Java langur based on differences in hair color are divided into two, namely the West Java langur (*Trachypithecus mauritius*) and the East Java langur (*Trachypithecus auratus*) (Brandon-Jones, 1995).

Hunting for wildlife, deforestation, habitat loss due to fragmentation and death caused by disease can also disrupt and affect the stability of primate populations, so efforts are needed to preserve them so that they do not become extinct in the future (Astriani *et al.*, 2015). Animal rehabilitation centers that concentrate on treating primates in Java include the Java

Primate Rehabilitation Center (JPRC) in West Java and the Java Langur Center (JLC) in East Java which organized by The Aspinall Foundation. This conservation program is generally known as The Aspinall Foundation Indonesia Program (Wedana *et al.*, 2013).

Parasitic disease is one of the diseases that can infects Primates. Joesoef *et al.* (2018) stated that parasitic transmission occurs due to interactions between humans and primates. These interactions can be established in several aspects, such as ecology, work, recreation and research. Kurniawati *et al.* (2020) stated that non-human primates including Java langur and Java gibbon can become reservoirs and potential hosts for transmitting parasitic diseases that can be found in humans. Huffman *et al.* (2013) stated that 33 species of zoonotic parasites were detected in humans in Sri Lanka and five species of them, such as *Balantidium coli*, *Plasmodium* spp., *Sarcocystis* sp., *Bertiella studeri* and *Echinococcus granulosus* were reported to originate from primates considered as reservoir hosts.



This work is licensed under a Creative Commons Attribution-Share Alike 4.0 International License.

Individual body condition and health status can also be affected by the presence of ectoparasites and thus affect the health of the population. Klein *et al.* (2018) stated that high ectoparasite infestation can cause the host to get additional external stressors and have a severe impact on parasite infection. Ectoparasites also need to be watched out for because they have potential as vectors for pathogen transmission. Non-human primates have an important role because they have a phylogenetic closeness to humans, therefore it is very important to increase knowledge about parasites in wildlife.

Materials and Methods

The samples used in this study were faecal samples from 68 primates. The total number of animals in the JLC is 25 East Java langurs, while the total number of animals in the JPRC is 43 consisting of 19 West Java langurs, 5 East Java langurs and 19 Java gibbons.

Examination of fecal samples was carried out using the native method and the ovatec flotation method to detect gastrointestinal endoparasites such as protozoa and worm eggs, while the examination of ectoparasites followed the schedule of animal medical check-up. The method used for examination of ectoparasites is the mounting method without staining for lice, ticks and fleas. Moreover, if a scab lesion is found, the scraping method is carried out followed by the microscopy method for mite examination.

The observed variables were the presence or absence of gastrointestinal endoparasites and ectoparasites in Java gibbons and Java langurs, then identified. Determination of parasite

species using morphological identification keys according to Foreyt (2001), Ash and Orihel (2007), Mey (2010), Bowman (2014), Taylor *et al.* (2016) and Durden *et al.* (2020). The data obtained were then analyzed descriptively. Syukran *et al.* (2017) stated that the prevalence rate can be calculated by the following formula:

$$\text{Prevalence (\%)} = \frac{\text{Number of positive samples}}{\text{Total samples}} \times 100$$

Results and Discussion

The results of the examination of digestive tract endoparasites and ectoparasites in West Java Lutung, East Java Langur and Java Gibbon (Table 1) conducted on 68 primates rehabilitated at JLC and JPRC in February - October 2020 found nematode worm eggs in one East Java Langur. , four West Java langurs and five Java gibbons. Worm eggs were identified as the genus *Trichuris*, while ectoparasite examination found lice in one West Java Langur and East Java Langur. The tick was identified as the genus *Pedicinus*. Infestation of ticks, mites and fleas were not found on examination of ectoparasites, and no infection with gastrointestinal protozoa was found on examination of feces. All positive samples only detected for single infestation.

The results of the fecal examination using native and floating method showed that there was an infection of worm eggs with an oval shape resembling a lemon, coated with egg cell walls and there was a brownish colored embryo inside, and had symmetrical polar plugs on both ends, which indicated *Trichuris trichiura* species. The worm egg morphology can be seen in Figure 1.

Table 1 Results of examination of gastrointestinal endoparasites and ectoparasites in West Java Langurs, East Java Langurs and Java Gibbons.

No	Primate Species	Σ Sample	Examination Results	Σ Positive Sample	Prevalence (%)
1	West Java Langur	19	<i>Trichuris trichiura</i>	4	21,1
			<i>Pedicinus ancoratus</i>	1	5,3
2	East Java Langur	30	<i>Trichuris trichiura</i>	1	3,3
			<i>Pedicinus ancoratus</i>	1	3,3
3	Java Gibbon	19	<i>Trichuris trichiura</i>	5	26,3
			<i>Pedicinus ancoratus</i>	0	0




Figure 1. *Trichuris trichiura* egg based on fecal examinations (A) floatation method and (B) native method, measurement using application NIS-Elements BR 4.10.00 and the length of egg was recorded at 47.42 µm. Description: pp = polar plug, e = embryo, ds = cell wall. 640x magnification.

The results of fecal examination showed that there was infection with eggs of Nematode class, namely *Trichuris* sp., with egg morphology oval in shape, lined with cell walls, brownish-colored embryos, and equipped with symmetrical polar plug formations at both ends. In accordance with previous report by Foreyt (2001). The measurement results showed that *Trichuris* egg length was 45.44 µm, in accordance with the key to morphological identification according to Ash and Orihel (2007) which stated that *Trichuris trichiura* eggs have an egg size of about 50 µm while *Trichuris vulpis* has a much longer egg length, which is about 72-90 µm. Taylor *et al.* (2016) also stated that species from the genus *Trichuris* (whip worms) that can infect humans and NHP (Non-human primates) are *Trichuris trichiura* species. Rivero *et al.* (2020) stated that many species of *Trichuris* can infect humans, but only *Trichuris trichiura* which for many years has been considered a whipworm that is specific to primates.

In this study, only eggs of the *Trichuris trichiura* species were found as endoparasite. The results of this study in accordance with the research conducted by Tiwari *et al.* (2017) on Nilgiri Langurs (*Trachypithecus johnii*) in India with the highest prevalence of gastrointestinal parasites, namely *Trichuris trichiura*, but there was a difference such as in this study no other types of gastrointestinal parasites were found, either eggs of other species of worms or protozoa, possibly because the animals were rehabilitated when the medical check-up was already given anthelmintics so that influence the possibility of finding endoparasites. Kurniawati *et al.* (2020) stated that differences in prevalence and type of infection may depend on the life

cycle of the parasite, geographical conditions, food sources, and feeding behavior of primates.

Based on the results in this study, one type of ectoparasite was found, based on the morphology, it was included in the lice group. The results of microscopic examination showed that the ectoparasite samples had a flat-dorsoventral body shape, the outer wall of the body was lined with chitin, had a head that had two antennae and three pairs of legs equipped with hooks at the ends. The general body parts consisting of the head, thorax and abdomen can be seen in Figure 2.

The lice found in this study have a pair of antennae, each antenna has five segments. The thorax has three pairs of locomotion in the form of legs with the tibio-tarsus. The anterior paws have fairly slender claws, while the middle and posterior paws have slightly fatter claws. The abdomen has paratergal plates located in the fourth to sixth segments, the genital plate is located in the posterior part of the abdomen. Based on the results of observations and morphological identification keys according to Mey (2010) and Durden *et al.* (2020), and based on the host it can be identified that the lice species obtained is *Pedicinus ancoratus*.

The result of measuring the total body length of *Pedicinus ancoratus* in this study was 1.030 mm. The head length is 0.300 mm and the head width is 0.150 mm. The length of the thorax is 0.190 mm and the width of the thorax is 0.230 mm. Abdominal length 0.540 and abdominal width 0.480 mm, the results of these measurements have differences with research conducted by Durden *et al.* (2020) the total body length reaches 1.675 mm, the head width is 0.255 mm and the thorax width is 0.355 mm. This difference may be due to the different species of *Pedicinus* being measured.




Figure 2. Morphology of *Pedicinus ancoratus*. (A) general morphology with body length 1.03 mm, consist of (B) = Head, with 0.30 mm in length x 0.15 mm in width, (C) = Thorax, with 0.23 mm length x 0.19 mm width and (D) = Abdomen, with 0.54 mm length x 0.48 mm width. Magnification of 10x using fluorescence microscope Nikon Eclipse Ci and measurement using NIS-Elements BR 4.10.00.

Based on this study, in addition to the adult stage, eggs were also found attached to the body hair of the Javan Langur in the thigh and stomach area. The egg has an operculum, is blackish white and is attached to the hair, this is in accordance with what was said by Taylor *et al.* (2016). *Pedicinus ancoratus* eggs can be seen in Figure 3.




Figure 3. Egg of *Pedicinus ancoratus*. 40x magnification using a light microscope.

Schol *et al.* (2012) stated that ticks mostly move between their hosts through direct host-to-host contact and are usually host-specific (can only be transmitted to one host species). *Pedicinus ancoratus* has only ever been found to infest langur and has never been found in Java gibbons. Based on research conducted by Durden and Musser (1994) and Mey (2010) stated

that the infestation of *Pedicinus ancoratus* was found in Java langur (*Trachypithecus auratus* and *Trachypithecus mauritius*), gray langur (*Trachypithecus cristatus*), Francois langur (*Trachypithecus francoisi*) and red langur (*Presbytis rubicunda*).

Conclusion

The ectoparasites that infest the East Javan langur (*Trachypithecus auratus*) and West Java langur (*Trachypithecus mauritius*) were *Pedicinus ancoratus*, with a prevalence of 3.3% in East Java langur and 5.3% in West Java langur, while in the Java gibbon (*Hylobates moloch*) no ectoparasite infestation was found. Moreover, gastrointestinal endoparasites that found in the East Java langur (*Trachypithecus auratus*), West Java langur (*Trachypithecus mauritius*) and Java gibbon (*Hylobates moloch*) were *Trichuris trichiura* with a prevalence of 3.3% in East Java langur, 21.1% in the West Java langur, and 26.3% in the Java gibbon respectively.

Acknowledgement

Thanks to the Aspinall Foundation Indonesia Program as the manager of primate rehabilitation centers in East Java, namely the Java Langur Center and Java Primate Rehabilitation Center in West Java and also all individuals who have helped during the investigation of present study.

References

- Ash, R. L. and T. C. Orihel. 2007. Atlas of Human Parasitology. Chicago: American Society for Clinical Pathology. Hal. 50, 58, 84, 97 - 186.
- Astriani, W. I., H. Arief dan L. B. Prasetyo. 2015. Populasi dan Habitat Lutung Jawa (*Trachypitecus auratus* E. Geoffrey 1812) di Resort Balanan, Taman Nasional Baluran. J. Media Kons 20(3): 226-234
- Brandon-Jones D. 1995. A revision of the Asian pied leaf-monkeys (Mammalia: Cercopithecidae: superspecies *Semnopithecus auratus*), with a description of a new subspecies. Raffles Bulletin of Zoology. 43: 3-43.
- Bowman, D. D. 2014. Georgis' Parasitology for Veterinarians 10th Edition. St. Louis, Missouri: Elsevier Saunders. Hal. 52, 122 - 156
- Comanesi, Y. D., Erianto dan S. Rifanjani. 2017. Keanekaragaman Jenis Primata Diurnal di dalam Areal IUPHHK-HT PT. Bina Silva Nusa Kecamatan Batu Ampar Kabupaten Kubu Raya Provinsi Kalimantan Barat. J. Hutan Lestari. 5(2): 563-570.
- Durden, L.A., S. E. Kessler, L. Boundenga, B. Ngoubangoye, T. A. Tsoumbou, C. I. Mousadji-Kinga, M. Halbwax, J. M. Setchell, J. Nicholas and S. E. Greiman. 2020. A New Species of Sucking Louse from the Madrill from Gabon with a Review of Host Associations and Geographical Distributions and Identification Keys to Members of the Genus *Pedicinus* (Phthiraptera: Anoplura: Pedicinidae). Journal of Parasitology. 106(2) : 221-232.
- Durden, L.A and G. G. Musser. 1994. The Sucking Lice (Insecta, Anoplura) of the World: a Taxonomic Checklist with Records of Mammalian Hosts and Geographic Distributions. Bulletin of the American Museum of Natural History. 218: 1-90.
- Fauzi, F., R. Rahmawati dan P. Sandan. 2017. Estimation of Population Density and Food Sort of Kelasi (*Presbytis rubicunda* Muller 1838) in Nyaru Menteng Arboretum of Palangka Raya. J. Daun. 4(1):7-16.
- Foreyt, W.J. 2001. Veterinary Parasitology Reference Manual, 5th ed. Ames Iowa (US): Iowa State University Press. 181-197.
- Hanafiah, M., H. D. Alfiansyah dan A. Sayuti. 2018. Identifikasi Parasit pada Biawak Air (*Varanus salvator*). Jurnal Sains Veteriner. 36(1): 24-31.
- Huffman, M. A., C. A. D. Nahallage, H. Hasegawa, S. Ekanayake, L. D. G. G. De Silva and I. R. K. Athauda. 2013. Preliminary Survey of the Distribution of Four Potentially Zoonotic Parasite Species Among Parasites in Sri Lanka. Journal National Science Foundation Sri Lanka. 41(4): 319-326.
- Joesoef, J. A., D. Sajuthi, A. Wijaya, M. U. E. Sanam. 2018. Keragaman Endoparasit pada *Macaca fascicularis* dan Potensi Zoonotiknya dengan Cuaca Berbeda di Kota Kupang. Jurnal Veteriner. 19(4): 451-459.
- Klein, A., E. Zimmermann, U. Radespiel. G. Schaarschmidt. A. Springer and C. Strube. 2018. Ectoparasite communities of small-bodied Malagasy primates: seasonal and socioecological influences on tick, mite and lice infestation of *Microcebus murinus* and *M. ravelobensis* in northwestern. Journal Parasites and Vectors. 11(459): 1-18.
- Kurniawati, D.A., L. T. Suwanti, N. D. R. Lastuti, S. Koesdarto, E. Suprihati, M. Mufasirin dan A. Pratiwi. 2020. Zoonotic potential of gastrointestinal parasite in long-tailed Macaque *Macaca fascicularis* at Baluran National Park, Situbondo, East Java, Indonesia. Aceh Journal of Animal Science. 5(1): 47-56.
- Mey, Eberhard. 2010. The *Pedicinus* Species (Insecta, Phthiraptera, Anoplura, Pedicinidae) on Douc Langurs (*Pygathrix* spp.). Vietnamese Journal of Primatology. 4(1): 57-68.
- Rivero, J., A. M. Garcia-Sanchez, A. Zurita, C. Cutillas and R. Callejon. 2020. *Trichuris trichiura* isolated from *Macaca sylvanus*: morphological, biometrical, and molecular study. BMC Veterinary Research. 16(445): 1-4
- Scholl, K., M. A. Julie, H. L. Fabian, A. C. Colin and L. R. David. 2012. Variable Microsatellite Loci for Population Genetic Analysis of Old World Monkey Lice (*Pedicinus* sp.). Journal Parasitology. 98(5): 930-937.

- Taylor, M. A., R. L. Coop *and* R. L. Wall. 2016. *Veterinary Parasitology*. 4th Edition. Blackwell Publishing. UK. 853-886.
- Tiwari, S., D. M. Reddy, M. Pradheeps., G. S. Sreenivasamurthy *and* G. Umapathy. 2017. Prevalence and co-occurrence of gastrointestinal parasites in Nilgiri Langur (*Trachypithecus johnii*) of fragmented landscape in Anamalai Hills, Western Ghats, India. *Current Science*. 113(10): 2194-2200.
- Wedana, M., I. Kurniawan, Z. Arsan, N. B. Wawandono, A. Courage *and* T. King. 2013. Reinforcing the Isolated Javan Langur Population in the Coban Talun Protected Forest, East Java, Indonesia. *Wild Conservation*. 1(5): 31-39.