

The 4th International Conference on Research, Implementation, and Education of Mathematics and Science (4th ICRIEMS) Research and Education for Developing Scientific Attitude in Sciences and Mathematics




Yogyakarta, Indonesia 15-16 May 2017

Editors Cahyorini Kusumawardani, Agus Maman Abadi, Slamet Suyanto, Warsono and Insih Wilujeng

AP Conference Proceedings

proceedings.aip.org



. Table of Contents

THE 4TH INTERNATIONAL CONFERENCE ON RESEARCH, IMPLEMENTATION, AND EDUCATION OF MATHEMATICS AND SCIENCE (4TH ICRIEMS): Research and Education for Developing Scientific Attitude in Sciences And Mathematics



Conference date: 15-16 May 2017 Location: Yogyakarta, Indonesia ISBN: 978-0-7354-1548-5 Editors: Cahyorini Kusumawardani, Agus Maman Abadi, Slamet Suyanto, and Insih Wilujeng Volume number: 1868 Published: Aug 4, 2017

DISPLAY: 20 50 100 all

PRELIMINARY

Free . August 2017

Preface: 4th International Conference on Research, Implementation, and Education of Mathematics and Sciences (ICRIEMS)

:

:

:

CHEMISTRY

Free . August 2017

Amphiphilic chitosan derivatives as carrier agents for rotenone

Azlan Kamari and Nurul Farhana Ahmad Aljafree

AIP Conference Proceedings 1868, 020001 (2017); https://doi.org/10.1063/1.4995087

SHOW ABSTRACT

Free . August 2017

Characterization of metal particles on supporting materials mordenite, ultra stable Y zeolita, and natural zeolit

Rujito Sesario, Khoirina Dwi, Fitria Rahmawati, Eddy Heraldy and Rachmadani

AIP Conference Proceedings 1868, 020002 (2017); https://doi.org/10.1063/1.4995088

SHOW ABSTRACT

Free . August 2017

Characterization of ecofriendly polyethylene fiber from plastic bag waste

Asril S. Soekoco, Noerati, Maya Komalasari, Kurniawan and Agus Hananto

AIP Conference Proceedings 1868, 020003 (2017); https://doi.org/10.1063/1.4995089

SHOW ABSTRACT

Determination of ultraviolet filter activity on coconut oil cosmetic

cream

Eni Widiyati

AIP Conference Proceedings 1868, 020004 (2017); https://doi.org/10.1063/1.4995090

SHOW ABSTRACT

:

Free . August 2017

Investigation of Cu_2SnSe_3 preparation by simultaneous electrodeposition as precursor of $Cu_2ZnSnSe_4$ thin film solar cell

Gunawan, Abdul Haris, Didik Setiyo Widodo, Wilman Septina and Shigeru Ikeda

AIP Conference Proceedings 1868, 020005 (2017); https://doi.org/10.1063/1.4995091

SHOW ABSTRACT

:

:

Free . August 2017

Screening of metabolites secondary compounds in extract of moringa fruit and determination of inhibitory effect on growth of the fungus *Candida albicans*

Siti Nuryanti and Dwi Juli Puspitasari

AIP Conference Proceedings 1868, 020006 (2017); https://doi.org/10.1063/1.4995092

SHOW ABSTRACT

Free . August 2017

Identification and antioxidant activity test of bioactive compound produced from ethanol extract of temukunci (*Boesenbergia rotunda*)

Sri Atun, Sri Handayani and Luthfi Fitri Frindryani

AID Conference Droceedings 1868 020007 (2017). https://doi.org/10.1063/1.4995093

Preparation of carboxymethyl cellulose produced from purun tikus (*Eleocharis dulcis*)

Sunardi, Nina Mutia Febriani and Ahmad Budi Junaidi

AIP Conference Proceedings 1868, 020008 (2017); https://doi.org/10.1063/1.4995094

SHOW ABSTRACT

Free . August 2017

Degradation of blue and red inks by Ag/AgCl photocatalyst under UV light irradiation

Hasan Daupor and Asmat Chenea

AIP Conference Proceedings 1868, 020009 (2017); https://doi.org/10.1063/1.4995095

SHOW ABSTRACT

Free . August 2017

Antibacterial activity and the hydrophobicity of cotton coated with hexadecyltrimethoxysilane

Eli Rohaeti and Anna Rakhmawati

AIP Conference Proceedings 1868, 020010 (2017); https://doi.org/10.1063/1.4995096

SHOW ABSTRACT

:

Free . August 2017

Voltammogram of stainless steel/Fe-Co-Ni electrode on water

BROWSE VOLUMES

:

Isana S. Y. L., Dewi Yuanita, Sulistyani and Heru Pratomo Al

AIP Conference Proceedings 1868, 020011 (2017); https://doi.org/10.1063/1.4995097

SHOW ABSTRACT

Free . August 2017

Influences of neutralization of superabsorbent hydrogel from hydroxyethyl cellulose on water swelling capacities

:

:

:

Ajaman Adair, Pairote Klinpituksa and Azizon Kaesaman

AIP Conference Proceedings 1868, 020012 (2017); https://doi.org/10.1063/1.4995098

SHOW ABSTRACT

Free . August 2017

Effect of dilution and ash supplement on the bio-methane potential of palm oil mill effluent (POME)

Sunwanee Jijai, Saina Muleng and Chairat Siripatana

AIP Conference Proceedings 1868, 020013 (2017); https://doi.org/10.1063/1.4995099

SHOW ABSTRACT

CHEMISTRY EDUCATION

Free . August 2017

Students' science process skill and analytical thinking ability in chemistry learning

Irwanto, Eli Rohaeti, Endang Widjajanti and Suyanta

AIP Conference Proceedings 1868, 030001 (2017); https://doi.org/10.1063/1.4995100

Teaching the mole concept with sub-micro level: Do the students perform better?

Nurma Yunita Indriyanti and Hans-Dieter Barke

AIP Conference Proceedings 1868, 030002 (2017); https://doi.org/10.1063/1.4995101

SHOW ABSTRACT

:

:

Free . August 2017

Gender differences in students' attitudes toward science: An analysis of students' science process skill using testlet instrument

Sri Yamtinah, Mohammad Masykuri, Ashadi and Ari Syahidul Shidiq

AIP Conference Proceedings 1868, 030003 (2017); https://doi.org/10.1063/1.4995102

SHOW ABSTRACT

Free . August 2017

Reduction of cognitive conflict and learning style impact towards student-teacher's misconception load

Kurroti A'yun, Suyono, Sri Poedjiastoeti and Saidna Zulfiqar Bin-Tahir

AIP Conference Proceedings 1868, 030004 (2017); https://doi.org/10.1063/1.4995103

SHOW ABSTRACT

:

Free . August 2017

Artificial muscles' enrichment text: Chemical Literacy Profile of preservice teachers

Hernani, Luthfi Lulul Ulum and Ahmad Mudzakir

BROWSE VOLUMES

The effect of inquiry-flipped classroom model toward students' achievement on chemical reaction rate

Maria Paristiowati, Ella Fitriani and Nurul Hanifah Aldi

AIP Conference Proceedings 1868, 030006 (2017); https://doi.org/10.1063/1.4995105

SHOW ABSTRACT

Free . August 2017

The first year pre-service teachers' chemical literacy in individual learning case using the fuel cell technology based-chemical enrichment book

Hernani, Saefulloh and Ahmad Mudzakir

AIP Conference Proceedings 1868, 030007 (2017); https://doi.org/10.1063/1.4995106

SHOW ABSTRACT

Free . August 2017

Developing 21st century skills in chemistry classrooms: Opportunities and challenges of STEAM integration


Tritiyatma Hadinugrahaningsih, Yuli Rahmawati and Achmad Ridwan

AIP Conference Proceedings 1868, 030008 (2017); https://doi.org/10.1063/1.4995107

SHOW ABSTRACT

:

:



The effect of learning models and emotional intelligence toward students learning outcomes on reaction rate

Ani Sutiani and Mei Y. Silitonga

AIP Conference Proceedings 1868, 030011 (2017); https://doi.org/10.1063/1.4995110

SHOW ABSTRACT

:

Free . August 2017

Contribution from philosophy of chemistry to chemistry education: In a case of ionic liquids as technochemistry

Ahmad Mudzakir, Hernani, Tuszie Widhiyanti and Devi Pratiwi Sudrajat

AIP Conference Proceedings 1868, 030012 (2017); https://doi.org/10.1063/1.4995111

Identification of the students' critical thinking skills through biochemistry laboratory work report

Yunita Arian Sani Anwar, Senam and Endang W. Laksono

AIP Conference Proceedings 1868, 030013 (2017); https://doi.org/10.1063/1.4995112

SHOW ABSTRACT

:

:

Free . August 2017

Misconception of pre-service chemistry teachers about the concept of resonances in organic chemistry course

Hayuni Retno Widarti, Rini Retnosari and Siti Marfu'ah

AIP Conference Proceedings 1868, 030014 (2017); https://doi.org/10.1063/1.4995113

SHOW ABSTRACT

Free . August 2017

The nature of science and technology for pre-service chemistry teacher: A case of techno-chemistry experiment "From *Stannum Metalicum* to conductive glass"

A. Mudzakir, T. Widhiyanti, Hernani, M. Arifin, A. N. Lestari and S. Jauhariansyah

AIP Conference Proceedings 1868, 030015 (2017); https://doi.org/10.1063/1.4995114

SHOW ABSTRACT

:

Free . August 2017

Content knowledge development in a chemistry teacher preparation program: A current potentials and challenges

Tuszie Widhivanti David F Treagust Mauro Mocerino and Venkat Vishnumolakala

BROWSE VOLUMES

SHOW ABSTRACT

:

:

MATHEMATICS

Free . August 2017

A review on eigen values of adjacency matrix of graph with cliques

Ema Carnia, Moch. Suyudi, Isah Aisah and Asep K. Supriatna

AIP Conference Proceedings 1868, 040001 (2017); https://doi.org/10.1063/1.4995116

SHOW ABSTRACT

Free . August 2017

Mapping the Indonesian territory, based on pollution, social demography and geographical data, using self organizing feature map

Kuswari Hernawati, Nur Insani, Bambang S. H. M., Nur Hadi W. and Sahid

AIP Conference Proceedings 1868, 040002 (2017); https://doi.org/10.1063/1.4995117

SHOW ABSTRACT

Free . August 2017

A remark on the Miller-Mocanu Lemma

Marjono and Saadatul Fitri

AIP Conference Proceedings 1868, 040003 (2017); https://doi.org/10.1063/1.4995118

SHOW ABSTRACT

Queueing system analysis of multi server model at XYZ insurance company in Tasikmalaya city

Ahmad Muhajir and Nikenasih Binatari

AIP Conference Proceedings 1868, 040004 (2017); https://doi.org/10.1063/1.4995119

SHOW ABSTRACT

:

Free . August 2017

Volatility modeling for IDR exchange rate through APARCH model with student-*t* distribution

Didit Budi Nugroho and Bambang Susanto

AIP Conference Proceedings 1868, 040005 (2017); https://doi.org/10.1063/1.4995120

SHOW ABSTRACT

Free . August 2017

Detecting P and S-wave of Mt. Rinjani seismic based on a locally stationary autoregressive (LSAR) model

Nurhaida, Subanar, Abdurakhman and Agus Maman Abadi

AIP Conference Proceedings 1868, 040006 (2017); https://doi.org/10.1063/1.4995121

SHOW ABSTRACT

:

:

Free . August 2017

Classification of toddler nutritional status using fuzzy inference system (FIS)

Dian Permatasari, Isnaini Nur Azizah, Hanifah Latifah Hadiat and Agus Maman Abadi

AIP Conference Proceedings 1868, 040007 (2017); https://doi.org/10.1063/1.4995122

Analyzing bin-width effect on the computed entropy

Sri Purwani, Julita Nahar and Carole Twining

AIP Conference Proceedings 1868, 040008 (2017); https://doi.org/10.1063/1.4995123

SHOW ABSTRACT

Free . August 2017

Limited memory Broyden-Fletcher-Goldfarb-Shanno (L-BFGS) method for the parameter estimation on geographically weighted ordinal logistic regression model (GWOLR)

Dewi Retno Sari Saputro and Purnami Widyaningsih

AIP Conference Proceedings 1868, 040009 (2017); https://doi.org/10.1063/1.4995124

SHOW ABSTRACT

Free . August 2017

Accuracy evaluation of Fourier series analysis and singular spectrum analysis for predicting the volume of motorcycle sales in Indonesia

Yoga Sasmita and Gumgum Darmawan

AIP Conference Proceedings 1868, 040010 (2017); https://doi.org/10.1063/1.4995125

SHOW ABSTRACT

:

:

Free . August 2017

The accuracy comparison between ARFIMA and singular spectrum analysis for forecasting the sales volume of motorcycle in Indonesia

SHOW ABSTRACT

Free . August 2017

Eigen values in epidemic and other bio-inspired models

A. K. Supriatna, N. Anggriani, E. Carnia and A. Raihan

AIP Conference Proceedings 1868, 040012 (2017); https://doi.org/10.1063/1.4995127

SHOW ABSTRACT

MATHEMATICS EDUCATION

Free . August 2017

Can goal-free problems facilitating students' flexible thinking?

Sity Rahmy Maulidya, Rusi Ulfa Hasanah and Endah Retnowati

AIP Conference Proceedings 1868, 050001 (2017); https://doi.org/10.1063/1.4995128

SHOW ABSTRACT

Free . August 2017

Problem based learning to improve proportional reasoning of students in mathematics learning

Misnasanti, Ratna Widianti Utami and Fevi Rahmawati Suwanto

AIP Conference Proceedings 1868, 050002 (2017); https://doi.org/10.1063/1.4995129

SHOW ABSTRACT

:

:

The comparison of learning model viewed from the student cognitive style

Astunnisyah, Budiyono and Isnandar Slamet

AIP Conference Proceedings 1868, 050003 (2017); https://doi.org/10.1063/1.4995130

SHOW ABSTRACT

:

Free . August 2017

The analysis of probability task completion; Taxonomy of probabilistic thinking-based across gender in elementary school students

Dwi Ivayana Sari, I. Ketut Budayasa and Dwi Juniati

AIP Conference Proceedings 1868, 050004 (2017); https://doi.org/10.1063/1.4995131

SHOW ABSTRACT

:

Free . August 2017

Fraction in shot-put: A learning trajectory

R. I. I. Putri and Zulkardi

AIP Conference Proceedings 1868, 050005 (2017); https://doi.org/10.1063/1.4995132

SHOW ABSTRACT

:

Free . August 2017

Gesture analysis of students' majoring mathematics education in micro teaching process

Agnesya Maldini, Budi Usodo and Sri Subanti

AIP Conference Proceedings 1868, 050006 (2017); https://doi.org/10.1063/1.4995133

Improving attitudes toward mathematics learning with problem posing in class VIII

Alfha Vionita and Dyah Purboningsih

AIP Conference Proceedings 1868, 050007 (2017); https://doi.org/10.1063/1.4995134

SHOW ABSTRACT

:

:

Free . August 2017

Analysis of junior high school students' difficulty in resolving rectangular conceptual problems

Aliksia Kristiana Dwi Utami, Mardiyana and Ikrar Pramudya

AIP Conference Proceedings 1868, 050008 (2017); https://doi.org/10.1063/1.4995135

SHOW ABSTRACT

Free . August 2017

Strategic competence of senior secondary school students in solving mathematics problem based on cognitive style

Andi Syukriani, Dwi Juniati and Tatag Yuli Eko Siswono

AIP Conference Proceedings 1868, 050009 (2017); https://doi.org/10.1063/1.4995136

SHOW ABSTRACT

:

Free . August 2017

The use of CORE model by metacognitive skill approach in developing characters junior high school students

Dahlia Fisher, Poppy Yaniawati and Yaya Sukjaya Kusumah

Mathematical visualization process of junior high school students in solving a contextual problem based on cognitive style

Edy Setiyo Utomo, Dwi Juniati and Tatag Yuli Eko Siswono

AIP Conference Proceedings 1868, 050011 (2017); https://doi.org/10.1063/1.4995138

SHOW ABSTRACT

Free . August 2017

The relation between learning mathematics and students' competencies in undesrtanding texts

Hapipi, Syahrul Azmi, Sripatmi and Amrullah

AIP Conference Proceedings 1868, 050012 (2017); https://doi.org/10.1063/1.4995139

SHOW ABSTRACT

Free . August 2017

The comparison of Missouri mathematics project and teams games tournament viewed from emotional quotient eight grade student of junior school


Indra Setyawan, Budiyono and Isnandar Slamet

AIP Conference Proceedings 1868, 050013 (2017); https://doi.org/10.1063/1.4995140

SHOW ABSTRACT

:

:



SHOW ABSTRACT

:

Free . August 2017

Profile of mathematics anxiety of 7th graders

Patrisius Afrisno Udil, Tri Atmojo Kusmayadi and Riyadi

AIP Conference Proceedings 1868, 050017 (2017); https://doi.org/10.1063/1.4995144

SHOW ABSTRACT

Mathematical thinking styles of undergraduate students and their achievement in mathematics

Risnanosanti

AIP Conference Proceedings 1868, 050018 (2017); https://doi.org/10.1063/1.4995145

SHOW ABSTRACT

:

Free . August 2017

Mathematical literacy skills of students' in term of gender differences Siti Lailiyah

AIP Conference Proceedings 1868, 050019 (2017); https://doi.org/10.1063/1.4995146

SHOW ABSTRACT

:

Free . August 2017

Indonesian pre-service teachers learning motivations and goal achievements: A qualitative study

Tian Abdul Aziz, Yoppy Wahyu Purnomo and Puri Pramudiani

AIP Conference Proceedings 1868, 050020 (2017); https://doi.org/10.1063/1.4995147

SHOW ABSTRACT

:

Free . August 2017

Fractions division knowledge of elementary school student: The case of Lala

Yoppy Wahyu Purnomo, Chairunnisa Widowati, Tian Abdul Aziz and Puri Pramudiani

AIP Conference Proceedings 1868, 050021 (2017); https://doi.org/10.1063/1.4995148

Developing learning trajectory on the circumference of a cycle with realistic mathematics education (RME)

Novi Indriani and Hongki Julie

AIP Conference Proceedings 1868, 050022 (2017); https://doi.org/10.1063/1.4995149

SHOW ABSTRACT

:

:

Free . August 2017

The first cycle of the reflective pedagogical paradigm implementation in the introduction probability theory course

Hongki Julie

AIP Conference Proceedings 1868, 050023 (2017); https://doi.org/10.1063/1.4995150

SHOW ABSTRACT

Free . August 2017

Science, technology, engineering, mathematics (STEM) as mathematics learning approach in 21st century

Naila Milaturrahmah, Mardiyana and Ikrar Pramudya

AIP Conference Proceedings 1868, 050024 (2017); https://doi.org/10.1063/1.4995151

SHOW ABSTRACT

:

Free . August 2017

Mathematical disposition of junior high school students viewed from learning styles

Arief Karunia Putra, Budiyono and Isnandar Slamet

The students' ability in the mathematical literacy for uncertainty problems on the PISA adaptation test

Hongki Julie, Febi Sanjaya and Ant. Yudhi Anggoro

AIP Conference Proceedings 1868, 050026 (2017); https://doi.org/10.1063/1.4995153

SHOW ABSTRACT

Free . August 2017

The difficulties of Indonesian fourth graders in learning fractions: An early exploration of TIMSS 2015 results

Ariyadi Wijaya

AIP Conference Proceedings 1868, 050027 (2017); https://doi.org/10.1063/1.4995154

SHOW ABSTRACT

Free . August 2017

Effectiveness of discovery learning model on mathematical problem solving

Yunita Herdiana, Wahyudin and Ririn Sispiyati

AIP Conference Proceedings 1868, 050028 (2017); https://doi.org/10.1063/1.4995155

SHOW ABSTRACT

:

Free . August 2017

BROWSE VOLUMES

:

:

Septiani Yugni Maudy, Didi Suryadi and Endang Mulyana

AIP Conference Proceedings 1868, 050029 (2017); https://doi.org/10.1063/1.4995156

SHOW ABSTRACT

Free . August 2017

The application of brain-based learning principles aided by GeoGebra to improve mathematical representation ability

Nanang Priatna

AIP Conference Proceedings 1868, 050030 (2017); https://doi.org/10.1063/1.4995157

SHOW ABSTRACT

Free . August 2017

Pre-service mathematics teachers' attitudes towards learning English: A case study in Yogyakarta

Wahyu Setyaningrum

AIP Conference Proceedings 1868, 050031 (2017); https://doi.org/10.1063/1.4995158

SHOW ABSTRACT

Free . August 2017

Measuring and factors influencing mathematics teachers' technological pedagogical and content knowledge (TPACK) in three southernmost provinces, Thailand

Lilla Adulyasas

AIP Conference Proceedings 1868, 050032 (2017); https://doi.org/10.1063/1.4995159

SHOW ABSTRACT

:

:

| Free . August 2017 |
|---|
| Analysis of junior high school students' attempt to solve a linear |
| inequality problem |
| Muhammad Taqiyuddin, Encum Sumiaty and Al Jupri |
| AIP Conference Proceedings 1868 , 050033 (2017); https://doi.org/10.1063/1.4995160 |
| |
| SHOW ABSTRACT |

SHOW ABSTRACT

The development of AR book for computer learning

Muneeroh Phadung, Najela Wani and Nur-aiynee Tongmnee

AIP Conference Proceedings 1868, 050034 (2017); https://doi.org/10.1063/1.4995161

SHOW ABSTRACT

Free . August 2017

Exploration the conception of prospective students teacher about limit of function

Usman, Dwi Juniati and Tatag Yuli Eko Siswono

AIP Conference Proceedings 1868, 050035 (2017); https://doi.org/10.1063/1.4995162

SHOW ABSTRACT

:

:

Free . August 2017

Mathematics teachers' beliefs about scientific approach (SA) and implementation in mathematics learning

Ahmad Abdul Mutholib, Imam Sujadi and Sri Subanti

AIP Conference Proceedings 1868, 050036 (2017); https://doi.org/10.1063/1.4995163

The development of a valid discovery-based learning module to improve students' mathematical connection

Erna Kuneni, Mardiyana and Ikrar Pramudya

AIP Conference Proceedings 1868, 050037 (2017); https://doi.org/10.1063/1.4995164

SHOW ABSTRACT

:

PHYSICS

Free . August 2017

The chemical bonds effect of *Amaranthus hybridus L.* and *Dracaena Angustifolia* on TiO_2 as photo-sensitizer for *dye-sensitized solar Cells* (DSSC)

A. H. Ahliha, F. Nurosyid and A. Supriyanto

AIP Conference Proceedings 1868, 060001 (2017); https://doi.org/10.1063/1.4995165

SHOW ABSTRACT

:

Free . August 2017

Effect of carbon black on thermal properties of charcoal and salacca leafstalk briquettes

Chewa Thassana and Witoon Nuleg

AIP Conference Proceedings 1868, 060002 (2017); https://doi.org/10.1063/1.4995166

SHOW ABSTRACT

| The electronic structure of ultrathin [111]-oriented tin nanowire with |
|---|
| hydrogen passivation |
| Elisabeth Pratidhina Founda Noviani |
| AIP Conference Proceedings 1868 , 060003 (2017); https://doi.org/10.1063/1.4995167 |
| |

SHOW ABSTRACT

The effect of RF-DC plasma N_2 - H_2 in the selective hardening process for micro-patterned AISI420

Hengky Herdianto, D. J. Djoko H. Santjojo and Masruroh

AIP Conference Proceedings 1868, 060004 (2017); https://doi.org/10.1063/1.4995168

SHOW ABSTRACT

Free . August 2017

The solution of D-dimensional Schrodinger equation for potential $V(r)=ar^2+br+cr^{-1}+dr^{-2}+er^{-3}+fr^{-4}$ by using Ansatz method

Kristiana Nathalia Wea, A. Suparmi, C. Cari and Wahyulianti

AIP Conference Proceedings 1868, 060005 (2017); https://doi.org/10.1063/1.4995169

SHOW ABSTRACT

:

:

:

Free . August 2017

Fabrication and characterization planar waveguides of Na^+-Ag^+/K^+ by ion exchange and prism coupler

Muchlas Yulianto, Ahmad Marzuki and Venty Suryanti

AIP Conference Proceedings 1868, 060006 (2017); https://doi.org/10.1063/1.4995170

Study of variation of materials patients room's door related of neutron flux iradiation

Yuliana Dian Nirmalasari, A. Suparmi and Y. Sardjono

AIP Conference Proceedings 1868, 060007 (2017); https://doi.org/10.1063/1.4995171

SHOW ABSTRACT

Free . August 2017

Compositional effect investigation by addition PEG, PEO plasticiser of LiBOB based solid polymer electrolyte for lithium ion batteries

Qolby Sabrina and Christin Rina Ratri

AIP Conference Proceedings 1868, 060008 (2017); https://doi.org/10.1063/1.4995172

SHOW ABSTRACT

Free . August 2017

Effect of calcination temperature on phase transformation and crystallite size of copper oxide (CuO) powders

Ratnawulan, Ahmad Fauzi and Sukma Hayati AE

AIP Conference Proceedings 1868, 060009 (2017); https://doi.org/10.1063/1.4995173

SHOW ABSTRACT

:

:

:

Free . August 2017

The increased of photovoltaic dye-sensitized solar cell (DSSC) efficiency using nanocomposite ZnO/TiO₂ with natural dye leaves of grass jelly (*Cyclea barbata*)

T Y Sentiawan S Sumardiasih W M Obina A Suprivanto Khairuddin and C Cari

BROWSE VOLUMES

SHOW ABSTRACT

Free . August 2017

Construction of solvable potential partner of generalized Hulthen potential in D-dimensional Schrödinger equation

Wahyulianti, A. Suparmi, C. Cari and Kristiana N. Wea

AIP Conference Proceedings 1868, 060011 (2017); https://doi.org/10.1063/1.4995175

SHOW ABSTRACT

Free . August 2017

Period change of a contact binary system RW Comae Berenices

Wiraporn Maithong and Parinda Phao-ai

AIP Conference Proceedings 1868, 060012 (2017); https://doi.org/10.1063/1.4995176

SHOW ABSTRACT

PHYSICS EDUCATION

Free . August 2017

Enhancing pre-service physics teachers' creative thinking skills through HOT lab design

Adam Malik, Agus Setiawan, Andi Suhandi and Anna Permanasari

AIP Conference Proceedings 1868, 070001 (2017); https://doi.org/10.1063/1.4995177

SHOW ABSTRACT

:

:

:

Development of a testlet generator in re-engineering the Indonesian physics national-exams

Budi Naini Mindyarto, Djemari Mardapi and Bastari

AIP Conference Proceedings 1868, 070002 (2017); https://doi.org/10.1063/1.4995178

SHOW ABSTRACT

:

:

Free . August 2017

Problem solving based learning model with multiple representations to improve student's *mental modelling ability* on physics

Hasnawati Haili, Johar Maknun and Parsaoran Siahaan

AIP Conference Proceedings 1868, 070004 (2017); https://doi.org/10.1063/1.4995180

SHOW ABSTRACT

Free . August 2017

Android-assisted physics mobile learning to improve senior high school students' divergent thinking skills and physics HOTS

Nana Mardiana and Heru Kuswanto

AIP Conference Proceedings 1868, 070005 (2017); https://doi.org/10.1063/1.4995181

SHOW ABSTRACT

:

Free . August 2017

The effectiveness of physics learning material based on South Kalimantan local wisdom

Sri Hartini, Misbah, Helda and Dewi Dewantara

AIP Conference Proceedings 1868, 070006 (2017); https://doi.org/10.1063/1.4995182

Effect of science magic applied in interactive lecture demonstrations on conceptual understanding

Muhammad Taufiq, Andi Suhandi and Winny Liliawati

AIP Conference Proceedings 1868, 070007 (2017); https://doi.org/10.1063/1.4995183

SHOW ABSTRACT

:

:

Free . August 2017

The analysis of senior high school students' physics HOTS in Bantul District measured using PhysReMChoTHOTS

Edi Istiyono

AIP Conference Proceedings 1868, 070008 (2017); https://doi.org/10.1063/1.4995184

SHOW ABSTRACT

NATURAL SCIENCE EDUCATION

Free . August 2017

The effectivenes of science domain-based science learning integrated with local potency

Arifah Putri Kurniawati, Zuhdan Kun Prasetyo, Insih Wilujeng and I. Gusti Putu Suryadarma

AIP Conference Proceedings 1868, 080001 (2017); https://doi.org/10.1063/1.4995185

SHOW ABSTRACT

| Fostering a student's skill for analyzing test items through an authentic task Beni Setiawan and Wahyu Budi Sabtiawan AIP Conference Proceedings 1868, 080002 (2017); https://doi.org/10.1063/1.4995186 | |
|---|---|
| SHOW ABSTRACT | : |
| Free . August 2017 | |

Developing evaluation instrument based on CIPP models on the implementation of portfolio assessment

Feni Kurnia, Dadan Rosana and Supahar

AIP Conference Proceedings 1868, 080003 (2017); https://doi.org/10.1063/1.4995187

SHOW ABSTRACT

Free . August 2017

Exploring spiritual value in earth science concept through learning using chain till unanswered questions

Henny Johan, Andi Suhandi, Ahmad Samsudin and Ana Ratna Wulan

AIP Conference Proceedings 1868, 080004 (2017); https://doi.org/10.1063/1.4995188

SHOW ABSTRACT

:

:

Free . August 2017

Science learning based on local potential: Overview of the nature of science (NoS) achieved

Insih Wilujeng, Zuhdan Kun P. and IGP. Suryadarma

AIP Conference Proceedings 1868, 080005 (2017); https://doi.org/10.1063/1.4995189

Development of the evaluation instrument use CIPP on the implementation of project assessment topic optik

Jati Aurum Asfaroh, Dadan Rosana and Supahar

AIP Conference Proceedings 1868, 080006 (2017); https://doi.org/10.1063/1.4995190

SHOW ABSTRACT

:

:

:

Free . August 2017

Validity of "Hi_Science" as instructional media based-android refer to experiential learning model

Qamariah, Jumadi, Senam and Insih Wilujeng

AIP Conference Proceedings 1868, 080007 (2017); https://doi.org/10.1063/1.4995191

SHOW ABSTRACT

Free . August 2017

The effect of science learning integrated with local potential to improve science process skills

Riris Riezqia Budy Rahardini, I. Gusti Putu Suryadarma and Insih Wilujeng

AIP Conference Proceedings 1868, 080008 (2017); https://doi.org/10.1063/1.4995192

SHOW ABSTRACT

BIOLOGY

Free . August 2017

Physical and chemical pretreatment of lignocellulosics in pineapple

Adulsman Sukkaew, Panthip Boonsong, Sriubol Thongpradistha and Maimoon Intan

AIP Conference Proceedings 1868, 090001 (2017); https://doi.org/10.1063/1.4995193

SHOW ABSTRACT

Free . August 2017

Rice straw addition as sawdust substitution in oyster mushroom (*Pleurotus ostreatus*) planted media

Christine Pamardining Utami and Puspita Ratna Susilawati

AIP Conference Proceedings 1868, 090002 (2017); https://doi.org/10.1063/1.4995194

SHOW ABSTRACT

Free . August 2017

Increasing the minimum age of marriage program to improve maternal and child health in Indonesia

Anjarwati

AIP Conference Proceedings 1868, 090003 (2017); https://doi.org/10.1063/1.4995195

SHOW ABSTRACT

Free . August 2017

The effect of habitat modification on plant-pollinator network

Tien Aminatun and Nugroho Susetya Putra

AIP Conference Proceedings 1868, 090004 (2017); https://doi.org/10.1063/1.4995196

SHOW ABSTRACT

:

:

Mangrove diversity in the Serewe Gulf of Lombok Island West Nusa

Tenggara

Irwansah, Sugiyarto and Edwi Mahajoeno

AIP Conference Proceedings 1868, 090005 (2017); https://doi.org/10.1063/1.4995197

SHOW ABSTRACT

Free . August 2017

Oxidative stress responses in gills of tilapia (*Oreochromis niloticus*) at different salinities

Kiki Syaputri Handayani, Zahra Novianty, Miftahul Rohmah Saputri, Bambang Irawan and Agoes Soegianto

AIP Conference Proceedings 1868, 090006 (2017); https://doi.org/10.1063/1.4995198

SHOW ABSTRACT

Free . August 2017

Effect of leaf extract buasbuas (*Premna pubescens* Blume) for against of bacteria growth *Staphylococcus aureus* and *Salmonella sp* in vitro

Martina Restuati, Nanda Pratiwi and Gita Widiyastuti

AIP Conference Proceedings 1868, 090007 (2017); https://doi.org/10.1063/1.4995199

SHOW ABSTRACT

:

:

:

Free . August 2017

Haematological profile of rats (*Rattus norvegicus*) induced BCG and provided leaf extract of *Plectranthus amboinicus* Lour Spreng)

Melva Silitonga and Pasar M. Silitonga

AIP Conference Proceedings 1868, 090008 (2017); https://doi.org/10.1063/1.4995200

Vaginal delivery to reduce the risk of hypothermia to newborn

Nuli Nuryanti Zulala, Mei Neni Sitaresmi and Sulistyaningsih

AIP Conference Proceedings 1868, 090009 (2017); https://doi.org/10.1063/1.4995201

SHOW ABSTRACT

Free . August 2017

Kenikir leaves (*C. caudatus*) extract antibacterial test toward the growth of *Staphylococcus aureus in-vitro*

Theresia Astutiningrum and Y. M. Lauda Feroniasanti

AIP Conference Proceedings 1868, 090010 (2017); https://doi.org/10.1063/1.4995202

SHOW ABSTRACT

Free . August 2017

Female commercial sex worker perspective on susceptibility of HIV-AIDS in Yogyakarta

Nurul Mahmudah, Djaswadi Dasuki and Herlin Fitriani Kurniawati

AIP Conference Proceedings 1868, 090011 (2017); https://doi.org/10.1063/1.4995203

SHOW ABSTRACT

:

Free . August 2017

Comparative microanatomical structure of gills and skin of remainers and skippers from Gunung Kidul intertidal zone

Rizka Apriani Putri and Sukiya

:

Effect of sucrose, erythrose-4-phosphate and phenylalanine on biomassa and flavonoid content of callus culture from leaves of *Gynura procumbens* Merr.

Aryana Nurisa, Alfinda Novi Kristanti and Yosephine Sri Wulan Manuhara

AIP Conference Proceedings 1868, 090013 (2017); https://doi.org/10.1063/1.4995205

SHOW ABSTRACT

:

Free . August 2017

Microbiological quality of cooked foods and drinks sold in higher educational institutions around Yala, Pattani, and Narathiwat Provinces, Southern Thailand

Abdullah D. Dalee, Khosiya Sali, Nurainee Hayeeyusoh, Zubaidah Hayeewangoh and Amporn Thadah

AIP Conference Proceedings 1868, 090014 (2017); https://doi.org/10.1063/1.4995206

SHOW ABSTRACT

Free . August 2017

Screening and characterization of phosphate solubilizing bacteria from isolate of thermophilic bacteria

Evy Yulianti and Anna Rakhmawati

AIP Conference Proceedings 1868, 090015 (2017); https://doi.org/10.1063/1.4995207

SHOW ABSTRACT

Value-added of used cooking oil using noni (*Morinda citrofilia)* extract and bagasse

:

:

:

Sri Rahayu and Supriyatin

AIP Conference Proceedings 1868, 090016 (2017); https://doi.org/10.1063/1.4995208

SHOW ABSTRACT

Free . August 2017

The presence of cicada family noise in Javanese and Balinese Pranatamangsa calendar calculation an ethnoecological approach

I. G. P. Suryadarma and Rio Christy Handziko

AIP Conference Proceedings 1868, 090017 (2017); https://doi.org/10.1063/1.4995209

SHOW ABSTRACT

Free . August 2017

Ethnobotany of utilization, role, and philosopical meaning of parijoto (*Medinilla*, spp) on Mount Muria in Kudus Regency, Central Java

Alima Saida Hanum, Erma Prihastanti and Jumari

AIP Conference Proceedings 1868, 090018 (2017); https://doi.org/10.1063/1.4995210

SHOW ABSTRACT

BIOLOGY EDUCATION

Free . August 2017

Teachers' opinion about learning continuum based on student's level of competence and specific pedagogical material in classification Aldina Eka Andriani and Bambang Subali

AIP Conference Proceedings 1868, 100001 (2017); https://doi.org/10.1063/1.4995211

SHOW ABSTRACT

Free . August 2017

Teacher's opinion about learning continuum of genetics based on student's level of competence

Etika Juniati and Bambang Subali

AIP Conference Proceedings 1868, 100002 (2017); https://doi.org/10.1063/1.4995212

SHOW ABSTRACT

Free . August 2017

The learning continuum of ecology based on teachers' opinion about student's level of competence and specific pedagogical learning material

Indah Cahaya Pramesti and Bambang Subali

AIP Conference Proceedings 1868, 100003 (2017); https://doi.org/10.1063/1.4995213

SHOW ABSTRACT

Free . August 2017

Shaping scientific attitude of biology education students through research-based teaching

Firdaus and Darmadi

AIP Conference Proceedings 1868, 100004 (2017); https://doi.org/10.1063/1.4995214

SHOW ABSTRACT

:

:

:

Free . August 2017

Teacher's opinions about learning continuum based on the student's level of competence and specific pedagogical materials on anatomical aspects

Laili Dwi Astuti and Bambang Subali

AIP Conference Proceedings 1868, 100005 (2017); https://doi.org/10.1063/1.4995215

SHOW ABSTRACT

:

Free . August 2017

The learning continuum based on student's level of competence and specific pedagogical learning material on physiological aspects from teachers's opinions

Ria Fitriyani Hadi and Bambang Subali

AIP Conference Proceedings 1868, 100006 (2017); https://doi.org/10.1063/1.4995216

SHOW ABSTRACT

Free . August 2017

Local wisdom of Ngata Toro community in utilizing forest resources as a learning source of biology

Yuliana, Siti Sriyati and Yayan Sanjaya

AIP Conference Proceedings 1868, 100007 (2017); https://doi.org/10.1063/1.4995217

SHOW ABSTRACT

:

:

Free . August 2017

A reflection on the implementation of a new curriculum in Indonesia: A crucial problem on school readiness

Slamet Suyanto

SHOW ABSTRACT

Free . August 2017

The impact of ecolabel knowledge to purchase decision of green producton biology students

Diana Vivanti Sigit, Rizky Fauziah and Erna Heryanti

AIP Conference Proceedings 1868, 100009 (2017); https://doi.org/10.1063/1.4995219

SHOW ABSTRACT

Resources

AUTHOR

LIBRARIAN

ADVERTISER

General Information

ABOUT

CONTACT

HELP

:

:

PRIVACY POLICY

TERMS OF USE

FOLLOW AIP PUBLISHING:



Website © 2020 AIP Publishing LLC. Article copyright remains as specified within the article.

Scitation



Scimago Journal & Country Rank Enter Journal Title, ISSN or Publisher Name

Home

Journal Rankings

Country Rankings

ankings Viz Tools

About Us

Help

AIP Conference Proceedings

| Country | United States - IIII SIR Ranking of United States 600 |
|------------------------------|--|
| Subject Area and Category | Physics and Astronomy Physics and Astronomy (miscellaneous) |
| Publisher | H Index |
| Publication type | Conferences and Proceedings |
| ISSN | 00001984, 00002005, 00001983 |
| Coverage | 1983-1984, 2005-ongoing |
| Scope | Today, AIP Conference Proceedings contain over 100,000 articles published in 1700+ proceedings and is growing by 100 volumes every year. This substantial body of scientific literature is testament to our 40-year history as a world-class publishing partner, recognized internationally and trusted by conference organizers worldwide. Whether you are planning a small specialist workshop or organizing the largest international conference, contact us, or read these testimonials, to find out why so many organizers publish with AIP Conference Proceedings. |
| ? | Homepage |
| | How to publish in this journal |
| | Contact |
| | igodot Join the conversation about this journal |



Citations per document

+



M mohammed 2 weeks ago

Is the (AIP Conference Proceeding) out of Scopes because I tried to search for it in Scopes and I did not find it Please answer me

reply

Effect of sucrose, erythrose-4-phosphate and phenylalanine on biomassa and flavonoid content of callus culture from leaves of Gynura procumbens Merr.

Aryana Nurisa, Alfinda Novi Kristanti, and Yosephine Sri Wulan Manuhara

Citation: AIP Conference Proceedings **1868**, 090013 (2017); View online: https://doi.org/10.1063/1.4995205 View Table of Contents: http://aip.scitation.org/toc/apc/1868/1 Published by the American Institute of Physics

Articles you may be interested in

Organic template free synthesis of ZSM-5 from calcinated Indonesian kaolin AIP Conference Proceedings **1888**, 020024 (2017); 10.1063/1.5004301

Effect of Sucrose, Erythrose-4-Phosphate and Phenylalanine on Biomassa and Flavonoid Content of Callus Culture from Leaves of *Gynura procumbens* Merr.

Aryana Nurisa¹, Alfinda Novi Kristanti², Yosephine Sri Wulan Manuhara^{1a)}

¹Biology Department, Faculty of Science and Technology, Airlangga University, Kampus C Unair Mulyorejo, Surabaya 60115, Indonesia

²Chemistry Department, Faculty of Science and Technology, Airlangga University, Kampus C Unair Mulyorejo, Surabaya 60115, Indonesia

^{a)}Corresponding author: <u>wulanmanuhara@gmail.com</u>

Abstract. The aims of this study were to know the effect of concentration of sucrose, erythrose-4-phosphate and phenylalanine on biomass and flavonoid content of callus cultures from leaves of sambung nyawa (*Gynura procumbens* Merr.). This study was experimental research with complete randomized design. Callus induction was treated in MS medium supplemented with NAA 2 mg/L, BAP 1 mg/L and sucrose concentration (10 g/L, 30 g/L and 50 g/L) respectively were combined with erythrose-4-phosphate (0 μ M, 2,5 μ M and 5 μ M) and phenylalanine (0 mg/L, 2 mg/L and 3 mg/L), each treatment were repeated four times. After six weeks of culture, fresh and dry weight of calli were measured and extracted with ethanol absolut. Crude extract ethanolic of callus was analyzed used by a modified colorimetric with spectrophotometer method. The best yield of calli biomass (0,672 ± 0,112 gram of fresh weight and 0,033 ± 0,009 gram of dry weight) was obtained in treatment of 30 g/L sucrose of and 5 μ M erythrose-4-phosphate. The highest total flavonoid content was obtained of calli treated with 30 g/L of sucrose and 3 mg/L of phenylalanine (3633,4 ppm quercetin/gram dry weight and 15777,8 ppm kaempferol/gram dry weight).

INTRODUCTION

G. procumbens are known as traditional medicine plants in Indonesia, Malaysia, Thailand and other South East Asian countries [1]. People use *G. procumbens* leaves as a cure for diabetes, hypertension, urinary tract infection, and could also be used as anti-inflammatories and anti-allergies [2]. Based on the research conducted by Rosidah *et al.* [3], *G. procumbens* leaf extracts contain a flavonoid type compound, which is kaempferol-3-O-rutinoside and astragalin. The flavonoid compounds act as anti-allergy, antivirus, antitumor, anti-oxidants, anti-inflammations [4], anticancer [5] and anti-bacterias [6].

The use of *G. procumbens* plants *in vitro* is to obtain flavonoid compound, which has not much been implemented. The agriculture *in vitro* towards these plants are related with the effort of increasing the sprouts using stem nodes as inducted explants, forming axillary branches in MS-media (Murashige dan Skoog) with the addition of BA (benzyladenine) and NAA (naphtalene acetic acid) growth substance regulator [2]. However, the use of *G. procumbens* leafs as callus culture explants in order to obtain a secondary metabolite compound have not yet been researched.

The increase of flavonoid compounds in these plants have relations with the variety of precursors and compounds towards their biosynthesis. Flavonoid biosynthesis can be undertaken through two pathways, one is the shikimate pathway, and the other is the malonate acid pathway. Both of these biosynthesis play the role in determining the carbon flavonoid framework [7].

The 4th International Conference on Research, Implementation, and Education of Mathematics and Science (4th ICRIEMS) AIP Conf. Proc. 1868, 090013-1–090013-8; doi: 10.1063/1.4995205 Published by AIP Publishing. 978-0-7354-1548-5/\$30.00 The sikhimate pathway is the biosynthesis pathway for a variety of secondary metabollite compounds other than flavonoid, such as phenolates, lignins, lignans and stilbenes [8]. The primary stage in sikhimate pathway is condensing erythrose-4-phosphate obtained from pentose phosphate pathway, where subsequently it will form three aromatic amino acids, which are tryptophan, tyrosine and phenylalanine. Based on these facts, the erythrose-4-phosphate is a precursor for the sikhimate pathway which will produce flavonoid [9]. In this research, erythrose-4-phosphate was used as a precursor in order to increase the flavonoid on callus. Besides, the phenylalanine was also an aromatic amino acid, where in this research, it was used to increase the callus flavonoid level from *G. procumbens* Merr. Phenylalanines are mostly used in the effort to increase the flavonoid *in vitro*, such as in the research on *Hydrocotyle bonariensis* callus culture [10].

Sucrose is the main source of carbon on culture media which, besides from functioning to induct the cell growth so that the callus biomass increases, it also helps the molecule signals to stimulate the genetic expressions in coding the enzymes involved in isoflavonoid biosynthesis [11]. This research is aimed to investigate the effects of varied sucrose erythrose-4-phosphate and phenylalanine concentrations on production of biomass and falavonoid content of callus culture of *G. procumbens* from leaf explants.

METHODS

Preparing The Media

The culture media was MS-media (Murashige and Skoog) which contained 0,8% of agar, 2 mg/L of NAA and 1 mg/L of BAP. The amount of sucrose concentration variation added to the media was 10 g/L, 30 g/L and 50 g/L. Furthemore, the media treatment being applied was by combining each of the sucrose concentrations (10 g/L, 30 g/L and 50 g/L) with concentrations of erythrose-4-phosphate (0 μ M, 2,5 μ M dan 5 μ M) and other media, which was done by combining the sucrose and phenylalanine (0 mg/L, 2 mg/L dan 3 mg/L). Adding erythrose-4-phosphate and phenylalanine onto the media was done inside the Laminar Air Flow (LAF) because the media would not be able to withstand the high temperature given by the autoclave.

Callus Culture

G. procumbens Merr. were obtained from Kayon Market and cultivated independently by stem cuttings. The leaf used was the third, fourth and fifth leaf counted from the top end of the stem. Just before the cultivation process is started, the leaves are picked and washed with detergents and subsequently rinsed three times. Inside the LAF, the leafs are sterilized using 20% clorox (v/v) for 7 minutes and rinsed 3 times, with sterilized demineralized water. The leaves are drained on a filter paper and cut right in the middle where the leaf bone is, therefore obtaining leaf explants with an area of $\pm 1 \text{ cm}^2$. The leaf explants are then ready to be planted on the prepared MS-media. Leaf explants were cultivated in incubation room at $25 \pm 3^{\circ}$ C with white neon lighting. After 6 weeks of cultivation period, *G. procumbens* leaves are then ready to be harvested.

Harvesting was done by separating the callus from the explants and weighing the fresh weight of the callus using an analytic scale. Next, the callus are then wrapped with aluminium foil and stored in an oven at 60 °C until the callus are dried and have a constant mass.

Determining the Total Flavonoid Contents

Dried callus are weighed (0.05 g) and crushed using mortar until they become a fine powder. Next, the fine powder was extracted using a 5 mL of absolute ethanol. The extraction process was done under a water bath at 60° C for 5 minutes in which then it is filtered with filter paper. The extract was concentrated until it reached a volume of 2 mL. Extractions were also done on dried *G. procumbens* leaves using the same method as the callus extraction. This was carried out in order to compare the compounds contained in the plants and callus.

Before obtaining the total flavonoid contents from total callus samples, the quercetin and kaempferol curves have to be determined beforehand. The total flavonoid contents were measured using modified colorimetry method [12]. The callus ethanol extracts from each varied concentration treatments of sucrose, erythrose-4-phosphate and phenylalanine were each taken by 0,25 mL, added into 1,25 mL of demineralized water and 75 μ L of 5% sodium

nitrate solution, and dissolved for 6 minutes. Then, 0,5 mL of NaOH 1 M and demineralized water were added into the solution until it reached a volume of 2,5 mL. The absorbance value was obtained using UV-Vis spectrophotometer at 510 nm wavelength. The blanks used were absolute ethanol. The absorbance values obtained were counted using linear regression equations based on the standard quercetin and kaempferol curves, therefore obtaining the total flavonoid contents from the samples.

Statistic Analysis

Each treatments were repeated four times. The obtained callus fresh and dry weights significance were retrieved based on the multivariate analysis using SPSS 17 software. On the other hand, in order to gain the significant difference from each of the treatments, Duncan Test was used. The total flavonoid contents were analyzed descriptively.


RESULTS AND DISCUSSION

Effects of Sucrose and Erythrose-4-Phosphate on Callus Biomass

Treatment of combined 30 g/L sucrose and 5 μ M erythrose-4-phosphate gave an highest average of fresh and dry weights of each 0,672 grams and 0,033 grams respectively. And on the other hand, the lowest both fresh and dry weights resulted from the treatment of combined 10 g/L sucrose and 5 μ M erythrose-4-phosphate, with each 0,286 grams and 0,013 grams respectively (see Figure 1).

In this research, the right concentration combination of sucrose and erythrose-4-phosphate was capable of increasing the callus biomass. Combinations of 30 g/L of sucrose and 2,5 μ M of erythrose-4-phosphate, and 30 g/L of sucrose and 5 μ M of erythrose-4-phosphate, both were able to yield in higher biomass compared to 30 g/L of sucrose without an addition erythrose-4-phosphate. Meanwhile, 50 g/L of sucrose combined with erythrose-4-phosphate was precisely adequate of producing lower biomass compared to a single 50 g/L of sucrose. This suggests that a 30 g/L concentration of sucrose was the right amount of concentration to be mixed with erythrose-4-phosphate in comparison to a 50 g/L sucrose concentration.

Direct interactions of the phenanthroline and the manganese salt in solution produced a yellowish cationic complex which could be precipitated on the addition of triflate anions. The electrical equivalent conductance of this complex was recorded with respect to the known ionic simple compounds in aqueous solution, and the result is shown in Table 1. It suggests that the corresponding value is in the range of ionic compounds with three ions per molecule, and thus the possible empirical formula of $[Mn(phen)_n](CF_3SO_3)_2 \cdot xH_2O$ is then proposed for this complex.



Varied concentration of sucrose and erythrose-4-phosphate

FIGURE 1. The average fresh and dry weights of callus in varied concentration of sucrose and erythrose 4-P. Different letters show that there is a significant difference based on the Duncan Test with $\alpha = 0.05$.


In this research, efforts of increasing the biomass and flavonoid contents in *G. procumbens* callus using a combined concentrations of sucrose and erythrose-4-phosphate and sucrose and phenylalanine have been executed. The effects of erythrose-4-phosphate mechanisms towards callus biomass have not yet been able to be explained. The callus biomass increase is obviously started with the process of dividing the cells. Cells splitting was also implemented during the process of plant buds cultivation. The research carried out by Beaudoin-Eagan dan Thorpe [14] demonstrated that there were activities of sikhimate pathways that were involved during the whole bud initiation in tobacco callus cultivation (*Nicotiana tabacum* L.).

Throughout the bud initiation process in tobacco callus, it was found that there were enzymes that had crucial roles, which are kinase sikhimate, chorismate mutase, and anthranilic kinase [14]. These enyzmes are produced from sikhimate pathway which needed erythrose-4-phosphate as precursors [15]. Sikhimate kinase is an enzyme that contributes to producing ATP needed by plant cells as metabolism energy used for cell division and growing. By doing so, erythrose-4-phosphate also have an impact in forming and increasing the callus cells mass. This research have verified this analysis, and it is shown by adding 5 μ M of erythrose 4-P, which emerged in the highest callus biomass.

Effects of Sucrose and Phenylalanine on Callus Biomass

Based on observations, the best average fresh and dry weights were derived from a concentration of 50 g/L of sucrose and 3 mg/L of phenylalanine, where each have a weight of 0,527 grams and 0,026 grams respectively. And at the same time, the lowest average was given by concentration treatment of 30 g/L of sucrose combined with 2 mg/L of phenylalanine, with combined fresh and dry weight of 0,147 grams and 0,010 grams respectively (see Figure 2).

Out of all the sucrose and phenylalanine combination treatments, the highest callus biomass was gathered from a combination treatment of 50 g/L of sucrose with 3 mg/L of phenylalanine. This result was higher compared to the treatment of sucrose without adding phenylalanine. It was proven that the right amount of sucrose and phenylalanine concentration was able to increase the callus biomass. Due to this fact, the increase of callus biomass, besides from being affected by the amount of sucrose, it was also altered by the given presence of phenylalanine. However, a combined concentration of 30 g/L of sucrose and 5 μ M of erythrose-4-phosphate proceeded in the best callus biomass out of all the treatments. The addition of phenylalanine slowed down the callus growth, apart from the treatment of adding 50 g/L of sucrose and 3 mg/L of phenylalanine (shown on Figure 2).



Varied concentration of sucrose and phenylalanin

FIGURE 2. The average fresh and dry weights of callus in varied combined concentration of sucrose and phenylalanine. Different letters show that there is a significant difference based on the Duncan Test with $\alpha = 0.05$.

- S10F0 : sucrose 10 g/L, phenyalanine 0
- S30F0 : sucrose 30 g/L, phenyalanine 0
- S50F0 : sucrose 50 g/L, phenyalanine 0
- S10F2 : sucrose 10 g/L, phenyalanine 2 mg/L
- S30F2 : sucrose 30 g/L, phenyalanine 2 mg/L
- S50F2 : sucrose 50 g/L, phenyalanine 2 mg/L
- S10F3 : sucrose 10 g/L, phenyalanine 3 mg/L
- S30F3 : sucrose 30 g/L, phenyalanine 3 mg/L
- S50F3 : sucrose 50 g/L, phenyalanine 3 mg/L

Adding phenylalanine gave a better outcome compared to erythrose-4-phosphate in increasing the callus biomass. This can be interpreted through a couple of studies on the roles of phenylalanine in phytohormones biosynthesis. Phenylalanine together with ornithine is an amino acid that benefited on gibberellin biosynthesis, which is a plant hormone that have impacts on the growth and development of a plant [16]. Gibberellin is a hormone that has a crucial role in cell growth. The effects of gibberellin in increasing the stem elongation have been known since 1930 through the discovery of pathogen fungi *Gibberella fujikuroi*, where during this time, gibberellic acid caused uncontrollable stem elongation on rice [8]. Due to this finding, synthesized gibberellin which was carried out due the presence of phenylalanine caused so much uncontrollable callus cells growth that the cells mutated exponentially. The addition of sucrose in the research also benefited in increasing the callus biomass. Many researchers have known that sucrose is a main source of carbon for the plants network under the conditions of *in vitro*, mainly when the plants cells are still not yet able to perform photosynthesis [17]. The availability of sucrose on culture media could increase the cells growth because it can supply all the carbon sources needed in a variety of cell metabolism processes [18].

Effects of Sucrose, Erythrose-4-Phosphate, and Phenylalanine on Flavonoid Content

A sucrose concentration of 30 g/L without adding erythrose-4-phosphate was able to deliver the best total flavonoid content, which was 1966 ppm quercetin/grams of dry weight and 10222,2 ppm kaempferol/grams of fresh weight (Table 1). A 50 g/L of sucrose and 5 μ M of erythrose-4-phosphate concentration gave a lower total flavonoid compared to a 10 g/L of sucrose and 2,5 μ M of erythrose-4-phosphate concentration. In this research, it was confirmed that adding erythrose-4-phosphate was not able to increase the flavonoid contents in comparison to the addition of a single sucrose.

The use of erythrose-4-phosphate as a flavonoid biosynthensis precursor on *in vitro* cultivation have not been much done yet. Few researches used elicitors such as methyl jasmonate, on a concentration of 100 M, and was able to present the highest rosmarinic acid on *Ocimum sanctum* cell cultivation [13]. The use of precursors as well as elicitors was basically intended to induce the production increase of secondary metabolite compounds on plant cells through network cultivation techniques.

| Treatments | | Total flavonoid content | Total flavonoid content (ppm |
|---------------|----------------------------|---------------------------------------|-----------------------------------|
| Sucrose (g/L) | Erythrose-4-Phosphate (µM) | (ppm quercetin/gram of dry weight) | kaempferol/gram of dry weight) |
| 10 | 0 | 1433,4 | 8444,4 |
| 30 | 0 | 1966,6 | 10222,2 |
| 50 | 0 | 700 | 6000 |
| 10 | 2,5 | 1833,4 | 9777,8 |
| 30 | 2,5 | 900 | 6666,6 |
| 50 | 2,5 | 1300 | 8000 |
| 10 | 5 | 766,6 | 6222,2 |
| 30 | 5 | 1500 | 8666,6 |
| 50 | 5 | 900 | 6666,6 |
| Ex vitro | | 10100 | 37333,4 |

TABLE 1. The total flavonoid contents on varied combined concentrations of sucrose and erythrose-4-phosphate

The increase of flavonoid contents was also carried out using a variety of compounds that are capable of inducting flavonoid biosynthesis using phenylalanine aromatic amino acid. Based on Table 2, the highest total flavonoid contents produced by concentration treatment of 30 g/L of sucrose and 3 mg/L of phenylalanine, where both have a combined 3633,4 ppm quercetin/gram of dry weight and 15777,8 ppm kaempferol/gram of dry weight. The produced flavonoid contents using this type of treatment was proven to be twice as much when compared to the concentration treatment of 10 g/L sucrose and 2.5 μ M of erythrose-4-phosphate.

Other researches that used phenylalanine as a treatment to increase the secondary metabolite compound production was also implemented by Masoumian *et al.* [10], where the results suggested that 3 mg/L of phenylalanine concentration in a solid MS-media combined with a concentration of 3% sucrose was able to execute the highest *Hydrocotyle bonariensis* callus. Unfortunately, in this research the amount of quercetin and *G. procumbens* callus kaempferol were still lower in comparison to the amount of quercetin and kaempferol inside the leaves (ex vitro).

| Treatment | | Total flavonoid contents (ppm | Total flavonoid contents (ppm |
|---------------|----------------------|-------------------------------|-----------------------------------|
| Sucrose (g/L) | Phenylalanine (mg/L) | quercetin/gram of dry weight) | kaempferol/gram of dry weight) |
| 10 | 0 | 1433,4 | 8444,4 |
| 30 | 0 | 1966,6 | 10222,2 |
| 50 | 0 | 700 | 6000 |
| 10 | 2 | 2700 | 12666,6 |
| 30 | 2 | 366,6 | 4888,8 |
| 50 | 2 | 2833,4 | 1311,2 |
| 10 | 3 | 1700 | 9333,4 |
| 30 | 3 | 3633,4 | 15777,8 |
| 50 | 3 | 1500 | 8666,6 |
| | Ex Vitro | 10100 | 37333,4 |

TABLE 2. The total flavonoid contents on the varied combined concentrations of sucrose and phenylalanine

In terms of flavonoid contents, this research also presented that there were effects given by the combined concentrations of sucrose, erythrose-4-phosphate, and phenylalanine. The use erythrose-4-phosphate as a flavonoid biosynthesis precursor in *in vitro* cultivation have not yet much been done. The option of choosing to implement treatment towards erythrose-4-phosphate is based on the flavonoid biosynthesis concepts which also engaged the

aforementioned compound. Even so, the inclusion of single sucrose was proven as a better method in increasing the flavonoid contents compared to when combined with erythrose-4-phosphate.

Flavonoid was synthesized through the sikhimate pathway which needed erythrose-4-phosphate as a precursor [15]. Erythrose-4-phosphate was formed through primary metabolism which involved sucrose through pentose phosphate pathway [19]. It was predicted that the obtained erythrose-4-phosphate concentration through pentose phosphate pathway had a higher concentration in comparison to the treated erythrose-4-phosphate. This justified that sucrose had more impact towards the increase of total flavonoid contents in comparison to the addition of erythrose-4-phosphate. Sucrose also had effects in activating the enzymes that contributed in flavonoid biosynthesis in sikhimate pathway, and these enzymes are PAL (phenylalanine ammonia-lyase), CHS (chalcone synthase), CHI (chalcone isomerase) dan IFS (isoflavone synthase) [15].

Nonetheless, phenylalanine treatment gave the best reaction in increasing the callus flavonoid contents. The phenylalanine availability on culture media is a key for other enzyme activities due to its role as culture media for other enzyme activities since it contributes as a substrate for PAL enzyme. Adding phenylalanine will shortened the sikhimate pathway in flavonoid synthesis, therefore the end product is able to be manufactured faster and in higher quantity.

CONCLUSION

Based on the research taken, it can be said that concentration treatment of 30 g/L of sucrose added with 5 μ M of erythrose-4-phosphate concentration was able to increase the callus biomass in comparison to other treatments. However, applying erythrose-4-phosphate on the other hand decreased the flavonoid contents on callus. This was shown that by treating 30 g/L of sucrose without adding erythrose-4-phosphate was able to produce the highest flavonoid contents. By doing so, adding erythrose-4-phosphate decreased the callus flavonoid contents in *G. procumbens* Merr.

ACKNOWLEDGMENT

This research was supported by grant from Directorate of Research and Community Services, Ministry of Research, Technology, and Higher Education, Indonesia.

REFERENCES

- 1. Kaewseejan, N., D. Puangpronpitag and M. Nakornriab, *Asian Journal of Plant Sciences*. **11**, No. 2, 77-82, (2012).
- 2. Keng, C. L., L.S. Yee, and P.L. Pin, Journal of Medicinal Plants Research. 3 No. 3, 105-111, (2009).
- 3. Rosidah, M., F. Yam, A. Sadikun, M. Ahmad, G.A. Akowuah, and M.Z. Asmawi, *Journal of Ethnopharmacology*. **123** No. 2, 244–249, (2009).
- 4. Jin, J. H., H. Lim, S.Y. Kwon, K. H. Son and H. P. Kim, *Biomol. Ther.* 18 No. 2, 197-204, (2010).
- 5. Cibin, T. R., D.G. Devi, and A. Abraham, *Phytotherapy Research*. 24 No. 5, 666-672, (2010).
- 6. Naeem, I., Z. Saddiqie, A. Patel, and C. Hello, Asian Journal of Chemistry. 22 No. 5, 3596-3600, (2010).
- 7. Taiz, L. and E. Zeiger, *Plant Physiology* 3rd edition. Sinauer Associates. Sunderland, (2002).
- 8. Devies, P. J. and T.P. Sun, *Plant hormones: gibberellin signal transduction in stem elongation and leaf growth.* Kluer Academic. London (2004).
- 9. Ghasemzadeh, A., and N, Ghasemzadeh, Journal of Medicinal Plants Research, 5 No. 31, 6697-6703, (2011).
- 10. Masoumian, M., A. Arbakariya, A. Syahida, and M. Maziah, *Journal of Medicinal Plants Research*, **5** No. 9, 1564-1574, (2011).
- 11. Morkunas, I., M. Formela, S. Samardakiewicz, L. Marczak, W. Nowak, D. Narozna, W. Bednarski and A. K Maluski, *Molecules*, **19** No. 5, 13392-13421, (2014).
- 12. 12. Kaewseejan, N., V. Sutthikhum and S. Siriamornpun, *Journal of Functional Foods*, **12** No. 3, 120-128, (2015).
- 13. 13. Hakkim, F. L., S. Kalyani, M. Essa, S. Girija and H. Song, *International Journal of Biological and Medical Research*, **2** No. 4, 1070-1074, (2011).
- 14. 14. Beaudoin-Eagan, L. D. and T.A. Thorpe, *Plant Physiology*. 73 No. 2, 228-232, (1983).

- 15. Morkunas, I., D. Narozna, W. Nowak, S. Samardakiewicz and D. Remlein-Starosta, *Journal of Plant Physiology*, **168** No. 3, 424–433, (2011).
- 16. Waller, G.R. and E. Nawacke, Alkaloid Biology and metabolism in plants. Planum. Press. New York (1978)
- 17. Mazinga, K.M., G.J. Mario, L.L. Baboy, S.Y. Useni, K.L. Nyembo, L.M.E. Kasongo, and K.M.Van, J. Appl. Biosci., 73 No. 10, 5991–60001, (2014).
- 18. Heldt, H. W. 2005. Plant biochemistry third edition. Academic Press. USA.
- 19. Salisbury, R. B. and C.W. Ross, *Fisiologi Tumbuhan edisi kedua* (terjemahan: Lukman, D.R. dan Sumaryono). ITB Press. Bandung, 1995.