PAPER • OPEN ACCESS

The 1st International Conference of Combinatorics, Graph Theory, and Network Topology

To cite this article: 2018 *J. Phys.: Conf. Ser.* **1008** 011001

View the article online for updates and enhancements.

IOP ebooks™

Bringing you innovative digital publishing with leading voices to create your essential collection of books in STEM research.

Start exploring the collection - download the first chapter of every title for free.

The First International Conference on Combinatorics, Graph Theory and Network Topology (ICCGANT)

Dafik

Editor in Chief of ICCGANTs Publication, University of Jember, Jember, Indonesia

E-mail: `d.dafik@unej.ac.id`

Preface

It is with my great pleasure and honor to organize the First International Conference on Combinatorics, Graph Theory and Network Topology which is held from 25-26 November 2017 in the University of Jember, East Java, Indonesia and present a conference proceeding index by Scopus. It is the first international conference organized by CGANT Research Group University of Jember in cooperation with Indonesian Combinatorics Society (INACOBMS). The conference is held to welcome participants from many countries, with broad and diverse research interests of mathematics especially combinatorical study. The mission is to become an annual international forum in the future, where, civil society organization and representative, research students, academics and researchers, scholars, scientist, teachers and practitioners from all over the world could meet in and exchange an idea to share and to discuss theoretical and practical knowledge about mathematics and its applications. The aim of the first conference is to present and discuss the latest research that contributes to the sharing of new theoretical, methodological and empirical knowledge and a better understanding in the area mathematics, application of mathematics as well as mathematics education.

The themes of this conference are as follows: (1) Connection of distance to other graph properties, (2) Degree/diameter problem, (3) Distance-transitive and distance-regular graphs, (4) Metric dimension and related parameters, (5) Cages and eccentric graphs, (6) Cycles and factors in graphs, (7) Large graphs and digraphs, (8) Spectral Techniques in graph theory, (9) Ramsey numbers, (10) Dimensions of graphs, (11) Communication networks, (12) Coding theory, (13) Cryptography, (14) Rainbow connection, (15) Graph labelings and coloring, (16). Applications of graph theory

The topics are not limited to the above themes but they also include the mathematical application research of interest in general including mathematics education, such as:(1) Applied Mathematics and Modelling, (2) Applied Physics: Mathematical Physics, Biological Physics, Chemistry Physics,(3) Applied Engineering: Mathematical Engineering, Mechanical engineering, Informatics Engineering, Civil Engineering,(4) Statistics and Its Application,(5) Pure Mathematics (Analysis, Algebra and Geometry),(6) Mathematics Education, (7) Literacy of Mathematics,(8) The Use of ICT Based Media In Mathematics Teaching and Learning,(9) Technological, Pedagogical, Content Knowledge for Teaching Mathematics, (10) Students Higher Order Thinking Skill of Mathematics, (11) Contextual Teaching and Realistic Mathematics, (12) Science, Technology, Engineering, and Mathematics Approach, (13) Local Wisdom Based

Education: Ethnomathematics, (14) Showcase of Teaching and Learning of Mathematics, (16) The 21st Century Skills: The Integration of 4C Skill in Teaching Math.

The participants of this ICCGANT 2017 conference were 200 people consisting research students, academics and researchers, scholars, scientist, teachers and practitioners from many countries. The selected papers to be publish of Journal of Physics: Conference Series are 80 papers. On behalf of the organizing committee, finally we gratefully acknowledge the support from the University of Jember of this conference. We would also like to extend our thanks to all lovely participants who are joining this unforgettable and valuable event.

<div style="text-align: right">Prof. Drs. Dafik, M.Sc., Ph.D.</div>

PAPER • OPEN ACCESS

The Committees of The First International Conference on Combinatorics, Graph Theory and Network Topology (ICCGANT)

To cite this article: 2018 *J. Phys.: Conf. Ser.* **1008** 011002

View the article online for updates and enhancements.

IOP ebooks™

Bringing you innovative digital publishing with leading voices to create your essential collection of books in STEM research.

Start exploring the collection - download the first chapter of every title for free.

The Committees of The First International Conference on Combinatorics, Graph Theory and Network Topology (ICCGANT)

Dafik

Editor in Chief of ICCGANTs Publication, University of Jember, Jember, Indonesia
Professor of Combinatorics and Graph Theory

E-mail: `d.dafik@unej.ac.id`

Advisory Committee

Moch. Hasan	Rector of the University of Jember
Zulfikar	Vice Rector of the University of Jember
Slamin	President of Indonesian Combinatorial Society

Organizing Committee

Dafik	Chairperson
Ika Hesti Agustin	Secretary

Advisory Editorial Board

Surahmat	University of Islam Malang, Indonesia
Syafrizal Sy	University of Andalas, Indonesia

Editorial Board

Arika Indah Kristiana	University of Jember, Indonesia
Abduh Riski	University of Jember, Indonesia
Ikhsanul Halikin	University of Jember, Indonesia
Ridho Alfarisi	University of Jember, Indonesia
Rafiantika Megahnia Prihandini	University of Jember, Indonesia
Kusbudiono	University of Jember, Indonesia
Ermita Rizky Albirri	University of Jember, Indonesia
Robiatul Adawiyah	University of Jember, Indonesia
Dwi Agustin Retno Wardani	IKIP PGRI Jember, Indonesia

Scientific Committee and Reviewers

Joe Ryan	University of Newcastle, Australia
Kinkar Chandra Das	Sungkyunkwan University, Republic of Korea
Octavio Paulo Vera Villagran	University of Bio-Bio, Chile
Ali Ahmad	Jazan University, Saudi Arabia
Roslan Hasni	Universiti Malaysia Terengganu, Malaysia
Kiki A. Sugeng	University of Indonesia, Indonesia
Rinovia Simajuntak	Institut Teknologi Bandung, Indonesia
Hilda Assiyatun	Institut Teknologi Bandung, Indonesia
Liliek Susilowati	Universitas Airlangga, Indonesia
Diary Indriati	Universitas Sebelas Maret, Indonesia
Syaiful Bukhori	University of Jember, Indonesia
Antonius Cahya Prihandoko	University of Jember, Indonesia
Bambang Sujanarko	University of Jember, Indonesia
Khairul Anam	University of Jember, Indonesia

PAPER • OPEN ACCESS

Peer review statement

View the article online for updates and enhancements.

Related content

IOP ebooks™

Bringing you innovative digital publishing with leading voices to create your essential collection of books in STEM research.

Start exploring the collection - download the first chapter of every title for free.

Peer review statement

All papers published in this volume of *Journal of Physics: Conference Series* have been peer reviewed through processes administered by the proceedings Editors. Reviews were conducted by expert referees to the professional and scientific standards expected of a proceedings journal published by IOP Publishing.

Table of contents

Volume 1008

2018

◂ Previous issue   Next issue ▸

The 1st International Conference of Combinatorics, Graph Theory, and Network Topology
25–26 November 2017, The University of Jember, East Java, Indonesia

View all abstracts

Preface

Papers

Applied Mathematics

Continuous connection of two adjacent pipe parts defined by line, bézier and hermit center curves   012005

Kusno and Antonius Cahyo Prihandoko

+ View abstract   PDF

OPEN ACCESS   012006

The development rainfall forecasting using kalman filter

Mohammad Zulfi, Moh. Hasan and Kosala Dwidja Purnomo

+ View abstract   PDF

OPEN ACCESS   012007

Comparison of exact, efron and breslow parameter approach method on hazard ratio and stratified cox regression model

Mohamat Fatekurohman, Nita Nurmala and Dian Anggraeni

+ View abstract   PDF

OPEN ACCESS   012008

Fractional kalman filter to estimate the concentration of air pollution

Yessy Vita Oktaviana, Erna Apriliani and Didik Khusnul Arif

+ View abstract   PDF

OPEN ACCESS   012009

Fire spread estimation on forest wildfire using ensemble kalman filter

Wardatus Syarifah and Erna Apriliani

+ View abstract   PDF

OPEN ACCESS   012010

Determination system for solar cell layout in traffic light network using dominating set

Windi Eka Yulia Retnani, Brelyanes Z. Fambudi and Slamin

+ View abstract   PDF

OPEN ACCESS   012011

Sentiment analysis system for movie review in Bahasa Indonesia using naive bayes classifier method

Yanuar Nurdiansyah, Saiful Bukhori and Rahmad Hidayat

+ View abstract   PDF

OPEN ACCESS   012012

Tunneling effect on double potential barriers GaAs and PbS

S H B Prastowo, B Supriadi, Z R Ridlo and T Prihandono

+ View abstract   PDF

OPEN ACCESS   012013

The stark effect on the spectrum energy of tritium in first excited state with relativistic condition

S H B Prastowo, B Supriadi, S Bahri and Z R Ridlo

+ View abstract   PDF

OPEN ACCESS   012014

Water hyacinth cellulose-based membrane for adsorption of liquid waste dyes and chromium

Cintia Agtasia Putri, Ian Yulianti, Ika Desianna, Anisa Sholihah and Sujarwata

+ View abstract   PDF

OPEN ACCESS   012015

Wireless SAW passive tag temperature measurement in the collision case

A. Sorokin, A. Shepeta and M. Wattimena

+ View abstract   PDF

OPEN ACCESS   012016

Image encryption based on pixel bit modification

Kiswara Agung, Fatmawati and Herry Suprajitno

+ View abstract   PDF

JOURNAL LINKS

Journal home

Information for organizers

Information for authors

Search for published proceedings

Contact us

Reprint services from Curran Associates

Image encryption based on pixel bit modification

To cite this article: Kiswara Agung *et al* 2018 *J. Phys.: Conf. Ser.* **1008** 012016

View the article online for updates and enhancements.

Related content

IOP ebooks™

Image encryption based on pixel bit modification

Kiswara Agung[1], Fatmawati[2], Herry Suprajitno[2]
[1]Mathematic Department, University of Jember, Jember, Indonesia
[2]Mathematic Department, AirlanggaUniversity, Surabaya, Indonesia

E-mail: kiswaras@gmail.com

Abstract. There are currently some publications about image encoding without changing pixel values. One of them encodes the image by dividing the image into blocks and then creating permutations and combinations into block positions. The disadvantage of this method is a grayscale histogram of an encoding image similar to a grayscale histogram of a plain image. This happens because the number of grayscale for the light intensity of the plain image is the same as the grayscale for the light intensity of the encoded image. In this article we propose image encoding by manipulating pixel bits. The result of this research is an image coding method where plain images and encoded images have big differences on grayscale histogram and visual.

1. Introduction
Nowadays, researchers about image encoding more focused on several aspects of which: [1] make permutations on some parts of the image, [5] transpose some parts of the image, [2] make combination on some parts of the image, [6] encode the image using affine transformations. [4] Some publications introduce an image encoding method by randomizing the position of pixels. [2] The position of pixels is randomized using permutation and combination processes. [5] divides the image into blocks, then the block position is scrambled to encode the image. [3] Scramble the pixel position on each layer of the colored image.

Image encoding performed by [2, 5, 10] produces a good visual encoding image but the weakness of this method is the greyscale histogram of plain and encoded images having the same shape because the number and pixel values are unchanged for the image before and after encoding. This weakness will be used by hackers as the entrance to destroy or manipulate the existing images. In statistical analysis, the difference between the plain image and the encrypt image can be seen from the mean sequare error (MSE) value, coeficient corelation, dan peak signal noise relation (PSNR).

In this article we offer an image encoding method by modifying its pixel value. We will manipulate the pixel value by redeeming between least significant bits (MSB) and least significant bits (LSB) in each pixel. The result of this method, the original image and the coded image have a significant difference both visually and from the histogram form. This happens because the number of grayscale of plain image and encrypt image is different, although the pixel position is no different.

2. Research Methods
2.1 Digital Image
Image data and text data is very different because an image contains very large data, and all data are interconnected one and the other. The image data also contains considerable data repetition [7]. The concept of the difference between text data and image data can be shown in the table below.

Table 1. Text and Image Encoding Differences

Type	Secret Data	Encrypted Data	Remarks
Text	"CSEMCKVIE"	"DTFNDLWJF"	Completely different

Image (RGB)

Pixel (P₁)=
(24,45, 233)

Pixel (P₂)=
(10, 65, 198)

P$_1$ and P$_2$ are completely different, but visually they look similiar

Image (Gray)

Pixel (P₁)=
(87)

Pixel (P₁)=
(114)

P$_1$ and P$_2$ are completely different, but visually they look similiar

A digital image consists of a number of elements, each element occupying a certain position and has a value. This element is usually called the picture element or pixel. [8]. An image is defined as a two-dimensional function *f(x, y)* where *x* and *y* are coordinate pairs. The value of *f(x, y)* is the light intensity of pixels in coordinates (*x,y*) and usually it's called grayscale. The value of a pixel can be converted to 8 binary digits (bits). 4 digits of the first are called the LSB (Least Significant Bit), where the change of value in this position will not give a significant change to the image. 4 digits of the second are called MSB (Most Significant Bit), where the change of value in this position will have a significant impact on the image [9]. The following figure shows the position of a value of bit.

| 1 | 1 | 0 | 1 | 0 | 0 | 1 | 0 |

MSB   **LSB**

Figure1. MSB,LSB Interpretation

The maximum deviation of an image can be searched by creating a grayscale histogram and calculating the area. The smaller the deviation indicates that the coding results the better. To find the area of the histogram image can be searched by the formula: [3

$$L = \frac{h_0 + h_{255}}{2} + \sum_{i=1}^{254} h_i$$

L = deviation area

h_i = number of pixel that have different i

i = pixel value

The correlation coefficient of an image shows how the relationship between pixels that adjacent each other.The formula for determining the correlation coefficient of an image is [6]:

$$E(x) = \frac{1}{N}\sum_{i=1}^{N} x_i \qquad E(y) = \frac{1}{N}\sum_{i=1}^{N} y_i$$

$$CC = \frac{cov(x,y)}{\sigma_x \sigma_y}$$

$$= \frac{\sum_{i=1}^{N} \frac{x_i - E(x)}{y_i - E(y)}}{\sqrt{\sum_{i=1}^{N}(x_i - E(x))^2}\sqrt{\sum_{i=1}^{N}(y_i - E(y))^2}}$$

x_i = the pixel of plain image at i position
y_i = the pixel of encrypt image at i position
N = total of pixel

From the results of correlation coefficient analysis found that if the value of CC smaller then it is said that the results of coding is better. If $CC = 1$ it is said both identical image or encoding fail. If $CC = 0$ it's said the two images are perfectly different.The correlation of image is the relationship between pixel pairs that are adjacent to each other vertically, horizontally or diagonally [1].

2.2 Image Encryption Algorithm by Pixel Modification

In this article we propose an image coding method based on pixel modification. The modification of the pixels that we propose is the exchange between the most significant bits (MSB) and least significant bits (LSB). Because of the type of this image encoding is symmetry, so the encryption procedure as same as the decryption procedure. The following is the proposed image encoding algorithm:

1. Enter the initial image with the known pixel value

2. Convert the pixel value to 8 bits.

3. Exchange between MSB and LSB of each pixel

a. Exchange bits 1 and bit 5

b. Exchange bits 2 and bit 6

c. Exchange bits 3 and bit 7

d. Exchange bits 4 and bit 8

4. Apply step 2 to all pixels in the image

5. End

The above algorithm applies to encoding and decoding process. The algorithm of this method can be presented in the following flowchart form:


Figure 2. Flowchart Image Encoding

M = width of image
N = length of image
K = bit position
(i,j) = pixel position

$B^k_{(i,j)}$ = bit to k of pixel on the position (i,j)

For example, if known pixel data as follows:

Table 2. Pixel Data

| Layer	Original Image				Encrypt Image			
	Value	**Bit**	**MSB**	**LSB**	**MSB**	**LSB**	**Bit**	**Value**
Red	69	01000101	0100	0101	0101	0100	01010100	84
Green	186	11011110	1101	1110	1110	1101	11101101	237
Blue	215	11010111	1101	0111	0111	1101	01111101	125

Based on the example above, we know that to encode an image only need to exchange between most significant bits (MSB) and least significant bits (LSB). This method is used for encryption or decryption of an image, so it is symmetry cryptography.

3. Results and Discussion

To test this algorithm, we do an experiment . This test is performed using a laptop with the I3 core microprocessor specification and Microsoft Windows 10 operating system .Program written using MATLAB R2016b and good quality image as the data. The results of this algorithm can be shown in the figure below. We use balloon images as data and histogram of grayscale for comparison

(a)   (b)

Figure 3. a) Plain Image, b) Histogram Plain Image

(a)   (b)

Figure 4. a) Encrypt Image, b) Histogram Encrypt Image

From the visualization results, the image 3a and image 4a above show that the image encoding results are very difficult to interpretation. We can see that density of histogram plain image(figure.3b) is greater than the density of histogram encrypt image (figure.4b). It shows that there is a significant difference between the original image and image of the encoding. In the histogram of figure 3b and 4b above shows that the intensity of the encrypt image as not same as the plain image, it cause the image to be more bad. In addition to analyzing the histogram, we also analyze the correlation between adjacent pixels, by vertically,horizontally and diagonally. Here we choose 2000 pairs of adjacent pixels and we calculate the correlation coefficient.

Table 3. Koefisien korelasi antara plainimage/cipherimage

Proximity Pixel	Plain Image	Encrypt Image
Horizontal	0.82599	0.82589
Vertical	0.99076	0.44643
Diagonal	0.97199	0.31143

There is a difference of correlation coefficient between two adjacent pixels diagonally using our method is 0.97199 (plainimage) and 0.31143 (encrypt image). Similar results also occur in adjacent vertical and horizontal pixels, as shown in Table 3. It is apparent in Table 3. that the difference in coefficient of correlation between two diagonally adjacent pixels is significant enough to cause the two images to differ significant visually.

4. Conclusion

The proposed method produces significant grayscale histogram differences between the original image and the image after encoding so it can correct the weakness of some existing methods before. This method has been tested on many images and the result is very satisfactory because it has a high level of security and quite worthy of being called a good security system. This is demonstrated by the significant differences between plain images and both visual and histogram encoding images, in addition there are also differences in correlation coefficients between two adjacent pixels either vertically, horizontally or diagonally. We hope the next research not only analyze the histogram but also the MSE and PSNR so that the level of security to be better

References

[1] Dixit A, Drhuve P, Bhakwan D 2012Image Encryption Using Permutation *Computer Science & Information Technology* **6** 1-9

[2] Younes M A B and Jantan A 2008 An Image Encryption Approach Using a Combination of Permutation Technique Followed by Encryption *IJCSNS International Journal of Computer Science and Network Security* **8** 28-40

[3] Chang 2004 Gray-Level Image Encryption Scheme Using Full Phase Encryption and Phase Encoded Exclusive OR Operation *Optical Review* **11** 1 34 - 37

[4] Fhishawy 2007 Quality of Encryption Measurement of Bitmap Image with RC6, MRC6, and Rijndael Block Cipher Algorithm *International Journal of Network Security* **5** 3 241-251

[5] Kester Q A 2013 Image Encryption based on the RGB PIXEL Transposition and Shuffling *International Journal of Computer Network and Information Security* 43-50

[6] Kori P, Dubey P and Richhariya V 2015 Double Phase Image Encryption and Decryption Using Logistic Tent Map and Chaotic Logistic Map *IJSART International Journal and Research Technology* **1** 11 33-39

[7] Majumdar S 2014 An Analytical Survey on Different Secured Image Encryption Techniques *IJCAT International Journal of Computing and Technology* **1** 8 396-403

[8] Sakthidasan 2011 A New Algorithm for Image Encryption and Decryption of Digital Color Image *International Journal of Information and Education Technology* **1** 72-86

[9]   Santoso K A, Fatmawati and Suprajitno H 2017 Image Encryption Technique Based on Pixel Exchange and XOR Operation *Proceeding of International Basic Science Conference* 286-288

[10] Zhou W and Alan B 2009 Mean Squared Error: A New Look At Signal Fidelity Measures *IEEE Signal Processing Magazine* 98-117